JOURNAL

of the

American Ceramic Society

A MONTHLY PUBLICATION DEVOTED TO THE ARTS AND SCIENCES RELATED TO CERAMICS

VOLUME 56, 1973

F. P. Reid, *Publisher and Executive Director*
William J. Smothers, *Editor*
Margie K. Reser, *Technical Editor*
M. Geraldine Smith, *Associate Editor*
Nancy L. Reed, *Assistant Editor*
Olive Scott, *Senior Editorial Assistant*
Martha Bell, *Editorial Assistant*

Committee on Publications: Seymour L. Blum, *Chairman;* Arthur L. Friedberg, John R. Hutchins III, Stephen D. Stoddard, J. B. Wachtman, Jr.; *ex officio members:* F. P. Reid, William J. Smothers, Richard M. Fulrath

Executive, Editorial, and Advertising Offices:
65 Ceramic Drive, Columbus, Ohio 43214

Officers of the American Ceramic Society, 1973–1974

SOCIETY OFFICERS

President: JAMES R. JOHNSON, 3M Co., Central Research Labs, 3M Center, Box 33221, St. Paul, Minn. 55133

President-Elect: JOSEPH E. BURKE, General Electric Co., Research & Development Center, Box 8, Schenectady, N. Y. 12301

Vice Presidents:

LYLE A. HOLMES, International Minerals & Chemical Corp., Ceramic & Glass Products Div., IMC Plaza, Libertyville, Ill. 60048

WALTER W. PERKINS, 871 Jacoby Rd., Copley, Ohio 44321 (Norton Co., Chemical Process Products Div.)

MERTON L. VAN DRESER, Kaiser Aluminum & Chemical Corp., Center for Technology, Box 870, Pleasanton, Calif. 94566

Treasurer: STEPHEN D. STODDARD, 203 Chamisa Ave., Los Alamos, N. M. 87544 (Los Alamos Scientific Lab)

DIVISION AND CLASS OFFICERS

Basic Science Division

Trustee: RALPH E. CARTER (1975) General Electric Co., Research & Development Center, Box 8, Schenectady, N. Y. 12301

Chairman: THOMAS VASILOS, 92 Bartlett Rd., Winthrop, Mass. 02152 (Avco Systems Div.)

Chairman-Elect: SHELDON M. WIEDERHORN, National Bureau of Standards, Washington, D.C. 20234

Vice Chairman: PAUL J. JORGENSEN, Stanford Research Institute, Menlo Park, Calif. 94025

Secretary: ROBERT RUH, 4225 Murrell Dr., Dayton, Ohio 45429 (U.S. Air Force Materials Lab)

Cements Division

Trustee: PETER J. SEREDA (1975), National Research Council, Div. of Building Materials, Montreal Rd., Ottawa, Ont., K1A OR6, Canada

Chairman: RICHARD A. HELMUTH, Stanford University, Civil Engineering Dept., Stanford, Calif. 94305

Chairman-Elect: FORREST R. HURLEY, Martin Marietta Corp., 1450 S. Rolling Rd., Baltimore, Md. 21227

Secretary: WALDEMAR A. KLEMM, General Portland Inc., 4241 Sigma Rd., Dallas, Texas 75240

Ceramic-Metal Systems Division

Trustee: JAMES D. SULLIVAN (1976), A. O. Smith Corp., Glass Coating Mat'ls Div., Box 584, Milwaukee, Wis. 53201

Chairman: JULES J. DUGA, 2605 Bryden Rd., Columbus, Ohio 43209 (consultant)

Chairman-Elect: JOHN D. BUCKLEY, 23 E. Governor Dr., Newport News, Va. 23602 (NASA)

Vice Chairman: THOMAS E. CURRIE, General Electric Co., AP 35-1115, Appliance Park, Louisville, Ky. 40225

Secretary: W. HOWARD COOK, 5908 Nottingham Rd., Knoxville, Tenn. 37918 (Union Carbide Corp.)

Counselor: RICHARD A. EPPLER, Pemco Products, Glidden-Durkee, Div. of SCM Corp., 5601 Eastern Ave., Baltimore, Md. 21224

Counselor: H. S. INGHAM, JR., Metco, Inc., 1101 Prospect Ave., Westbury, L. I., N. Y. 11590

Electronics Division

Trustee: MERLE D. RIGTERINK (1975), Bell Labs, 600 Mountain Ave., Murray Hill, N. J. 07974

Chairman: LEWIS C. HOFFMAN, E. I. du Pont de Nemours & Co., Inc., Electronic Products Div., Photo Products Dept., Wilmington, Del. 19898

Chairman-Elect: JOHN C. WILLIAMS, Seven Mt. Vernon Way, Whippany, N. J. 07981 (Bell Labs)

Vice Chairman: DAVID L. WILCOX, 2184 Glenkirk Dr., San Jose, Calif. 95124 (IBM Corp.)

Secretary: JOSEPH T. BAILEY, 6413 Point Pleasant, Hixson, Tenn. 37343 (American Lava Corp.)

Glass Division

Trustee: GUY E. RINDONE (1974), Pennsylvania State University, Dept. of Materials Sciences, 201 Mineral Industries Bldg., University Park, Pa. 16802

Chairman: DANIEL R. STEWART, 1399 Fort Street, Maumee, Ohio 43537 (Owens-Illinois, Inc.)

First Vice Chairman: LARRY L. HENCH, University of Florida, Dept. of Metallurgical & Materials Engineering, Gainesville, Fla. 32601

Second Vice Chairman: E. LOWELL SWARTS, PPG Industries, Inc., Glass Research Center, Box 11472, Pittsburgh, Pa. 15238

Secretary: L. D. PYE, New York State University College of Ceramics, Alfred University, Alfred, N. Y. 14802

Materials & Equipment Division

Trustee: WILLIAM C. MOHR (1974), Electro Refractories & Abrasives, Div. of Ferro Corp., Box 151, Crooksville, Ohio 43731

Chairman: CARL E. HAGBERG, 19 Lawnside Dr., Trenton, N. J. 08638 (Kentucky-Tennessee Clay Co.)

Chairman-Elect: WILLIAM C. SPANGENBERG, Hammond Lead Products, Inc., 425 Manor Oak I, 1910 Cochran Rd., Pittsburgh, Pa. 15220

Vice Chairman: J. RICHARD SCHORR, 4829 Larwell Dr., Columbus, Ohio 43220 (Battelle, Columbus Labs)

Secretary: JAMES C. LAUGHREY, 2334 McNary Blvd., Pittsburgh, Pa. 15235 (New Castle Refractories Co.)

Nuclear Division

Trustee: EUGENE D. LYNCH (1976), 3631 Willow Lawn Dr., Lynchburg, Va. 24503 (Babcock & Wilcox Co.)

Chairman: WILLIAM R. JACOBY, Westinghouse Electric Corp., Box 217, Cheswick, Pa. 15024

Vice Chairman: ALEXIS I. KAZNOFF, General Electric Co., Vallecitos Nuclear Center, Vallecitos Rd., Pleasanton, Calif. 94566

Secretary: JOHN M. KERR, 1425 Brookville Lane, Lynchburg, Va. 24502 (Babcock & Wilcox Co.)

Refractories Division

Trustee: RALPH C. PADFIELD (1976), 2115 Jennings St., Bethlehem, Pa. 18017 (Bethlehem Steel Corp.)

Chairman: LEROY D. HART, 8909 Redoak Dr., Crestwood, Mo. 63126 (Aluminum Co. of America)

Vice Chairman: ARTHUR J. METZGER, Ohio State University, Dept. of Ceramic Engineering, Columbus, Ohio 43210

Secretary: BRUCE H. BAKER, Armco Steel Corp., Research Center—South, Middletown, Ohio 45042

Structural Clay Products Division

Trustee: GILBERT C. ROBINSON (1975), Box 91, Clemson, S. C. 29631 (Clemson University)

Chairman: JOSEPH H. BELGER, Lingl Corp., Dresden Hwy., Box 1059, Paris, Tenn. 38242

Chairman-Elect: JAMES L. CLARK, 2761 South Jay, Denver, Colo. 80227 (Robinson Brick & Tile Co.)

Vice Chairman: WILLIAM L. PANGBORN, United States Concrete Pipe Co., Box 152, Uhrichsville, Ohio 44683

Secretary: JOSEPH A. GUZZETTA, 1615 Warwick Lane, Newport Beach, Calif. 92660 (Aircraft Mechanics, Inc., Pearne & Lacy Div.)

White Wares Division

Trustee: DAVID J. BARBOUR (1974), 251 E. Highland Dr., Zanesville, Ohio 43701 (consultant)

Chairman: STANLEY I. WARSHAW, American Standard Inc., Box 2003, New Brunswick, N. J. 08903

Chairman-Elect: WILLIAM J. KELLY, Seven Van Saun Dr., Trenton, N. J. 08628 (United Sierra Div., Cyprus Mines Corp.)

Vice Chairman: DALE A. FRONK, 6044 Sharon Woods Blvd., Columbus, Ohio 43229 (Edward Orton Jr. Ceramic Foundation)

Secretary: WILLIAM B. SHOOK, Ohio State University, Dept. of Ceramic Engineering, Columbus, Ohio 43210

Ceramic Educational Council

Trustee: WILLIS G. LAWRENCE (1974), New York State University College of Ceramics, Alfred University, Alfred, N. Y. 14802

President: WILLIAM B. CAMPBELL, University of Tennessee, Dept. Eng. Sci., 315 Perkins Hall, Knoxville, Tenn. 37916

President-Elect: ORVILLE HUNTER, JR., Iowa State University, 110 Engineering Annex, Ames, Iowa 50010

Vice President: MARTIN H. LEIPOLD, JR., University of Kentucky, Dept. of Materials Science, Lexington, Ky. 40506

Secretary-Treasurer: O. J. WHITTEMORE, JR., University of Washington, Ceramic Engineering FB10, Seattle, Wash. 98195

Executive Secretary: JOHN F. MCMAHON, 13 Sayles St., Alfred, N. Y. 14802 (consultant)

National Institute of Ceramic Engineers

Trustee: WINSTON DUCKWORTH (1974), Battelle, Columbus Labs, 505 King Ave., Columbus, Ohio 43201

President: FORREST W. NELSON, A. O. Smith Corp., Box 584, Milwaukee, Wis. 53201

President-Elect: ROBERT E. MOORE, University of Missouri—Rolla, School of Mines & Metallurgy, Rolla, Mo. 65401

Vice President: RICHARD A. ALLIEGRO, Norton Co., One New Bond St., Worcester, Mass. 01606

Secretary-Treasurer: JOSEPH L. PENTECOST, 3605 Clubwood Trail, Marietta, Ga. 30062 (Georgia Institute of Technology)

TABLE OF CONTENTS

VOLUME 56, 1973

January [No.1], pp. 1–50

1. V. O. Altemose: Effect of Alkali Oxides on the Diffusion of Helium in a Simple Borosilicate Glass 1
2. J. P. Guha and D. Kolar: Subsolidus Equilibria in the System $BaO-CeO_2-TiO_2$ 5
3. L. A. Simpson: Effect of Microstructure on Measurements of Fracture Energy of Al_2O_3 7
4. S. P. Faile and D. M. Roy: Gas Solubility in Relation to the Structures of Glasses and Liquids 12
5. H. P. Kirchner, R. M. Gruver, and R. E. Walker: Strengthening of Hot-Pressed Al_2O_3 by Quenching 17
6. R. M. Gruver and H. P. Kirchner: Effect of Surface Damage on the Strength of Al_2O_3 Ceramics with Compressive Surface Stresses 21
7. E. F. Riebling: Influence of Pseudo-Alkali Cations on Network Depolymerization in Mixed-Cation Germanate Glasses 25
8. K. R. McKinney and H. L. Smith: Method of Studying Subcritical Cracking of Opaque Materials 30
9. R. L. Shultz: Effects of Titanium Oxide on Equilibria Among Refractory Phases in the System CaO-MgO-Iron Oxide 33
10. A. G. Evans, C. Padgett, and R. W. Davidge: Strength of Pyrolytic SiC Coatings of Fuel Particles for High-Temperature Gas-Cooled Reactors 36
11. Satyabrata Ray: Study of Ordering in High-Quartz Solid Solutions by Substitutions Affecting Superlattice Reflections 42

Discussions and Notes

Eric C. Skaar and William J. Croft: Thermal Expansion of TiB_2 45
R. L. Aghan and R. McPherson: Mechanism Removal During Abrasion of Rutile 46
R. A. Rita, C. G. Bergeron, and J. M. Lukacs: Enthalpy of Fusion of Pb_2SiO_4 47
V. Krishnamachari, J. T. Jones, and H. Bell: Compressive Creep of Rutile in Vacuum 48
C. H. Kim and M. Tomozawa: Effect of Pt on Phase Separation in Alkali Silicate Glasses 49
V. W. Nehring and J. T. Jones: Flexural Creep of Surface-Treated Sapphire Rods 50

February [No. 2], pp. 51–110

12. Carl E. Hoge, John J. Brennan, and Joseph A. Pask: Interfacial Reactions and Wetting Behavior of Glass-Iron Systems 51
13. N. T. Huff and A. D. Call: Computerized Prediction of Glass Compositions from Properties 55
14. John J. Brennan and Joseph A. Pask: Effect of Composition on Glass-Metal Interface Reactions and Adherence ... 58
15. I. J. Lin and S. Niedzwiedz: Kinetics of the Massicot-Litharge Transformation During Comminution 62
16. Peter C. Schultz and Mary Splann Mizzoni: Anionic Conductivity in Halogen-Containing Lead Silicate Glasses 65
17. E. A. Weaver, D. R. Stewart, and G. F. Neilson: Lasing in a Phase-Separated Glass 68
18. R. L. Berger and J. D. McGregor: Effect of Temperature and Water-Solid Ratio on Growth of $Ca(OH)_2$ Crystals Formed During Hydration of Ca_3SiO_5 73
19. P. C. Kapur: Kinetics of Solid-State Reactions of Particulate Ensembles with Size Distributions 79
20. Kiyoshi Okazaki and Kunihiro Nagata: Effects of Grain Size and Porosity on Electrical and Optical Properties of PLZT Ceramics 82
21. R. J. Huang, T. Demirel, and T. D. McGee: Calculation and Interpretation of Surface Free Energy of Wetting of E-Glass by Vapors 87
22. Gary S. Snow: Fabrication of Transparent Electrooptic PLZT Ceramics by Atmosphere Sintering 91
23. A. N. Georoff and C. L. Babcock: Relation of Microindentation Hardness to Glass Composition 97
24. A. K. Goswami: Dielectric Properties of Explosively Compacted $BaTiO_3$ 100

Discussions and Notes

James F. Sproull and Guy E. Rindone: Correlation Between Strength of Glass and Glassy Microphases 102
L. D. Pye and J. S. Knox: Extended Glass-Transition Range 103
D. P. H. Hasselman and R. A. Penty: Stress Concentrations in Polymer-Impregnated Porous Brittle Materials .. 105
A. Navrotsky: Discussion of "Equilibrium Cation Distribution in $NiAl_2O_4$, $CuAl_2O_4$, and $ZnAl_2O_4$ Spinels" 106
Richard F. Cooley and James S. Reed: Reply 106
Raymond L. Bertolotti: Fracture Toughness of Polycrystalline Al_2O_3 107
S. M. Wiederhorn and H. Johnson: Influence of Sodium-Hydrogen Ion Exchange on Crack Propagation in Soda-Lime Silicate Glass 108
G. W. Hollenberg and Ronald S. Gordon: Origin of Anomalously High Activation Energies in Sintering and Creep of Impure Refractory Oxides 109
V. Provenzano, L. P. Boesch, V. Volterra, C. T. Moynihan, and P. B. Macedo: Electrical Relaxation in $Na_2O{\cdot}3SiO_2$ Glass—Corrections 110

March [No. 3], pp. 111–72

25. Robert A. Giddings and Ronald S. Gordon: Review of Oxygen Activities and Phase Boundaries in Wustite as Determined by Electromotive-Force and Gravimetric Methods 111
26. R. E. Woodley: Equilibrium Oxygen Potential-Composition Relations in $U_{0.75}Pu_{0.25}O_{2-x}$ 116
27. J. J. Stiglich, Jr., J. B. Cohen, and D. H. Whitmore: Interdiffusion in CoO-NiO Solid Solutions 119
28. J. P. De Luca and J. M. Leitnaker: Review of Thermodynamic Properties of the Cr-N System 126
29. V. J. Tennery and T. G. Godfrey: Oxidation Properties of $(U,Pu)O_2$ Solid Solutions 129
30. P. J. Harvey, B. G. Childs, and J. Moerman: Optical Absorbance and Fluorescence in Pure and Doped ThO_2 134
31. R. F. Firestone and A. H. Heuer: Yield Point of Sapphire 136
32. Glenn W. Hollenberg and Ronald S. Gordon: Effect of Oxygen Partial Pressure on the Creep of Polycrystalline Al_2O_3 Doped with Cr, Fe, or Ti 140
33. Ronald S. Gordon: Mass Transport in the Diffusional Creep of Ionic Solids 147
34. J. D. Snow and A. H. Heuer: Slip Systems in Al_2O_3 153
35. W. Roger Cannon and Oleg D. Sherby: Third-Power Stress Dependence in Creep of Polycrystalline Nonmetals 157
36. C. S. Yust and C. J. McHargue: Model for the Deformation of Hyperstoichiometric UO_2 161
37. A. A. Solomon: Radiation-Induced Creep of UO_2 164

Discussions and Notes

D. R. Messier, P. Wong, and A. E. Ingram: Effect of Oxygen Impurities on the Nitridation of High-Purity Silicon 171
V. Krishnamachari, J. T. Jones, and H. Bell: Compressive Creep of Rutile in Vacuum—Correction 172
Raymond L. Bertolotti: Fracture Toughness of Polycrystalline Al_2O_3—Correction 172

April [No. 4], pp. 173–234

38. Michael Tokar: Compressive Creep and Hot Hardness of U-Pu Carbides 173
39. K. Prabriputaloong and M. R. Piggott: Thin-Film Studies of the Reduction of SiO_2 by Al 177
40. Mario Collepardi and Luigi Massidda: Hydration of Beta Dicalcium Silicate Alone and in the Presence of $CaCl_2$ or C_2H_5OH 181
41. K. Prabriputaloong and M. R. Piggott: Reduction of SiO_2 by Molten Al 184
42. W. Eysel, R. W. Wolfe, and R. E. Newnham: $Pb_5(Ge,Si)_3O_{11}$ Ferroelectrics 185
43. J. Yee and F. A. Kröger: Measurements of Electromotive Force in Al_2O_3—Pitfalls and Results 189
44. S. M. Wiederhorn and H. Johnson: Effect of Electrolyte pH on Crack Propagation in Glass 192
45. A. Navrotsky and O. J. Kleppa: Estimate of Enthalpies of Formation and Fusion of Cordierite 198
46. M. H. Leipold and C. M. Kapadia: Effect of Anions on Hot-Pressing of MgO 200
47. Ralph Scheidecker and M. F. Berard: Interdiffusion in the System CaF_2-SrF_2 204
48. James S. Reed and Richard M. Fulrath: Characterization and Sintering Behavior of Ba and Sr Ferrites 207
49. J. J. Stiglich, Jr., D. H. Whitmore, and J. B. Cohen: Defect Structure of NiO-CoO Solid Solutions 211
50. J. A. Coppola and R. C. Bradt: Thermal-Shock Damage in SiC 214

Discussions and Notes

Samuel J. Schneider and Ernest M. Levin: Polymorphism of K_2CO_3 218
L. A. Harris, H. L. Yakel, and C. S. Yust: Formation of an Fe-Pt Carbide from Fe Carbonyl in CO Gas 220
C. E. Holcombe, Jr., and A. L. Coffey, Jr.: Calculated X-Ray Powder Diffraction Data for Beta Al_2TiO_5 220
G. Mascolo, B. Marchese, G. Frigione, and R. Sersale: Influence of Polymorphism and Stabilizing Ions on the Strength of Alite 222
D. P. H. Hasselman: Comment on "Prediction of Thermal-Shock Resistance During Heating at Very High Rates" 223
Richard L. Newman: Reply 223
Denzil W. Stacy and D. R. Wilder: Thermal Expansion in the System Y_2O_3-HfO_2 224
Karl R. McKinney: Relation of Fracture Mechanics to Mirror Surfaces of Fractured Brittle Materials 225
J. Thomas Cutchen and Gene H. Haertling: Material and Electrooptic Properties of the (Pb,La)(Hf,Ti)O_3 System 225
S. M. Wiederhorn: Prevention of Failure in Glass by Proof-Testing 227
J. F. Lynch and R. C. Bradt: Work of Fracture of BeO 228
L. J. Eckert and R. C. Bradt: Thermal Expansion of Alpha Ga_2O_3 229
G. Achutaramayya and William D. Scott: Measurement of Dihedral Angles by Scanning Electron Microscopy 230
S. Holmquist: Comments on "Dependence of Melt Oxygen Activity and Water Retention on Composition of Amber Glass" 232
F. L. Harding: Reply 233
T. A. Johnson and J. F. Benzel: Unidirectional Solidification of Stabilized HfO_2-W 234

May [No. 5], pp. 235–90

51. Zdeněk P. Bazant and Zissis Moschovidis: Surface-Diffusion Theory for Drying Creep Effect in Portland Cement Paste and Concrete 235
52. F. E. Ruttenberg and M. J. D. Low: Reaction of Cyanogen with SiO_2 Surfaces 241
53. A. K. Varshneya, A. R. Cooper, R. B. Diegle, and S. A. Chin: Measurement of Self-Diffusion in Solids by Neutron Activation of Masked Samples 245
54. Yasuo Shibasaki, Fumikazu Kanamaru, Mitsue Koizumi, and Shoichi Kume: CrO_2-Cr_2O_3 Phase Boundary Under High O_2 Pressures 248
55. Leon R. Glicksman and G. Renier: Errors Associated with Temperature Measurements in Hot Glass 250
56. Marcus P. Borom: Electron-Microprobe Study of Field-Assisted Bonding of Glasses to Metals 254
57. A. R. C. Westwood, N. H. Macmillan, and R. S. Kalyoncu: Environment-Sensitive Hardness and Machinability of Al_2O_3 258
58. J. E. Shelby: Effect of Phase Separation on Helium Migration in Sodium Silicate Glasses 263
59. I. A. Cutter and R. McPherson: Plastic Deformation of Al_2O_3 During Abrasion 266
60. J. A. Topping and M. K. Murthy: Effect of Small Additions of Al_2O_3 and Ga_2O_3 on the Immiscibility Temperature of Na_2O-SiO_2 Glasses 270
61. Raymond W. Mar: Conditions for Formation of ErB_4 275
62. G. E. Peterson, A. M. Glass, A. Carnevale, and P. M. Bridenbaugh: Control of Laser Damage in $LiNbO_3$ 278

Discussions and Notes

C. C. Seaton and R. N. Katz: Acoustic Fatigue in Certain Ceramic Materials 283
Joseph H. Simmons: Miscibility Gap in the System PbO-B_2O_3 284
H. T. Anderson and B. J. Wuensch: CeO_2-Y_2O_3 Solid Solutions 285
R. H. Anderson, B. G. Koepke, E. Bernal G., and R. J. Stokes: Preparation of High-Strength KCl by Hot-Pressing 287
J. V. Smith and D. Chatterji: EMF Investigation of Ga-Ga_2O_3 Equilibrium 288
C. M. Kapadia and M. H. Leipold: Interrelation of Pore Size and Grain Size During Grain Growth of Oxides 289
Yoji Kawamoto, Nagao Nagura, and Shoji Tsuchihashi: Properties of Ag-Containing Sulfide Glasses 289

June [No. 6], pp. 291–348

63. Toshiaki Murakami, Motohiro Nakahara, Tadashi Miyashita, and Shohei Ueda: Electrical Conduction of Rare-Earth-Doped $BaTiO_3$ Single Crystals 291
64. Toshiaki Murakami, Tadashi Miyashita, Motohiro Nakahara, and Eiji Sekine: Effect of Rare-Earth Ions on Electrical Conductivity of $BaTiO_3$ Ceramics 294
65. J. T. A. Roberts and B. J. Wrona: Crack Healing in UO_2 297
66. S. M. Ohlberg and Helen R. Golob: Undulating Structure in Complex Silicate Glasses 300
67. E. F. Riebling: Depolymerization of GeO_2 and B_2O_3-GeO_2 Network Glasses by Sb_2O_3 303
68. A. Mocellin and W. D. Kingery: Microstructural Changes During Heat Treatment of Sintered Al_2O_3 309
69. P. K. Mehta: Effect of Lime on Hydration of Pastes Containing Gypsum and Calcium Aluminates or Calcium Sulfoaluminate 315
70. N. Mizouchi and A. R. Cooper, Jr.: Relaxation of Volume and Index of Refraction in Pressure-Compacted B_2O_3 Glass 320
71. Sidney Diamond: Interactions Between Cement Minerals and Hydroxycarboxylic-Acid Retarders: IV, Morphology of the Aluminosalicylate Complex 323
72. J. A. Haglund and O. Hunter, Jr.: Elastic Properties of Polycrystalline Monoclinic Gd_2O_3 327
73. J. L. Routbort and J. C. Voglewede: Creep of Mixed-Oxide Fuel Pellets at High Stress 330
74. T. J. Higgins, L. P. Boesch, V. Volterra, C. T. Moynihan, and P. B. Macedo: Electrical and Mechanical Relaxations in a Mixed-Alkali Silicate Glass 334

Discussions and Notes

D. A. Krohn and D. P. H. Hasselman: Effect of Abrasion on Strength and Thermal-Stress Resistance of a Soda-Lime-Silica Glass 337
T. K. Gupta, B. R. Rossing, and W. D. Straub: Fabrication of Transparent Polycrystalline CaO 339

J. E. Shelby: Neon Migration in TiO_2-SiO_2 Glasses 340
Ronald L. Meek: Diffusion Coefficient for Oxygen in Vitreous SiO_2 341
Joseph S. Masaryk and Richard M. Fulrath: Characterization of Short Time in Gaseous Diffusion Analyses 342
N. Kinomura: Synthesis of Thallium and Silver Aluminogermanates with the Hollandite-Type Structure 344
R. H. Dungan, J. A. Gilbert, and J. C. Smith: Preparation and Mechanical Properties of Composites of Fused SiO_2 and W Fibers 345
K. Kijima, N. Setaka, M. Ishii, and H. Tanaka: Preparation of Si_3N_4 by Vapor-Phase Reaction 346
O. J. Whittemore, Jr., and D. A. Sullivan: Pore Changes on Reheating of Plasma-Sprayed Zircon 347
Ronald M. Anderson and Frederick W. Schneider: Transmission Electron Microscopy of Unfired Ceramics 347

July [No. 7], pp. 349–404

75. M. J. Fairweather and M. K. Murthy: Properties and Structure of Glasses in the Systems M_2O-In_2O_3-GeO_2 (M= Li,Na,K) 349
76. R. C. Kell, A. C. Greenham, and G. C. E. Olds: High-Permittivity Temperature-Stable Ceramic Dielectrics with Low Microwave Loss 352
77. R. W. Haskell: Introduction to the Thermodynamics of Spinodal Decomposition 355
78. William G. Morris: Electrical Properties of ZnO-Bi_2O_3 Ceramics 360
79. H. Dean Batha and E. Dow Whitney: Kinetics and Mechanism of the Thermal Decomposition of Si_3N_4 365
80. G. Y. Chin, L. G. Van Uitert, M. L. Green, G. J. Zydzik, and T. Y. Kometani: Strengthening of Alkali Halides by Divalent-Ion Additions 369
81. D. M. Sanders and L. L. Hench: Mechanisms of Glass Corrosion 373
82. Minoru Tomozawa and Richard A. Obara: Effect of Minor Third Components on Metastable Immiscibility Boundaries of Binary Glasses 378
83. Michael F. Ehman and S. B. Austerman: Dislocation Etchant for Beryllium Oxide 382
84. H. M. O'Byran, Jr.: Phase Relations in $(Pb,La)Zr_{0.65}Ti_{0.35}O_3$ 385
S. C. Carniglia: Working Model for Porosity Effects on the Uniaxial Strength of Ceramics—Correction 388
Discussions and Notes
P. Kumar and D. L. Johnson: Grain-Boundary Grooving in CoO 389
John H. Taplin: Discussion of Parabolic Powder Kinetics 390
E. Belohoubek, J. Mitchell, and F. Wozniak: Measurement of Thermal Conductivity of Thin Samples 391
J. A. Coppola and R. C. Bradt: Effects of Porosity on Fracture of Al_2O_3 392
C. S. Morgan: Comment on "Activated Sintering of ThO_2 and ThO_2-Y_2O_3 with NiO" 393
M. Erneta and H. A. Stöckler: Light Scattering by Pores in Ceramic $(Pb,La)(Zr,Ti)O_3$ 394
H. F. Priest, F. C. Burns, G. L. Priest, and E. C. Skaar: Oxygen Content of Alpha Silicon Nitride 395
T. K. Gupta: Critical Grain Size for Noncatastrophic Failure in Al_2O_3 Subjected to Thermal Shock 396
J. Nowotny and J. B. Wagner, Jr.: Reequilibration Kinetics for Undoped and Lithium-Doped Single Crystal Nickel Oxide 397
M. Kinoshita, W. D. Kingery, and H. K. Bowen: Phase Separation in NiO-CoO Solid Solution Single Crystals 398
F. Kanamaru and M. Koizumi: Synthesis of $Ba_4In_6O_{13}$ 399
F. R. Wermuth and W. J. Knapp: Initial Sintering of MgO and LiF-Doped MgO 401
J. E. Ritter, Jr.: Stress Corrosion Susceptibility of Polymeric-Coated Soda-Lime Glass 402
Tadaaki Sugita and Joseph A. Pask: Changes of Preferred Orientation in Hot-Pressed Al_2O_3 During Creep 403
F. N. Bradley: Discussion of "Effects of Grain Size and Porosity on Electrical and Optical Properties of PLZT Ceramics" 404

August [No. 8], pp. 405–44

85. A. G. Evans: Strength Degradation by Projectile Impacts 405
86. F. H. Wittmann: Interaction of Hardened Cement Paste and Water 409
87. Erling Fundal: A Simple Microscopic Method for the Quantitative Definition of the Topological Properties of Structures, Particularly Sintered Materials 416
88. H. P. R. Frederikse and W. R. Hosler: Electrical Conductivity of Coal Slag 418
89. J. A. Kuszyk and R. C. Bradt: Influence of Grain Size on Effects of Thermal Expansion Anisotropy in $MgTi_2O_5$ 420
90. Philip H. Crayton and Edward E. Greene: Synthesis-Fabrication of an Al_2O_3-Tungsten Carbide Composite 423
91. Ernest M. Levin, Joseph T. Benedict, James P. Sciarello, and S. Monsour: The System K_2SO_4-Cs_2SO_4 427
92. Shin-Ichi Shirasaki, Koichiro Takahashi, and Kazuyuki Kakegawa: Ferroelectric-Paraelectric Phase Transition in Lead Titanate Containing Lattice Defects 430
93. A. E. Pasto and R. A. Condrate, Sr.: Raman Spectrum of $PbZrO_3$ 436
Discussions and Notes
Y. Chen, W. P. Unruh, M. M. Abraham, T. J. Turner, and C. M. Nelson: Luminescence Effect in Deformed CaO 438
Subhash Risbud: Estimation from DTA Traces of the Activation Energy of Crystallization of Glassy $CdGeAs_2$ 440
A. J. Perrotta and J. E. Young, Jr.: Rutile-Type Crystalline Solutions in the System $MgTa_2O_6$-$AlTaO_4$ 441
Nils Claussen: Hot-Pressed Eutectics of Oxides and Metal Fibers 442
Alan R. Miller: Possibility for Error in Limestone Calcination 443
G. L. Dwivedi and E. C. Subbarao: Thermal Expansion of Monoclinic (Alpha) Nb_2O_5 443
J. D. Snow and A. H. Heuer: Slip Systems in Al_2O_3—Correction 444

September [No. 9], pp. 445–96

94. F. F. Lange: Effect of Microstructure on Strength of Si_3N_4-SiC Composite System 445
95. Vagn Johansen: Model for Reaction Between CaO Particles and Portland Cement Clinker 450
96. Vasanth K. Bhat and Charles R. Manning, Jr.: Systems of Na-Fe-SiO_2 Glasses and Steel: I, Wetting and Adherence 455
97. Vasanth K. Bhat, Charles R. Manning, Jr., and L. H. Bowen: Systems of Na-Fe-SiO_2 Glasses and Steel: II, Moessbauer Spectroscopy 459
98. R. L. Coble: Effects of Particle-Size Distribution in Initial-Stage Sintering 461
99. J. S. Nadeau: Hertzian Fracture of Vitreous Carbon 467
100. J. T. A. Roberts and J. C. Voglewede: Application of Deformation Maps to the Study of In-Reactor Behavior of Oxide Fuels 472
101. M. A. Rigdon and R. E. Grace: Electrical Charge Transport in Single-Crystal $CaWO_4$ 475
102. Gary S. Snow: Improvements in Atmosphere Sintering of Transparent PLZT Ceramics 479
103. Donald R. Messier and Philip Wong: Kinetics of Nitridation of Si Powder Compacts 480
104. Richard A. Langman, Robert B. Runk, and Sidney R. Butler: Isothermal Grain Growth of Pressure-Sintered PLZT Ceramics 486
Discussions and Notes
Giorgio Sloccari: Phase Equilibrium in the Subsystem $BaO·Fe_2O_3$-$BaO·6Fe_2O_3$ 489

D. A. Krohn, D. R. Larson, and D. P. H. Hasselman: Comparison of Thermal-Stress Resistance of Polycrystalline Al_2O_3 and BeO 490
D. P. H. Hasselman: Correction—"Griffith Flaws and the Effect of Porosity on Tensile Strength of Brittle Ceramics" 491
Mamoru Senna and Hiroshi Kuno: Effects of Preliminary Pressing on Isothermal Transformation of Maghemite to Hematite 492
T. Mitsuhashi and Y. Fujiki: Phase Transformation of Monoclinic ZrO_2 Single Crystals 493
B. Dunn, K. Ooka, and J. D. Mackenzie: Secondary Electron Emission of Semiconducting Glasses 494
W. H. Rhodes and B. J. Wuensch: Relation Between Precursor and Microstructure in MgO 495

October [No. 10], pp. 497–552

105. M. H. Hodge, W. R. Bitler, and R. C. Bradt: Deformation Texture and Magnetic Properties of $BaO{\cdot}6Fe_2O_3$ 497
106. J. J. Mills and J. L. Sievert: Stress Relaxation Modulus of a Commercial Glass 501
107. N. L. Laberge, V. V. Vasilescu, C. J. Montrose, and P. B. Macedo: Equilibrium Compressibilities and Density Fluctuations in K_2O-SiO_2 Glasses 506
108. J. Schroeder, R. Mohr, P. B. Macedo, and C. J. Montrose: Rayleigh and Brillouin Scattering in K_2O-SiO_2 Glasses . 510
109. Sigmund Urnes: Na-K Exchange in Silicate Glasses 514
110. F. F. Lange: Relation Between Strength, Fracture Energy, and Microstructure of Hot-Pressed Si_3N_4 518
111. D. J. Schipper, T. W. Lathouwers, and C. Z. van Doorn: Thermal Decomposition of Sodalites 523
112. James S. Reed: Optical Spectra of Cu^{2+} and Ni^{2+} in Intermediate Aluminate Spinels 525
113. C. L. Babcock: Property-Composition-Substructure Relations in Na_2O-TiO_2-SiO_2 Glasses 527
114. Ram Kossowsky: Cyclic Fatigue of Hot-Pressed Si_3N_4 531
115. Roy W. Rice: Machining, Surface Work Hardening, and Strength of MgO 536
116. Edward E. Anderson and Raymond Viskanta: Effective Thermal Conductivity for Heat Transfer Through Semitransparent Solids 541
Discussions and Notes
S. C. Carniglia: Data Fitting to New Strength–Grain-Size–Porosity Functions for Ceramics 547
G. A. Pasteur: Optical Determination of OH in B_2O_3 Glass 548
Della M. Roy and George R. Gouda: Porosity-Strength Relation in Cementitious Materials with Very High Strengths 549
S. D. Hartline, R. C. Bradt, H. R. Baumgartner, and N. B. Rosebrooks: Notched-Beam Test for Fracture-Energy Measurement 550
G. H. Frischat and R. Kirchmeyer: Relation Between Tracer Diffusion and Ion Exchange in Silicate Glasses 552

November [No. 11], pp. 553–612

117. W. O. Greenhalgh: Kinetic Measurements for the Carbothermic Synthesis of UN, PuN, and (U,Pu)N 553
118. N. H. Christensen, A. R. Cooper, and B. S. Rawal: Kinetics of Dendritic Precipitation of Cristobalite from a Potassium Silicate Melt 557
119. G. C. T. Wei and B. J. Wuensch: Composition Dependence of ^{63}Ni Diffusion in Single-Crystal NiO-MgO Solid Solutions 562
120. F. L. Kennard, R. C. Bradt, and V. S. Stubican: Eutectic Solidfication of MgO-$MgAl_2O_4$ 566
121. Paul A. Urick and Michael R. Notis: Final-Stage Densification During Pressure-Sintering of CoO 570
122. A. G. Evans and M. Linzer: Failure Prediction in Structural Ceramics Using Acoustic Emission 575
123. J. Kordis, K. A. Gingerich, and E. Kaldis: Heat of Vaporization of EuN and Its Standard Heat of Formation. 581
124. R. F. Domagala, S. R. Lyon, and Robert Ruh: The Pseudobinary Ti-ZrO_2 584
125. W. Raja Rao and Ivan B. Cutler: Effect of Iron Oxide on the Sintering Kinetics of Al_2O_3 588
126. E. A. Giess, D. C. Cronemeyer, R. Ghez, E. Klokholm, and J. D. Kuptsis: Rotation Effects on the Isothermal Growth of $(Eu,Y)_3(Fe,Ga)_5O_{12}$ Magnetic Bubble Films by Liquid Phase Epitaxy 593
127. T. R. Nissle and C. L. Babcock: Stress-Optical Coefficient as Related to Glass Composition 596
Discussions and Notes
W. D. Seward and D. J. Taylor: Thermal Conductivity of Sintered EuS, EuTe, and EuSe 599
Vittorio Longo and Dino Minichelli: X-Ray Characterization of $Ce_2Zr_3O_{10}$ 600
Binod Kumar, Mahlon D. Dennis, and Guy E. Rindone: Boundary Layer in Partially Crystallized Glass 600
S. F. Rahman and J. T. Jones: Strengthening of Sapphire Rods by BaO 602
W. R. Manning and O. Hunter, Jr.: Anomalous Elastic Behavior of Polycrystalline Nb_2O_5 602
V. Krishnamachari, J. T. Jones, and H. Bell: Recovery of Creep-Resistant Substructure of Rutile in Air and Vacuum Under Reduced Stress 604
Harlan U. Anderson: Influence of Ba/Ti Ratio on the Initial Sintering Kinetics of $BaTiO_3$ 605
Robert Ruh and Vinod A. Patel: Proposed Phase Relations in the HfO_2-Rich Portion of the System Hf-HfO_2 606
C. R. Kennedy and R. C. Bradt: Softening of Al_2O_3 by Solid Solution of MgO-TiO_2 608
S. K. Dutta and J. A. Rubin: Hot-Pressing and Properties of Be_4B 609
L. A. Simpson: Discrepancy Arising from Measurement of Grain-Size Dependence of Fracture Energy of Al_2O_3 . 610
B. Brezny, G. W. Healy, and G. Simkovich: Equilibrium Partial Pressures of Mg, SiO, and CO in Carbon-Containing Magnesite Refractories 611

December [12], pp. 613–674

128. Charles A. Sorrell: Oxidation of Tetragonal PbO in Air 613
129. David J. Green, Patrick S. Nicholson, and J. David Embury: Fracture Toughness of a Partially Stabilized ZrO_2 in the System CaO-ZrO_2 619
130. Richard L. Gentilman: Chemical Vapor Deposition of Epitaxial Films of Yttrium Iron Garnet and Gallium-Substituted Yttrium Iron Garnet and a Thermodynamic Analysis 623
131. K. S. Mazdiyasni and Charles M. Cooke: Synthesis, Characterization, and Consolidation of Si_3N_4 Obtained from Ammonolysis of $SiCl_4$ 628
132. E. Bernal G. and B. G. Koepke: Residual Stresses in Machined MgO Crystals 634
133. Takeshi Takamori and Rustum Roy: Rapid Crystallization of SiO_2-Al_2O_3 Glasses 639
134. J. Narayan: Subgrain Boundaries in MgO 644
135. M. A. Thompson, D. R. Young, and E. R. McCartney: Influence of Precipitating Atmosphere on Sintering of ZrO_2 + 12 Mol% Y_2O_3 648
136. Giulio Rossi and Joseph E. Burke: Influence of Additives on the Microstructure of Sintered Al_2O_3 654
Discussions and Notes
R. Dutton: Comments on "Crack Healing in UO_2" 660
G. E. Gazza: Hot-Pressed Si_3N_4 662
Author Index to *The Journal* 663
Subject Index to *The Journal* 666

CERAMIC ABSTRACTS

December 1973 *SECTION*

Compiled by the American Ceramic Society

AUTHOR INDEX FOR 1973

The number in parentheses refers to the issue of *Ceramic Abstracts;* the number following is the page number. The letter B or P preceding the issue number indicates an abstract of (B) a book, bulletin, or separate publication or (P) a patent. The italic letter following the page number indicates position of the abstract on the page.

Abba, Francis See Ayrault, Bernard

Abbakumov, V. G. See Gropyanov, V. M.

Abbott, Frank R. Ferroelectric ceramic stack, P (2) 43*h*.

Abbott, John Apparatus for dispersing particulate materials, P (9) 203*i*.

Abdaie, John M., Gartner, Robert J., and Knudsen, Karl J. Metal-glass laser window assembly, P (6) 125*h*.

Abdallah, A. M. See Kamel, A. H.

Abdel Aziz, N. E., Dawood, R. I., Mohamed, A. A., and El Adl, E. I. Effect of radiation on the surface structure of Egyptian kaolinite (3) 74*c*.

Abdel Fattah, W. I., Hussein, A. T., and Gad, G. M. Preparation and properties of mullite-corundum porcelains (9) 196*a*.

Abdullaev, G. K. See Rza-Zade, P. F.

Abdulsabirov, R. Yu., Livanova, L. D., Mitrofanov, Yu. F., Pol'skii, Yu. E., Stepanov, V. G., and Falin, M. L. Magnetic properties of Nb-doped CaF_2 crystals (8) 183*f*.

Abdurakhmanov, R. A. See Berg, L. G.

Abduvaliev, T. A. See Verner, V. F.

Abe, Hidetaro See Nagashima, Hiroyuki

Abe, Masanori Phase equilibrium relations in the MoO_2-FeO-Fe_3O_4 system at 1140°C (4) 92*g*.

Abe, Takeo See Okuma, Kiwamu

Abe, Toshio Method of mfg. semiconductor devices utilizing ion-implantation and arsenic diffusion, P (6) 130*e*.

Abel, William T., Zulkoski, Michael, and Gauntlett, Galen J. Dry separation of pyrite from coal (1) 23*d*.

Abell, J. S., Barraclough, K. G., Harris, I. R., Vere, A. W., and Cockayne, B. Dilatometric study of the orthorhombic—tetragonal phase transition in Ba Na niobate (6) 135*f*.

Abercromby, M. C. Device for collecting small ferromagnetic objects, P (11) 250*c*.

Aboaf, Joseph A. Method for diffusing Zn into a semiconductor substrate without winging, P (7) 153*j*.

Abo-El-Enein, S. A. See Mikhail, R. Sh.

Abou-El-Azm, A., and El-Batal, H. A. Spectrophotometric studies of some alkali borate glasses containing Cr (3) 63*d*; Spectrophotometric studies of some Pb borate and Pb silicate glasses containing Cr (7) 145*f*.

Aboutboul, Henri A. See Krekeler, Jerome H.

Abraham, K. P. See Seetharaman, S.

Abraham, M. M. See Chen, Y. ; Kolopus, James L.

Abrahams, S. C. See Keve, E. T. ; Miller, R. C.

Abrahams, S. C., Barns, R. L., and Bernstein, J. L. Ferroelastic effect in La orthoferrite (9) 210*c*.

Abrahams, S. C., Buehler, E., Hamilton, W. C., and Laplaca, S. J. Ferroelectric Li tantalate: III, Temp. dependence of the structure in the ferroelectric phase and the paraelectric structure at 940°K (8) 181*g*.

Abramova, E. A. See Safonov, V. V.

Abratis, Horst Reactions of refractories with molten steel (11) 247*i*.

Abrosimova, G. D. See Bartenev, G. M.

Abruzzi, Pierluigi See Vargiu, Silvio

Abuiafya, G., and Le Gall, H. Temp. dependence of the octahedral and tetrahedral magneto-optical coeffs. in YIG (9) 215*b*.

Aburai, Tamaru See Akiba, Fumimasa

Acampora, Ferdinando M. See Rosevear, Allan F.

Accountius, Oliver E. Carbonaceous material and method of preparation, P (6) 134*d*.

Achauer, C. W. See Benson, L. V.

Achener, Claude Devitrification of the core of a coaxial glass fiber, P (5) 99*d*.

Achutaramayya, G., and Scott, William D. Measurement of dihedral angles by SEM (6) 132*i*.

Acker, Ellsworth G., and Winyall, Milton E. Process for making fine-sized low-density silica, P (6) 134*g*.

Ackermann, Ernst See Espeel, Frans J.

Ackermann, Fritz See Krebs, Heinz

Ackermann, Manfred See Granitzki, Karl E.

Acket, G. A., Tijburg, R., and de Waard, P. J. Gunn diode (7) 151*g*.

Acres, G. J. K., and Cooper, B. J. Automobile emission control systems. Pt catalysts for exhaust purification (3) 66*c*.

Adachi, Iwao P. Triple-layer antireflection coating design, P (5) 99*i*.

Adachi, Masatoshi, and Kawabata, Akira Piezoelectric properties of K tantalate-niobate single crystal [$KTa_{0.55}Nb_{0.45}O_3$] (8) 185*j*.

Adachi, Shozo See Tanemura, Fumikazu

Adadurov, G. A., Breusov, O. N., Dremin, A. N., and Drobyshev, V. N. Reactions of rare earth oxides with B during shock compression (2) 54*g*.

Adamovic, A. See Tomsu, F.

Adams, Anthony L. See King, Lewis C.

Adams, I. See Thomas, J. M.

Adams, Jack C. Combustion chamber supplemental air supply assembly and method, P (1) 22*j*.

Adams, P. Bruce Spicule formation in solutions stored in glass containers (5) 98*a*.

Adams, William E. See McReynolds, James C.

Addie, Donald Good batch handling eliminates glass headaches (2) 36*j*: Check your [furnace] bottom and cool it (7) 157*i*.

Adhav, Ratan S. Cs dideuterium arsenate crystallization process and solution, P (11) 256*a*.

Adkins, Clement J. See MacVicar, Margaret L. A.

Adkins, William B., Bauer, Thomas F., and Beane, James O. Method for producing foundry molds and foundry molding compositions, P (7) 149*a*.

Adler, Alan J. Lehrs talk back (6) 123*j*.

Adler, David Electronic configuration and electrical conductivity in ceramics (4) 85*e*. See Kaplan, Theodore

Adushkin, L. E., and Guzman, I. Ya. Physical properties of porous corundum ceramic (9) 213*g*.

Afanas'ev, Yu. V., Belyaev, V. P., and Polonskii, Yu. A. Pyrophyllite refractories for steel casting ladles (1) 12*j*.

Agarkov, A. S. See Boldyrev, R. A. ; Serebryannikov, L. P.

Agarkov, Anatoly S. See Matveev, German M.

Agarwal, A. K. See Tripathi, V. K.

Agey, W. W., Batty, J. Vance, Wilson, Hugh W., and Wilson, Wayne J. Beneficiation of Calico District, California, Agbarite ores (9) 206*e*.

Aggarwal, D., and Jasbolski, S. V. Behavior of ZnO acoustoelectric devices under uniaxial pressure (11) 249*a*.

Aghan, R. L., and McPherson, R. Mechanism of material removal during abrasion of rutile (2) 53*d*.

Agnihotri, O. P., Sehgal, H. K., and Garg, A. K. Laser-excited Raman spectra of group VI semiconducting compounds [MoS_2, $MoSe_2$, $MoTe_2$] (9) 211*e*.

Agnihotri, P. K. See Rao, S. V. K.

Agosti, Geraldo Glass for use in the preparation of radioactive tracers for the study of the subaquatic movement of sand and mud (1) 7*b*.

Agrawal, M. D., and Rao, Kompella Visweswara Dielectric properties and optical absorption of $KTaO_3$ single crystals and $KTaO_3$-$NaTaO_3$ mixed crystals (11) 257*i*.

Agullo-Lopez, Fernando See Jaque, F.

Agusta, Benjamin, and Chang, J. J. Storage system having heterojunction-homojunction devices, P (10) 229*f*.

Agusta, Benjamin, and Lubart, Enell D. Method of fabricating lateral transistors and complementary transistors, P (5) 102*j*.

Ahlquist, C. N., Carroll, M. J., and Stroempl, P. Photoplastic effect in wurtzite- and sphalerite-structure II-VI compounds CdS, CdSe, ZnSe, and ZnTe (3) 76*a*.

Ahlquist, Norman C., and Charlson, Robert J. Analog circuits for calculating rh from dew-point and dry-bulb temp. information, P (6) 133*e*.

Ahlricks, J. L., Fraser, A. R., and Russell, J. D. Interaction of ammonia with vermiculite (5) 111*d*.

Ahmad, Dabir See Tellgren, Roland

Ahmed, Samir A. See Gardner, Phillip J.

Ahn, Nam Soon See Lee, Koo Jong

Ahramjian, Leo [Interlayer] safety glass, P (5) 99*i*.

Ahrenberg, K. Methods of moistening mixable materials and apparatus for carrying out the methods, P (9) 205*c*.

Ahrenkiel, R. K., and Coburn, T. J. Hot-pressed $CoCr_2S_4$—a magneto-optical memory material (10) 226*d*.

Ahrenkiel, R. K., Lee, T. H., Lyu, S. L., and Moser, F. Giant magnetoreflectance of $CoCr_2S_4$ (11) 249*i*.

Ahrenkiel, R. K., Moser, F., Carnali, E., Jr., Martin, T., Pearlman, D., Lyu, S. L., Coburn, T. J., and Lee, T. H. Hot-pressed $CdCr_2S_4$—an efficient magneto-optic material (10) 236*e*.

Ahtee, M., Glazer, A. M., and Megaw, H. D. Structures of Na niobate between 480° and 575°C and their relevance to soft-phonon modes (5) 115*c*.

Aiazzi, G., and Taverna, A. Testing the quality of semifinished tiles (6) 128*f*: Use of penetrometer testing in the control of powder pressing of ceramics [tiles] (6) 133*b*.

Aida, Bunichiro See Murakami, Hisashi

Aidlin, Samuel S., Aidlin, Stephen H., and Rich, David Apparatus for orienting and feeding bottles or like articles, P (7) 146*h*.

Aidlin, Stephen H. See Aidlin, Samuel S.

Aignesberger, Alois, and Rosenbauer, Hans G. Waterproofing of cement and plaster mortars (4) 79*h*.

Aiken, J. K. Chemical deposition of metal coatings on glass objects, P (8) 169*f*.

Ainscough, John B. See Rigby, Frank

Aird, Alanson D. Method of mfg. a semiconductor device utilizing a flexible carrier, P (1) 18*f*.

Aird, Alanson D., and Gabrail, Saad I. Method for lead attachment to pellets mounted in wafer alignment, P (10) 228*a*.

Aitcin, P. C., and Poulin, C. Rapid grain size analysis (2) 48*i*.

Aitken, M. J. See Huxtable, J.

Aitken, M. J., and Alldred, J. C. Assessment of error limits in thermoluminescent dating (2) 31*g*.

Aitkenhead, William C. See Grunig, James K.

Aizu, Keiichiro Conjectured mechanism of the phase transformation of a peculiar ferroelectric-ferroelastic crystal—$(NH_4)_2Cd_2(SO_4)_3$ (5) 107*e*.

Aizu, Keiichiro, Kumada, Akio, and Koga, Masashi Control of microwave power by applying stress to Gd molybdate single crystal, P (4) 86*h*.

Ajello, Rosario See Sersale, Riccardo

Akaba, Ryoichi, Yanase, Takeyasu, and Nakada, Ichiroh Etch patterns on the (001) surface of rare-earth orthoferrites (8)

181*d*.

Akagi, Saburo See Hoshikawa, Takeshi

Akai, Shinichi, and Aoyagi, Katsunosuke Method of mfg. semiconducting compounds [GaP] by vapor growth method, P (1) 18*e*.

Akanuma, Masanobu See Takamori, Takeshi

Akashi, Naotomo See Ohsato, Nobuyoshi

Akashi, Tsuneo See Tsubouchi, Norio

Akashi, Yoshito See Futagami, Koji

Akashi, Yoshito, and Yoneda, Yasuharu Damages induced by spark discharges in LiF single crystals (5) 107*e*.

Akatsuka, Minoru See Nakamura, Masakatsu

Akazawa, Hakuichi See Shimazaki, Eiki

Akazawa, Tsugio Glass electrode for determining pH value at superhigh temp., P (5) 99*f*.

Akeyama, Kenji, and Miyamoto, Norimasa Multiple alloy ohmic contact for a semiconductor device, P (1) 18*e*.

Akfirat, John C., and Gardon, Robert Glass tempering die construction, P (3) 63*h*.

Akhmetov, S. F., and Akhmetova, G. L. New Na-Ca silicate ($Na_2CaSi_2O_6$) (1) 8*h*.

Akhmetova, G. L. See Akhmetov, S. F.

Akhunov, E. I. Transition of a system from the metastable to the stable state (5) 116*i*.

Akhunov, Albert M. See Maksutov, Rafkhat

Akh'yan, A. M., and Kaganov, I. R. Making complex shapes from deironed zircon (1) 12*b*.

Akiba, Shin See Nakamura, Masashi

Akiba, Fumimasa, Yuita, Koichi, Aburai, Tamaru, Nozaki, Tadashi, and Murakami, Yukio Production of carrier-free ^{54}Mn by the α-particle bombardment of natural Cr (6) 138*b*.

Akimitsu, J., Ishikawa, Y., and Endoh, Yasuo Two-dimensional antiferromagnetic character of $MnTiO_3$ (7) 152*g*.

Akimoto, Syuniti See Syono, Yasuhiko

Akimoto, Yumi See Ihara, Seiichi ; Takahashi, Yoichi

Akimova, K. M. See Ivanov, F. M.

Akiyama, Masahiro See Saraie, Junji

Akiyama, Naoki See Takayanagi, Kenjiro

Akiyama, Toshihiko See Bando, Yoshichika

Akiyama, Toshio See Wada, Toru

Akkelidu, Konstandiya See Dudareva, A. G.

Akopov, E. K. Unusual points on the curves of isobaric potential changes for the diagonal cross sections of reciprocal systems (1) 29*c*.

Akopov, E. K., Korobka, E. I., and Bergman, A. G. Quaternary system Li_2Cl_2-Na_2Cl_2-K_2Cl_2-Li_2SO_4 (1) 27*c*.

Aksay, Ilhan A. See Raju, Abbaraju P.

Akselrad, Aline, and Callen, Herbert Growth-induced noncubic anisotropy arising from the tetrahedral sites in garnets [containing mixed rare earths] (10) 236*d*.

Aksel'rod, E. A., Alapin, B. G., Vishnevskii, I. I., and Sukharevskii, B. Ya. Structural and phase relations in nonstoichiometric ferrites with O deficiencies (5) 114*h*.

Akutsu, Hidezo See Mizuno, Hideo

Alapin, B. G. See Aksel'rod, E. A.

Alaverdova, E. A., and Silkina, V. I. Ankavan alaskite minerals as valuable substitutes for feldspars (2) 49*j*.

Al'bats, B. S. See Bol'shov, V. V. ; Kutsenko, L. A.

Albee, A. L. See Eugster, H. P.

Albers, Edwin W., and Edwards, Grant C. Novel zeolite surfaces, P (8) 179*d*.

Albers, W. A., Jr. See Arlinghaus, F. J. ; Roessler, D. M.

Albers, Walter A., Jr., Bieil, Carl E., and Swets, Don E. Rf sputtering of tetragonal GeO_2, P (8) 175*a*.

Albers, Walter A., Jr., and Swets, Don E. Abrasive composition of tetragonal GeO_2, P (11) 241*f*.

Albertus, Gundorph Abrasion of caking, P (8) 166*f*.

Albon, Colin See Vessey, Clifford A.

Albrecht, J., Birmes, W., Buechel, E., and Meyer, L. Hydrogen diffusion in sheet steel as a measure of fish-scaling tendency during enameling (5) 96*e*.

Alcott, Graham J., Bennett, Ian M., and Secrest, Gerald R. Graded impurity profile in epitaxial films to improve integrated circuit performance, P (9) 200*g*.

Alder, W. R. Determination of refractory grain porosity by water displacement (1) 11*f*.

Aldridge, L. P. See Eardley, R. P.

Al-Dzhabari, Subkhi M. R., Butt, Yu. M., and Kaushanskii, V. E. Kinetics of sintering belite-aluminoferrite cement (1) 3*i*; Petrographic study of clinker formation during roasting of belite aluminoferrite clinkers (9) 191*d*.

Alegre, Raymond See Alegre, Rene

Alegre, Rene, and Alegre, Raymond Lime- and silica-rich high-alumina cement and process for mfg., P (3) 60*d*.

Aleixandre Ferrandis, Vicente, Fernandez Navarro, Jose Maria, and Otero Mazo, Jose Luis Incorporation of N into alkali borate glasses at various temps. (2) 36*e*.

Aleksandrov, M. V. See Vabishchevich, G. N.

Aleksandrova, G. N. See Nekrasov, K. D.

Aleksandrova, G. N., and Maslennikova, M. G. Heat-proof concretes based on phosphate bonds (9) 190*d*.

Aleksandrova, V. A. See Drobot, D. V.

Aleksandrovskaya, O. V. See Guzman, I. Ya.

Alekseev, F. P., Get'man, E. I., Mokhosoev, M. V., and Ugnivenko, T. A. Double molybdates of Rb and the rare-earth elements of composition $Rb_5Ln(MoO_4)_4$ (5) 108*j*.

Alekseev, S. N. See Lyakhovich, I. A.

Alekseeva, N. N. See Nisel'son, L. A.

Aleskovskii, V. B. See Kuznetsova, G. N.

Alesovitskii, A. E. See Kleiner, M. B.

Alexander, Harold M., Mattimoe, Paul T., and Hofmann, John J. Laminated safety float glass windshields, P (4) 81*e*.

Alexander, K. M. Relation between strength and composition and fineness of cement (4) 79*g*.

Alexander, Warner, Gosselin, Kenneth F., and McEvoy, James E. Amorphous aluminodisilicate-supported catalyst, P (6) 134*c*.

Alexandrov, Albert I., Levin, Solomon I., Chestnov, Valery F., Kovaleva, Raisa M., Birjukova, Tatyana S., Burko, Albert I., and Naumov, Mikhail G. Automatic apparatus for welding and evacuation of electrovacuum devices, P (8) 169*c*.

Alexandrovich, Eduard-Gely V. See Belkin, Nikolai V.

Al-Hashimi, W. S., and Hemingway, J. E. Recent dedolomitization and the origin of the rusty crusts of Northumberland (9) 206*j*.

Aliev, Kh. K. See Kamilov, I. K.

Aliprandi, G. Development of refractory linings for blast furnaces and stoves in Italy (4) 83*e*.

Alison, Jacques See Nicolas, Michel

Aliakhverdova, Yu. V. See Bukhalova, G. A.

Alldred, J. C. See Aitken, M. J.

Allen, Alfred C. Tappan goes all out with self clean (7) 143*g*; Ce saves 30% decolorizer cost (7) 144*c*; Controls critical for lamp glass (7) 144*d*; Underwood boosts glassmelting 126% (7) 146*e*; How three men run an automated tile plant; Leader stays on top (7) 149*j*; Special electronics feature—thick films, thin films, and ceramics (7) 152*a*; Arcing microwaves spark revolution in kiln design (7) 157*i*; McDanel predicts 100% growth in 5 yrs. (9) 216*c*. See Svec, J. J.

Allen, Daniel D. Method of isostatically pressing metal powder into desired metal shapes, P (10) 232*c*.

Allen, H. G. Strength of thin composites of finite width with brittle matrices and random discontinuous reinforcing fibers (1) 13*a*.

Allen, Harold A. See Gartman, William W.

Allen, Henry W. See Simmons, Kenneth D.

Allen, Lloyd R., and Geary, Brian W. Process of making a TiC-sheathed Ti filament, P (8) 175*i*.

Allen, Paul T., and Drinkard, B. M. Separation of mixtures with modified zeolites, P (2) 50*g*.

Allen, Robert D., and Lysher, Wayne M. Composite thermal insulation, P (5) 100*c*.

Allen, Robert W., and Drane, John Sieving, P (6) 132*d*.

Allenson, M. B., King, P. G. R., Rowland, M. C., Steward, G. J., and Syms, C. H. A. Improved GaAs transmission photocathode (5) 101*g*.

Allgaier, William A. Method and structure for eliminating corona discharge in high-voltage electron discharge devices, P (8) 170*c*.

Alliegro, Richard A. Si_3N_4 kiln furnace, P (3) 65*j*; B carbide—key to reactor control (9) 202*j*. See Coppola, J. A.

Allingham, C. O., Cutter, M. A., Key, P. Y., and Little, V. I. Damage to a transparent substrate by laser light absorption in a thin film (10) 219*j*.

Allington, Robert W. Short wavelength fluorescent light source, P (9) 195*a*.

Allison, David F. Photosensitive device and array, P (11) 251*a*.

Allison, David F., and Russell, Lewis K. Method for making MOS structure with precisely controlled channel length, P (5) 102*b*.

Allpress, J. G. Electron microscopy of Li ferrites—precipitation of $LiFe_5O_8$ in α-$LiFeO_2$ (2) 52*g*.

Allvin, Bertil H. Hot tops and mixture of materials therefor, P (4) 84*d*.

Almassy, R. J. See Hengehold, R. L.

Almog, A., Bauminger, E. R., Levy, A., Nowik, I., and Ofer, S. Quadrupole interactions and relaxation effects in $Dy_2Ti_2O_7$ (9) 214*f*.

Aloman, A., Vina, Ionela, Elena, E., and Visa, C. Hall effect in semiconductor materials (6) 136*b*.

Alphonse, Gerard A. Apparatus for efficiently converting microwave energy into acoustic energy, P (4) 86*e*.

Al-Sharbati, T. M. See Moore, W. S.

Alt, P. Problems of decoration in the ceramic industry (9) 198*j*.

Altaeva, S. N., Butt, Yu. M., Timashev, V. V., Makarov, N. I., and Khlyusnev, V. D. Circulation of alkalis in a rotary furnace (9) 189*i*.

Altemose, Harvey W. See Slawek, Joseph E., Jr.

Altemose, V. O. Effect of alkali oxides on the diffusion of He in a simple borosilicate glass (2) 35*h*.

Altenburger, Eugene G. See King, Lewis C.

Alter, H. W. See Fleischer, Robert L.

Alterovitz, S., and Gerlich, David A. Thermoelastic properties of CdF_2 (6) 139*h*.

Altman, Leonard F., and Sharp, Marcus Al etching solution, P (5) 101*h*.

Altschuler, B. A., and Katsel'bogen, V. A. Shrinkage and creep of heat-resistant concrete from portland cement (10) 218*g*.

Altschuler, Otto Ideal tile plant (2) 41*h*.

Altshuler, Thomas L. Wafer breaker, P (8) 175*i*.

Alvarez Estrada, Demetrio Application of ceramic tiles to concrete or brick walls (5) 101*b*.

Alvarez, Luis W. Method of making fresnelled optical element matrix, P (10) 222*f*.

Alyamovskaya, K. V. See Chukhlantsev, V. G.

Alyamovskii, S. I. See Tskhai, V. A. ; Zainulin, Yu. G.

Alyamovskii, S. I., Zainulin, Yu. G., Shvelkin, G. P., and Gel'd, P. V. Cubic Hf oxycarbide (5) 107*d*; Concentration region of stability of cubic (NaCl-type) Zr oxycarbide and degrees of filling of its unit cell (5) 107*e*.

Alyamovskii, S. I., Zubkov, V. G., Gel'd, P. V., and Perelyaev, V. A. X-ray and neutron diffraction study of the solid solutions $Cr_xTi_{2-x}O_3$ and $Cr_xV_{2-x}O_3$ (7) 164*a*.

Amafuji, Morio Synthetic wollastonite (1) 15*a*.

Amamiya, Tameo See Sada, Tomohiko

Amato, I, and Catti, M. Statistical distribution of open porosity in UO_2 sintered bodies (3) 71*b*.

Amato, I., and Martorana, D. Preparation of CaO-stabilized ZrO_2 microspheres by the sol-gel process (4) 83*h*.

Ambrose, Charles J. See Olsen, Larry C.

Ambrozhii, M. N. See Lazareva, L. S.

Amelinckx, S. See van Landuyt, J.

Amirkhanova, D. Kh., and Khokhlachev, P. P. Thermal conductivity of $CdSnAs_{2(1-x)}$-$2CdSe_x$ solid solutions in a magnetic field (8) 187*h*.

Amirova, S. A. See Ostrovskaya, T. V.

Ammerman, Harry L., and Melching, William H. Designing the operator into highly automated systems (7) 156*b*.

Amos, Homer C. See Strickland, Edward T.

Amosov, A. V., Zakharov, V. K., and Yudin, D. M. Symmetry of Ti^{3+} activator centers in glassy SiO_2 (8) 169*c*.

Amosova, K. S. See Isakova, R. A.

Ampian, S. G. See Jackson, J., Jr.

Ampian, Sarkis G., and Flint, E. P. Effect of silicofluorides on the formation of Ca silicates, aluminates, and aluminoferrite (10) 217*i*.

Amzallag, E. See Rokni, M.

An, Soo Iei See Chi, Ung Up

Anacker, Wilhelm, Grebe, Kurt R., Greiner, James H., Lahiri, Syamal K., Park, Kyu C., and Zappe, Hans H. Pb alloy Josephson junction devices, P (9) 200*j*.

Anacker, Wilhelm, and Zappe, Hans H. Superconducting memory array using weak links, P (3) 70*e*.

Anandan, N. S. See Rao, S. V. K.

Anantha, Narasipur G. Semiconductor device embodying FETs and Schottky barrier diodes, P (11) 251*f*.

Anantha, Narasipur G., and Ashar, Kanu G. Surface barrier diode and method of making, P (10) 229*g*.

Anastassakis, Evangelos, and Burstein, E. Electric-field-induced ir absorption and Raman scattering in diamond (8) 181*e*.

Andeen, Carl, Fontanella, John, and Schuele, Donald Low-frequency dielectric constant of LiF, NaF, NaCl, NaBr, KCl, and KBr by the method of substitution (8) 183*h*.

Anders, Glenn Y. Submerged combustion saves space (9) 205*j*.

Andersen, C. A., and Hinthorne, J. R. Ion microprobe mass analyzer (3) 72*e*.

Anderson, Albin R., Grenier, Robert P., and Perri, Peter R. Methods and apparatus for inspecting crystals, P (9) 205*c*.

Anderson, Albin R., and Jennings, John D. Apparatus for frequency adjusting and assembling monolithic crystal filters, P (1) 16*h*.

Anderson, Albin R., Jennings, John D., and Killerby, Walter E. Apparatus for frequency adjusting and assembling monolithic crystal filters, P (7) 152*j*.

Anderson, Charles E. Method of fabrication of semiconductor device package, P (6) 130*a*.

Anderson, Charles H., Feingold, Bernard R., and Sabisky, Edward S. Maser incorporating crystal having *F* centers, P (9) 201*b*.

Anderson, Edward E., and Viskants, Raymond Effective thermal conductivity for heat transfer through semitransparent solids (11) 257*c*.

Anderson, Elizabeth, and Brown, Richard E. Thickness-scratch testing device, P (9) 205*g*.

Anderson, Gerald W. See Moroz, William J.

Anderson, H. T., and Wuensch, B. J. CeO_2-Y_2O_3 solid solutions (6) 135*i*.

Anderson, J. H. See Feigl, F. J.

Anderson, J. S. See Gibb, R. M.

Anderson, J. S., and Bagshaw, A. N. Thermodynamic studies on some rare-earth dicarbides (4) 93*h*.

Anderson, J. S., Browne, J. M., and Hutchison, J. L. Electron microscopy of the Nb oxides: I, Twinning and defects in H-Nb_2O_5 (4) 91*g*.

Anderson, J. S., and Burch, R. Lattice energies and heats of formation of the Ti_nO_{2n-1}[n = 4–9] shear phases (5) 111*b*.

Anderson, John L., and Quinn, John A. Ionic mobility in microcapillaries—test for anomalous water structures (2) 53*b*.

Anderson, John R., and Perron, James S. Process of making MgO cores, P (7) 149*c*.

Anderson, L. Kiln for heat treatment of articles on a continuous basis, P (8) 178*e*.

Anderson, L. K. Ferroelectrics in optical memories and displays—a critical appraisal (4) 85*g*. See Maldonado, J. R.

Anderson, Norman C. Method for making metal-to-ceramic seals, P (9) 201*d*.

Anderson, R. H., Koepke, B. G., Bernal G., E., and Stokes, R. J. Preparation of high-strength KCl by hot-pressing (6) 138*j*.

Anderson, R. N., and Parlee, Norman A. Standard free energy of nitride formation from the elements—an estimation technique (8) 186*d*.

Anderson, Richard C. Thoria-yttria–based ceramic materials, P (9) 197*f*.

Anderson, Robert R. Antislug device for hammer mills, P (10) 234*i*.

Anderson, Rodney J. See Grunig, James K.

Anderson, Ronald M., and Schneider, Frederick W. Transmission electron microscopy of unfired ceramics (7) 163*j*.

Anderson, Thomas A. Semiconductor having a transistor, a thyristor, and a diode in one body, P (1) 19*e*.

Anderson, Todd G. Discrete and integrated-type circuit, P (7) 153*d*.

Anderson, W. F., Martinez, J., and Madjid, A. Hamid Characteristic of Au and Aquadag contacts with single-crystal NiO

surfaces (11) 249*b*.
Andersson, Lennart Refractory mass, P (10) 224*g*.
Andersson, Nils E. See Bylund, Per A.
Andersson, Sten, Astroem, Anders, Galy, Jean, and Meunier, Georges Simple calculations of bond lengths and bond angles in certain oxides, fluorides, or oxide fluorides of Sb^{3+}, Te^{4+}, and Pb^{2+} (8) 186*f*.
Ando, Ken, and Oishi, Yasunichi Self-diffusion of O ion in $MgAl_2O_4$ single crystal (10) 239*b*.
Ando, Tetsuo, and Yamazaki, Hiroshi Semiconductor device, P (3) 70*a*.
Andreatch, Peter, Jr., and Fisher, George M. C. Light guide paths comprising densified regions in a transparent medium and method of producing, P (6) 125*f*.
Andreev, G. A., Ivanov, I. A., and Klimov, V. A. Structural changes in alkali silicate glasses studied by flotation method (7) 145*f*.
Andreev, I. F. See Fedorov, N. F.
Andreev, N. S., and Porai-Koshits, E. A. Small-angle X-ray scattering and scattering of visible light by phase-separated glasses (2) 38*f*.
Andreev, Yu. V., and Loginova, M. V. Phase diagram of the system $CdCl_2$-CdS (2) 54*a*.
Andreeva, A. B., Keler, E. K., and Leonov, A. I. Stabilization of ZrO_2 by combined additives and a study of the stability of solid solutions (1) 27*e*.
Andreou, D., and Little, V. I. Spiking behavior of a laser having combined liquid- and glass-active media (10) 221*e*.
Andrews, Brian, Pilkington, James C., and Riley, Brian W. Packages of glass in sheet form, P (4) 81*j*.
Andrews, E. H., and Levy, G. M. Ultrasonic technique for measuring crack and craze velocities (6) 133*g*.
Andrews, John M., Jr., and Lepselter, Martin P. Solid-state temp. sensor employing a pair of dissimilar Schottky-barrier diodes, P (6) 130*e*.
Andrianov, M. A. See Ustinov, O. A.
Andrianov, N. T., Demidenko, L. M., Poluboyarinov, D. N., and Bakunov, V. S. Effect of prolonged heat treatment on the conductivity of polycrystalline ceramics (1) 24*i*.
Andrianov, N. T., Lukin, E. S., and Poluboyarinov, D. N. Effect of thermal aging on the properties of MgO (1) 12*a*; Thermal aging of a dense alumina ceramic (1) 13*g*; Effect of crystal size on the creep of Al_2O_3 ceramics (9) 209*j*.
Andrianov, N. T., Lukin, E. S., Voshchakin, E. A., Poluboyarinov, D. N., Avetikov, V. G., and Nedel'ko, E. G. Aging of corundum ceramic in vacuum at 1400°C (9) 207*j*.
Andrieu, André Method for improving the chemical durability of opal glasses, P (10) 222*e*.
Andrievskii, R. A. See Savin, V. I.
Andrievskii, R. A., Savin, V. I., and Lyutikov, R. A. Electrical, magnetic, and galvanomagnetic properties of the hydrides of Ti, Hf, and Nb (9) 209*c*.
Andrikanis, Vladimir K. See Samodaev, Evgeny T.
Andringa, Keimpe Q-switched laser system, P (10) 228*d*.
Androsenko, V. G. See Bron, V. A.
Androsova, V. G. See Pozdnyakov, P. G.
Andrushchenko, N. S. See Sapozhnikov, Yu. L.
Andrychuk, Dmetro Crystal pulling system, P (1) 17*a*.
Andrysiak, Carl D. Header system for forming multibore tubing, P (10) 222*j*.
Andrysiak, Carl D., and Wilson, Richmond W. Method and apparatus for forming multibore tubing, P (10) 222*c*.
Angelelli, Victorio Mineral resources of Buenos Aires Province, Argentina (6) 134*h*.
Angelelli, Victorio, Villa, Jorge, and Suriano, Jose M. Buenos Aires Province mineral resources (8) 178*i*.
Angeleri, Frederico, Manzo, Jose, and Filho, Manoel M. Comparison of Kohl-type and Gallenkamp torsion-type viscosimeters in the control of clay slips for use in the mfg. of bathroom fixtures (1) 21*h*.
Angelucci, R. See Celotti, G.
Angers, R. See St-Jacques, R. G.
Anikin, Leonid T., Kravetskii, Gennady A., Dergunova, Viktoria S., and Dutov, Valery V. Method of joining graphite articles, P (6) 128*b*.
Anisimova, T. N. See Vinogradova, G. Z.
Anikov, I. S. See Sitnikova, A. Ya.
Annopol'skii, V. F., Belyaev, E. K., and Tomenko, V. M. Kinetics of formation of Li titanates under isothermal and nonisothermal conditions (5) 111*j*.
Ansimova, T. A. See Pitak, N. V.
Antal-Boza, Jozsef, and Simon, Laszlo Coloring of silicate aggregates by silicate chemistry methods (1) 10*i*.
Anthony, A. M. See Loup, J. P.
Anthony, Anne M., Dembinski, Krzysztof, Faucher, Michele, and Dupont, Lucien Heating elements, assemblies comprising several of these elements, furnaces constructed by means of the elements or assemblies, and preheating method for the furnaces, P (8) 178*d*.
Anthony, Paul P. Bimetal spinel surfaced electrodes, P (5) 101*i*.
Antipov, Igor, and Oberai, A. S. Production of high-speed complementary transistors, P (11) 251*d*.
Antoci, S., Camagni, P., Manara, A., and Stella, A. Optical response of WSe_2 in the exitonic region (8) 185*c*.
Antonov, S. A. See Pitak, N. V.
Antonova, L. I. See Tarasevich, S. A.
Antonova, S. S. See Savel'eva, M. V.
Antoshenko, E. I. See Dmitrevskii, G. E.
Antypas, George A. Multilayered III-V photocathode having a transition layer and a high-quality active layer, P (3) 70*b*.
Anzai, Noboru, and Nasu, Yoshio Examples of mechanization of blast furnace construction (9) 196*e*.
Anzalone, Ben Understanding and applying strain gages: I, Sensing elements (3) 72*c*; Understanding and applying strain gages: II-III (6) 133*h*.
Ao, Takeo Method for the preparation of a catalyst usable for catalytic cracking of hydrocarbons, P (4) 90*f*.
Aoki, Eiichi See Aoki, Kumao
Aoki, Hideki See Oh, Ki Dong
Aoki, Koichi, and Yajima, Seishi High-temp. resistivity of pyrolytic graphite-bromine residual compounds (7) 151*i*.
Aoki, Kumao, Kawamura, Junichi, Aoki, Eiichi, and Okusawa, Kazuhiro Effects of particle-size distribution on packing properties in high-silica roseki refractories (8) 171*g*.
Aoki, Masaharu See Tada, Kunio
Aoki, Masaharu, Kasano, Hiroyuki, Kurata, Kazuhiro, and Ogirima, Masahiko Semiconductor electronic device, P (10) 228*j*.
Aoki, Masaki See Wada, Mitsuo
Aoki, T. See Wakatsuki, M.
Aoki, Tatsuo, and Yamaguchi, Masao $AsCl_3$ temp. dependence of high-purity epitaxial GaAs properties (6) 135*c*.
Aoyagi, Katsunosuke See Akai, Shinichi
Aoyama, Kinichi Problems with refractory furnace body from viewpoint of mfg. of refractory materials: II, Standardization of brick shapes and expansion joints (1) 12*i*.
Apostol, D. See Maxim, I. V.
Appelt, Daren R. MOS dynamic memory, P (3) 70*b*.
Appendino, P. Solid-state equilibria in the system SrO-BaO-Al_2O_3 (4) 93*g*; Research on the ternary system CaO-BaO-Al_2O_3 (5) 114*j*.
Appleman, D. E., and Evans, H. T., Jr. Indexing and least-squares refinement of powder diffraction data (9) 204*h*.
Appleton, B. R., and Feldman, L. C. Investigation of interstitial Zn concentrations in additively colored ZnO using the unidirectional channeling and blocking technique (3) 75*g*.
Appleton, David See Gray, Martin E.
Arai, Hirotsugu See Nunoshita, Masahiro
Arai, K. I., and Tsuya, N. Measurement of magnetostriction and anisotropy of Mg ferrite (8) 183*j*.
Arai, Kazuo, Kuwabata, Takao, Namikawa, Hiroshi, and Saito, Shogo Electrical properties of Ag-doped As-Se glasses (5) 97*f*.
Arai, Kenichi Measurement of magnetostriction constants [of spherical YIG crystal specimens] by means of ferrimagnetic resonance (5) 112*h*.
Arai, Michio Magnetoresistance element and method of making, P (11) 250*j*.
Arai, Yoji See Okagaki, Hirosi
Arakawa, E. T., and Williams, M. W. Optical properties of UN from 0 to 74 eV (8) 176*h*.
Arakawa, Hajime See Imamura, Eiji
Araki, Kazuo, and Tanaka, Teturo Piezoelectric and elastic properties of single-crystal Se-Te alloys (3) 76*c*.
Araki, Shunji See Shimazaki, Eiki
Araki, Tadashi, Asano, Kiro, and Yamada, Jun Production of graphite fibers, P (2) 40*i*.
Araki, Takaharu See Moore, Paul Brian
Arapova, M. A. See Ostapenko, G. T.
Araujo, Roger J., Sawchuk, Loris G., and Seward, Thomas P., III High refractive index photochromic glasses, P (3) 63*h*.
Araya, Tsuneo See Miyatake, Kazumi
Arazi, Salomon Cohen, Rossini, Angel R., and Krenkel, Teodoro G. New process for the production of mullite (7) 158*e*.
Arber, Scott G. See Morgan, Cyril A.
Arber, Scott G., and Young, Oswald W. J. Preparation of metal nitrides, P (1) 14*c*.
Arbuzov, V. V. See Lazovskii, V. A.
Arbuzova, A. I. See Smolyaninov, N. P.
Archer, Edward D. See Shimely, Jesse H.
Ardary, Zane L., and Sturgis, David H. Fibrous thermal insulation and method for preparing, P (2) 40*d*.
Arendt, Ronald H. Ceramic articles and method of sealing ceramics, P (6) 129*a*; Ceramic articles and method of sealing ceramics, P (9) 200*j*.
Argauer, Robert J., and Landolt, George R. Crystalline zeolite ZSM-5 and method of preparing, P (2) 50*h*.
Argentina, Giltan M. See Smit, Jan
Argir, D. Measurement of the hardness of sintered materials (8) 177*j*.
Argon, A. S. See Naaman, A. E.
Arifov, P. A. See Sirazhiddinov, N. A.
Arijs, E., and Cardon, F. Influence of surface donor states on the chemisorption kinetics of O at the surface of ZnO single crystals: I, Theoretical model (8) 182*e*.
Arijs, E., Cardon, F., and Maenhout-Van der Vorst, W. Influence of surface donor states on the chemisorption kinetics of O at the surface of ZnO single crystals: II, Experimental results (8) 182*e*.
Arikawa, Tadashi See Kishida, Tohru
Arima, Hideo See Nomura, Shoichiro
Arima, Hideo, Ming-Chong, Luong, and Nomura, Shoichiro Electrooptic effects of hot-pressed ceramics in the system $Pb(Zn_{1/3}Nb_{2/3})O_3$ (5) 109*j*.
Aristarain, L. F. Clay minerals in caliche deposits of eastern New Mexico (1) 23*c*.
Arizumi, Tetsuya See Shimakawa, Koichi
Arkhangel'skii, I. V. See Shepelev, N. P.
Arkhangel'skii, I. V., Komissarova, L. N., Shatskii, V. M., and Shepelev, N. P. Thermal stability of Sc chloride and Sc bromide hydrates (9) 215*i*.
Arkhipkin, V. I., Kostikov, V. I., Gaukhman, Yu. V., and Rubinchik, E. A. Two-layer protective coatings on graphite (8) 171*h*.
Arkhipov, S. M., Revzina, T. V., and Mikheeva, V. I. Systems NaI-CsI-AlI$_3$, KI-CsI-AlI$_3$, and RbI-CsI-AlI$_3$ (1) 28*h*; System NaCl-CsCl-$AlCl_3$ (1) 28*i*; System NaBr-CsBr-$AlBr_3$ (2) 55*c*; Systems $AlCl_3$-AlI$_3$ and $AlBr_3$-AlI$_3$ (2) 55*d*; System Cs,Al||Cl,I (2) 55*j*; System $3Na^+,Al^{3+}||3Cl^-,3I^-$ (5) 115*c*.
Arlinghaus, F. J., and Albers, W. A., Jr. Electronic energy bands and optical transitions in tetragonal GeO_2 (5) 109*i*.
Arlt, Manfred, Dathe, Joachim, and Gueckel, Helmut Contact arrangement for emitter zone of semiconductor device, P (3) 69*c*.
Armand, M. See Dontsov, G.
Armstrong, Adna A. Method of abrasive application to straight sleeves, P (1) 1*e*.
Armstrong, R. A., and Newnham, R. E. Bi titanate solid solutions (2) 42*b*.
Armstrong, Warren E. See Toombs, Alfred J. L.
Arnaud, Jose L. Process for preparing Sr carbonate, P (5) 106*b*.
Arnberg, Lars, and Westman, Sven Structure of the gamma brass-like phase Ir_4Zn_{22} (2) 54*i*.
Arndt, Heinz H., and Noack, Edwin Device for the epitaxial deposition of semiconductor material, P (3) 69*e*.
Arnold, D. E. Mineralogical analysis of ceramic materials from Quinua, Department of Ayacucho, Peru (2) 31*e*.
Arora, B. R., Banerjee, R. K., Mandal, N. K., Ganguli, N. C., and Sen, S. P. Relations between surface area and temp. of sintering in NiO, Al_2O_3, Fe_2O_3, and Fe_2O_3-Cr_2O_3 systems (7) 162*b*.
Arrance, Frank C. Flexible inorganic [ZnO] fibers and battery electrode containing same, P (3) 65*e*.
Artama, Arvi Furnace for heating and bending glass plates for windshields, P (2) 38*g*.
Artamonova, G. I., and Botvinkin, O. K. Crystallization fields in a section of the system Ge-As-Te-S (2) 51*j*.
Artamonova, M. V. See Galakhova, G. S.; Labutina, L. V.; Pekarskaya, A. V.
Asada, Toshio, and Miwa, Hiroei Theory of magnetic anisotropy due to an anisotropic impurity spin (11) 259*d*.
Asahara, N., Sudoh, G., and Senda, M. Multiple regression technique for X-ray fluorescence analysis of cement raw materials (7) 143*a*.
Asahara, Yoshiyuki See Izumitani, Tetsuro
Asahara, Yoshiyuki, and Izumitani, Tetsuro Switching phenomena in Cu-As-Se glasses (3) 63*e*; Light-induced memory effect in Cu-As-Se glasses (7) 144*i*.
Asai, Shojiro See Migitaka, Masatoshi
Asai, Shojiro, Hirao, Motohisa, and Maruyama, Eiichi Method of mfg. semiconductor devices, P (2) 44*c*.
Asakura, Osamu See Sumi, Kiyoshi
Asami, Seiichi See Yamaoka, Shinobu
Asano, Kiro See Araki, Tadashi
Asano, Kiyoshi See Matsubara, Shohei
Asano, M. Effect of fineness of clinker and blast furnace slag on the shrinkage of portland blast furnace cements (6) 120*c*.
Asbrink, Gudrun, Asbrink, Stig, Magneli, Arne, Okinaka, Hideyuki, Kosuge, Koji, and Kachi, Sukeji Ti_3O_5 modification of V_3O_5-type structure (2) 56*c*.
Asbriak, Stig See Asbrink, Gudrun
Asfandiyarov, Khalim A. See Maksutov, Rafkhat
Ash, Eric A., and Tseng, Samuel C. C. Surface waveguiding in ceramics by selective poling, P (2) 45*i*.
Ashar, Kanu G. See Anantha, Narasipur G.
Ashar, Kanu G., and Maheaux, Leo W. Process for fabricating a pedestal transistor, P (6) 130*b*.
Ashby, George E. See MacCragh, Adolfo P.; Patil, Arvind S.
Ashby, M. E. See Stocker, R. L.
Asher, Glen J. Tape process for ferrite production (9) 200*d*.
Asher, John W., and Herczog, Andrew Method for obtaining the dielectric constant of frit capacitors, P (2) 44*d*; Frit capacitor, P (11) 250*g*.
Asher, William J. Composition of matter containing C, P (10) 224*g*.
Ashford, John W. See Holm, Robert L.
Ashiya, Ryosuke See Naruse, Yohsuke
Ashkin, A., and Dziedzic, J. M. Optical levitation by radiation pressure (10) 220*j*.
Ashley, Allan J. See Landmark, Kenneth L.
Ashour, G. M., El-Batal, H. A., and Ghoneim, N. A. Crystallization of glasses containing TiO_2 as a major constituent (3) 61*d*.
Ask, Clifford W., Sr. See Marino, Amadee, D.
Asmus, John F. Pumping techniques for advanced lasers (1) 8*d*.
Aspinall, A., Warren, S. E., Crummett, J. G., and Newton, R. G. Neutron activation analysis of faience beads (2) 31*f*.
Assabghy, F. Y. I. See Robson, D.
Assour, Jacques M. Avalanche diode, P (3) 68*i*.
Astbury, N. F., and West, H. W. H. Productivity in the heavy clay industry (11) 246*e*.
Astbury, N. F., West, H. W. H., and Hodgkinson, H. R. Experimental gas explosions—report of further tests at Potters Marston (4) 82*e*.
Astier, M. See Vergnon, P.
Astier, M., and Vergnon, P. Sintering of very finely divided particles: I, Theoretical models and kinetic laws associated with the sintering of nonporous particles of submicron dimensions (10) 239*g*.
Astroem, Anders See Andersson, Sten
Atabaeva, E. Ya., Masikov, S. A., and Popova, S. B. Crystal structure of a new modification of Bi_2Se_3(II) (8) 180*i*.
Atkin, R. B. Performance of sputtered $Pb_{0.92}Bi_{0.07}La_{0.01}(Fe_{0.405}Nb_{0.325}Zr_{0.270})_3$ ferroelectric memory films (4) 85*c*.
Ato, Yasuro See Miyagawa, Soji
Atoda, Nobufumi See Kanaya, Koichi

Aubin, Gerard, and Yeroushalmi, David Heating element comprising La chromite and oxidation-resistant Si compound, P (8) 178*h*.

Auck, Yoon Tae Diffusion couple of SrO and Al_2O_3 (11) 257*j*.

Aucoin, T. R. See Streever, Ralph L.

Auderset, H. See Steigmeier, E. F.

Audesse, Emery G., Tartakoff, Alexander, and Robertson, John K. Shatter-resistant incandescent lamp, P (5) 99*i*.

Audisio, Sylvain C., and Leidheiser, Henry, Jr. Si_3N_4 coatings on Cu (6) 129*f*.

Auerbach, H. See Supp, A.

Augustsson, Bengt O., and Southwick, Russell D. Vapor deposition apparatus including air mask, P (1) 10*f*.

Auleytner, J., Furmanik, Z., and Krylow, J. Application of the moving-slit X-ray automonochromatization method in structural studies of planar diodes and an attempt to correlate electrical properties with lattice defects (5) 106*d*.

Auleytner, J., Furmanik, Z., Maciaszek, M., Krylow, J., Lazarski, S., Drwiega, E., and Maydell-Ondrusz, E. Application of X-ray diffraction methods for the study of selectively implanted Si monocrystals (11) 256*i*.

Auskern, Allan Bone substitute, P (5) 101*b*.

Aussant, Michel See Meuleman, Johannes

Aussenegg, Franz See Hanus, Hans D.

Austad, Helge Short arc discharge lamp, P (3) 64*c*.

Austerman, S. B. See Ehman, Michael F. ; Roscoe, C.

Austin, A. E. See Wood, V. E.

Austin, Ifor G., Gamble, R., and Koffyberg, F. P. Electrotransmission spectra of Li-doped NiO and MnO in the visible and near ir—a new optical effect in 3*d* semiconductors (9) 210*b*.

Austin, Ifor G., and Garbett, E. S. Far-ir electronic excitations of the Co^{2+} ions in antiferromagnetic CoO (11) 258*g*.

Austin, L. G. Understanding ball mill sizing (9) 203*g*.

Auzel, Francois E. Fluorescent materials for optical frequency conversion, P (4) 81*a*.

Avdeev, N. Ya., and Sereda, A. M. Determination of the zero reading moment in sedimentation analysis (11) 253*g*.

Averjanov, V. I. See Porai-Koshits, E. A.

Avery, Ralph L. Abrasive cable saw cutting member, P (10) 217*f*.

Aver'yanova, L. N. See Belyaev, I. N.

Avetikov, V. G. See Andrianov, N. T.

Avnimelech, Y., Moreno, E. C., and Brown, W. E. Solubility and surface properties of finely divided hydroxyapatite (9) 214*j*.

Avnon, G. Application of the Debye-Hueckel theory to clay minerals (9) 207*i*.

Avogadro, Alessandro, and Wurm, Joseph Method of processing nuclear fuels, P (4) 87*i*.

Awakuni, Y., and Calderwood, J. H. Water vapor adsorption and surface conductivity in solids (1) 29*d*.

Awano, Yoji See Kimura, Takashi

Awazu, Kenzo See Tada, Kunio

Axmann, A., Gissler, W., Kollmar, A., and Springer, T. Investigation of atomic motions in crystalline, amorphous, and liquid Se and in crystalline and liquid Te by neutron spectroscopy (2) 53*a*.

Axmark, Roger E., and Erickson, Clifford W. Uv radiation detector with 360° angular sensitivity, P (8) 170*j*.

Aycock, Thomas W., and Wright, John J. Electrical resistor paste containing a small amount of charcoal, P (5) 102*b*.

Ayel, Michel Necked housing in float zone refining, P (1) 18*e*.

Ayrault, Bernard, Decamps, Edmond Antoine, Abba, Francis, Marquetou, Yves, and Durand, Marie Lattice dynamics of TeO_2 (9) 211*f*.

Ayuzawa, Nobuo See Kimura, Morihiro

Azarov, V. M. See Donis, V. K.

Azbukin, A. V. See Fain, I. A.

Baarson, Robert E. Flotation of SiO_2, P (10) 234*j*.

Baba, Masataka, and Kawakubo, Syoichiro C deposited on surface of smoked tile made in Fukaya District (3) 64*f*.

Baba, Paul D. See Smit, Jan

Baba, Shoichi See Mizuno, Hideo

Babachev, G. N., and Kasabova, M. I. Aliphatic amines as plasticizers for cement (3) 59*f*.

Babcock, C. L. Property-composition-substructure relations in Na_2O-TiO_2-SiO_2 glasses (11) 244*i*. See Georoff, A. N.

Babeshkin, A. M. See Fabrichnyi, P. B. ; Pokholok, K. V.

Babievskaya, I. Z., and Morozov, I. S. Phase diagram of the system $YCl_3 + SmOCl \rightleftharpoons SmCl_3 + YOCl$ (10) 238*h*.

Babin, G. A. See Budnikov, P. P.

Babinets, V. M. See Donis, V. K.

Babinski, W., Pawelek, Z., and Morawiec, H. Use of X-ray sprectum analysis method in investigations of chemical composition and thickness of thin magnetic layers of NiFe alloy (3) 68*f*.

Babot, D. See Lambert-Andron, B.

Babunovic, Momir, and Faani, Siamac Container flaw inspection apparatus, P (9) 193*j*.

Baburek, H. Mineralogical composition of Podborany kaolins (9) 212*e*.

Baca, B. H. See Benz, Robert

Bachmann, Robert, Kirsch, H. C., and Geballe, Theodore H. Optical properties and superconductivity of $NbSe_2$ (8) 185*b*.

Bachmeier, Alfred Zener diode and method of producing such a diode, P (7) 155*c*.

Bacmann, J. J. See Contamin, P.

Bacon, Roger See Schalamon, Wesley A.

Badachhape, Ramachandra B. See Margave, John L.

Badcock, Frank R. See Steigman, Peter E.

Bade, E. Experience with a shaft cooler for a throughput of 500 tons of clinker/day (10) 218*e*.

Bade, Heribert, Bellefontaine, August, and Kienast, Gerhard Preparation of TiO_2 concentrates and Fe oxide pigments from ilmenite, P (9) 207*c*.

Bader, M. G., and Bowyer, W. H. Mechanical properties of thermoplastics strengthened by short discontinuous fibers (7) 145*c*.

Badoz, J. See Pisarev, R. V.

Badyan, A. Kh. See Kislyi, P. S.

Badyoczek, G., Pytlinski, A., and Kociszewski, L. Effect of reducing conditions on the color of fired porcelain (1) 15*a*.

Baes, C. F., Jr. See Bamberger, C. E.

Baeten, M. H. C., Stein, H. N., and Stevels, J. M. Relation between critical cooling rate and phase diagram of the system B_2O_3-Na_2O (2) 54*j*.

Baetz, Monika Semiconductor device having a screen electrode of intrinsic semiconductor material, P (4) 87*c*.

Baeuerlein, Rudolf, and Uhl, Dieter Method of increasing the current amplification and the radiation resistance of Si transistors with an Si oxide cover layer, P (1) 18*b*.

Baffier, N., and Huber, M. X-ray and neutron diffraction study of the relation between cation distribution and crystal distortion in the ferromanganite spinels $xMn_3O_4 + (1-x)Cu(Fe,Cr)_2O_4$ (6) 140*a*.

Baffier, Noel See Renault, Nicole

Bagdasarov, Kh. S. See Sevast'yanov, B. K.

Bagdasarov, Kh. S., Dobrovinskaya, E. R., Pishchik, V. V., Chernik, M. M., Kovalev, Yu. Yu., Gershun, A. S., and Zvyagintseva, I. F. Corundum single crystals with small dislocation densities (8) 180*b*.

Baglio, J. A. See Peters, T. E.

Bagno, I. See Laulicht, I.

Bagshaw, A. N. See Anderson, J. S.

Bahr, Alex, and Peche, Gerhard Voltage overload arrester, P (1) 19*e*.

Baidakov, L. A. See Doumeng, M. ; Novoselova, N. A. ; Viktorovskii, I. V.

Bailey, James E., and Liang, Shen-Fu Gas-liquid spray contactor modeling with applications to flue gas treatment (11) 252*d*.

Bailey, Joseph T. Leachable ceramic cores, P (8) 172*d*. See Theobald, Paul R.

Bailey, S. See Schumm, R. H.

Bakakin, V. V. See Magarill, S. A.

Baker, D. W., and Wenk, H. R. Preferred orientation in a low-symmetry quartz mylonite (1) 21*j*.

Baker, F. L., and York, D. W. Reliable technique for making glass microelectrodes of known resistance (11) 245*b*.

Baker, F. S., Carruthers, J. D., Day, R. E., Sing, K. S. W., and Stryker, L. J. Micropore structure of Cr_2O_3 gels (2) 53*e*.

Baker, Margaret A. Observing porcelain enamels with a scanning electron microscope (5) 96*h*.

Baker, Richard W. See McDaniel, Carl V.

Baker, Theodore C. Method of strengthening glass, P (10) 222*g*.

Bakker, Marinnus A. See Masselink, Annegien

Bakker, Wate T. Blast furnace gunning in the U.S.A. (4) 82*j*; Plastic Al_2O_3-SiO_2 refractory, P (11) 247*j*.

Bakos, Peter Electrophoretic photoresist composition and a method of forming etch-resistant masks, P (9) 200*d*.

Bakshutov, V. S. See Butt, Yu. M. ; Grineva, M. K.

Bakul, Valentin N. See Vereschagin, Leonid F.

Bakul, Valentin N., Prikhna, Alexei I., and Shul'zhenko, Alexandr A. High-pressure and high-temp. device, P (8) 177*f*.

Bakul, Valentin N., Prikhna, Alexei I., Shul'zhenko, Alexandr A., and Gerasimovich, Alexei V. Method and device for providing high pressure and high temp., P (3) 71*g*.

Bakunov, V. S. See Andrianov, N. T. ; Demidenko, L. M. ; Popova, L. N. ; Vorob'ev, V. K.

Balagina, G. M. See Rode, E. Ya.

Balakirev, V. F. See Zalazinskii, A. G.

Balashov, V. A. See Maier, A. A.

Balashov, V. A., Maier, A. A., and Sycheva, L. I. Crystal growth in the system Bi_2O_3-WO_3 (1) 15*j*.

Balashov, Yu. S. See Postnikov, V. S.

Balazs, Gyorgy, Boros, Margit, and Majer, Janos Carbonation of concrete surface in the presence of trass (1) 2*d*.

Balburg, I. See Roach, W. R.

Baldwin, N. L., Langer, S., Kester, F. L., and Hancock, C. Equipment for thermal and DTA to 3000°C (11) 253*i*.

Baldwin, Nancy Approach to making boxes (4) 77*f*.

Balint, Pal Effect of particle size distribution of clays on the raw and fired properties of structural ceramics (2) 39*h*.

Balint, Tibor Shape control of rock chippings: I, II (1) 23*g*.

Balitskii, V. K. See Donis, V. K.

Balitskii, V. S., Lysakov, V. S., and Serebrennikov, A. I. Effect of physicochemical synthesis conditions on the thermoluminescence of quartz crystals (6) 135*j*.

Balkanski, Minko See Beserman, R. ; Nusimovici, Michel ; Teng, M. K.

Balkanski, Minko, Reydellet, J., and Trivich, Dan Resonant Raman scattering near the 1*S* exciton level in cuprous oxide (9) 214*d*.

Balkevich, V. L. See Polyak, B. I.

Balkevich, V. L., and Dovbysh, V. A. Dispersion of powders of electrofused Al_2O_3 and MgO during pressing (1) 11*g*.

Balkevich, V. L., Fiidlider, G. M., and Fortunatova, T. V. Dispersion and elastic expansion of granular oxide bodies during pressing (1) 20*i*.

Balkevich, V. L., Gandurina, V. S., Mikhailova, A. V., and Farbirovich, A. P. Sintering of coarse-grained Al_2O_3 powders (9) 214*f*.

Balkevich, V. L., Korshunov, V. S., Surkova, I. A., Sturman, V. K., and Smirnova, M. M. Refractories of electrofused MgO. Al_2O_3 of high density (9) 196*f*.

Balkevich, V. L., and Lemeshev, V. G. Evaporation and creep of refractories from fused oxides (1) 12*b*.

Ball, Fred Experimental Techniques in Enameling, B (2) 57*j*; Metal inlays in enameling (4) 78*a*; Sgraffito with liquid enamels (4) 78*c*; White-on-white enameling (4) 78*d*.

Ballad, Erik R. See Rutes, Viktor S.

Ballard, A. W., Jr. Gunning steelmaking ladles (11) 247*b*.

Ballato, Arthur D. See Guttwein, Gunter K.

Ballestracci, R. See Quezel, G.

Ballman, Albert A. See Barker, Alfred Stanley, Jr. ; Holmes, L. M.

Ballman, Albert A., and Brown, H. Ferroelectric domain reversal in Li metatantalate (4) 85*e*.

Balog, George See Benz, Robert

Baloosa, L. A. de S., and Loubser, J. H. N. ESR in irradiated SiC (11) 258*a*.

Balta, E. See Balta, P.

Balta, P. See Solacolu, S.

Balta, P., and Balta, E. Polymeric structure and problems of the vitreous state (1) 26*h*.

Balthis, Joseph H., Jr. Metal phosphate-coated ferromagnetic Cr oxide and its preparation, P (1) 17*f*.

Baltzer, P. K. See Miyatani, K.

Balz, Werner See Hartmann, Job W.

Bamberger, C. E., and Baes, C. F., Jr. Equilibria of SiF_4 with SiO_2, Be_2SiO_4, and BeO in molten Li_2BeF_4 (1) 25*c*.

Bamford, Charles R. Treating glass, P (1) 10*e*.

Ban, Toshiro See Kato, Toshiko

Bancal, Bernard R. L. M. See Violleau, Andre

Bando, Yoshichika See Iwase, Keizo ; Nagasawa, Koichi ; Yamamoto, Naoichi

Bando, Yoshichika, Takada, Toshio, and Akiyama, Toshihiko Substitution of Mn ions for Fe ions in dicalcium ferrite (3) 68*c*.

Banerjee, H. D., and Ratnam, V. V. New method of causing sensitized luminescence in CaF_2:Ce:Mn phosphors (11) 249*f*.

Banerjee, J. C., Nandi, D. N., Ramesam, K., and Salim, A. Monolithic refractories (3) 65*c*.

Banerjee, J. C., Ramesam, K., and Salim, A. Comparative study of castable refractories (3) 64*j*.

Banerjee, R. K. See Arora, B. R.

Banfield, Joseph H., Husni, Saleem Y., and Greig, William J. Method of fabrication of semiconductor devices, P (1) 17*j*.

Bang, O. See Christensen, N. H.

Bangs, Leigh B. See Huml, James O.

Banin, Amos Quantitative ion-exchange process for clay, P (7) 159*b*.

Ban'kovskaya, I. B. See Sitnikova, A. Ya.

Banks, Kenneth Apparatus for electrically welding a double-walled glazing unit, P (8) 169*j*.

Banse, Karlheinz V. H., Seelig, Wolfgang H., Steinger, Juerg H., and Herziger, Gerd B. Gas discharge tube for a laser, P (3) 69*h*.

Banyas, John D., and Ross, Edward A. Method and apparatus for forming a finish on a glass container, P (8) 170*h*.

Barannik, Yu. P., and Buki, Yu. M. Diamond grinding of high-alumina and magnesite-chromite products (1) 11*f*.

Baranov, A. I. See Shuvalov, L. A.

Baranova, T. F., and Popil'skii, R. Ya. Properties of La_2O_3 powders obtained by different methods and their sinterability (9) 214*d*.

Baranovskii, I. B. Exchange reactions in *trans*-$(IrPy_4Cl_2)Cl$ (5) 109*i*.

Barbashov, G. K., Kutsenko, L. A., Butt, Yu. M., and Timashev, V. V. Influence of Ca sulfate on firing of granulated raw mixtures (1) 3*c*.

Barbashov, G. K., Timashev, V. V., and Sulimenko, L. M. Influence of properties of water on the plasticity of raw mixtures (9) 190*g*.

Barber, D. J., and Evans, R. G. Crystal defects in Mn(II) oxide and their influence on antiferromagnetic behavior (7) 159*g*.

Barber, Edwin Atlee Tulip Ware of the Pennsylvania-German Potters—An Historical Sketch of the Art of Slip-Decoration in the United States, B (2) 58*c*.

Barber, M. See Thomas, J. M.

Barberon, Michel, Fruchart, Eliane, Fruchart, Robert, Lorthioir, Gerard L., and Madar, Roland Magnetic memory, P (9) 201*a*.

Barboi, V. M., Glazman, Yu. M., Rebinder, P. A., Fuks, G. I., and Shchukin, E. D. Two-phase disperse systems in thermodynamic equilibrium (11) 259*g*.

Barbosa, G. A., Chaves, A., and Porto, S. P. S. Temp. dependence of the Raman cross sections in $BaTiO_3$ and $SrTiO_3$ (9) 215*c*.

Barclay, D. V., and Bear, I. J. Relation between semiconducting properties and sintering conditions for hot-pressed galena powders (9) 200*a*.

Barclay, James A. See Johnson, Paul W.

Barclay, R. B., and Bonfield, W. C fiber/Ni compatibility (6) 127*b*.

Bardell, Paul H., Jr., Barson, Fred, Benjamin, Charles E., and Pecoraro, Raymond P. Semiconductor device fabrication method and product thereby, P (8) 175*c*.

Barden, Wayne A. See Rozema, Arthur L.

Bardin, V. A. See Galkin, N. P.

Bardinet, Guy M. P., and Keck, Roger E. J. Process for preparing alkyl titanates from $TiCl_4$ and alcohols, P (11) 251*c*.

Bares, Miroslav Surface defects of porcelain products caused by the heavy mineral content of raw materials (11) 248*e*.

Barker, Alfred S., Jr., and Remeika, Joseph P. Optical properties of V_2O_3 doped with Cr (7) 152*e*.

Barker, Alfred Stanley, Jr., Ballman, Albert A., and Ditzenber-

ger, J. A. Ir study of the lattice vibrations in $LiTaO_3$ (8) 182*g*.

Barker, James N. Economize electrostatically! (2) 34*g*; Production experience with the electrostatic hand gun (5) 96*i*.

Barkhudarov, Eduard M., Kervalishvili, Nikolai A., and Kortkhondzhia, Vladimir P. Device for applying thin films to articles, P (8) 174*c*.

Barkley, John R. Process and apparatus for control of domain walls in the ferroelastic-ferroelectric crystals, P (8) 175*h*. See Brixner, L. H. ; Shepherd, I. W.

Barkley, John R., Brixner, L. H., Hogan, E. M., and Waring, Robert K., Jr. Control and application of domain wall motion in Gd molybdate (4) 84*j*.

Barkley, John R., O'Reilly, James J., and Waring, Robert K., Jr. Optical line scanner using the polarization properties of ferroelectric-ferroelastic crystals, P (2) 45*a*.

Barkovitz, William E. Wet scrubber dust collector, P (2) 48*d*.

Barlow, H. M. Measurements of dispersion in dielectric-loaded submarine telephone cable (1) 16*f*.

Barlow, J. W. See DiBenedetto, A. T.

Barnes, Lawrence G. See Klaphaak, Daniel J.

Barnes, R. D. See Fredrickson, D. R.

Barnes, R. G. See De Young, D. B.

Barnett, Allen M., and Gaiginaitis, Simeon V. Selective liquid phase epitaxial growth process, P (5) 102*j*.

Barnett, Allen M., Gaiginaitis, Simeon V., and Heumann, Frederick K. Monolithic semiconductor [GaP] display devices, P (3) 70*a*.

Barnett, Baruch See Reisfeld, Renata

Barnett, Irvin, and Peters, Walter B. Glass fiber friction element, P (10) 222*i*.

Barnett, J. D. See Decker, D. L.

Barnett, Sterling See Felder, John W., Jr.

Barns, R. L. See Abrahams, S. C. ; Hagedorn, F. B. ; Miller, R. C. ; Wolfe, R.

Barone, Frank J., and Tolliver, Donald L. Fabrication of an SiO_2 interface of predetermined space charge polarity, P (2) 43*h*; Si-SiO_2 interface of predetermined space charge polarity, P (4) 87*e*.

Bar-Or, A. See Kimmel, G.

Barr, Robert Q. See Faught, Roger F.

Barraclough, K. G. See Abell, J. S.

Barret, P. Spark electrochemical pulverization and lyophilization techniques for obtaining large surface area solids or deposits (2) 48*b*.

Barrett, Charles C. See Birks, L. S.

Barrett, Paul J., Johnson, Paul W., and Peters, Frank A. Methods for producing Al_2O_3 from clay—evaluation of a sulfurous acid-sulfuric acid process (11) 256*b*.

Barrett, Wayne T., Sanchez, Moises G., and Vanik, Milton C. Sols of actinide metal oxides, P (10) 231*d*.

Barriac, P. Measurement of the heat of setting of gypsums—practical application (9) 190*i*.

Barron, L. M. Thermodynamic multicomponent silicate equilibrium phase calculations (2) 56*a*.

Barron, Paul Glaze spectrum using wood ash (2) 31*i*.

Barrow, Gilbert C. Piezoelectric transducer having spiderlike frame structure, P (6) 130*i*.

Barry, Michael L. See Tucker, Ross N.

Barry, T. I., Lay, L. A., and Miller, R. P. Nucleation efficiency in lithia-alumina-silica glasses (2) 37*i*.

Barsch, Gerhard R. See Chang, Zung Ping

Barsegov, D. G. See Il'yasov, I. I.

Barshad, I. See Robert, M.

Barson, Fred See Bardell, Paul H., Jr.

Barsotti, Leo R. Direct conversion of dawsonite to pseudoboehmite, P (9) 207*e*.

Barsukov, Mikhail I. See Bogrets, German N.

Bart, Ronald K., and Kiovsky, Joseph R. Catalyst and catalyst carrier composition, P (9) 207*d*.

Bart, Victor R. Apparatus for detecting conductive material utilizing a vapor lamp, P (9) 205*d*.

Bartch, Donald W. See Deal, Samuel B.

Bartelink, Dirk J., and Persky, George Planar semiconductor device utilizing confined charge carrier beams, P (5) 102*g*.

Bartell, L. S. See Gibbs, G. V.

Bartels, G. See Krumme, J. P.

Bartels, R. A. See Son, P. R.

Bartels, R. A., and Vetter, V. H. Temp. dependence of the elastic constants of CaO and SrO (8) 187*d*.

Barten, H. Automatic analysis by X-ray fluorescence technique (7) 156*j*.

Bartenev, G. M., and Abrosimova, G. D. Low-frequency internal friction of inorganic polymers and glasses at high temps. (7) 144*j*.

Bartenev, Georgi M., Sanditov, Dangar S., Razumovskaya, Irina V., and Lukyanov, I. A. Molecular-kinetic processes in melts of inorganic glasses in the transformation range (10) 220*g*.

Bartha, P. Mineralogical and chemical changes in dolomite bricks during use in rotary cement kilns (9) 190*j*.

Bartlett, Ronald L. See Blake, Paul D.

Barton, K. J., and Goodwin, D. W. Continuous laser action in $YAlO_3$ (1) 15*i*.

Barton, Patrick W. Foamed ceramic material and method of making, P (2) 39*h*.

Bartowski, R. R., and Tunheim, J. A. EPR of a new Fe^{3+} center in SnO_2 (8) 181*h*.

Bartram, F. Load-bearing capacity of plain tile lintels (7) 150*a*.

Bartram, R. H. See La, S. Y.

Bartram, Ralph H. See Fournier, Joseph T.

Basche, Malcolm See Scola, Daniel A. ; Veltri, Richard D.

Bashun, Z. S. See Shvaiko-Shvaikovskaya, T. P.

Basi, Jagtar S. Method for polishing semiconductor GaAs planar surfaces, P (9) 201*g*.

Basi, Jagtar S., and Sandhu, Jagtar S. Simultaneous double diffusion into a semiconductor substrate, P (11) 251*b*.

Basque, Max G., Magner, James E., Suris, Joseph P., and West, Ben F. TiO_2 pigment, P (11) 256*g*.

Bass, John C. Fuel pin spacer structure, P (6) 131*i*.

Bass, Michael See Fradin, D. W. ; Monchamp, Roch R.

Bassett, W. A. See Decker, D. L.

Bassett, William A. See Liu, Lin-gun

Bassoul, P., and Stricher, G. Enameling of steel plates by an electrophoresis process (2) 34*h*.

Batchelor, R. W. Controlling the wide range of ceramic products (5) 104*a*.

Bate, Robert T. Magnetic field sensor [IGFET], P (5) 102*i*.

Bates, Clayton W., Jr., Helmer, John C., and Weichert, Norbert H. Induced electron emission spectroscopy of reduced Pb silicate glass (X-ray photoemission) [hopping conduction] (9) 192*h*.

Bates, Colin A., Bentley, J. P., Jones, Bryan Frederick, and Moore, William S. Lattice-ion interactions of Ti^{3+} in corundum: III, Analysis of the EPR line shape (11) 258*f*.

Bates, Colin A., Goodfellow, L. C., and Stevens, Kenneth W. H. Theory of acoustic paramagnetic resonance of V^{3+} in MgO (11) 259*j*.

Bates, David J., Silzars, Aris, Roberts, Lester A., and Long, James A. Electron-bombarded semiconductor device, P (11) 250*e*.

Bates, Fred R. [Fabric] reinforced grinding wheel, P (1) 1*g*.

Bates, J. B., and Brooker, M. H. Determination of longitudinal optical mode frequencies by polarized specular reflectance ir spectroscopy [in ZnO, CaO, MgO] (5) 104*j*.

Bates, M. H. Use of SiC muffles in tunnel kilns (1) 14*a*.

Bateson, Sydney See Kappes, Karl A.

Batha, H. Dean, and Whitney, E. Dow Kinetics and mechanism of the thermal decomposition of Si_3N_4 (8) 183*e*.

Batog, V. N. See Safronov, G. M.

Batsanov, S. S. See Shestakova, N. A.

Batt, A. P. Ni distribution in hexagonal and monoclinic pyrrhotite (6) 137*h*.

Battarel, Claude Shift register operating by propagation of domains in thin films of magnetic material, P (9) 202*h*.

Battle, James, and Phillips, Richard A. Variable resistance resistor assembly, P (1) 19*d*.

Battles, James W. See White, Henry W.

Batty, J. Vance See Agey, W. W.

Baudran, A. See Vouillemet, M.

Bauer, D. J., Schultze, L. E., and Lindstrom, R. E. Extraction process for upgrading Sm_2O_3 using selective stripping techniques (1) 23*e*.

Bauer, David L. See Suris, Joseph P.

Bauer, Douglas M. See Crosby, Philip C.

Bauer, Thomas F. See Adkins, William B.

Bauer, W. C. See Manring, W. H.

Bauman, Francis E. Apparatus for feeding glass rods, P (9) 193*e*.

Baumann, Helmut See Petzi, Fritz

Baumgartner, H. R. See Hartline, S. D.

Bauminger, E. R. See Almog, A.

Bauminger, E. R., Hess, J., Nowik, I., and Ofer, S. Rare earth contribution to the hyperfine field acting on ^{119}Sn in rare earth Fe garnets (9) 214*j*.

Baunack, F., and Kleinbrahm, A. Rapid drying and heat treatment of ceramic bodies (6) 134*b*.

Baur, Werner H. Computer-simulated crystal structures of observed and hypothetical Mg_2SiO_4 polymorphs of low and high density (2) 51*i*.

Bautista, Renato G. See Margave, John L.

Bay, E. Two-part ceramic casserole, P (8) 172*j*.

Bayard, Michael A. Control for electron microprobe, P (9) 205*f*.

Bayer, Gerhard See Boehm, Horst

Bayer, John W. Process for bonding a glass container to a cup-shaped fitment with hot melt adhesive, P (11) 245*h*.

Bayliss, P. Interlayer desorption of CSH(I) (7) 142*h*. See Smith, R. H.

Bayliss, P., and Warne, S. St. J. DTA of siderite-kaolinite mixtures (2) 52*f*.

Bayly, A. R., and Townsend, P. D. Glass machining by ion sputtering (7) 144*e*.

Bazant, Zdenek P., and Moschovidis, Zissis Surface-diffusion theory for drying creep effect in portland cement paste and concrete (6) 121*b*.

Bazuev, G. V., and Krylov, E. I. Electronic spectra of the metaniobates and metatantalates of Co and Ni (5) 109*j*.

Beale, Julian R. A. Methods of mfg. a semiconductor device, P (3) 69*j*; Semiconductor device with internal channel stopper, P (11) 251*f*.

Beale, Julian R. A., Beer, Andrew F., Klein, Thomas, and Murphy, Nigel M. S. Semiconductor device [IGFET], P (10) 228*h*.

Beale, Julian R. A., and Kerr, John A. Methods of mfg. a semiconductor device, P (8) 175*a*.

Beall, George H. Mica glass-ceramics, P (1) 10*b*; Reduced silica-nucleated glass-ceramic articles, P (5) 99*g*.

Beall, George H., Montierth, Max R., and Smith, Gail P. Machinable glass-ceramics (1) 8*b*.

Beall, George H., and Rittler, Hermann L. Glass-ceramics containing pollucite, P (7) 146*j*; Glass-ceramics containing mullite, P (8) 170*a*.

Bealle, John, and Cash, John H., Jr. Method of making glass-bonded recording heads, P (11) 250*b*.

Bean, Kenneth E. Multicomponent semiconductor network and method for making, P (10) 228*g*.

Bean, Kenneth E., and Gleim, Paul S. Dielectric isolation processes, P (9) 200*c*.

Bean, Kenneth E., and Yeakley, Richard L. High-density integrated circuit, .P (7) 153*b*.

Bean, Samuel L., and Montone, Anthony W. Process for the production of hydrous granular Na silicate, P (11) 256*e*.

Beane, James O. See Adkins, William B.

Bear, I. J. See Barclay, D. V.

Beard, D. C., and Weyl, P. K. Influence of texture on porosity and permeability of unconsolidated sand (9) 206*g*.

Beard, H. R. See Rosenbaum, J. B.

Beasom, James D. Process for forming buried layers to reduce collector resistance in top contact transistors, P (7) 154*j*; Semiconductor device, P (8) 175*c*.

Beau, Raymond See Le Page, Madeleine A.

Becher, P. F. Deformation substructure in polycrystalline alumina (2) 52*b*.

Bechtold, Klaus Approximate analytical calculation of one-dimensional, nonstationary temp. gradients in multilayer flat walls (2) 49*e*.

Beck, Erich Method and apparatus for spiral air classification of solid particles in a gaseous carrier, P (3) 71*f*.

Beck, Jacob H. Modular heater furnace, P (8) 178*f*.

Beck, Kenneth O. See Hou, Shou-Ling

Beckenbach, Karl Method and means for sintering materials, particularly dolomite and magnesite, in a shaft furnace, P (3) 73*h*; Method of operating a kiln and a kiln operated by the method, P (9) 206*b*; Recent development of the double inclined kiln [for lime burning] (11) 255*e*.

Becker, G. W. See Roman, R. J.

Becker, J. H. See Driscoll, J. N.

Becker, John V., and Bellinger, Arthur A. Process for producing TiO_2 product containing Al_2O_3, P (9) 207*d*.

Becker, Joseph J., and Cech, Robert E. Permanent magnet material powders having superior magnetic characteristics and method, P (9) 201*d*.

Becker, K. Melting costs of cross-fired regenerative and recuperative tank furnaces (6) 123*j*.

Bedetti, Gianfranco See Pieri, Giovanni

Bedford, Raymond E. See Kesten, Patrick N.

Bednyakov, F. I. See Kichkina, E. S.

Beecham, D. Sputter machining of ferroelectric K Na niobate (7) 152*c*.

Beechan, Charles R., and Steger, R. E. Synthetic slags for testing BOF brick (4) 83*i*.

Beekmans, N. M. See Heyne, L.

Beell, Johann B. TV camera tube having channel multiplier surrounding electron gun, P (6) 126*a*.

Beer, Andrew F. See Beale, Julian R. A.

Beer, Hans See Schoeps, Wolfgang

Beer, Leon N. See Nelson, Forrest W.

Beere, W. B. See Reynolds, G. L.

Beesch, Otto High-voltage spark plug, P (1) 15*d*.

Beggs, James E. Bonded heater, cathode, and control electrode structure and method of mfg., P (3) 68*j*; Quick-heating impregnated planar cathode, P (4) 82*a*.

Begum, R. J., and Murthy, N. S. S. Neutron scattering from paramagnetic $ZnCr_2O_4$ (5) 112*b*.

Behr, M. Automatic regulating devices for blowers, e.g. in the forced ventilation of heat exchangers, P (11) 255*i*.

Behrens, K. J., Hundt, L., and Spronck, E. Lining technique for ceramically bonded dolomite bricks in rotary cement kilns (9) 190*h*.

Behrens, Richard Alkaline glaze (4) 77*f*; Frits for the art potter (4) 77*g*; Cobalt blues at cone 9; Glazes from Barnard slip (4) 77*i*; Handcrafted ceramic buttons; Dust glazing (4) 77*j*; Volcanic ash bodies and glazes (4) 78*c*; Yellow glazes (4) 78*d*.

Belding, William A., Emerson, Robert B., and Williams, Raymond L. Agglomerating partially dehydrated gel-derived pseudoboehmitic alumina to form strong porous spheres, P (5) 105*h*.

Beiser, Leo Laser systems and laser control systems, P (9) 200*i*.

Beke, Bela Grinding process and particle size distribution (3) 71*e*; Grinding body size and the hardening of cement (8) 166*a*; Limits of efficiency of fine grinding (9) 203*i*.

Belabaev, K. G., Gabrielyan, V. T., and Sarkisov, V. Kh. Relaxation characteristics of residual stresses in $LiNbO_3$ single crystals at 20°–200°C (8) 186*b*.

Belanger, James A. Rotary finishing wheel or tool, P (1) 1*f*.

Belardi, Richard J. See Rueffer, Harold F.

Belasco, Melvin, and Borrello, Sebastian R. Schottky barrier phototransistor, P (2) 45*b*; Photosensitive semiconductor device [InAs], P (3) 70*d*.

Belik, N. P., and Serebrennikov, V. V. Oxidation of Eu(II) selenide and rare-earth oxyselenides during heating in air (9) 213*i*; Rare-earth oxyselenides and Eu selenide (10) 238*f*.

Beliveau, Roger L. See Sloane, Ivan H.

Belkin, Nikolai V., Alexandrovich, Eduard-Gely V., Razin, Anatoly A., Kanunov, Mikhail A., Tsukerman, Veniamin A., Sloeva, Galina N., Tsvetkov, Leonard V., and Dron, Nikel A. X-ray pulse tube, P (6) 130*h*.

Belknap, Donald J. Miniature incandescent lamp and apparatus and method for making, P (8) 170*d*.

Belkov, V. M., Bernova, L. A., Gnuchev, V. S., Kuznetsova, I. G., Poluboyarinov, D. N., and Sadkovskii, E. P. Stability of BN in Li vapor (1) 27*d*.

Bell, H. See Krishnamachari, V.

Bell, John SiC furnace, P (2) 49*h*.

Bell, M. Drake See Tunheim, Jerald A.

Bell, Michael J., and Whatley, Marvin E. Method for preparing high-purity 233 U, P (5) 103*e*.
Bell, R. J., and Dean, P. Atomic vibrations in vitreous silica (2) 50*j*; Structure of vitreous silica—validity of the random network theory (5) 115*b*.
Bellan, R. V., and Widdowson, A. E. Some properties of reverse-biased SiC on *pn* junction cold cathodes (1) 16*b*.
Bellefontaine, August See Bade, Heribert
Bellinger, Arthur A. See Becker, John V.
Bellis, William H. Clay products in Oklahoma (6) 134*d*.
Belohoubek, E., Mitchell, J., and Wozniak, F. Measurement of thermal conductivity of thin samples (8) 173*b*.
Belousov, A. I. See Rekus, G. G.
Belov, N. V. Elementary silicate bricks: $Si_6O_6(!)$-$SiO_2(!!)$-Si(!!!) (3) 74*i*. See Litvin, B. N. ; Voronkov, A. A.
Belova, V. I., Rosolovskii, V. Ya., and Nikitina, Z. K. Magnetic susceptibility of O_2SbF_6 (5) 112*e*.
Belova, V. I., and Semenov, I. N. Magnetic susceptibility of Os(III) and Os(IV) (7) 161*d*.
Belson, Henry S., DeSavage, Bernard F., and Tebble, Robert S. Nondestructive readout thin film memory devices and method therefor, P (2) 45*a*.
Belt, Roger F., Moss, John P., and Latore, Joseph R. X-ray perfection and residual defects in Gd Ga garnet substrates (8) 173*i*.
Belting, K. W. Processing of phosphogypsum to anhydrite for the gypsum/sulfuric acid process (9) 191*f*.
Belu, Aretia See Grigorovici, Radu G.
Belyaev, E. K. See Annopol'skii, V. F.
Belyaev, E. K., Panasenko, N. M., and Linnik, E. V. Formation of tetrasodium trititanate in mixtures of Na_2CO_3 and TiO_2 (1) 25*i*.
Belyaev, E. K., Panasenko, N. M., and Tomenko, V. M. Thermodynamics and mechanism of formation of titanates in a mixture of Li_2CO_3 and TiO_2 (7) 163*g*.
Belyaev, I. L., and Shilov, S. A. Binary systems $NaMgF_3$-$MMgF_3$[M = K, Rb, Cs] (7) 159*h*.
Belyaev, I. N. See Berberova, L. M.
Belyaev, I. N., Aver'yanova, L. N., and Solov'ev, L. A. X-ray study of the systems $CdHfO_3$-$AHfO_3$ and $CdHfO_3$-$CdBO_3$ [A = Ca, Sr, Ba, Pb; B = Zr, Sn] (1) 29*i*; X-ray phase study of the systems $CdBO_3$-ABO_3 (A = Sr, Ba; B = Hf, Ti, Sn) (2) 56*c*.
Belyaev, I. N., Aver'yanova, L. N., Solov'ev, L. A., and Erlov, V. M. Compound $PbLaTiNbO_7$ with pyrochlore-type crystal structure (5) 107*d*.
Belyaev, I. N., Doroshenko, A. K., and Nesterov, A. A. System Tl_2MoO_4-MoO_3 (7) 163*f*.
Belyaev, I. N., and Kesarev, V. V. Systems $CdBr_2$-MBr and CdI_2-MI [M = Li, Na, K, Rb, Cs] (1) 28*f*.
Belyaev, I. N., Kesarev, V. V., and Borchenko, G. V. Vapor pressure over salt mixture melts in the systems $PbCl_2$-MCl [M = Li^+, Na^+, K^+, Cs^+] (9) 216*a*.
Belyaev, I. N., Lesnykh, D. S., and Eikhenbaum, I. G. Systems CsCl-$BaCl_2$, Rb(Cs)Cl-$HgCl_2$, K(Rb,Tl)Cl-$NiCl_2$, and TlCl-$CoCl_2$ (1) 28*g*.
Belyaev, I. N., Shilov, S. A., and Kuiaeva, S. Kh. Systems $BaLiF_3$-KMF_3 [M = Mg, Ni, Co, Zn, Mn, Cd, Ca] (1) 28*d*.
Belyaev, I. N., and Shurginov, E. A. Phase diagrams of the systems Li(Na,K,Rb,Cs)Br-$SnBr_2$ (1) 26*i*; Ternary system CsPbCl$_3$-CsPbBr$_3$-CsPbI$_3$ (1) 28*j*; Ternary system KCd-Br_3-RbCdBr_3-CsCdBr_3 (5) 115*i*; Thermal analysis of the system CsCdBr_3-CsHgBr_3-CsPbBr_3 (5) 115*j*.
Belyaev, V. P. See Afanas'ev, Yu. V.
Belyakova, N. P. See Ignatova, T. S.
Belyavskaya, V. V. See Gorokhovskii, V. A.
Belykh, P. D. See Zakhvalinskii, M. N.
Benavides, Augusto E. See Delmonte, John
Bence, A. E. See Eugster, H. P.
Benedict, Joseph T. See Levin, Ernest M.
Benedict, Robert P., and Look, D. C. NMR investigation of the metal-to-semiconductor transition in crystalline CdO (8) 184*b*.
Benecking, Heinz Field-effect transistor, P (1) 17*i*.
Benesovsky, Friedrich B-containing rotating X-ray target, P (1) 22*c*.
Benguigui, L. Electrical phenomena in $BaTiO_3$ ceramics (8) 173*d*; Thermodynamic theory of the morphotropic phase transition tetragonal–rhombohedral in the perovskite ferroelectrics [Pb(Zr,Ti)O_3] (9) 215*j*.
Benjamin, Charles E. See Bardell, Paul H., Jr.
Benjamin, John S. See Bomford, Michael J.
Benner, Don W. "Super clean" compressed air and how to get it (1) 21*b*.
Bennett, A. J., and Roth, L. M. Electronic structure of defect centers in SiO_2 (5) 109*j*.
Bennett, H., and Reed, R. A. Accuracy of industrial ceramic analysis—second survey (5) 117*a*.
Bennett, Herbert Seymour Two-electron F' centers in the alkaline-earth oxides and in the alkali halides (6) 139*j*.
Bennett, Ian M. See Alcott, Graham J.
Bennett, M. J., and Chaffey, G. H. Effect of fission fragment irradiation on the oxidation of SiC by O at 950°C (2) 46*b*.
Bennett, R. B. See Safranek, W. H.
Bennewitz, Paul F. Moisture-sensing element and method of making, P (11) 254*e*.
Benoit a la Guillaume, Claude See Hulin, D.
Benshtein, Yu. I. See Butt, Yu. M.
Benshtein, Yu. I., Butt, Yu. M., Timashev, V. V., and Kaverin, B. S. Crystallization of hydrated neoformations of cement stone on a carbonate substrate (9) 190*d*.
Benson, Harold L., and Callaway, Dwight W. Tailless wedge bonding of Au wire to Pd-Ag cermets, P (11) 251*c*.
Benson, L. V., Achauer, C. W., and Mathews, R. K. Electron microprobe analyses of Mg and Fe distribution in carbonate cements and recrystallized sediment grains from ancient carbonate rocks (6) 120*e*.
Benson, Ronald W. See Gallaghan, John A.
Bensted, J., and Varma, S. Prakash Studies of ettringite and its derivatives: I, III (3) 60*b*; Two forms of Ca sulfate hemihydrate (6) 140*a*.
Benthimer, Floyd D. See Watts, Claude H.
Bentley, J. P. See Bates, Colin A.
Bentley, William, and Kellar, John D. Mfg. of glass sheets having predetermined outline shapes, P (6) 125*g*.
Benton, Elton J. See Kalousek, George L.
Bentur, Arnon See Ish-Shalom, M.
Ben'yash, E. Ya. See Margulis, E. V.
Benz, Mark G. Method of producing a sintered Co-rare earth intermetallic product, P (3) 69*i*.
Benz, Robert, Balog, George, and Baca, B. H. $U\text{-}UO_2\text{-}UN_2$ phase diagram (8) 176*c*.
Ben-Zeev, Dan See Suhami, Albert
Benzel, J. F. See Johnson, T. A.
Berard, M. F. See Scheidecker, Ralph
Berberova, L. M., Sholokhovich, M. L., and Belyaev, I. N. System $BaO\text{-}TiO_2\text{-}SiO_2$ (5) 115*j*.
Beremblyum, G. B. See Emel'yanov, V. A.
Berens, Leo W. See Boelsing, F. ; Schiele, Eberhart
Beresneva, T. I., Gosteva, G. P., and Ketov, A. N. Behavior of $MNbCl_6$ (M = K, Rb, Cs) compounds during heating in various gaseous media (2) 50*j*.
Berezhnoi, A. I., Blinov, V. A., and Krasnikov, A. S. Fine structure and properties of crystallized light-sensitive glasses (6) 123*e*.
Berezhnoi, A. I., and Krasnikov, A. S. Dependence of the fine structure of Zn-containing photo-glass-ceramics on the irradiation exposure of the original light-sensitive glass (5) 97*e*.
Berezina, I. N. See Gorokhovskii, V. A.
Berezova, V. F. See Butt, Yu. M.
Berg, Andre L. See Maat, Hendrik J.
Berg, L. G., Pribylov, K. P., and Abdurakhmanov, R. A. Thermal dehydration of $Cr(OH)_2$ (2) 55*h*.
Berg, L. G., and Shlyapkina, E. N. Use of solid oxidizing agents for the thermal analytical characterization of the sulfides of Pb and Zn (1) 29*c*.
Berge, Bjoern, Holm, Jan Luetzow, and Lillebuen, Bjoern Theoretical interpretation of excess molar volumes of mixing in binary alkaline earth chloride mixtures and in the binary alkali chloride-$MgCl_2$ mixtures (2) 55*g*.
Berger, A. W. See Driscoll, J. N.
Berger, Horst H., and Wiedmann, Siegfried K. Monolithic semiconductor circuit for a logic circuit concept of high packing density, P (9) 201*b*.
Berger, R. L. See Klemm, W. A.
Berger, R. L., and Klemm, W. A. Accelerated curing of cementitious systems by CO_2: II, Hydraulic calcium silicates and aluminates (4) 78*e*.
Berger, R. L., and McGregor, J. D. Effect of temp. and water-solid ratio on growth of $Ca(OH)_2$ crystals formed during hydration of Ca_3SiO_5 (3) 59*h*.
Bergeron, Charles See Comer, J. J.
Bergeron, Clifton G. See Rita, R. A.
Berggren, Jan Refinement of the crystal structure of $Ca_2Fe_2O_5$ (2) 54*j*.
Bergh, Arpad A., Paola, Carl R., and Saul, Robert H. Semiconductor epitaxial growth from solution, P (1) 19*d*.
Bergh, Arpad A., and Saul, Robert H. Surface roughening of electroluminescent diodes, P (9) 202*c*.
Bergh, Eugene H. Steel-ceramic rail-joint end post, P (8) 167*a*.
Bergioc, Franc Application of cyclographic techniques in the rationalization of manual operations in the enameling process and in the development of psychomotive skill of the operator (6) 121*i*.
Bergman, A. G. See Akopov, E. K. ; Dionis'ev, S. D. ; Keropyan, V. V. ; Larina, R. A. ; Tovmas'yan, I. K.
Bergman, A. G., and Bondareva, D. I. Reciprocal system of the metaborates and orthophosphates of Li and K (2) 54*i*; Ternary reciprocal systems comprising the metaborates and orthophosphates of Li and Cs and of K and Na (7) 163*a*.
Bergman, A. G., and Matrosova, V. A. Ternary systems of the sulfates, metaphosphates, orthophosphates, tetraborates, and pyrophosphates of K (1) 29*a*.
Bergman, A. G., and Mikhalkovich, L. N. System $K_2O\text{-}P_2O_5\text{-}B_2O_3$ (1) 28*f*; System $Li^+,Na^+\|PO_3^-,BO_2^-$ (1) 28*g*; Systems $M_4P_2O_7$-MBO_2 and M_3PO_4-MBO_2[M = Li,Na,K] (1) 28*h*.
Bergman, A. G., and Sanzharov, A. S. System Na_2CO_3-Na_2SO_4-K_2CrO_4 (1) 28*i*.
Bergman, A. G., and Sanzharova, Z. I. Interactions of Na and K metavanadates and phosphates (1) 25*d*; Ternary system of the metaphosphate, pyrophosphate, and metavanadate of K (1) 28*j*.
Bergman, A. G., and Semenyakova, L. V. System $K_2O\text{-}MoO_3\text{-}P_2O_5$ (1) 28*f*.
Bergman, A. G., Vysotskii, V. M., Gasanaliev, A. M., and Trunin, A. S. System Na,Ca$\|SO_4,PO_3$ (1) 28*h*.
Berkhan, Ernst Apparatus and method for optical determination of particle characteristics, P (7) 157*c*.
Berl, Kathe Combining enamels and plastics: IV (4) 77*i*.
Berlin, L. E. See Butt, Yu. M.
Berlincourt, Don A. Width extensional resonator and coupled mode filter, P (2) 46*a*.
Berlincourt, Don A., and Silker, Lawrence S. Piezoelectric transformer, P (9) 201*g*.
Berling, K. Meissen China—An Illustrated History, B (5) 117*i*.
Berlinger, W. See Mueller, K. A. ; Stoneham, A. M.
Berman, R. P. See Curzon, A. E.
Bernal G., E. See Anderson, R. H.
Bernasconi, L. Machine for machining granite, marble, and the like, P (8) 177*g*.
Bernatskii, A. F., Verebinin, Yu. N., Vinogradov, B. N., and Chunchin, V. A. Electrophysical properties of Ca hydrosilicates and silicate concretes (6) 120*f*.
Berndt, U. See Keller, C.
Berner, Warren E. Process for forming low impedance ohmic attachments, P (2) 45*g*; Substrate-supported semiconductive stack, P (9) 202*c*.
Bernett, Frank E., and Kleinhans, Robert J. Grouting composition, P (4) 84*f*.
Bernier, J. C. See Harari, D.
Bernier, J. C., Grenet, J. C., and Poix, Paul Magnetic properties of Ba_2FeUO_6 (8) 183*c*.
Bernier, J. C., Seveque, F., Delamoye, P., and Poix, Paul Ferrimagnetic properties of $Sr_3U_{1-x}W_xFe_2O_9$ perovskites (9) 210*c*.
Bernini, U., and Porreca, F. Magnetostriction measuring method (5) 104*i*.
Bernova, L. A. See Belkov, V. M.
Bernshtein, R. S., Sloushch, V. G., Mil'shenko, R. S., Levchenko, Yu. V., and Red'ko, G. S. Use of microwave electromagnetic vibrations for nondestructive testing of refractory quality (1) 22*g*.
Bernstein, J. L. See Abrahams, S. C. ; Eibschuetz, Marcu ; Miller, R. C.
Berodias, G. See Lambert-Andron, B.
Berrin, L. See Johnson, D. W., Jr.
Berrin, L., Johnson, D. W., Jr., and Nitti, D. J. High purity reactive alumina powders: I, Chemical and powder density (1) 16*a*.
Berry, E. E. Setting of Ca sulfate hemihydrate plaster in the presence of phosphoric acid and hydrated lime (8) 166*g*; Thermal reactions between M^{II} sulfates and acid orthophosphates in the solid state (8) 187*a*.
Berry, T. F., and Skrobinski, F. B. How engineering evaluation solved seal problems (9) 199*d*.
Berry, Thomas E. Zn-containing zeolite catalyst, P (5) 106*b*.
Bers, Abraham Generation of weakly damped electron plasma surface waves on a semiconductor; amplification and coupling of acoustic waves on an adjacent piezoelectric, P (8) 174*i*.
Bershov, L. V., Martirosyan, V. O., Zavadovskaya, E. K., and Starodubtsev, V. A. Point defects and radiation breakdown of aluminophosphate glasses (6) 124*j*.
Bershtein, V. A., Novikov, S. N., and Nikitin, V. V. Hydrolytic surface defects and high-strength state of fused quartz (8) 167*h*.
Bertaut, E. Felix See Koenig, Udo ; Quezel-Ambrunaz, S. ; Tcheou, Francois ; Zilber, R.
Bertaut, E. Felix, Sayetat, F., and Tcheou, Francois Magnetic order of Tb^3 in $Tb_3Fe_5O_{12}$ at low temp. (7) 161*j*.
Bertoldi, G., and Kolmer, H. Sedimentation balance as an aid in determining hydration in the $CaSO_4$-H_2O system in comparison with other methods (9) 191*a*.
Bertolotti, Raymond L. Fracture toughness of polycrystalline Al_2O_3 (4) 91*i*; Fracture toughness of polycrystalline Al_2O_3—correction (9) 210*b*.
Berton, A. See Feron, J. L.
Berube, Yves See Predali, Jean-Jacques
Berul, S. I. See Luzhnaya, N. P.
Berul, S. I., and Grishina, N. I. Reaction of $LiPO_3$ with Bi_2O_3 (7) 162*j*.
Berul, S. I., Lazarev, V. B., and Salov, A. V. DTA study of phase diagrams of the systems $M_2X\text{-}Sb_2X_3$ [M = alkali metals; X = S,Se] (7) 160*f*; System $Na_2S\text{-}Sb_2S_3$ (7) 163*e*.
Beruto, D. See Vergnon, P.
Besborodov, M. A. Chemistry and Technology of Ancient and Medieval Glasses, B (5) 117*f*.
Besen, H. Refractivity variation of Ti silicate glasses resulting from heat treatment (2) 38*c*.
Beserman, R., and Balkanski, Minko Optical properties of impurities in blende type II-VI semiconductor compounds [ZnSe, ZnTe, CdTe] (4) 92*f*.
Besseat, R. G. EPR spectra in neutron-irradiated CaO (9) 209*i*. See Hall, T. P. P.
Besser, Paul J. See Mee, Jack E.
Besson, H., Caillere, S., and Henin, S. Montmorillonite transformation in the presence of K_2CO_3 (6) 137*e*; Transformations in the system Si-Al-Mg in the presence of concentrated solutions of K_2CO_3 (6) 139*i*.
Bessonov, A. F. Decomposition during heating of amorphous UO_3 (5) 103*d*.
Bethe, Klaus Thermistor and method of mfg., P (10) 229*b*.
Bethune, B. Transmission electron microscopy of U_3Si—effect of irradiation (6) 131*e*.
Bettis, Edward S., MacPherson, Herbert G., Perry, Alfred M., and Smith, Orville L. Single fluid molten salt nuclear breeder reactor, P (10) 231*d*.
Bettke, Wolfram See Wolf, Friedrich
Beutler, Hans, De Lamotte, Emmanuel, and Perry, Anthony J. Method of producing C-fiber-reinforced metal, P (7) 149*g*.
Bevan, D. J. M. See Mann, A. W.
Beyard, Romayne M., and Horsi, John C. Colored roofing granules, P (11) 248*g*.
Beyer, Eberhard, and Lanitz, Wolfgang Study of ceramic raw materials, bodies, and glazes in the heating microscope (11) 248*d*.

Beyer, James N., Moore, Earl P., Jr., and Rusher, Robert L. Refractory laminate based on negative sol or silicate and positive sol, P (11) 248*b*.
Beyer, Stanley J. Electrolytic cell for oxidation of Fe in ferric sulfate etching solution (4) 80*b*.
Beyerlein, Fritz W. Alignment and bonding method for semiconductor components, P (7) 152*i*.
Bezborodov, M. A. Chemical Stability of Silicate Glasses, B (8) 188*h*.
Bezrukova, E. A. See Sapozhnikov, Yu. L.
Bezsmertnaya, Z. G. See Bogdanova, G. S.
Bhalla, R. J. B. S. B., and White, E. W. Cathodoluminescence characteristics of Mn^{2+}-activated willemite (Zn_2SiO_4) single crystals (9) 199*d*.
Bharadwaj, M., Bishui, B. M., and Ghosh, D. K. Mineralogy and physicochemical properties of some clays from Madhya Pradesh, India (6) 137*d*.
Bhardwaj, M. C., and Roy, Rustum Effect of high pressure on crystalline solubility in the system NaCl-KCl (5) 108*f*.
Bhargava, R. N. Physics of radiative centers in GaP (7) 162*e*.
Bhat, Vasanth K., and Manning, Charles R., Jr. Systems of Na-Fe-SiO_2 glasses and steel: I, Wetting and adherence (10) 219*e*.
Bhat, Vasanth K., Manning, Charles R., Jr., and Bowen, L. H. Systems of Na-Fe-SiO_2 glasses and steel: II, Moessbauer spectroscopy (10) 219*e*.
Bhatt, Harshad J., and Tuttle, James W. Fabrication method for making an Al alloy having a high resistance to electromigration, P (6) 129*d*.
Bhattacharyya, S. N. See Mitra, R. C.
Bhaumic, P. K. See Mitra, N. K.
Bhide, V. G., and Durge, V. V. ^{119}Sn Moessbauer studies of lower transitions in $BaTiO_3$ (9) 214*h*.
Bhide, V. G., Patki, B. A., and Nigavekar, A. S. X-ray spectroscopic investigation of Bi_2Se_3, Bi_2Te_3, and their alloy (5) 116*g*.
Bialoskorski, Jerzy Mechanism of dehydroxylated pyrophyllite formation and its structure (2) 53*d*.
Bibik, E. E. See Skobochkin, V. E.
Bibik, E. E., and Lavrov, I. S. Measurement of the cohesive forces between particles in aggregated disperse systems (11) 253*j*.
Bichard, V. M., Davies, Philip H., Hulme, Kenneth F., Jones, G. R., and Robertson, D. A. Electrooptic measurements on $Li_2O.GeO_2$ and $5PbO.3GeO_2$ (7) 160*c*.
Biedrzycki, K. See Sujak, B.
Biegelsen, D. K. Ultrasonic technique for measuring the absolute signs of photoelastic coeff. and its application to fused SiO_2 and $CdMoO_4$ (11) 254*e*.
Biehl, Norbert Synthetic wollastonite and its use in mfg. single-fired wall tile (10) 225*e*.
Bielska-Lewandowska, H. See Leibler, K.
Bienert, Klaus, Lang, Winfried, and Kremser, Fritz Process for producing monocrystals from III-V compound melts with a B_2O_3 rim, P (10) 228*c*.
Bienert, Klaus, Lang, Winfried, and Nordt, Egon Treated quartz vessels for use in producing and further processing III-V semiconductor bodies low in Si, P (9) 202*g*.
Bienert, Klaus, Lang, Winfried, and Weidner, Herbert Process for making BN bodies, P (5) 100*i*.
Biernacka-Zydek, Krystyna See Paluch, Edmund
Bierstedt, P. E. See Brixner, L. H.
Biet, Jean P. Window for a laser tube end piece, P (5) 103*b*.
Biggar, Gordon M. Phase equilibria in chrome-bearing basic refractories (2) 40*f*.
Bigge, William R. See Furukawa, George T.
Biggers, J. V. See Hamer, D. W.
Biggs, Robert W. See Graham, Glenn R.
Bigot, Bernard, and Roubinet, Jean Wet-process mfg. of phosphoric acid and $CaSO_4$, P (10) 234*j*.
Bigonet, Charles Ti filament for use in vacuum techniques, P (7) 155*b*.
Bilbrey, J. H., Jr. See Gibbs, H. L.
Bilde-Soerensen, J. B. Dislocation structures in creep-deformed polycrystalline MgO (1) 24*g*.
Biletskii, Semen M. See Dyskin, Ernest M. ; Raevskii, Georgy V.
Billings, G. K. See Devine, S. B. ; Hiltabrand, R. R.
Billings, William G., and Nelson, William T. Ni-$CaAl_2O_4$-Ba salt catalyst, P (11) 256*d*.
Billy, M. See Lortholary, P.
Bind, J. M., and Messis, Y. Sizing of bricks (2) 39*g*.
Bingham, Wallace K. Microspheres [glass] having an antireflection coating and their use, P (2) 39*e*.
Binkou, Georgy A. See Samodaev, Evgeny T.
Binning, Robert C., Parts, Leo P., Peresie, Robert J., and Rodenburg, Margaret L. Method of graphitizing [PAN] fibers, P (2) 40*f*.
Binova, M. See Novotny, Josef
Biran, A., Montano, P. A., and Shimony, U. Moessbauer measurements of $BiFeO_3$ and $BiFeO_3$-$PbZrO_3$ systems (5) 112*i*; Investigation of a superparamagnetic phase in $BiFeO_3$ by means of a Moessbauer effect (9) 211*a*.
Birch, J. R., and Jones, R. G. Submillimeter wave modulation by free-carrier absorption in Ge (1) 27*h*.
Birjukova, Tatyana S. See Alexandrov, Albert I.
Birks, L. S., Barrett, Charles C., Newkirk, John B., and Ruud, Clayton O. (Editors) Advances in X-Ray Analysis: Vol. 16, Proceedings of the 21st Annual Conference on Applications of X-Ray Analysis, August 1972, Denver, Colorado, B (8) 188*c*.
Birman, Joseph L. See Nusimovici, Michel
Birnes, W. See Albrecht, J.
Birner, Richard A., Kohler, Robert D., and Lang, Stewart M. Inspecting articles, P (6) 125*e*.
Binani, Fritz Advantages and limitations of electronic data processing equipment in the brick and tile industry (7) 147*j*.
Binbee, D. L. Measurements of loss due to offsets and end separations of optical fibers (11) 244*a*; Optical fiber joining technique (11) 244*d*.
Bishop, Hugh S. Edge-roll machine in float glass apparatus, P (4) 81*j*.
Bishop, J. E. L. Analysis of eddy-current-limited magnetic domain wall motion, including severe bowing and merging (11) 256*h*.
Bishop, Stephen G. See Mitchell, Dean L. ; Taylor, P. Craig
Bishop, Stephen G., and Taylor, P. Craig Atomic reorientation rates in liquid chalcogenide glasses—NMR in Se and As_2Se_3 (9) 192*b*.
Bishui, B. M. See Bharadwaj, M.
Biswas, A. K. See Verma, K. K.
Bither, Tom A., Frederick, Carol G., Gier, Thurman E., Weiher, J. F., and Young, Howard S. Ferromagnetic VBO_3 and antiferromagnetic $CrBO_3$ (7) 151*d*.
Bither, Tom A., and Young, Howard S. MBO_3 calcite-type borates of Al, Ga, Tl, and Rh (9) 212*j*.
Bitler, W. R. See Hodge, M. H.
Bjoerseth, O., Fermor, J. H., and Kjekshus, Arne Electrical and other properties of $Sr(NO_3)_2$, $Ba(NO_3)_2$, and $Pb(NO_3)_2$ (2) 52*d*.
Black, James R., and Philofsky, Elliott M. Eutectic plating and breaking Si wafers, P (7) 153*h*.
Blackburn, William E. See Cross, Donald E.
Blackstone, R., and Voice, Eric H. Expansion of SiC by neutron irradiation at high temp. (2) 46*c*.
Blackwelder, Patricia Lurie, and Pilkey, Orrin H. Electron microscopy of quartz grain surface textures—the U.S. Eastern Atlantic continental margin (6) 134*f*.
Blagoveshchenskaya, G. I. See Sidorova, E. E.
Blair, G. R., Chakinder, A. C. D., and Low, Norman M. P. Reactively hot-pressed Y Fe garnets (6) 129*e*.
Blair, Gerald E. See Greco, Edgar J.
Blake, Paul D., Johnston, Roy D., Phelps, Brian, Chapman, Edwin A., and Bartlett, Ronald L. Arc welding, P (2) 34*g*.
Blakeslee, A. Eugene Vapor phase epitaxial deposition process for forming superlattice structure, P (7) 155*c*.
Blakeslee, A. Eugene, Gukelberger, Thomas F., Jr., and Lyons, Vincent J. Single-crystal regions in dielectric substrate, P (9) 202*i*.
Blanc, R. See Quinson, J. F.
Blancquart, Pierre [Spray] method of applying a thermal insulating coating to an ingot wall, P (1) 14*e*.
Bland, Marshall Improve your water-wash spray-booth maintenance (4) 88*e*.
Blank, S. L. See Hagedorn, F. B. ; Levinstein, H. J. ; Sturge, M. D. ; Tien, P. K. ; Vella-Coleiro, G. P.
Blary, Auguste Apparatus for the production of asbestos-cement pipes, P (7) 149*a*.
Blasse, George See Bril, Alfred ; de Hair, J. Th. W.
Blasse, George, and Bril, Alfred Luminescence of β-Ga_2O_3 (4) 92*e*.
Blasse, George, and Corsmit, A. F. Electronic and vibrational spectra of ordered perovskites (9) 210*a*.
Blasse, George, and de Vries, Jaap Red luminescent Eu-activated Y oxychloride phosphor and color TV display tubes containing the phosphor, P (7) 154*e*; Low-pressure Hg vapor discharge lamp, P (11) 245*e*.
Blasse, George, and Hordijk, W. Vibrational spectrum of Ni_3TeO_6 and Mg_3TeO_6 (4) 94*b*.
Blatchford, John K., Peterson, Edward C., and Burda, Jan C. Heating element and method of making, P (3) 60*f*.
Blattmann, Henri, Javelaud, Jean, and Yerouchalmi, David MHD generator electrode which is insensitive to the action of alkali-metal seed material, P (1) 18*b*.
Blazek, Antonin See Tydlitat, Vratislav
Blazey, Keith W. Wavelength-modulated reflectivity of Cr_2O_3 and its relation to the absorption spectrum of other Cr^{3+}-containing insulators (9) 216*b*.
Bleha, William P., Jr. See Scholl, Ronald F.
Bleher, Johannes H., Chang, Chi Shih, and Dockerty, Robert C. Si gate FET-Nb oxide diode memory cell, P (3) 70*c*.
Bleil, Carl E. Semiconductive chip attachment means, P (8) 175*a*; Method for growing crystals from molten melts saturated with crystalline material, P (8) 177*a*. See Albers, Walter A., Jr.
Blengsli, Helmer L. Masonry materials and method of making, P (2) 34*b*.
Bless, P. W. See Rea, J. R.
Bless, P. W., and Kostiner, E. Crystal structure of $Mg_{8.5}As_5O_{16}$ (11) 257*d*.
Blickwede, Donald J. Enameling and the microconstituents in steel (4) 80*b*.
Blinick, Joseph S., and Maris, Humphrey J. Velocities of first and zero sound in quartz (8) 188*a*.
Blinov, V. A. See Berezhnoi, A. I.
Bloch, Martin Contact heaters for quartz crystals in evacuated enclosures, P (5) 102*a*.
Blondet-Gonte, G., Delhaes, P., and Daurel, M. Specific heat of noncrystalline carbons between 1.3° and 4.3°K in presence of a strong magnetic field (9) 215*b*.
Blue, Philip L. Method of making electrical contact materials, P (1) 18*c*.
Blum, H. See Gaechter, B. F.
Blum, P. L. See Laugier, J.
Blum, Paul, Lefrancois, Jacques, and Vinarnick, Louis Neutron-absorbing material and method of mfg., P (3) 71*c*.
Blumenthal, Jack L., Carroll, David F., and Ogren, John R. Plasma-arc-sprayed modified-alumina high-emittance coatings for noble metals, P (5) 97*b*; Plasma-arc-sprayed modified-Al_2O_3 high-emittance coatings for noble metals, P (11) 243*e*.
Blumenthal, Robert N., and Panlener, R. J. Electron mobility in nonstoichiometric CeO_2 at high temp. (4) 91*g*.
Bluvshtein, M. N., Zykova, Z. K., Rabinovich, M. A., and Krigman, L. I. Study of the elasticity and strength properties of heat insulating refractories by the resonance method (1) 13*d*.
Bobeck, Andrew H., and Levinstein, Hyman J. Magnetic domain propagation arrangement including medium with graded magnetic properties, P (2) 44*e*.
Bober, M., Sari, C., and Schumacher, G. Redistribution of Pu and U in mixed (U,Pu) oxide fuel materials in a thermal gradient (2) 46*h*; Redistribution of U and Pu during evaporation processes in mixed oxide fuel (8) 176*a*.
Boblett, Emil V. Impedance matched ultrasonic delay line wherein electrodes consist of Bi and In, P (2) 44*b*.
Bobrowski, Czeslaw, and Bobrowski, Marian Deposition of thin films by electrical explosion conductors (2) 42*c*.
Bobrowski, Marian See Bobrowski, Czeslaw
Bocchini, M. See Ranieri, A.
Bochkareva, O. B. See Smolyaninov, N. P.
Bock, Louis Folk pottery of Guatemala (4) 77*g*.
Bockstie, Lawrence G., Jr. Coated porous ceramic article and method of making, P (7) 146*b*.
Bodor, Edward E. See Odler, Ivan
Boehm, A. Vapor pressure measurements on ceramic materials (4) 89*e*. See Kroenert, W.
Boehm, Horst, and Bayer, Gerhard ESR spectra of Na-Ti silicate glasses and of Ti-containing oxide compounds (5) 97*h*.
Boehm, J. Houses of vibrated brick panels (2) 39*i*; Modern methods of firing in the tunnel kiln (2) 49*e*.
Boehm, L. See Reisfeld, Renata
Boehme, G., Robens, E., Straubel, H., and Walter, G. Weight-change measurements of particles freely suspended in an electric field (11) 254*h*.
Boekkooi, Anton, Hurx, Adrianus A., van der Tas, Johannes C. E., and Meulemans, Charles C. E. Combustion flashbulb, P (7) 146*c*.
Boelsing, F., Schiele, E., and Berens, Leo W. Contribution to the technology of lime—distribution methods in relation to production of large surfaces by chemical reactions (9) 190*d*.
Boenisch, D., and Koehler, B. Measurement and relations of the moisture absorption of ball clays (2) 40*d*.
Boers, P. M. Measurements on the velocity/field characteristic of InP (11) 249*b*.
Boesch, L. P. See Higgins, T. J. ; Provenzano, V.
Boettcher, Alfred, and Nickel, Hubertus Method of producing fuel and/or breeder elements for nuclear reactors, P (7) 155*i*.
Boffe, Maurice Apparatus for modifying a property of an article by diffusion, P (8) 169*a*.
Bogatov, Yu. E. See Dudareva, A. G.
Bogdanova, G. S., Orlova, E. M., Bezsmertnaya, Z. G., Zevin, L. S., and Ovchinnikov, V. V. Temp. stabilization of the dielectric constant of cordierite-based glass-ceramics (7) 146*a*.
Bogenschuetz, A. F., Krahl, P. H., and Pluempe, H. Production of screen-printed inductances with ferrite pastes (1) 16*i*.
Boggum, Paul, Glaser, Walter, and Schulte, Klaus Production experience with synthetic mullite materials in the glass industry (6) 127*c*.
Bognar, Lewis L. Compression sagging of sheet glass, P (8) 169*g*.
Bogomolova, L. D., Zhachkin, V. A., Lazukin, V. N., and Shapovalova, N. F. Use of EPR of Cu(II) for studying the structure of oxide glasses of the system P_2O_5-Al_2O_3-Cs_2O (11) 245*h*.
Bogrets, German N., Bondar, Nikolai P., Sizonenko, Grigory A., Minakov, Anatoly G., Barsukov, Mikhail I., Mitkevich, Grigory I., Dudkin, Vyacheslav F., Teslya, Andrei M., and Kolomiets, Nikolai E. Shaped products from thermoplastic material, P (10) 223*b*.
Bohun, Antonin, Dolejsi, Jarmila, Lebl, Miroslav, and Kaderka, Miroslav Physical processes in aluminophosphate dosimetric glasses (11) 244*f*.
Boija, S. See Huldt, Lennart
Boiko, A. A. See Strukov, B. A.
Boiko, P. A., and Shcherban, N. I. Densification of Ni-carbide composites (8) 171*d*.
Bolteux, Michel, Doussineau, P., Ferry, B., Joffrin, Jacques, and Levelut, A. Rotation of the plane of polarization of an ultrasonic wave propagating in an antiferromagnetic crystal [Cr_2O_3] (7) 162*d*.
Boix, A. See Debras-Guedon, J.
Bokros, Jack C., and Ellis, Willard H. Prosthetic blood-circulation device having a pyrolytic C-coated blood-contacting surface, P (1) 15*e*; Orthopedic [carbon] device for repair or replacement of bone, P (4) 84*b*.
Boksay, Zoltan, Bouquet, Gusztav, and Ivanovskaya, I. S. Effect of alcohol on the structure of the surface layer of glasses (3) 61*f*.
Bol, Jan P., Gebhart, Joseph, and Seger, Guenther Method for measuring and/or monitoring the size of particles in suspension, P (3) 72*f*.
Boland, Bernard W. IGFE device and method of fabrication, P (3) 69*a*; Amorphous Si film as a uv filter, P (10) 227*g*.
Boldyrev, R. A., Pavlushkin, N. M., and Agarkov, A. S. Properties of vitreous binders for composite-type resistors (9) 192*h*.
Boldyrev, V. V., Vinokurova, Z. G., Senchenko, L. N., Shchetinin, G. P., and Erenburg, B. G. Mechanism of the reciprocal transformation of $KMnO_4$ and K_2MnO_4 (2) 53*d*.

Boleat, Y. See Teboul, A.
Bolek, Milan, Siostrzonek, Frantisek, and Helekal, Jaroslav Mechanization and Automation of Sampling of Loose Materials and Suspensions, B (4) 94*e*.
Boleky, Edward J., III Fusible semiconductor device including means for reducing the required fusing current, P (2) 43*j*; Semiconductor devices including fusible elements, P (2) 45*d*; Fabrication of semiconductor devices, P (10) 227*c*.
Boleky, Edward J., III, and Scott, Joseph H., Jr. Fabrication of semiconductor devices, P (11) 250*f*.
Bolin, Stephen R. Modified Czochralski grown spinel substrates by solid state diffusion, P (10) 228*f*. See Cullen, Glenn W.
Boling, N. L. See Crisp, M. D
Boling, N. L., Dube, G., and Crisp, M. D. Morphological asymmetry in laser damage of transparent dielectric surfaces (10) 237*c*.
Boll, Richard H. Particle collection and pressure drop in Venturi scrubbers (5) 104*b*.
Bolliger, Andre Semiconductor disk having tapered edge recess filled with insulation compound and upstanding cylindrical insulating ring embedded in compound to increase avalanche breakdown voltage, P (7) 154*j*.
Bollmeier, Allen F., Jr. See Mason, George W. ; Peppard, Donald F.
Bol'shakov, K. A., Gaichenko, I. E., Dorfman, V. F., and Kislyakov, I. P. Transport reactions in the system Ga-I (5) 116*j*.
Bol'shov, V. V., Butt, Yu. M., Timashev, V. V., and Al'bats, B. S. Conditions of mfg. of briquets from portland cement raw mixture by semidry pressing (1) 2*i*; Influence of the degree of packing of granules on their properties and the reaction rate of mineralization (1) 3*e*; Hot-rolling of portland cement raw mixtures (8) 166*c*.
Boltovets, N. S., Borshchevskii, A. S., Mityurev, V. K., Osmanov, E. O., and Takhtareva, N. K. Kinetics of crystallization of vitreous $CdGeAs_2$ (5) 111*h*.
Bolwijn, P. T. See van Doorn, C. Z.
Bolwijn, P. T., and van Doorn, R. A. Selective erasure of cathodochromic image displays (1) 16*a*.
Bomar, Steve H., Jr., Clem, Robert B., and Buckelew, Richard L. Process for preparing ferrite and garnet raw materials for microwave applications, P (11) 251*c*.
Bomford, Michael J., and Benjamin, John S. Mechanically alloyed Al-Al_2O_3, P (10) 224*c*.
Bonazoli, Robert P., and Keenan, James P. Lamp assembly, P (9) 194*g*.
Boncheva-Chakirova, V. See Marinov, M. R.
Boncoeur, M. Al oxychloride cement (2) 32*c*.
Bondar, I. A. See Le Flem, Gilles ; Petrova, M. A.
Bondar, I. A., Volynets, F. K., Udalova, L. V., and Usachev, V. P. Physicochemical processes during thermal treatment of polycrystalline MgO (7) 162*d*.
Bondar, Nikolai P. See Bogrets, German N.
Boudarenko, T. A. See Polozova, I. E.
Boudareva, D. I. See Bergman, A. G.
Boufante, M., Hennion, B., Moussa, F., and Pepy, G. Spin waves in MnO at 4.2°K (9) 215*c*.
Bonfield, W. See Barclay, R. B.
Bonfield, W., and Markham, A. J. Impurity control in sapphire whiskers (6) 127*j*.
Bonham, Roger D. Liturgical enamels of Charles Bartley Jeffery (4) 77*j*; Paper core pottery (4) 78*a*; Robert Engle demonstrates throwing off the hump (4) 78*b*.
Bonn, W., and Bonshard, Ulrich W. Cement works experience and considerations relating to the design of bypass systems (11) 254*j*.
Bonnesen, Frank X., and Thomason, Charles S. Production control through automatic data logging (9) 205*c*.
Bonnet, Bernard Hydraulic binders and compositions including these binders, P (1) 4*c*.
Bontempo, P. Particle size measurement with the II-MC computer for counting and measuring particles (5) 105*a*.
Bootsma, G. A. See Meijer, F.
Borchardt, G., and Schmalzried, H. Formation of orthosilicates in the solid state (9) 210*g*.
Borchenko, G. V. See Belyaev, I. N.
Borchert, W., Kroll, J. M., and Vogt, K. Geological and petrographical investigation of kaolin deposit at Tanzfleck [Bavaria, Germany] (9) 210*j*.
Bordet, A. See Villeneuve, G.
Bordure, G. See Paparoditis, C.
Borel, E. V., and Borel, J. P. Method for extending the useful life of ceramic heating elements by increasing their density, P (8) 172*a*.
Borel, J. P. See Borel, E. V.
Boreni, R. J. See Lutz, G. J.
Borg, M., and Ray, Dipak K. Calculations of static distortion of an MgO crystal in the presence of paramagnetic impurities (6) 135*h*.
Borg, Richard J., Lai, David Y. F., Riley, Neil R., and Wolfe, James R. Cermet powders [preparation], P (7) 149*b*.
Borghese, Camillo, and Roveda, Riccardo Independent grain behavior of parametrically excited $\pi/2$ magnons in polycrystalline YIG (10) 236*j*.
Borlas, J. M. Raw materials as basis of the glass industry (3) 63*c*.
Borisov, A. F. Concentration of potential differences in silicate melts with single-cation conductivity and thermodynamic functions of the systems (10) 235*d*.
Borisova, Z. E. See Doumeng, M.
Borom, M. P., Slack, G. A., and Szymaszek, J. W. Thermal conductivity of commercial Al nitride (1) 16*d*.
Borom, Marcus P. Electron-microprobe study of field-assisted bonding of glasses to metals (6) 122*c*.
Boros, Margit See Balazs, Gyorgy ; Kovacs, Karoly
Borovinskaya, Inna P. See Merzhanov, Alexandr G.
Borovkova, L. B., Lukin, E. S., Maier, A. A., and Poluboyarinov, D. N. Structural changes and some properties of industrial basic refractories during thermal "aging" (1) 13*d*.
Borovkova, L. B., Lukin, E. S., and Poluboyarinov, D. N. Sintering and some properties of ceramics from pure Y_2O_3 (9) 214*g*.
Borovkova, L. B., Lukin, E. S., Poluboyarinov, D. N., and Sapozhnikova, E. B. Sintering and properties of Y_2O_3 ceramics (1) 27*a*.
Borovkova, L. B., Lukin, E. S., Ustyuzhanina, N. N., and Voshchakin, E. A. Reaction of corundum ceramics with refractory metals (1) 13*a*.
Borovkova, L. B., Snegireva, N. N., Lukin, E. S., and Poluboyarinov, D. N. Dense ceramic from Y oxide prepared by decomposition of the carbonate (9) 209*d*.
Borovkova, M. A. See Sankova, L. I.
Borreill, Andre B. Apparatus for the mfg. of superwhite cements, P (1) 4*a*.
Borrelli, Nicholas F. Magneto-optic readout system utilizing optical wave-guide fibers, P (9) 194*h*.
Borrello, Sebastian R. See Belasco, Melvin
Borshchevskii, A. S. See Boltovets, N. S.
Borsuk, Pavel A. See Lyass, Abram M.
Bortz, S. A. See Bratschun, W. R.
Bortz, Seymour A., Shipley, Linden E., and Haughwout, Lefferd B. Centrifugal molding of ceramic tubes containing metal fibers, P (1) 14*e*.
Boschini, Mark A. See Poole, James P.
Bose, R. See Macedo, P. B.
Bose, S. See Karra, V. K.
Boskovic, S. B., and Ristic, M. M. Sintering of Ni oxide in Ar and O (8) 186*g*.
Bosshard, Ulrich W. Cooling apparatus for the outlet of a rotary kiln, P (3) 72*j*. See Bonn, W. ; Kupper, A. K.
Bostick, Edgar E. See Fleischer, Robert L.
Boszlikov, V. See Kacsalova, L.
Boszlikov, Vladimir, and Grofcsik, Janos Comparison of the bauxite bedrock clays of the Hatarvoelgy and Halimba areas and their use as raw materials in the mfg. of earthenware tubings and floor tiles (1) 10*h*.
Bottomley, S. C. See Wilson, J.
Botvinkin, O. K. See Artamonova, G. I.
Bouchard, R. J., and Gillson, J. L. Electrical properties of $CaRuO_3$ and $SrRuO_3$ single crystals (1) 25*b*.
Bouchard, R. J., Weiher, J. F., and Gillson, J. L. Preparation and properties of $LaRu_xGa_{1-x}O_3$ perovskites (9) 214*b*.
Boucher, A., and Easton, B. C. Epitaxial growth of GaAs (7) 151*f*.
Boucher, Bernard, Buhl, Robert, and Perrin, Michel Magnetic structure and magnetic properties of the cubic spinel Ni-Mn_2O_4 (4) 92*g*; Anisotropic magnetic structures in spinels [manganites] (5) 106*h*; Properties and magnetic structure of Mn_3O_4 (5) 114*c*; Structure and magnetic properties of Cr manganite (5) 114*j*.
Boulon, G. See Jacquier, B.
Bouquet, Gusztav See Boksay, Zoltan
Bourgeaux, Maurice Method for the surface treatment of glass, P (1) 10*g*.
Bourgeois, Louis See Degueldre, Louis
Bourgoin, Gerard, Kumurdjian, Pierre, Loitiere, Alain, and Pere, Jean F. System for adjusting the value of a resistance to a predetermined value, P (7) 155*c*.
Bouvier, John J. Method of making diamond-coated surface, P (5) 95*g*.
Bouwers, Albert Image amplifier having external electrostatic shield, P (1) 9*i*.
Bouwhuis, Gijsbertus, Haans, Petrus F. A., and Peek, Theodorus H. Gas discharge laser, P (9) 194*c*.
Bovenkerk, Harold P. Thermistor, P (9) 202*e*.
Bowen, H. K. See Kinoshita, M.
Bowen, L. H. See Bhat, Vasanth K.
Bowler, B. See Searle, T. M.
Bowles, Arnold G. Threaded-closure high-production isostatic molding device, P (8) 177*f*.
Bowman, Edward W. Apparatus for annealing, conveying, transferring, and spraying glassware, P (10) 222*b*.
Bowman, George A. Process of making glass, P (8) 170*g*.
Bowman, L. S. See Hulbert, S. F.
Bowman, Ronald R. Fabrication of semiconductor devices, P (4) 86*a*.
Bowyer, James M., Jr. See Kent, Albert C.
Bowyer, W. H. See Bader, M. G.
Boyce, Walter A. Method of mfg. subminiature electric lamps, P (6) 125*j*.
Boyer, Charles B., Orcutt, Franklin D., Shaw, Robert L., and Gregg, Galen C. Apparatus for loading a high-pressure furnace, P (10) 234*a*.
Boyer, Lynn F., and Johnson, Anderson F., Jr. Selective [photoresist] coating, P (3) 70*j*.
Bozhko, S. A. See Samsonov, G. V.
Bozhko, S. A., and Samsonov, G. V. Mechanism of collective recrystallization in TiC (8) 184*b*.
Brabers, V. A. M. Cation migration, cation valencies, and the cubic–tetragonal transition in $Mn_xFe_{3-x}O_4$ (5) 106*f*.
Brack, Karl, Gorey, Edward F., and Schwuttke, Guenter H. Ion-implanted semiconductor structures, P (8) 174*a*.
Braddick, D. M., Jackson, P. W., and Walker, P. J. Some mechanical property and fracture studies of C fiber/Ni composites (2) 40*i*.
Bradley, F. N. Discussion of "Effects of grain size and porosity on electrical and optical properties of PLZT ceramics" (8) 173*b*.
Bradley, Ronnie A. See Lindemer, Terrence B. ; Pechin, William H.
Bradley, Ruth D. See Keene, Carl E.
Bradshaw, Arthur, Meadows, Frank W., and Peake, Harold Machines for use in mfg. pottery ware, P (11) 252*i*.
Bradshaw, Arthur, and Podmore, Dennis Clay injection molding machine, P (1) 21*d*.
Bradshaw, R. P. See Walker, D. E. Yeoman
Bradstreet, S. W. Elemental composite—polycrystalline graphite: I-II (7) 158*h*.
Bradt, R. C. See Coppola, J. A. ; Eckert, L. J. ; Hartline, S. D. ; Hodge, M. H. ; Kuszyk, J. A. ; Lynch, J. F.
Bradu, Georges M. CRT for color TV receivers having a post-acceleration grid electrode, P (6) 125*b*.
Brady, Dale J. Pneumatic article spreader, P (1) 10*c*.
Brady, Hugh B., Kochis, John L., and Tischler, Oscar Hermetically sealed metal-film resistor, P (1) 17*j*.
Brady, L. L., and Jobson, H. E. Experimental study of heavy-mineral segregation under alluvial-flow conditions (11) 255*j*.
Brady, Lynn J. See Rozema, Arthur L.
Brady, William A., Jr. Packaging compressible material, P (6) 126*c*.
Braendle, Karl See Lailach, Guenter
Braeunlich, P. Electron-emission images on LiF after exposure to intense laser light (11) 257*j*.
Braeunlich, P., Rosenblum, B., Carrico, J. P., Himmel, L., and Rol, P. K. Imaging of surfaces with the exoelectron microscope (11) 253*d*.
Brafman, O. Phonons and structure of $Zn_xCd_{1-x}Se$ solid solution (9) 213*c*.
Braginskaya, M. B. See Fedorov, P. I.
Braginski, A. See Lessoff, H.
Braglia, R. See Romeo, N.
Braichotte, G. Ceramic glazes and their composition (2) 41*b*.
Bramwell, Susan E. See Carr-Brion, Kenneth G.
Brand, Warren L., and Kashkooli, Faraj Y. Enhancement mode n-channel MOS structure and method, P (5) 102*b*.
Brandle, Charles D., Jr., and Miller, David C. Technique for growth of single-crystal Ga garnet, P (7) 155*d*.
Brandstadter, I. J., Reisfeld, R., and Larach, S. Luminescence of $^5D_3$ and $^5D_4$ levels of Tb^{3+} in borate, phosphate, and tungstate glasses excited by cathode rays as a possible tool for the study of surface fluorescence in glasses (9) 192*b*.
Brandstrom, Arne E., Gustavii, Klas R., Junggren, Ulf K., and Kylberg, Kerstin Method for quantitative determination of anions, P (7) 157*e*.
Brandwijk, V. See Schippers, A. B. A.
Braniski, Alexandru I., Ionescu, Teodor D., and Deica, Nicolae D. Refractory aluminous cements, P (6) 128*c*; Refractory aluminous cements, P (11) 243*a*.
Branovich, Louis E., Fitzpatrick, William B. P., and Long, Martin L., Jr. Method of depositing isotropic BN, P (1) 14*g*.
Bransky, I., and Wimmer, J. M. High-temp. defect structure of CoO (5) 110*a*.
Brasher, William N. Specific techniques required for seam-welded liners in a direct application process (4) 80*b*.
Brasier, Robert I. See Mills, Carroll B.
Bratschun, W. R., and Bortz, S. A. Making high-strength frangible containers (11) 244*j*.
Braun, Klaus, Manthey, Kurt, and Welz, Bernhard Graphite tube cell assemblies for atomic absorption spectrometers, P (2) 49*b*.
Braun, Leon Method of making semiconductive cathodes, P (6) 130*c*.
Braun, R. H. See Meek, R. L.
Braun, S. M. Polymorphism of oxides of the rare-earth elements (8) 185*c*.
Braun-Angott, Peter Energy transport by glass in cylindrical channels (1) 7*d*.
Brauweiler, Wilhelm, and Mager, Guenther W. Apparatus for winding strands of thermoplastic material, particularly of glass filaments in the course of their production, P (3) 63*a*.
Bray, Horace A. Friction mechanisms containing Si nitride, P (3) 65*f*.
Bray, Philip J. See Hendrickson, J. R. ; Kriz, Harry M. ; Taylor, P. Craig
Bray, W. See Sampson, E. H.
Bre, M. Predictions of the heat transfer occurring in the pressing of glass by means of Groeber diagrams (3) 62*j*.
Breaux, Onezime P. Stabilized optimizable gaseous electrical discharge laser, P (6) 130*f*.
Brebrick, Robert F. Composition stability limits for the rock-salt-structure phase $(Pb_{1-y}Sn_y)_{1-x}Te_x$ from lattice parameter measurements (5) 107*d*. See Strauss, Alan J.
Breck, Donald W. Process for removal of NH_3 from waste water streams, P (7) 159*a*.
Bredehoeft, R. See Jeschar, R.
Bredi, James H., and Kendall, Louis F., Jr. Doped Sn telluride brazing material for semiconductive thermoelectric generator elements, P (5) 102*a*.
Bredzs, Nikolajs Cermet alloy composition, P (3) 65*d*.
Bredzs, Nikolajs, and Miller, Forbes M. Cermet-type alloy, P (1) 14*e*.
Breeuwsma, A., and Lyklema, J. Interfacial electrochemistry of hematite (α-Fe_2O_3) (2) 53*a*.
Breglia, Denis R. See Rodeman, Alfred H.
Breiner, Richard C. Lehr roll millboard formed from asbestos fibers and employing colloidal silica, Ca lime, and bentonite as a binder, P (1) 9*j*.
Brejcha, Vernon Throw the lid first (4) 78*b*.
Brekhovskikh, S. M., and Tyul'kin, V. A. Optical and EPR

spectra and structure of radiation color centers in glasses of the system Na_2O-WO_3-SiO_2 (5) 98*g*.

Brennan, John J. See Hoge, Carl E.

Brennan, John J., and Pask, Joseph A. Effect of composition on glass-metal interface reactions and adherence (3) 60*f*.

Breslmair, G. See Trojer, F.

Breslmair, G., and Trojer, F. Phase sequence in the firing of clays for roofing tiles (3) 64*h*.

Brett, N. H. See Guilliatt, I. F.

Breuer, David R., and Bule, James L. Monolithic bipolar semiconductor device employing cermet for both Schottky barrier and ohmic contact, P (9) 201*a*.

Breuer, G. See Huelsenberg, D.

Breusov, O. N. See Adadurov, G. A.

Brewer, Richard G. Nonlinear spectroscopy (3) 72*g*.

Brews, J. R. Symmetry considerations and the VO_2 phase transition (6) 139*c*.

Brezny, Bohuslav See Landy, Richard A.

Briat, Bernard See Ferre, J. ; Suryanarayanan, R.

Brichard, Edgard Glassmelting furnace flow channel support, P (11) 245*d*.

Bricker, Owen P., Nesbitt, H. Wayne, and Gunter, William D. Stability of talc (8) 186*c*.

Brickman, Norman F., and Freeman, Leo B., Jr. Repairable semiconductor circuit element and method of mfg., P (7) 154*e*.

Bridenbaugh, P. M. See Peterson, G. E.

Bridoux, E., Rouvaen, J. M., Coussot, C., and Dieulesaint, E. Rayleigh-wave propagation on $Bi_{12}GeO_{20}$ (10) 238*g*.

Briggs, Eugene C. Fuel [oil] burner, P (7) 158*c*.

Briggs, M. J. Rotary abrasive device, P (7) 141*e*.

Bril, Alfred See Blasse, George ; Gomes de Mesquita, Albert H.

Bril, Alfred, Blasse, George, Gomes de Mesquita, Albert H., and de Poorter, J. A. Fast phosphors for color TV (7) 151*j*.

Brindley, G. W. Structure of the micas and related minerals—a review (6) 138*j*. See Wardle, Ronald

Brinker, Norman E. See Fassler, Michael H.

Brinkmann, D., and Kaeser, L. Hyperfine interactions of Al and Si in the parmagnetic garnet almandine (Fe, $Mg)_3Al_2(SiO_4)_3$ (9) 211*d*.

Brinkmann, Heinz U. See Graham, Leslie W.

Briody, Thomas F. Methods and apparatus for heating and/or coating articles, P (2) 44*g*.

Bristow, Robert H. Ceramic-to-metal [Ag-Mn-Cu] seal, P (2) 43*i*; Method of making ceramic-to-metal seal, P (9) 201*c*.

British Ceramic Society Electrical, Magnetic, and Optical Ceramics, B (6) 140*h*.

Britton, Orson J. Scratchproof probe for manual testing of electrically insulating coatings, P (9) 205*e*.

Britz, E. J. See Lovell, G. H. B.

Brixner, L. H. See Barkley, John R.

Brixner, L. H., Bierstedt, P. E., and Foris, C. M. Crystal growth and properties of the Pb phosphate $Pb_5P_4O_{15}$ (1) 24*c*.

Brixner, L. H., Bierstedt, P. E., Jaep, W. F., and Barkley, John R. α-$Pb_3(PO_4)_2$—a pure ferroelastic (9) 207*h*.

Brixner, L. H., Sleight, A. W., and Licis, M. S. Cell dimensions of molybdates $La_2(MoO_4)_3$, $Ce_2(MoO_4)_3$, $Pr_2(MoO_4)_3$, and $Nd_2(MoO_4)_3$ (2) 51*f*; Ln_2MoO_6-type rare earth molybdates—preparation and lattice parameters (2) 53*c*.

Brixner, L. H., Whitney, J. F., and Kay, M. S. Licis Lattice parameters and space group of $Ce(MoO_4)_2$ (9) 211*g*.

Broadhead, P. See Clark, W.

Brock, Gregory C., Jr., and Gambill, Ulysses T. Method and apparatus for processing molded bodies, P (8) 170*i*.

Brockman, Frank G. Ferrites perform better as magnetostrictive elements (2) 42*f*.

Brodin, Willi See Genannt, Wilhelm

Brody, Donald E. See Cain, Clifford W., Jr.

Brody, P. S. Large polarization-dependent photovoltages in ceramic $BaTiO_3$ + 5 wt% $CaTiO_3$ (8) 173*i*.

Brody, Thomas P. Thin-film optoelectronic semiconductor device using light coupling, P (3) 70*h*.

Broemer, Heinz, and Meinert, Norbert Optical glass having a high refractive index and a high color dispersion, P (3) 64*a*.

Broemer, Heinz, Meinert, Norbert, and Preuss, Hans J. Ag-activated phosphate glass batched with nitrite, P (10) 223*a*.

Broemer, Heinz, Meinert, Norbert, Spincic, Johann, and Staaden, Hans Optical glass having anomalous partial dispersion, P (1) 10*c*.

Broers, Alec N. Method for forming small-diameter tips on sintered-material cathodes, P (5) 102*a*.

Brog, K. C. See Wood, V. E.

Bromberg, A. V. See Shaplygin, I. S. ; Sokol, V. A.

Bron, V. A., Diesperova, M. I., and Yur'eva, N. A. Obtaining dense powder from Satkinsk magnesite beneficiated by the flotation method (1) 12*f*.

Bron, V. A., Stepanova, I. A., Vydrina, Zh. A., Androsenko, V. G., Papakin, Kh. M., and Kuperman, Yu. E. Forsterite refractories from low temp. fired dunite (1) 12*c*.

Bron, V. A., Uzberg, A. I., Shchetnikova, I. L., Dolgikh, G. V., and Karzhavina, T. P. Contact interreaction of chrome spinel and forsterite (6) 135*i*.

Brooker, M. H. See Bates, J. B.

Brookman, Richard P. See Schuman, Leonard J.

Brooks, A. D., Donovan, R. P., and Hardesty, C. A. Low-temp. electrostatic Si-to-Si seals using sputtered borosilicate glass (9) 199*e*.

Brooks, Merton H. See Eddy, David S.

Brooks, W. P. See Graham, R. A.

Broomhall, Vince Decorating has gone MOD: I-III (7) 149*j*.

Brosio, E. Acoustic insulating properties of flat glasses (11) 243*g*.

Broughton, Paul L. Diagenesis of Knox group in Christiansburg fenster, southwestern Virginia (1) 23*d*.

Broun, Thorowgood T., Jr. Montmorillonite clays as aids in steam distillation of tetra-alkyl Pb, P (4) 90*g*.

Brouns, Jan W. See Kuiper, Adrianus

Brounshtein, V. B. See Todes, O. M.

Brovikov, V. N. See Mikheev, V. N.

Browall, Kenneth W., and Interrante, Leonard V. Humidity sensor, P (3) 72*e*.

Brower, W. S. See Roth, R. S.

Brower, W. S., Jr. See Manghnani, M. H.

Brown, Alan V., and Hochberg, Frederick Technique for fabricating integrated incandescent displays, P (6) 130*f*.

Brown, Arthur G. See Parkinson, Dean B.

Brown, Clifford G. See Stibbs, Donald

Brown, Dale M., Engeler, William E., Gray, Peter V., and Garfinkel, Marvin FETs with self-registered gate which acts as diffusion mask during formation, P (5) 102*c*.

Brown, Frederick C., Gahwiller, Christian, Fujita, Hiizu, Kunz, A. Barry, Scheifley, William, and Carrera, Nicholas Extreme-uv spectra of ionic crystals (8) 181*e*.

Brown, Frederick C., Gahwiller, Christian, and Kunz, A. Barry Extreme-uv absorption and band density of NiO (8) 181*e*.

Brown, G., Edwards, B. S., Ormerod, E. C., and Weir, A. H. Simple diffractometer heating stage (8) 177*i*.

Brown, G. L. See Milligan, G. C.

Brown, George A., and Harrap, Victor Integrated circuit including FET and cermet resistor, P (3) 69*a*.

Brown, H. See Ballman, Albert A.

Brown, J. H., and Pomeroy, C. D. Fracture toughness of cement paste and mortars (11) 242*g*.

Brown, J. W. See Liles, K. J.

Brown, Jesse J., Jr. See Fields, James M., Jr.

Brown, John J., Jr. See Stuart, Gerald L.

Brown, L. M. See Mazdiyasni, K. S.

Brown, L. M., and Mazdiyasni, K. S. Cold-pressing and low-temp. sintering of alkoxy-derived PLZT (1) 15*i*.

Brown, Lloyd H., Eftax, Daniel S. P., Everett, George S., and Oldham, James R. Fast baking core composition and process for preparation, P (7) 149*c*.

Brown, Malcolm G., Jr., Guille, Gilbert J., Jr., and Long, George E., III CRT with laminated safety panel and separate light-attenuating layer, P (4) 81*f*.

Brown, Richard E. See Anderson, Elizabeth

Brown, Robert A. Making investment shell molds inhibited against reaction with molten reactive and refractory casting metals, P (10) 224*b*.

Brown, Russell A. Production of HF from fluosilicic acid, P (1) 24*b*.

Brown, Sherman D. See Thomas, W. B.

Brown, W. E. See Avnimelech, Y.

Brown, William L. Electrical resistance element, P (3) 69*g*.

Browne, J. M. See Anderson, J. S.

Browning, J. S. See Eddy, W. H.

Browning, James S. Mica beneficiation (7) 158*i*.

Brozovich, John C. See Emmett, Robert C., Jr.

Brubaker, Burton D. Method of preparing fibrous MgO, P (5) 100*g*.

Bruce, Clemont H. Pressured shale and related sediment deformation—mechanism for development of regional contemporaneous faults (9) 206*i*.

Bruch, C. A. Extruding fine Al_2O_3 powders (11) 246*j*.

Brueckner, R., and Haas, B. Physics of the impact test method for enameled objects: I, Method of operation of the impact test apparatus (5) 96*h*.

Brueckner, Rolf, and Kaes, Hans Herbert Surface convective phenomena and fold formation on the surface of high fluoride glass melts during cooling (10) 221*f*.

Bruen, Charles P. See Morgan, Thomas R.

Bruen, Charles P., and Wamser, Christian A. Method of recovering Cr and Ba values from waste Ba chromate, P (8) 179*c*.

Bruesch, P., and Schueler, C. Raman and ir spectra of crystals with α-$NaFeO_2$ structure (5) 114*e*.

Bruevich, V. N. See Kiselev, B. A.

Brula, G. See Vergnon, P.

Brunauer, Stephen Portland cement compositions and method, P (1) 4*b*. See Odler, Ivan ; Yudenfreund, Marvin

Brunauer, Stephen, Skalny, Jan, Odler, Ivan, and Yudenfreund, Marvin Hardened portland cement pastes of low porosity: VII, Further remarks about early hydration. Composition and surface area of tobermorite gel—summary (9) 190*c*.

Brunauer, Stephen, Yudenfreund, Marvin, Odler, Ivan, and Skalny, Jan Hardened portland cement pastes of low porosity: VI, Mechanism of the hydration process (7) 142*c*.

Brunel, Michel, and De Bergevin, Francois Short-range order in Mg_2SnO_4 and $LiFe_5O_8$—use of correlation parameters (7) 162*f*.

Brusset, Henry, Mabe, Rene, and Kyi, U. Aung Binary and ternary divalent niobates in the solid state (2) 51*b*.

Bryan, Arthur 20th century revolution coming in pottery (7) 150*a*.

Bryan, John Welded double glazing units, P (1) 10*f*.

Bryant, F. J., and Radford, C. J. Temp. dependence of donor-acceptor luminescence of CdS (9) 215*a*.

Bryant, Frederick J., and Webster, Eric Energy transfer between luminescence centers in CdTe (11) 258*a*.

Bryant, Jack R. See Sisolak, Robert J.

Bryant, Michael L., and Jones, Charles E. Method of improving the adhesion of glass cloth to rubber, P (2) 39*a*.

Bryant, P. C. Oil firing need not dirty the air (4) 90*a*.

Bryanzin, V. A. See Kubis, L. P.

Bryzgalov, A. N. See Kleshchev, G. V.

Bube, R. H. See Huggins, R. A.

Buchanan, D. N. E. See Robbins, Murray

Buchanan, R. A. See Dobrov, W. I.

Buchanan, Robert A., Tecotzky, Melvin, and Wickersheim, Kenneth A. Rare earth phosphors for X-ray conversion screens, P (7) 154*d*.

Buchenau, U., and Mueller, I. Optical properties of magnetite (9) 213*g*.

Bucher, E., and Maines, R. G. Semiconductor–metal transition [pressure induced] in SmS-SmSe mixed crystals (9) 214*e*.

Bucher, R. Multiple lavatory unit including a bath, etc., P (8) 172*j*.

Buchsieb, Richard H. See Kimble, Floyd E.

Buck, Robert W. See Moss, James R.

Buckelew, Richard L. See Bomar, Steve H., Jr.

Buckley, Donald H. Friction and wear of ceramics (1) 1*e*.

Buckley, Francis T., Riek, Raymond F., and Christensen, Donald I. Process for production of interlayer safety glass, P (6) 126*d*.

Buckley, M. S. Seven sources of dirt defects in porcelain enameling (7) 143*j*.

Buckman, William G., Sutherland, David C., and Cooke, David W. Thermoluminescence of sapphire, P (8) 178*b*.

Budai, Robert E., and McDowell, Philip R. Machine for use in the mfg. of grinding wheels, P (1) 1*e*.

Budin, Jean-Pierre See Ravez, Jean

Budnikov, P. P., Entin, Z. B., and Babin, G. A. Effect of Na tripolyphosphate on portland cement slurries (11) 241*j*.

Budnikov, P. P., Kharitonov, F. Ya., and Zemlyakova, Z. F. Testing the stability of a corundum ceramic in a Pb-K alloy (1) 29*b*.

Budova, G. P., and Voskresenskaya, N. K. Heterogeneous equilibria in the system KF-Nb_2O_5 (1) 25*b*.

Budreau, Alan J., and Carr, Paul H. Performance and applications of microwave photon-phonon double-quantum detection in [Fe^{2+}-doped] MgO (5) 113*b*; Temp. dependence of the attenuation of microwave frequency elastic surface waves in quartz (10) 239*h*.

Buechel, E. See Albrecht, J.

Buehler, E. See Abrahams, S. C.

Buehler, Ernest, Shay, Joseph L., and Wernick, Jack H. Ag-doped Cd Sn phosphide laser, P (11) 251*b*.

Bues, A. Cupola shaft kiln for clinker burning (11) 254*j*.

Buescher, William E. Method of improving adherence of emissive material in thermionic cathodes, P (7) 153*j*; Methods of improving adherence of emissive material in thermionic cathodes, P (7) 154*f*.

Buettner, A., and Kruger, P. New method for measuring the wear of diamond grinding wheels (5) 95*g*.

Buhl, Robert See Boucher, Bernard

Buhsmer, C. P., and Crayton, P. H. C self-diffusion in WC (2) 51*d*.

Bule, James L. See Breuer, David R.

Buisson, G. See Ollivier, G.

Buisson, Georges X-ray and neutron study of the isomorphous series $ATiTO_5$ (A = Cr, Mn, Fe; T = rare earth) (4) 94*c*.

Bukatov, V. G., Rymashevskii, G. A., and Fedorov, V. B. Thermal expansion of nonstoichiometric Zr carbides (6) 139*d*.

Bukhalova, G. A. See Burlakova, V. M. ; Mal'tsev, V. T. ; Manakov, V. M. ; Shegurova, G. A. ; Tokman, I. A. ; Yagub'yan, E. S.

Bukhalova, G. A., Aliakhverdova, Yu. V., and Yagub'yan, E. S. Equivalent vol of melts of reciprocal pairs of the salts 2Na,Sr||2F,2Cl (9) 210*i*.

Bukhalova, G. A., Manakov, V. M., and Mal'tsev, V. T. Phase diagram of the system PbO-MoO_3 (5) 113*f*; Ternary system composed of the oxide, metasilicate, and molybdate of Pb(II) (5) 115*i*; Ternary system PbO-$PbSiO_3$-$PbWO_4$ (7) 163*b*.

Bukhalova, G. A., and Sementsova, D. V. Thermodynamic relations in the quaternary reciprocal system K,Ca,Ba||F,Cl (1) 29*f*.

Bukhalova, G. A., Shegurova, G. A., and Yagub'yan, E. S. System Na||F,Cl,Br,I (7) 163*d*.

Bukhalova, G. A., Tokman, I. A., and Shpakova, V. M. Compound formation in the systems $Ca(PO_3)_2$-$Ba(PO_3)_2$ and $Cd(PO_3)_2$-$Ba(PO_3)_2$ (1) 24*i*.

Bukhvostov, A. P., Chatrchian, A. M., Dogotar, G. E., Eramzhyan, R. A., Popov, N. P., and Vartanjan, V. A. Partial transitions in muon capture by complex nuclei: I, Capture rate (3) 71*d*.

Buki, Yu. M. See Barannik, Yu. P.

Buksphan, S., Fischer, E., and Hornreich, Richard M. Magnetoelectric and Moessbauer studies of Fe_2TeO_6 (9) 212*h*.

Bukun, N. G. See Ukshe, E. A.

Bulavin, I. A. See Makarov, I. A.

Bulavin, I. A., Kortnev, V. V., and Sharov, V. I. Heat consumption and drying rates for porcelain (2) 41*g*.

Bulavina, Z. N. See Dolmatov, Yu. D.

Bull, A. C. Frit and glaze production (4) 84*e*.

Bullis, W. Murray (Editor) Methods of measurement for semiconductor materials, process control, and devices (2) 42*j*; (Editor) Methods of measurement for semiconductor materials, process control, and devices (3) 72*f*; Methods of measurement for semiconductor materials, process control, and devices (7) 152*c*; (Editor) Methods of measurement for semiconductor materials, process control, and devices (10) 226*f*.

Bullock, D. C. See Kaplan, Theodore

Bullock, David C. See Epstein, David J.

Bumm, Hellmut, Thuemmler, Fritz, and Weimar, Peter Method of making cermets of high static and dynamic strength, P (5) 100*f*.

Bungenstab, Eckart See Touchy, Wolfgang

Bunker, Thomas D., and Thompson, David F. Fabrication of packages for integrated circuits, P (1) 17*h*.
Bunnell, L. R. See Romrell, D. M.
Burbank, R. D., Falconer, W. E., and Sunder, W. A. Crystal structure of krypton difluoride at −80°C (4) 91*f*.
Burch, R. See Anderson, J. S.
Burda, Jan C. See Blatchford, John K.
Burdick, M. D. Instrumental procedure for evaluating adherence of porcelain enamel cover coats direct-to-steel (4) 80*c*.
Burgess, James F., and Neugebauer, Constantine A. High-speed signal in MOS circuits by voltage variable capacitor, P (1) 17*j*.
Burgess, Ronald R. Single-crystal Si contact for integrated circuits and method for making, P (6) 130*e*.
Burggraaf, A. J. See Keizer, K.
Burgraf, R. See Zouaghi, M' Hamed
Buri, A. See Gottardi, V.
Burkat, T. M., Galant, E. I., Dobychin, D. P., Reishakhrit, A. I., and Tolstoi, M. N. Segregation of rare-earth activator in liquation Na borosilicate glass (7) 145*b*.
Burke, Oliver W., Jr. Silica pigments and elastomer-silica pigment masterbatches and production processes relating thereto, P (6) 134*i*.
Burke, R. W., Deardorff, E. R., and Menis, Oscar Liquid absorbance standards (4) 89*c*.
Burke, William J., and Pressley, Robert J. Stress-induced ferroelectricity in $SrTiO_3$ (8) 186*e*.
Burke, William J., Pressley, Robert J., and Slonczewski, J. C. Raman scattering and phase transitions in stressed $SrTiO_3$ (8) 185*g*.
Burkhardt, Horst See Heidenhain, Johannes
Burko, Albert I. See Alexandrov, Albert I.
Burlakova, V. M., and Bukhalova, G. A. Ternary system of the chlorides of Na, K, and Sr (2) 55*g*.
Burlet, P. See Kappatsch, A.
Burlet, Paulette See Zilber, R.
Burley, Harvey A. Dual mode spark plug, P (6) 128*e*.
Burman, L. L. See Mamykina, L. V.
Burmenko, Eduard Yu. See Dyskin, Ernest M. ; Raevskii, Georgy V.
Burmistrova, N. P., and Fitseva, R. G. Exchange reactions between alkaline earth metal oxides and some transition metal halides (7) 160*h*.
Burnett, D. G., and Douglas, R. W. Immiscibility, nucleation, and crystal growth in the soda-baria-silica system (2) 36*b*.
Burnham, C. Wayne See Holloway, John R.
Burns, F. C. See Priest, H. F.
Burns, Gerald Polariton [Raman scattering] results in ferroelectrics with the W bronze crystal structure (10) 238*c*.
Burns, Gerald, and Scott, Bruce A. Raman scattering in the ferroelectric system $Pb_{1-x}Ba_xTiO_3$ (8) 185*g*.
Burovtseva, G. N., Pavlushkin, N. M., and Khodakovskaya, R. Ya. Ultrasonic characteristics of some commercial glasses (8) 169*g*.
Burovtseva, G. N., Semenova, E. V., Pavlushkin, N. M., and Khodakovskaya, R. Ya. Ultrasonic characteristics of glasses in the system Na_2O-PbO-SiO_2 (9) 193*h*.
Burrage, Lawrence M., and McStrack, Darrel D. Apparatus for producing wet-process ceramic bodies, P (6) 132*c*.
Burrous, Clifford N., and Deboo, Gordon J. Temp.-compensated light source using a light-emitting diode, P (3) 70*f*.
Burrows, Owen M. Refractory cement lining for coreless induction furnaces, P (11) 247*j*.
Bursill, L. A., and Hyde, B. G. CS [crystallographic shear] families derived from the ReO_3 structure type—electron microscope study of reduced WO_3 and related pseudobinary systems (1) 24*c*.
Burstein, E. See Anastassakis, Evangelos
Burtis, Stokes F. Process for forming an isolated circuit pattern on a conductive substrate, P (3) 70*g*.
Burtscher, Joachim, Eneis, Reimer, and Herlet, Adolf Method of producing small-area semiconductor components, P (6) 130*f*.
Busch, D. M., and Grassman, J. Effect of wheel speed in grinding various materials with diamond wheels (11) 241*d*.
Busch, Georg, Schoenes, J., and Wachter, Peter Faraday effect of EuSe and EuTe and experimental evidence of the magnetic Brillouin zone (8) 181*f*.
Busch, Georg, Streit, P., and Wachter, Peter Effect of magnetic ordering on the photoluminescence of EuS and EuTe (8) 181*b*.
Busch, Georg, Verresult, R., and Vogt, Oscar Heat-treatment method to minimize the ir absorption in EuTe (7) 151*h*.
Busch, John F. See Rue, Charles V.
Busch, Robert E. Method for dicing materials having a hexagonal crystal structure, P (8) 174*f*.
Busch, Walter, Kramer, Heinz, Lind, Erwin, and Messner, Dietor Process [electrostatic] for coating the surface of a material, P (2) 45*f*.
Buschow, Kurt H. J., Westendorp, Frans F., and Wijn, Henricus P. J. Method of mfg. a body having anisotropic permanent magnetic properties, P (7) 154*b*.
Bush, Eric L. See Sterling, Henley F.
Bushaev, Yu. A. See Dembovskii, S. A.
Bushaev, Yu. A., Kravchenko, E. A., Kuz'min, I. A., Lazarev, V. B., and Salov, A. V. Study of the system Na_2S-Sb_2S_3 by the nuclear quadrupole resonance of ^{121}Sb and ^{123}Sb (7) 162*g*.
Buslovich, N. M., Lifshits, A. E., Mikhailov, L. A., and Karpenko, V. Ya. Effect of lining materials on the moisture content of N-H atms. (1) 11*j*.
Buss, D. D. See Kinch, M. A.
Bustraan, Daniel J., Gossie, Mijo A., Sundstrom, Roy N., and Wisner, William R. Article-handling apparatus and method, P (8) 169*a*.
Butikova, I. K. See Smolin, Yu. I.
Butler, Charles T. See Sturm, Bernard J.
Butler, Gerald D. See Toomey, Charles L.
Butler, Sidney R. See Langman, Richard A.
Butler, William D. Method of calcining limestone, P (7) 143*d*.
Butt, Yu. M. See Al-Dzhabari, Subkhi M. R. ; Altaeva, S. N. ; Barbashov, G. K. ; Benshtein, Yu. I. ; Bol'shov, V. V. ; Grineva, M. K. ; Komarova, N. I. ; Kozyreva, N. A. ; Kudeyarova, N. P. ; Kutsenko, L. A. ; Lukatskaya, L. A. ; Malozhon, L. I. ; Nestik, S. V. ; Pokrovskaya, V. N. ; Suleimenov, A. T. ; Tien, Bui Van ; Topil'skii, G. V. ; Vasil'eva, N. F.
Butt, Yu. M., Danyushevskii, V. S., and Rogozkina, T. I. Characteristics of synthetic rock from Ca hydrosulfoaluminate (9) 189*h*.
Butt, Yu. M., and Kaushanskii, V. E. Nature of binding properties of Ca silicates (2) 33*c*.
Butt, Yu. M., Kaushanskii, V. E., Turetskii, A. M., and Panina, N. S. Effect of gypsum on the properties of alkali-containing cement (2) .
Butt, Yu. M., Kolbasov, V. M., and Berlin, L. E. Effect of the structure of cement stone on its frost resistance (11) 242*a*.
Butt, Yu. M., and Timashev, V. V. New forms of binders (1) 3*b*.
Butt, Yu. M., Timashev, V. V., Bakshutov, V. S., Ilyukhin, V. V., and Kaverin, B. S. Crystals and crystalline concretions of Ca hydroaluminates and their complex compounds in hardened cement (2) 32*b*.
Butt, Yu. M., Timashev, V. V., Benshtein, Yu. I., and Kaverin, B. S. Crystallization of hydrated neoformations of cement stone on a quartz substrate (9) 190*e*.
Butt, Yu. M., Timashev, V. V., Grineva, M. K., and Bakshutov, V. S. Microhardness of crystals and concretions of Ca silicate hydrates and portlandite (1) 3*j*.
Butt, Yu. M., Timashev, V. V., Kutsenko, L. A., Berezova, V. F., and Krokhin, V. N. Thermal properties of pressed briquets (8) 166*c*.
Butt, Yu. M., Timashev, V. V., and Stark, Jochen Description of the progress of reaction in firing portland cement clinker (10) 217*j*; Rate of clinker formation at high temps. (10) 218*f*.
Butt, Yu. M., and Topil'skii, G. V. Structure and properties of portland cement clinkers and their cements (4) 79*d*.
Butt, Yu. M., Vorob'eva, M. A., and Tien, Bui Van Effect of Vietnamese apatite on formation of tricalcium silicate and on its hydraulic activity (8) 165*j*.
Buttgereit, Christa See Konopicky, Kamillo
Butukhanov, V. L., Get'man, E. I., and Mokhosoev, M. V. Reaction of Li_2MoO_4 with Cr molybdate (10) 238*j*.
Buus, Harold W., and Morgan, Donald G. Magnetic separator, P (9) 204*d*.
Buzga, Heinrich See Pause, Kurt
Buzhevich, G. A. See Mikhailov, K. V.
Buzzi, S. Measures to obviate objectionable coatings in preheater kilns (10) 233*g*.
Buzzi, S., and Sossone, G. Determining the composition of raw meal by means of a process computer (10) 232*g*.
Bye, G. C., and Howard, C. R. Synthesis of Ba hexaferrite from Fe oxide and Ba carbonate: II. Role of Fe oxide texture (8) 187*a*.
Bye-Jorgensen, Hans J. See Madden, John
Byers, Clifton A. C disk quality processing, P (9) 197*d*.
Bykov, V. M., and Mikhailov, N. V. Freezing of water sorbed by cement stone (11) 242*h*.
Bykov, V. N. See Shcherbak, V. I.
Bykova, T. E. See Diogenov, G. G.
Byler, William H., and Mattis, James J. Method for preparing rare earth oxide phosphors, P (6) 130*f*.
Bylund, Per A., Farkas, Tibor, and Andersson, Nils E. Semiconductor device with semiconductor elements arranged side by side and provided with hollow cooling bodies, P (3) 70*b*.
Byrd, Carlisle O., Jr. Furnace wall construction [ceramic anchors], P (1) 14*f*.
Bystrianyk, Wasyl, and Sarkozy, Francis A. Molten glass gob distribution system, P (7) 147*b*.

Cable, S. J. Executive viewpoint—future of the ceramic tile industry (11) 248*f*.
Cachon, Rene P. Semiconductor wafer chuck, P (5) 103*b*.
Caddock, Richard E. Method of making film-type power resistors, P (7) 153*j*.
Caha, D. S. See Skalny, Jan
Caillere, S. See Besson, H.
Caillet, M. See Touzain, P.
Caimann, Viktor Use of neutron probes to measure moisture in glass sand (1) 22*a*.
Cain, Clifford W., Jr., and Brody, Donald E. Diatomaceous silica pigments and the like, P (5) 105*j*.
Calanog, Eduardo M., and Geiger, Gordon H. Screening probability (11) 252*j*.
Calcagno, Benedetto, and Piccolo, Luigi Process for preparing TiO_2, P (9) 207*d*.
Calderwood, J. H. See Awakuni, Y.
Caldwell, Donald L. See Mod, William A.
Caldwell, Harold L. See Faure, Alphonse W.
Caldwell, Larry V., and Miller, Brian S. Tunnel electron emitter cathode, P (4) 87*d*.
Calfee, John D. See Zorowski, Carl F.
Calhoun, B. A., Giess, E. A., and Rosier, L. L. Dynamic behavior of domain walls in low-moment Y-Ga-Fe garnet crystals (10) 235*g*.
Calkins, D. J., Gilbert, Van, and Saccomano, J. M. Refractory wear in the Ar-O-decarburization process (10) 224*d*.
Calkins, J. A., Kays, Olaf, and Keefer, E. K. CRIB—mineral resources data bank of the U.S. Geol. Surv. (11) 255*i*.
Call, A. D. See Huff, N. T.
Callaerts, R., Desayer, M., Hashani, F. H., and Nageh, P. Hall effect, thermoelectric power, and electrical conductivity measurements in vitreous $CdGe_xAs_2$ (2) 53*g*.
Callander, George C. See Sheahan, Desmond F.
Callaway, Dwight W. See Benson, Harold L.
Callea, Herbert See Akselrad, Aline
Callister, W. D., Larsen, T. L., Varotto, C. F., and Stevenson, D. A. High-temp. electrical properties of ZnTe:Al—self-compensation model in ZnTe (8) 182*f*.
Calvo, C. See Gopal, R. ; Shannon, R. D.
Calvo de Fernandez, M. L. See Prod'homme, L.
Camagni, P. Thin-film optics (8) 173*h*. See Antoci, S.
Camehl, Ada Walker Blue-China Book—Early American Scenes and History Pictured in the Pottery of the Time, B (2) 56*j*.
Camlibel, I., DiDomenico, Mauro, Jr., and Wemple, S. H. Dielectric properties of single-domain melt-grown $BaTiO_3$ (4) 91*c*.
Cammerer, W. F. Thermal conductivity of concretes and similar materials at 200°–900°C (4) 79*f*; Thermal conductivity of concretes and masses at 200°–900°C (11) 247*b*.
Campbell, Albert E., Jr., and Jensen, Andrew O. Brazing ceramics, P (10) 227*g*.
Campbell, David O. Isotope enrichment process for lanthanide and actinide elements, P (4) 87*f*.
Campbell, Donald A. See Tait, William C.
Campbell, Donald A., Packard, James R., Tait, William C., and Weiher, Richard L. Free exciton indirect transition laser [CdS], P (5) 102*d*.
Campbell, Larry E. Soluble and colloidal silicates, P (5) 106*b*.
Campbell, Lyman L., and Kulig, Constantine W. Article handling apparatus [glassware], P (1) 9*b*.
Campbell, W. J. Thermal storage system and associated heat exchanger, P (11) 255*g*.
Campbell, William B., and Shivers, James V. Microwaves for ceramic process control (5) 104*b*.
Campbell, Willis H. Process for making monocrystalline Si, P (9) 201*h*.
Canali, C., Nava, F., Ottaviani, G., and Paorici, C. Hole and electron drift velocity in CdSe at room temp. (10) 236*e*.
Cankaya, K., Pretzer, W. R., Livingston, W. A., and Kana'an, A. S. Equilibrium decomposition pressures of Ba hexafluorosilicate (8) 181*c*.
Cannell, John C., Leaper, Rodney S., and Parratt, Noel J. Process for making composite materials from refractory fibers and metal, P (3) 65*h*.
Cannon, Donald D. See Davis, Francis C.
Cannon, W. Roger Contribution of grain-boundary sliding to axial strain during diffusion creep (5) 107*f*.
Cannon, W. Roger, and Sherby, Oleg D. Third-power stress dependence in creep of polycrystalline nonmetals (4) 94*c*.
Cannuli, Vincent M. Method of forming an epitaxial semiconductive layer with a smooth surface, P (1) 17*j*.
Canonico, D. A. See Slaughter, G. M.
Cape, John A., and Malozemoff, Alex P. Low-temp. magnetization of $TmFeO_3$ (8) 183*j*.
Capes, C. Edward, and Coleman, Richard D. Particle size measurement by a powder film method (5) 104*j*.
Capiomont, Y., Nguyen-Van-Dang, Massenet, O., and Chakraverty, B. K. Electrical conductivity in EuO films with large excess of Eu (9) 199*j*.
Capizzi, M. See Mueller, K. A.
Capizzi, M., and Frova, A. Absorption edge and structural phase transition in $SrTiO_3$ (9) 207*g*.
Caplan, P. J. See Streever, Ralph L.
Caplan, Sandor, and Lamorte, Michael F. Semiconductor laser devices utilizing light reflective metallic layers, P (2) 45*e*.
Capps, W. See Wachtman, J. B., Jr.
Carbajal, Bernard G., III, Gosney, William M., and Hall, Lou H. Fabrication of an IGFET device, P (7) 153*h*.
Cardew, Michael Potters and amateur potters (2) 31*g*.
Cardinne, Philippe See Renard, Michel
Cardon, F. See Arijs, E.
Cardona, Manuel See Yu, Peter Y.
Cardona, Manuel, Haensel, Ruprecht, Lynch, D. W., and Sonntag, B. Optical properties of the Rb and Cs halides in the extreme uv (8) 185*a*.
Carfora, Joseph Lavatory-water closet combination, P (2) 42*a*.
Carini, George F. Catalytic coatings containing various metal powders (5) 96*c*.
Carl, David G., Kietzman, Richard C., and Knapp, William A. Masking the closable area of a container during coating, P (10) 232*b*.
Carley, Donald R. Transistor employing variable resistance ballasting means dependent on the magnitude of the emitter current, P (10) 229*c*.
Carlin, Richard L. Transition Metal Chemistry: Vol. 7, B (5) 118*j*.
Carlson, Bertil V. See Gallaghan, John A.
Carlson, D. E., and Trzeciak, C. E. Thermoelectric effects in ion conducting glasses (11) 245*g*.
Carlson, Heinz F., Isaac, George L., and Mosely, Graham H. Method and apparatus for aligning and breaking [semiconductor] wafers, P (1) 17*f*.
Carlson, John T. M. Particle size distribution analysis, P (9) 205*e*.
Carmen, Raleigh A. Method of coating glass containers, P (1) 10*a*.

Carnall, E., Jr. Hot-pressing of ZnS and CdTe (1) 25*d*. See Ahrenkiel, R. K.

Carnall, E., Jr., Pearlman, D., Coburn, T. J., Moser, F., and Martin, T. W. Hot-pressed $CoCr_2S_4$—a potentially useful magneto-optic material (4) 85*h*.

Carnevale, A. See Peterson, G. E.

Carniglia, Stephen C. Working model for porosity effects on the uniaxial strength of ceramics (1) 29*f*; Limitations on internal oxidation-reduction reactions in BOF refractories (4) 83*g*; Working model for porosity effects on the uniaxial strength of ceramics—correction (8) 188*b*; Data fitting to new strength—grain-size—porosity functions for ceramics (11) 257*g*.

Carnot, John J., Tingquist, Stanley C., Robb, Ronald R., and Feagin, Roy C. Refractory support for shell molds, P (8) 172*d*.

Caroselli, Remus F., Dillon, James J., and Leary, David E. Fabric effect for fibrous glass fabrics, P (7) 146*f*.

Carpenter, George J. Method of making cemented fiber optical devices, P (8) 170*a*.

Carpenter, James F., McCrary, Leon E., Steube, Kenneth E., Klein, Albert A., Jr., and Kesler, George H. Glow discharge coating apparatus, P (11) 250*h*.

Carpenter, Peter G. Major advance for refractory shapes (4) 83*g*.

Carpenter, S. H. Further note on the recovery of amplitude independent damping in single-crystal LiF (9) 210*j*.

Carpy, Alain, Casalot, Andre, Pouchard, Michel, Galy, Jean, and Hagenmuller, Paul Electrical and magnetic properties of V oxyfluoride bronzes with the formula α-$NaV_2O_{5-x}F_x(0 \leq x \leq 1)$ (2) 52*c*.

Carr, Paul H. See Budreau, Alan J.

Carr, R. M. See Churchman, G. J.

Carr, Ralph L., Jr. Properties of solids—how they affect handling (9) 203*f*.

Carr-Brion, Kenneth G., and Bramwell, Susan E. Determination of the mean size of solid particles contained in a fluid by scattering of X radiation, P (11) 254*c*.

Carrera, Nicholas See Brown, Frederick C.

Carrico, J. P. See Braeunlich, P.

Carrier, Gerald B., and Flannery, James E. Durable borosilicate opal glasses, P (8) 169*h*.

Carriere, R. L., Fuller, O. M., and Ternan, M. Effect of fiber diameter on the strength of composite materials (1) 11*h*.

Carroll, David F. See Blumenthal, Jack L.

Carroll, M. J. See Ahlquist, C. N.

Carruthers, J. D. See Baker, F. S.

Carruthers, J. R. See Kaminow, I. P.

Carter, M. A., and Woods, J. Photoconductive properties of CdS (10) 238*b*.

Carter, R. L., and Margulis, T. N. Crystal structure of Tl_2CrO_4 (2) 51*g*.

Cartmell, James V., Churchill, Donald, and Koopman, Donald E. Electro-optic shutter having a thin glass or Si oxide layer between the electrodes and the liquid crystal, P (2) 43*e*.

Cartwright, Thomas W. See Page, Robert B.

Caruso, Bernard E. Cr oxide coating for siliceous articles [SiO_2 fibers], P (7) 146*b*.

Casadevall, James L. High performance ablative material construction, P (8) 172*c*.

Casalot, Andre See Carpy, Alain ; Lederer, P. ; Pouget, J. P. ; Villeneuve, G.

Casalot, Andre, Claverie, J., and Hagenmuller, Paul Electrical conductivity of oxyfluoride ferrites having the spinel structure (8) 181*f*.

Casalot, Andre, Dougier, P., and Hagenmuller, Paul Evolution of the physical properties of the perovskite $GdCoO_3$ between 77° and 1200°K (5) 109*i*.

Case, Derek F., and Stammers, Kenneth Methods of [glass] bonding ferrite components, P (1) 18*b*.

Casey, Horace C., Jr., and van Roosbroeck, Willy W. Relaxation semiconductor devices, P (2) 45*a*.

Cash, John H., Jr. See Bealle, John

Cashion, J. D., Cooke, Arthur H., Martin, D. M., and Wells, M. R. Magnetic interactions in Gd orthoferrite (11) 258*h*.

Casiavsky, J. L., and Gazzara, C. P. Helical dislocations in sapphire (6) 136*c*.

Casnedy, Edward S., Jr., and Piltch, Martin Photoelastic mode locking of *Q*-switched lasers using birefringent crystals, P (7) 154*j*.

Cassizzi, L. Suspended (overhead) conveyors in the ceramic industry (2) 41*e*.

Castin, Marcel, and Demilie, Paul Process for producing a borax solution, P (8) 179*a*.

Castrucci, Paul P., Grochowski, Edward G., Hess, Martin S., and Zachos, Elias B. Epitaxial middle diffusion isolation technique . for maximizing microcircuit component density, P (7) 153*f*.

Castrucci, Paul P., Haddad, Nadim F., and Pecoraro, Raymond P. Optimized glass photographic mask, P (8) 175*f*.

Cataland, George, and Plumb, Harmon H. Low-temp. thermometry—interim report (10) 232*i*.

Cater, E. David See Steiger, Ronald P.

Catti, M. See Amato, I

Cayphas, Etienne, Leclercq, Robert, and Van Cauter, Albert Method and apparatus for bending a glass ribbon to a different draw direction, P (10) 222*b*.

Cazaux, Jacques Dielectric constant of graphite in the uv (7) 150*i*.

Ceccon, Harry L., and Furumoto, Horace W. Coaxial flash lamp, P (7) 146*c*.

Cech, Robert E. Rare earth intermetallic compounds by a Ca hydride reduction-diffusion process, P (11) 256*f*. See Becker, Joseph J.

Celotti, G., and Angelucci, R. Cell parameter determination in B and P-doped Si crystals (11) 256*j*.

Celustka, B., and Ogorelec, Z. Evaluation of some physical quantities [electrical conductivity, thermal dilatation] in the two-phase region in cuprous selenide (5) 109*h*.

Cement Association of Japan, Tokyo Review of the 26th General Meeting of the Cement Association of Japan, B (5) 118*e*.

Ceric, V. Investigation of dc electroluminescence characteristics of CdS:Cu powder phosphors (3) 67*j*.

Ceric, V., and Ogorelec, Z. Investigation of the ac electroluminescence of CdS:Cu powder phosphors (3) 67*i*.

Chaffey, G. H. See Bennett, M. J.

Chaklader, A. C. D. Reactive hot-pressing an oxide through its polymorphic phase change, P (2) 40*j*. See Blair, G. R. ; Rao, A. S. ; St-Jacques, R. G.

Chakravarti, A. K., Gautama, G. D., and Pal, B. P. New method for focusing EM beams in elemental semiconductors—application of inhomogeneous magnetic fields (10) 237*g*.

Chakraverty, B. K. See Capiomont, Y.

Chakravorty, A. See Viswanathan, M. P.

Chakravorty, D., Tiwari, A. N., and Goel, P. S. Diffusion studies in nabal glasses (1) 6*i*.

Chakupurakal, Th. See Helsen, J.

Challeton, D. See Coeure, Philippe

Challis, L. J., and Price, N. F. Possible correlation between the laser output of a ruby rod and the chromous ion concentration (3) 76*b*.

Chamberland, B. L., Frederick, C. G., and Gillson, J. L. Synthesis and properties of several members of the series CrO_2-$_xF_x$ (9) 215*e*.

Chamberland, B. L., and Moeller, C. W. $PbCrO_3$ perovskite (2) 53*g*.

Champarnaud-Mesjard, J. C. See Grannec, J.

Champness, P. E. See Lorimer, G. W.

Chandra, D. See Kacker, K. P.

Chandra, S., Lal, H. B., and Shahi, K. Thermoelectric properties of high-conductivity solid electrolyte KAg_4I_5 (1) 29*g*.

Chang, Chi Shih See Bleher, Johannes H.

Chang, Chuan Chung, Marcus, Robert B., and Wagner, Richard S. Light-sensitive storage device including diode array and method for producing the array, P (1) 17*b*.

Chang, J. J. See Agusta, Benjamin ; Ghosh, H. N.

Chang, R. K. See Wadsack, R. L.

Chang, T. S. See Rokni, M.

Chang, T. S., Holzrichter, J. F., Imbusch, G. F., and Schawlow, Arthur L. Polarized fluorescence study of Cr^{3+} through a stress-induced phase transition in $SrTiO_3$ (7) 162*e*.

Chang, Zung Ping, and Barsch, Gerhard R. Pressure dependence of the elastic constants of RbCl, RbBr, and RbI (5) 114*b*.

Chao, C. C. Charge-transfer luminescence of Cr^{3+} in MgO (5) 106*a*.

Chao, Chang Chih, and Ruoff, Arthur L. Precompressed pyrophyllite for ultrahigh-pressure research (11) 254*a*.

Chapin, John S. See Wright, Robert J.

Chapman, D. W., and Mehta, R. R. Design and performance of a thin-film ferroelectric-photoconductor storage device (4) 85*b*.

Chapman, Edwin A. See Blake, Paul D.

Chapman, Paul W. $KTaO_3$ ultraviolet detector, P (6) 129*g*.

Chapman, Philip J. Welding electrode, P (3) 60*g*.

Chargeishvili, V. K. See Khizanishvili, I. G.

Charles, Glen W. See Crookston, James A.

Charles, J. P., and Fillard, J. P. Electrical conductivity and space charge of Cu_2O (5) 108*j*.

Charles, R. J. Immiscibility and its role in glass processing (11) 244*i*.

Charlson, Robert J. See Ahlquist, Norman C.

Charnock, Harold See Dickinson, George A.

Charskii, Mikhail M. See Rogachev, Boris V.

Chasanov, Martin G. See Fredrickson, D. R. ; Gabelnick, S. D. ; Leibowitz, Leonard

Chase, B. D., and Holt, D. B. Jet polishing of semiconductors: II, Electrochemically formed tunnels in GaP (6) 129*a*.

Chase, B. D., Holt, D. B., and Unvala, B. A. Jet polishing of semiconductors: I, Automatic jet thinning of GaP for transmission electron microscopy (6) 128*j*.

Chase, John D., and Potter, Robert L. Submicron metal oxide particles and a process for mfg., P (10) 234*i*.

Chase, L. L. See Srivastava, Ramakant

Chassaing, Jean System ScF_3-TlF (5) 115*c*.

Chassin, P. Structure of the 1,2-ethanediol molecule adsorbed on 2/1 phyllites (6) 138*i*.

Chatova, V. L. See Morozov, I. S.

Chatova, V. L., and Morozov, I. S. System $GaCl_3$-$MgCl_2$-KCl (5) 115*a*.

Chatrchan, A. M. See Bukhvostov, A. P.

Chatterjee, A. See Singh, A. K.

Chatterji, A. K., Duriyal, K. D., Gangopadhyay, C. R., and Rawat, R. S. Large-size clay products with improved strength (7) 148*a*.

Chatterji, D. See Smith, J. V.

Chatterji, D., and Vest, R. W. Thermodynamic properties of the system In-O (1) 29*f*.

Chatterji, S. See Gupta, P.

Chattopadhyay, Arun K., and Whittemore, O. J., Jr. Powder compaction in systems of bimodal distribution (10) 231*j*.

Chaudhari, P. See Cuomo, Jerome J.

Chaus, I. S. See Degtyarenko, N. M.

Chaussy, J. See Feron, J. L.

Chauvin, G., Coriou, H., and Jarny, P. Ion exchange between Pyrex glass and the eutectic LiCl-KCl (3) 62*h*.

Chavasse, Nicholas H., Jr., and Withers, James C. Low-density high-strength B on Be reinforcement filaments, P (10) 224*b*.

Chaves, A. See Barbosa, G. A.

Chaves, A., and Porto, S. P. S. Raman scattering of YVO_4 (9) 214*h*.

Chavgun, A. P. See Semenenko, K. N.

Che, M., Fichelle, G., and Meriaudeau, P. Paramagnetic absorption of pentavalent Mo in various symmetries of TiO_2 (10) 238*c*.

Che, M., and Tench, A. J. Nonequivalency of O nuclei in $^{17}O_2^-$ adsorbed on oxides [MgO,ZnO] (10) 237*g*.

Cheale, Leonard F. See Mayhew, Anthony J.

Chebanova, T. S. See Indenbom, V. L.

Chebotaev, N. M. See Zalazinskii, A. G.

Chebotarev, N. T. See Ustinov, O. A.

Chebotkevich, G. V. See Gel'perin, N. I.

Chebukov, M. F. See Dovgopol, V. I.

Chedzey, H. A., and Robertson, D. S. Periodic crystal rotation reversal in melt growth (1) 26*g*.

Cheetham, A. K., Fender, B. E. F., Steele, Derek, Taylor, R. I., and Willis, B. T. M. Defect structure of fluorite compounds containing excess anions $[(Ca/Y)F_{2+x}.UO_{2+x}]$ (7) 159*j*.

Chen, Arthur C. M., and Lommel, James M. Thin film Ni temp. sensor, P (11) 254*h*.

Chen, Nai Yuen Selective sorption of less polar molecules with crystalline zeolites of high silica/alumina ratio, P (8) 179*d*.

Chen, Sung J., Fan, Liang-Tseng, and Watson, Clifford A. Mixing of solid particles in motionless mixer—axial-dispersed plug-flow model (4) 88*f*.

Chen, Tai-Seng, and Goodson, R. E. Computation of three-dimensional temp. and convective flow profiles for an electric glass furnace (8) 167*d*.

Chen, Tom Tse-Pu See Drobnick, James L.

Chen, W. K., and Peterson, N. L. Correlation effects and effects of Co additions on Co and Ni diffusion in NiO (5) 107*i*; Cation diffusion, semiconductivity, and nonstoichiometry in (Co,Ni)O crystals (11) 256*i*.

Chen, W. K., Peterson, N. L., and Robinson, L. C. Cr tracer diffusion in NiO crystals (8) 179*h*.

Chen, Y., Unruh, W. P., Abraham, M. M., Turner, T. J., and Nelson, C. M. Luminescence effect in deformed CaO (9) 212*a*.

Chen, Y. C. See Ruoff, Arthur L.

Chen, Y. S. See Vella-Coleiro, G. P.

Chen, You Min Gage for determining the wt% of moisture contained in a bulk material transported on a moving conveyor, P (11) 254*d*.

Chenavas, J. See Marezio, M.

Chenebaux, J. See Heyndryckx, P.

Cheney, Glen T. Combined bipolar and FET, P (8) 173*b*.

Cheng, Lung Collection of airborne dust by water sprays (11) 252*c*.

Cheng, Yiu Chung See Colton, Douglas R.

Chenot, Charles F. Lamp employing luminescent Mn-activated Sr Ba chloroaluminate phosphor compositions, P (1) 17*b*.

Chepur, D. V. See Mel'nichenko, T. N.

Cherednichenko, I. F. See Limar, T. F.

Chermant, Jean Louis See Vicens, Jean

Chernick, Leon, Ichiroku, Kikuo, and Smolker, Gary S. Sandwiched eutectic reaction anticompromise circuits, P (10) 228*e*.

Chernik, M. M. See Bagdasarov, Kh. S.

Chernina, L. L. See Suslova, I. A.

Chernoomordik, E. I. See Ivanov, F. M.

Chernov, A. A. See Givargizov, E. I.

Chernov, R. V., and Ermolenko, I. M. Phase diagram of the system $Na^+, K^+||TiF_6^{2-}.Cl^-$ (1) 26*i*.

Chernov, R. V., Nizov, A. P., and Ermolenko, I. M. Phase diagrams of the systems Na_2TiF_6-NaCl and Na_2TiF_6-K_2TiF_6 (1) 26*i*.

Chernow, Fred Screen for ion implantation, P (9) 202*a*.

Chernyaev, V. S. See Tskhai, V. A.

Chernyakhovskaya, S. A. See Lesnykh, D. S.

Chernyakov, Semen S. See Stepanov, Gleb A.

Chernyavskii, V. L. See Mchedlov-Petrosyan, Otar P.

Chernyi, L. N. See Kleshchev, G. V.

Chernysh, L. F., Koshcheev, G. G., and Rozhdestvenskii, E. Yu. Synthesis and properties of $Al(PO_3)_3$ (7) 162*h*.

Chernyshkova, M. S. See Danyushevskii, S. I.

Chernyshov, A. V. See Postnikov, V. S.

Cheron, Henri See Paul, Claude

Chesler, Ronald B. Compact end-pumped solid-state laser, P (11) 250*b*.

Chester, Arthur W., Kerr, George T., Sherry, Howard S., and Schweizer, Albert E. Multimetalite catalysts, P (11) 256*c*.

Chestnoy, Valery F. See Alexandrov, Albert I.

Chevalier, R., and Chieu, Do Dinh Moessbauer effect study of the blockage temps. of occasional magnetic clusters in the disordered solid solution $Ba(Fe_{0.35}Al_{0.65})_2O_4$ (8) 184*b*.

Chevalier, R., and Gasperin, M. Order-disorder transformation in a pyrochlore-type crystal (1) 26*e*.

Chi, Ung Up, and Dho, Kee Baik Sb-chrome orange yellow based on Sb-Pb-Ti for unglazed mosaic tile body (9) 197*g*.

Chi, Ung Up, Dho, Kee Baik, and Kang, Ho Ill Studies on Sb-Pb yellow based on Sb-Pb-Ti for wall tile frit glaze (9) 198*g*.

Chi, Ung Up, Han, Suk Woo, Park, Hee Chan, An, Soo Iei, and Kim, Boung In Preparation of mat glazes (9) 198*i*.

Chi, Ung Up, Han, Suk Woo, Yeon, Kwang Ho, Park, Hee Chan, and Kim, Kil Chan Opaque fritted glazes at cone 03 to 02 (1040°–1060°C) (9) 198*h*.

Chiba, Hiroyuki, Masuda, Hideaki, and Hirota, Eiichi Refractory powder hot-pressing system, P (5) 101*a*.

Chiba, Toshinobu See Noguchi, Masayasu

Chieu, Do Dinh See Chevalier, R.

Chigrai, I. D., Kolpakov, Serafim V., and Reingardt, T. A. Lining the steel discharge apertures of O converters (1) 12*a*.

Chigrinov, Mikhail G. See Karklit, A. K. ; Rutes, Viktor S.

Chikalla, Thomas D. See McNeilly, Clyde E.

Chikano, Mitsuo See Matsuura, Takashi

Chikanov, N. D. Reaction of $MoCl_5$ with the chlorides of several elements (5) 114*g*; System Sn^{2+}, Sn^{4+}, Sb^{3+}, Sb^{5+}||Cl (9) 215*h*.

Chikanova, M. K. See Vorontsov, E. S.

Chikanova, M. K., Laptev, D. M., and Vorontsov, E. S. Phase diagram and nature of melts in the system PCl_5-PCl_3 (5) 113*c*.

Chikanova, M. K., and Vorontsov, E. S. Chemical reactions in the system PCl_5-$GaCl_3$ (5) 107*b*.

Chiku, Takewo, Ninomiya, Kiyoshi, and Hayashi, Hiroaki Reheating a beta alumina article in an alkali metal atm. to improve its permeability, P (4) 84*g*.

Childers, Ralph E. See McKee, Herbert C.

Childress, Jay W. See Ruleff, Robert L.

Childs, B. G. See Harvey, P. J.

Childs, B. G., Harvey, P. J., and Hallett, J. B. Optical absorption spectroscopy of ThO_2 (1) 26*e*.

Chin, G. Y., Van Uitert, L. G., Green, M. L., Zydzik, G. J., and Kometani, T. Y. Strengthening of alkali halides by divalent-ion additions (8) 186*e*.

Chin, S. A. See Varshneya, A. K.

Chiola, Vincent, Smith, James S., and Vanderpool, Clarence D. Electric incandescent lamps having refractory metal phosphate and phosphide coatings for refractory metal leads, P (7) 146*e*; Refractory metal phosphate and phosphide coatings for refractory metal leads, P (7) 147*d*.

Chirkov, M. T. See Rekus, G. G.

Chisholm, Raymond S. Method of tempering glass in a liquid, P (2) 39*e*.

Chistov, Yu. D. See Volzhenskii, A. V.

Chistyakova, A. A. See Volkonskii, B. V.

Cho, Alfred Yi Ge-doped epitaxial films by the molecular beam method, P (11) 250*g*.

Choi, Sang Heul, and Han, Sang Mok Hydration expansibility of Ca sulfoaluminate clinkers (11) 242*i*.

Choi, Gerard See Koenig, Udo

Cholerton, J. F. E. See Evans, G.

Chopra, S. K., Taneja, C. A., Kaushik, J. P., Dass, B., and Malhotra, S. K. Kettle for improved calcination of gypsum (2) 50*d*.

Chouard, C. See Govindaraju, K.

Chow, Shing Cheung Small-sized stroboscopic tube for photographic use, P (8) 170*h*.

Chowdari, B. V. R., and Itoh, N. Interstitial halogen centers in X-irradiated CsBr (8) 182*c*.

Chowdhury, H. P. R. Wollastonite in the ceramic industry (2) 50*g*.

Choyke, Wolfgang J. See Patrick, Lyle

Choyke, Wolfgang J., and Patrick, Lyle Luminescence of donor-acceptor pairs in cubic SiC (8) 183*j*.

Christensen, A. Noerlund, and Hazell, R. G. Crystal structure of the tetragonal modification of YbOOH (2) 51*g*.

Christensen, Donald I. See Buckley, Francis T.

Christensen, N. H., and Bang, O. Diffusion and convection in reactions of slag with porous ceramic bodies (1) 24*f*.

Christgau, Ronald V. Thirteen ways to ruin a gear reducer (9) 203*f*.

Christian, Jerry D. Strength of chemical bonds (7) 162*g*.

Christie, John S. See Hunter, Richard S.

Christmas, T. M. Laser-induced self-focusing in ADP [ammonium dihydrogen phosphate] and KD*P [potassium dideuterium phosphate] (1) 16*e*.

Christopher, Harold A. Method for making sealed container for elemental Na and metbod of forming, P (10) 222*f*.

Christy, Robert W. See Mayhugh, Michael R.

Chubb, John N. Apparatus for analyzing suspended particles, P (1) 22*b*.

Chufarov, G. I. See Margulis, E. V. ; Shchepetkin, A. A. ; Zalazinskii, A. G. ; Zinovik, M. A.

Chugunov, E. A. See Yudin, N. A.

Chukhlantsev, V. G., Polezhaev, Yu. M., and Alyamovskaya, K. V. Decomposition of zircon concentrates by soda ash (2) 52*b*.

Chunchin, V. A. See Bernatskii, A. F.

Churakova, R. S., and Fedorova, E. P. Drying of fine-grained alumina products (1) 15*a*.

Church, Peter K., and Knutson, Oliver J. Ceramic treating process and product produced thereby, P (9) 197*d*.

Churchill, Donald See Cartmell, James V.

Churchman, G. J., and Carr, R. M. Stability fields of hydration states of a halloysite (4) 93*j*.

Chvalovsky, Vaclav, Mach, Lumir, and Machova, Helena Cements containing mineral fibers of high corrosion resistance, P (9) 197*d*.

Chyung, Chi Kwun, and Rittler, Hermann L. Glass-ceramic–metal cermets and method, P (7) 146*j*.

Cichy, Paul Apparatus for producing oxide refractory material having fine crystal structure, P (8) 171*j*.

Cielaszyk, Edward F., Lundin, Robert S., and Stellwagen, Frank W. Quartz-crystal-controlled stepper motor, P (9) 201*j*.

Cieslinski, W. Role of a metal-clad lining in a ball mill (3) 60*c*.

Ciriack, Guenther See Eckert, Georg

Ciric, Julius Crystalline zeolite ZSM-10, P (1) 23*d*.

Citrin, Paul S. Method and device for article working such as fracturing of semiconductor slices and separating semiconductor chips, P (4) 86*e*.

Ciuffini, Anthony J. Ambipolar photoreceptor and method, P (5) 101*i*.

Claeys, A. H. Gas burner with orfices, P (11) 255*b*.

Clark, Colin Douglas, and Norris, Colin Alan Polarization of luminescence associated with the 4150 and 5032 A centers in diamond (11) 259*b*.

Clark, Danford E. See Ward, John W.

Clark, David P. Weighing and delivery apparatus with initial volumetric dose and dribble feed, P (7) 156*h*.

Clark, G. W. See Finch, C. B.

Clark, Graham M. Structures of Nonmolecular Solids—A Coordinated Polyhedron Approach, B (6) 140*j*.

Clark, James B., and Rapoport, Eliezer Effect of pressure on solid-solid transitions in some silver and cuprous chalcogenides (4) 91*e*.

Clark, James H., and McDermott, Bernard A. Use of wet scrubbers in controlling air pollution in the porcelain enameling industry (5) 97*b*.

Clark, L. D., Whittingham, M. S., and Huggins, R. A. NMR study of ionic motion in ammonium tungsten bronze (4) 92*b*.

Clark, Peter S. See Nancarrow, John

Clark, Raymond L. See Judd, Joseph H.

Clark, Robert N. Process for applying phosphor particles to a dielectric layer of a gaseous discharge device, P (2) 39*b*.

Clark, W., and Broadhead, P. Optical absorption and photochromism in Fe-doped rutile (11) 259*b*.

Clark, Willard Lehr heating section, P (10) 222*a*.

Clarke, Ewart C. See Glew, David N.

Clarke, F. J. J. High-accuracy spectrophotometry at the National Physical Laboratory (4) 88*i*.

Clarke, Peter J. Sputtering apparatus, P (5) 103*c*.

Clark-Monks, C. Rasorite in glassmelting reactions (6) 124*c*.

Classen, Franz, and Parrot, Jean M. Float glass apparatus with means for inserting wire, P (7) 146*h*.

Clauer, A. H., Seltzer, M. S., and Wilcox, B. A. Creep of CoO single crystals (7) 159*d*.

Claussen, Nils Hot-pressed eutectics of oxides and metal fibers (9) 211*c*.

Claverie, J. See Casalot, Andre

Claverie, Jean, Portier, Josik, and Pauthenet, Rene Synthesis and magnetic and electrical properties of oxyfluoride ferrites with the spinel structure (2) 55*i*.

Clech, Albert, Marchand, Georges, Pasquiou, Jean Y., and Regnier, Jacques Mixing device for powdered [fissile] materials, P (11) 251*j*.

Cleemaan, J. Developments in open-circuit grinding (6) 120*f*.

Cleemann, Jorgen O. Grinding raw materials in the mfg. of cement, P (5) 96*a*.

Clem, Robert B. See Bomar, Steve H., Jr.

Clemency, C. V. Simple apparatus for the rapid and accurate determination of bulk densities or volumes of rock or mineral fragments (6) 133*g*.

Clemens, Karl H. Can the enamel industry take advantage of the modern methods of "Operations Research"? (2) 34*e*.

Clements, J. F. Role of temp. cycling in thermal-shock testing (7) 157*a*.

Clements, Patricia C. See DeBrunner, Ralph E.

Clerbois, Lucien See Degueldre, Louis

Clifton, James R. Setting and hardening of gypsum plaster (10) 218*g*.

Clinch, John M. See Karuhn, Richard F.

Cline, Carl F. See Wilkins, Mark L.

Cline, Carl F., and Wilkins, Mark L. Preparation of Be boride armor by direct casting, P (10) 224*e*.

Clisbem, Thomas A., Duerr, Francis R., and Olympia, Frederick D. Electric melting furnace and process of using it, P (3) 72*j*.

Clymer, Gerald K. See Roswell, Arthur E.

Coale, R. D., Wolhuter, C. W., Jochens, P. R., and Howat, D. D. Cementitious properties of metallurgical slags (7) 142*b*.

Coble, Robert L. Effects of particle-size distribution in initial-stage sintering (10) 235*b*. See Samanta, Sudarsan C.

Coburn, T. J. See Ahrenkiel, R. K. ; Carnall, E., Jr.

Cocca, Frank J. Method of dividing wafers, P (2) 44*h*.

Cocca, Theodore F. Co-firing process for making a [glass-coated] resistor, P (2) 43*i*.

Cochran, Andrew A. See Powell, Howard E.

Cochran, Thomas J., Coughlin, Charles P., Ficker, Walter W., Lent, Charles V., and Sullivan, Joseph M. Abrading apparatus, P (2) 43*f*.

Cochrane, R. W., and Wolf, W. P. Gd^{3+}-Gd^{3+} exchange coupling in ionic rare earth insulators (9) 210*j*.

Cochrane, T. S. Routine dust measurements and standards (1) 22*c*.

Cockayne, B. See Abell, J. S.

Cocks, Franklin H. See Entine, Gerald

Coe, R. S., and Muller, W. F. Crystallographic orientation of clinoenstatite produced by deformation of orthoenstatite (8) 180*i*.

Coeure, Philippe. and Challeton, D. Magneto-optical properties of orthoferrites [$YFeO_3$, $DyFeO_3$, $YbFeO_3$, $HoFeO_3$] (7) 152*b*.

Coey, J. M. D., Spender, M. R., and Morrish, Allan H. Magnetic structure of the spinel Fe_3S_4 (7) 161*c*.

Coffey, A. L., Jr. See Holcombe, C. E., Jr.

Coffin, George Testing of semiconductor devices, P (3) 70*f*.

Coffy, Rene L. See Violleau, Andre

Cogliati, Guido, Recrosio, Agostino, and Lanz, Renato Process for producing dense particles of Pu compounds usable as fuels for nuclear reactors, P (4) 88*b*.

Cohen, Charles I. Apparatus for leaching glass films, P (9) 193*f*.

Cohen, J. B. See Stiglich, J. J., Jr.

Cohen, Jerry J., and Lewis, Arthur E. Nuclear chimney radioactive waste disposal, P (4) 87*j*.

Cohen, Marvin L. Electronic charge densities in semiconductors (7) 151*c*. See Hemstreet, Louis A., Jr.

Cohen, Richard L. Moessbauer spectroscopy – recent developments (3) 72*f*; Thickness measurements using the Moessbauer effect, P (6) 133*g*.

Cohen, Sheppard Improved starting means including a heater, P (7) 147*e*.

Cohen, Sheppard, Gutta, John J., and Richardson, Donald A. Na vapor lamp having improved starting means, P (7) 147*e*.

Cohen-Alloro, Richard, Cuvillier, Roger, and Grassaud, Jean Differential-effect backing vat for coarse and fine particles, P (3) 71*e*.

Colandrea, L. Fluid flow indication, P (7) 157*d*.

Colbert, John R. See Perkins, George D.

Colburn, Steven C. See Miller, Roger A.

Colchagoff, Robert D. Method and apparatus for blending molten glass, P (7) 147*d*.

Cole, Everett N., Jr. Diode tester, P (2) 43*c*.

Colella, Carmine See Sersale, Riccardo

Coleman, M. F. See Sitharamarao, D. N.

Coleman, Michael G. Method of making isolated semiconductor devices, P (4) 86*g*; Electrooptical device comprising a unitary ction and photosensitive body portion having highly doped sehighly doped semiconductor electrodes, P (8) 174*g*.

Coleman, Richard D. See Capes, C. Edward

Coles, Donald K. Light detector having wedge-shaped photocathode and accelerating grid structure, P (1) 17*b*.

Coles, Kenneth F. See Westlake, Donald

Collepardi, Mario, and Massidda, Luigi Hydration of beta dicalcium silicate alone and in the presence of $CaCl_2$ or C_2H_5OH (5) 95*i*.

Colley, Donald G., Leliaert, Raymond M., and Snyder, Clyde A. Dust collector, P (8) 177*e*.

Colline, Raymond M. See Haller, Willis D.

Collings, E. W. See Wood, V. E.

Collins, Alan T. See Vance, E. R. ; Williams, A. W. S.

Collins, E. W. See Eddy, W. H.

Collins, P. Slugger roll crushers and their application in the cement industry (1) 3*h*.

Collins, R. A. See Sutherland, R. R.

Collongues, R. See Dhalenne, G.

Coll-Palagos, Miguel Electroless Ni plating on glass, P (1) 9*d*.

Coltman, Harvey D. See James, David W. F.

Colton, Douglas R., Cheng, Yiu Chung, and Kriegler, Rudolph J. Method of reducing mobile ion contamination in thermally grown SiO_2, P (1) 18*a*.

Colville, A. A. See Geller, Seymour

Colwell, J. H., and Mangum, B. W. Heat capacity of $TmAsO_4$ near its Jahn-Teller transition—evidence of a low-lying excited state (10) 236*g*.

Comer, J. J., Bergeron, Charles, and Lowe, L. F. Ion damage in synthetic quartz (9) 211*a*.

Comes, Robert See Denoyer, F.

Compaan, Klaas See Jansen, Constant G. J.

Conabee, Earl E. See Robba, William A.

Condrate, R. A., Sr. See Pasto, A. E.

Confer, James O., and McTaggart, George D. Ceramic article and method of making it, P (5) 99*b*.

Conklin, Thomas H. See Liebert, Richard B.

Conn, A. F. See Thiruvengadam, A.

Connolly, J. W. D., and Haughton, D. R. Valence of S in glass of basaltic composition formed under conditions of low oxidation potential (3) 63*i*.

Connolly, T. F., and Copenhaver, Emily D. Bibliography of Magnetic Materials and Tabulation of Magnetic Transition Temps., B (5) 117*e*.

Conrad, Norbert See Schumann, Horst

Consadori, F., and Frindt, R. F. Anisotropy in the optical reflectivity of $NbSe_2$ (9) 207*j*.

Constantin, C., and Rosenberg, M. Thermoelectric power of pure and substituted [Ni,Co,Mn] magnetite above and below the Verwey temp. (8) 173*g*.

Contamin, P., Bacmann, J. J., and Marin, J. F. O self-diffusion in hyperstoichiometric UO_2 (10) 230*j*.

Conti, Francesco E. Installation for producing electric power combined with an alumina-mfg. installation, P (7) 159*a*.

Cook, Albert W., and Dernovshek, Joseph F. Graphite and/or C disk with removable wear faces, P (5) 100*e*.

Cook, Charles W. Method and apparatus for transporting glassware, P (5) 99*a*.

Cook, E. L. See Strehlow, W. H.

Cook, H. D. See Fraser, D. B.

Cook, Louis S. See King, Burnham W., Jr.

Cook, R. L. See Nedeljkovic, A. I.

Cook, Ralph L. See Dev, Akant

Cook, Richard L. Hard faced plastic armorplate, P (2) 38*i*.

Cooke, Arthur H. See Cashion, J. D.

Cooke, Arthur H., Ellis, C. J., Gehring, K. A., Leask, M. J. M., Martin, D. M., Wanklyn, Barbara M., Wells, M. R., and White, Robert L. Magnetically controllable Jahn-Teller distortion in Dy vanadate at low temps. (7) 152*a*.

Cooke, Arthur H., Martin, D. M., and Wells, M. R. Specific heat of Dy vanadate (8) 186*h*.

Cooke, Arthur H., Swithenby, S. J., and Wells, M. R. Properties of Th vanadate—an example of molecular field behavior (9) 214*e*.

Cooke, David W. See Buckman, William G.

Cooke, Francis W. See Tsai, Stephen W.

Cooke, Harry F. Microwave semiconductor device, P (11) 250*j*.

Cookson, Robert W. Electric lamp with resilient base, P (4) 81*j*.

Cooper, A. R. See Mizouchi, N. ; Varshneya, A. K.

Cooper, B. J. See Acres, G. J. K.

Cooper, Laurence C., and Maxfield, E. Blair Cutting table for rock, P (9) 205*g*.

Cooperstein, Raymond Method of detecting the presence of a defective lithium aluminate target in a reactor, P (2) 47*b*.

Coote, A. T. See Cornell, J. B.

Copeland, John A., III Self-biasing single wall domain arrangement, P (2) 45*c*.

Copeland, John R., and Frande, David J. Batch process control with minicomputers (2) 47*i*.

Copenhaver, Emily D. See Connolly, T. F.

Copley, S. M. See Doherty, J. E.

Coppinger, Eugene A., and Johnson, Benjamin M. Production of U and Pu carbides and nitrides, P (2) 47*e*.

Coppola, J. A., and Bradt, R. C. Thermal-shock damage in SiC (5) 116*e*; Effects of porosity on fracture of Al_2O_3 (8) 181*c*.

Coppola, J. A., Bradt, R. C., Richerson, David W., and Alliegro, Richard A. Fracture energy of Si nitrides (1) 16*a*.

Coppola, J. A., Hasselman, D. P. H., and Bradt, R. C. Measurement of the work-of-fracture of refractories (10) 223*j*.

Corbach, R. See Steuerwald, F.

Cordelle, Claude See Maringer, Robert

Cordes, Karl H. See Schimmer, Rigobert

Cordes, Linus F. Method of making resistor thin films by reactive sputtering from a composite source, P (3) 69*g*. See Engeler, William E.

Corlou, H. See Chauvin, G.

Cornell, J. B., and Coote, A. T. Application of an ir absorption technique to measurement of moisture content of building materials (8) 177*h*.

Cornell, R. M. Electron microscope examination of matrix fission-gas bubbles in irradiated UO_2 (1) 19*h*. See Turnbull, J. A.

Cornell, R. M., and Turnbull, J. A. Nucleation of bubbles and re-solution effects in UO_2 irradiated at elevated temps. (8) 176*g*.

Cornet, J., and Rossier, D. Glass-forming ability vs local order and covalent character in the As-Te system (10) 220*f*.

Cornwall, M. G., and Goodfellow, R. C. Influence of illumination characteristics on current saturation in CdS acoustoelectric platelet oscillators (10) 226*g*.

Cornwell, K. Thermoelectric potential of molten salt thermocells (5) 101*f*.

Correll, Edward M. Metal-to-glass-to-metal hermetic seal, P (2) 38*j*.

Corsmit, A. F. See Blasse, George

Cortes, Abel C. Drilling tool with elements having diamond-studded attack surface, P (3) 59*d*.

Cosuta, Giuseppe See Paletto, Raimondo

Costa, Harald, and Lauenroth, Peter Glass—the material and its technology (10) 220*g*.

Costa, Peter Investigation of thermal and geometric contact conditions between glass and metal in the forming of hot viscous glass (3) 62*f*.

Costachescu, Carol See Grigorovici, Radu G.

Costy, J. P. See Grannec, J.

Coubrough, Lawrence E. See Moss, James R.

Couch, D. E. See Merrill, C. C.

Coughlin, Charles P. See Cochran, Thomas J.

Couillaud, Jean P., and Louise, Jean Purification of combustion products before discharge into the atm, P (9) 204*d*.

Coulter, Wallace H., and Hogg, Walter R. Electronic particle-analyzing apparatus with improved aperture tube, P (5) 105*c*; Apparatus and method for measuring particle concentration of a suspension passing through a sensing zone, P (9) 205*a*.

Coulter, Wallace H., Hogg, Walter R., and Longman, Millard D. Method and apparatus for measuring particle concentration in a fluid suspension of particles, P (9) 205*a*.

Cound, Vivienne M. See Luther-Davies, B.

Cound, Vivienne M., Davies, Philip H., Hulme, Kenneth F., and Robertson, D. A. Electrooptic coeffs. of $AgGaS_2$ (11) 258*a*.

Coupat, Bernard, and Musikas, Claude Process for the separation of elements of the lanthanide group and elements of the transplutonium group which are present in an aqueous solution, P (1) 20*g*.

Courths, R., Huefner, S., Pelzl, J., and Van Ultert, L. G. Optical spectroscopy of $ErCrO_3$ (7) 161*g*.

Cousseins, J. C. See Grannec, J.

Coussement, R. See Helsen, J.

Coussot, C. See Bridoux, E.

Coussot, Gerard Rayleigh wave guidance on $LiNbO_3$ (10) 238*g*.

Coussot, Gerard, and Paulin, R. Brillouin zone boundaries effect on positron annihilation in MgO and UO_2 crystals (11) 256*h*.

Coutures, J. P. Liquid CoO behavior in an oxidizing atm (10) 237*f*.

Cowan, Roy Oil-fired kilns: I (2) 48*f*.

Cowlard, Frederick C. Mfg. fiber-reinforced C bodies, P (7) 149*e*.

Cowles, John O. See Heckman, Richard A.

Cowling, Jack E. See Romans, James B.

Cowpland, Michael C. J., and Dickinson, David J. Thin-film capacitor, P (5) 103*a*.

Cox, C. D. See Saver, M.

Cox, R. T. ESR studies of holes trapped at Mg^{2+}, Li^+, and cation vacancies in Al_2O_3 (9) 209*j*. See La, S. Y.

Crabtree, J. D., Grundy, K. H., and Johnson, A. E. Treatment of glass fibers to render them compatible with epoxy resins, P (10) 223*b*.

Cracknell, M. F., and Evans, R. G. Elastic moduli and the order of the antiferromagnetic transition in MnO (7) 160*j*.

Cradwick, P. D., and Wilson, M. J. Calculated X-ray diffraction profiles for interstratified kaolinite-montmorillonite (8) 179*e*.

Craford, Magnus G. See Groves, Warren O.

Craig, William L. Process of precipitating H_2TiO_3, P (1) 23*i*.

Craigen, William J. S., Ritcey, Gordon M., Joe, Edwin G., Melvanin, Frank W., and Smart, Bruce C. Zr tetrafluoride process, P (2) 50*i*.

Cramer, Deane G. Window structure, P (7) 147*h*.

Cranston, Benjamin H., and Eleftheriou, Michael P. Compliant bonding, P (2) 43*j*.

Crawford, J. C. Piezoelectric response of a ferroelectric memory array (4) 84*e*.

Crawford, William A., and Hoersch, Alice Lynn Calcite-aragonite equilibrium from 50° to 150°C (2) 51*c*.

Crayton, P. H. See Buhsmer, C. P.

Crayton, Philip H., and Greene, Edward E. Synthesis-fabrication of an Al_2O_3-W carbide composite (9) 196*j*.

Creer, K. M., and Schmidbauer, Ernst Influence of crystallographic phase transitions on the magnetization of some Fe-Cr spinels (3) 75*b*.

Cremer, Gottfried, and Kraus, Joachim Means for attaching [ceramic] slabs and tiles on building structures, P (3) 66*d*.

Crevecoeur, C., and De Wit, H. J. Electrical conductivity of Li-doped MnO (4) 91*e*; Dielectric losses in As_2Se_3 glass (8) 167*i*.

Cricchi, James R. Nonvolatile memory element, P (9) 201*c*.

Crisp, M. D. See Boling, N. L.

Crisp, M. D, Boling, N. L., and Dube, G. Importance of Fresnel reflections in laser surface damage of transparent dielectrics (10) 236*i*.

Crocker, A. J., and Sealy, B. J. Physical properties of the PbTe-MgTe alloy system (8) 185*i*.

Crocker, Laird See Rosenbaum, J. B.

Crockett, Joseph T. See Hackbarth, Lowell E.

Croft, William J. See Skaar, Eric C.

Cromwell, Thomas M., and Sprague, Robert W. Method of preparing boric oxide, P (11) 256*b*.

Cronan, Charles J. See LaBelle, Harold E., Jr.

Cronemeyer, D. C. See Giess, E. A.

Cronkhite, Paul W., Voege, Robert D., and Poletti, Joseph W. Apparatus and process for polishing semiconductor or similar materials, P (4) 86*f*.

Crookston, James A., and Charles, Glen W. Insulating castable, P (6) 128*b*.

Crosby, Philip C., Goyette, Robert J., and Bauer, Douglas M. Method of making quick responding thermometer, P (7) 154*a*.

Croset, Michel, and Nouailles, Noel Novel method of mfg. protective oxide films, and structures embodying such films, P (9) 201*c*.

Crosman, John M., Jr. See Roetter, Robert P.

Croson, Eddie B. Photoresist processing method for fabricating etched microcircuits, P (2) 45*c*.

Cross, Donald E., and Blackburn, William E. Tool holder, P (6) 126*a*.

Cross, L. E. See Dougherty, J. P.

Crossland, Richard J. Glassmelting electrode matches long furnace life (7) 144*f*.

Crossland, William A., Marr, Colin A., and Hailes, Laurence Thick-films circuits, P (9) 202*f*.

Crouch, A. G. High-temp. deformation of polycrystalline Fe_2O_3 (1) 25*c*.

Crouse, David J. See Hurst, Fred J.

Crouthamel, Carl E. See Meyer, Robert J.

Crowell, Merton H., and Gordon, Eugene I. Photocathode with photoemitter activation controlled by diode array, P (6) 130*h*.

Crowley, William A. Apparatus for removing particulate and gaseous pollutants from stack smoke, P (9) 203*i*.

Crul, J. J. J. Measuring and proportioning devices—sampling and measuring instruments for analysis (7) 157*f*.

Crummett, J. G. See Aspinall, A.

Csaszar, Zoltan See Feher, Antal

Csetenyi, Jozsef See Farkas, Odon

Csizi, Bela Principles of clay body formation (3) 64*f*.

Ctyroky, V. Raw materials for silica refractories used in the glass industry of Czechoslovakia (5) 100*g*.

Cubicciotti, Daniel Thermodynamics of vaporization of Tl_2O (8) 187*d*; Vaporization of thallous sulfate (8) 187*j*.

Cuciureanu, Elena See Rezlescu, Nicolae

Cuisen, P. See Le Dred, R.

Cull, Neville L. See Mertzweiller, Joseph K.

Cullen, Glenn W., Bolin, Stephen R., Morrison, Andrew D., and Wang, Chih Chun Czochralski-grown spinel for use as epitaxial Si substrate, P (9) 200*b*.

Cullen, William F., Holub, Fred F., and McCormick, Michael R. Radiation-shielded electron discharge device, P (9) 194*i*.

Culp, Barney L. Particle separator [diamonds], P (10) 232*b*.

Cummerow, R. L. See Macdonald, B. P.

Cummings, John E. See Fries, R. Jay

Cummins, S. E. See Wu, S. Y.

Cummins, S. E., and Luke, T. E. Efficient-white-light reading of domain patterns in Bi titanate (4) 85*d*.

Cummins, Stewart E. Electron beam controlled bistable ferroelectric light valve [$Bi_4Ti_3O_{12}$], P (2) 43*e*.

Cunningham, Cecil R., and Rushton, James C. Method for packaging glass strands, P (1) 10*d*.

Cunningham, James A. See Wakefield, Robert H., Jr.

Cuomo, Jerome J. Method of selective chemical vapor deposition, P (2) 44*f*.

Cuomo, Jerome J., Mayadas, Ashok F., and Rosenberg, Robert Method for improving adhesion between conductive layers and dielectrics, P (3) 69*e*; Sputtering process for producing single-crystal thin films, P (8) 175*g*.

Cuomo, Jerome J., Sadagopan, V., DeLuca, J., Chaudhari, P., and Rosenberg, Robert Growth of uniaxial magnetic garnet films [Gd:Ga:YIG] by rf sputtering (10) 226*c*.

Curran, Richard L. Electrodes affect convection currents of glass Mathematical model for electrical melting (11) 244*b*.

Curran, Robert E., Robertson, Glenn D., Jr., and Ketchpel, Richard D. Multielement conductive faceplate, P (2) 39*a*.

Current, John M., and Smalley, Rodney R. Method for feeding and wrapping sheet material, P (3) 65*g*.

Currie, T. E. Effect of mill additions on the rheology of enamel slips (4) 79*j*.

Curry, Joseph J., and Pollack, Solomon R. Thermoelectric properties of quaternary chalcogenides [$AgCd_2InTe_4$, $CuCd_2InTe_4$, $CuZn_2InTe_4$, $CuCd_2InSe_4$] (4) 94*a*.

Curzon, A. E., Berman, R. P., and Luhman, T. S. Simple technique for removing (111) Cu or Ag single crystal films from mica and their use in Moire fringe electron microscope calibration specimens (1) 22*c*.

Cushing, Charles J., Schwind, Kurt C., and Vander Neut, Richard D. Radiation-sensitive means for detecting optical flaws in glass, P (9) 194*i*; Radiation-sensitive means for detecting flaws in glass, P (10) 223*a*.

Cutchen, John Thomas, and Haertling, Gene H. Material and electrooptic properties of the (Pb,La)(Hf,Ti)O_3 system (6) 129*c*.

Cutchen, John Thomas, Haertling, Gene H., Harris, James O., Jr., and McCampbell, Carroll B., Jr. Ferroelectric-type optical filter, P (9) 200*f*.

Cuthbert, John D., Hensler, Donald H., and Orr, William H. Fabrication of integrated optical circuits, P (8) 174*g*.

Cutter, I. A., and McPherson, R. Plastic deformation of Al_2O_3 during abrasion (6) 138*h*.

Cutter, M. A. See Allingham, C. O.

Cuvillier, Roger See Cohen-Alloro, Richard

Cypher, James H. Method and apparatus for bending and tempering glass sheets, P (8) 170*g*.

Czamanske, Gerald K., and Mihalik, Peter Oxidation during magmatic differentiation, Finnmarka complex, Oslo area, Norway: I, Opaque oxides (8) 185*d*.

Czank, M. See Tscherry, V.

Czapla, A., Jachimowski, M., and Kusior, E. Obtaining thin films of Pb oxides by reactive cathodic sputtering (3) 67*i*.

Czech. Sci. Techn. Soc. (Editor) Quantitative Stereometric Metallography, B (2) 58*e*.

Czumber, Frank E. See Wiltshire, Arthur J.

Dabrowski, M. Magnetization curves for determining time characteristics (2) 42*i*.

Dachs, H. See Heger, G. ; Jahn, I. R. ; Obermayer, H. A.

Dahlberg, John R., Oravitz, James L., Jr., and Michalik, Edmund R. Directional control for thermal severing of glass, P (4) 81*h*; Thermally directed glass cutting, P (8) 170*j*.

Dahlberg, Reinhard Method of producing a planar transistor, P (2) 44*e*.

Dahlquist, Ralph L., and Jones, James L. Capillary arc plasma source for and method of spectrochemical analysis, P (1) 22*c*.

Dahlstrom, Donald A. See Emmett, Robert C., Jr.

Dahne, Martin See Greinacher, Ekkehard

Daido, Katsuhiko See Hasegawa, Masahiko

Daily, Stanley A. See Fries, R. Jay

Daimon, Nobutoshi See Kitajima, Kunio

Dain, E. P. See Tykachinskii, I. D.

Dale, Brian Semiconductor switching device, P (2) 45*g*.

D'Alessandro, William J. Compositions containing microspheres and friction elements produced therefrom, P (8) 173*b*.

Dallaturca, A. See Romeo, N.

Dalle Donne, M., and Shumacher, G. Pyrocarbon- and SiC-coated oxide particles for gas cooled fast reactor application (6) 131*i*.

Dalton, John V., MacRae, Alfred U., Mathews, James R., Moline, Robert A., Pickar, Kenneth A., and Seidel, Harvey D. Ion-implanted Si diode array targets for electron-beam camera tubes, P (6) 129*g*.

Daly, Robert A. Plunger support means for molten glass feeder, P (5) 99*f*.

Damaeva, A. D. See Kirichenko, E. A. ; Kreshkov. A. P.

Damen, J. P. M. See van den Boom, H.

Damen, T. C. See Weber, H. P.

Daniel, Paul Form grinding of ceramic seals (1) 1*e*; Moon rock sawing and polishing techniques are available to industry (6) 119*e*.

Daniel, Peter J. Methods of mfg. semiconductor devices, P (5) 102*e*.

Danielmeyer, H. G. See Weber, H. P.

Daniels, Alma U. Cutting tool, P (3) 59*e*.

Daniels, Dale L., and Furnival, Thomas J. Cold-welded semiconductor package having integral cold-welding die, P (1) 17*a*.

Danilenko, Yu. N. Photoemf of galenite with different types of conductivity (6) 138*h*.

Danilova, N. P., Dubrovo, S. K., and Spirina, S. D. Disintegration of vitreous Ca gallosilicate by solutions of acid and alkali (2) 35*g*.

Dantro, Horace F. Photosensitive subpigmentary TiO_2 produced by calcinating Ti hydrate at 725°–825°C, P (1) 23*i*; Photoreactive TiO_2 material, P (4) 90*h*.

Danyushevskii, S. I., Dmitrieva, G. G., and Cherayshkova, M. S. Degree of firing clinker (2) 32*c*.

Danyushevskii, V. S. See Butt, Yu. M.

Daoudi, A., and Le Flem, G. Solid solution series $Ca_{2-x}Ln_xMnO_4$ (Ln = Pr, Nd, Sm, Eu, Gd) (4) 93*g*.

Darby, M. I., and Middleton, B. K. Energies of circular domain walls (10) 235*h*.
Darevsky, A. S. See Ryabova, L. A.
Dargel, L., Jarocki, E., and Olkiewicz, K. Composition dependence of lattice constant in $Li_{0.5}Fe_{2.5-t}Al_tO_4$ system (5) 107*c*.
Dargel, L., Kubel, W., and Olkiewicz, K. Influence of thermal treatment on the crystallographic structure of a series of $Li_2O.(5-2t)Fe_2O_3.tCr_2O_3$ ferrites (5) 111*a*.
Dariyal, K. D. See Chatterji, A. K.
Darling, Alan S., and Selman, Gordon L. Method of coating refractory metals for protection at high temps. and resulting articles, P (9) 191*j*.
Darnell, Alfred J., and McCollum, William A. Thermodynamics of the Fm3m⇌Pm3m transition in the K and Rb halides (4) 93*h*; Polymorphism in KCl-RbCl and KCl-KBr solid solutions at high pressure (8) 185*c*.
Darriet, Jacques See Meunier, Georges
Darriet, Jacques, and Galy, Jean $(W_{0.2}V_{0.8})_3O_7$—synthesis and crystal structure (1) 29*f*.
Darriet, Jacques, Guillaume, Gilles, Wilhelmi, Karl Axel, and Galy, Jean $MVTeO_5$ compounds (M = Na, K, Rb, Ag)—crystal structure of $NaVTeO_5$ (4) 92*b*.
Das, A. R. See Laha, S. N. ; Verma, K. K.
Das, D. See Mitra, N. K.
Das, Sibendu N. See Garside, John
D'Asaro, Lucian A. Minor lobe suppression in semiconductor injection lasers, P (10) 228*f*.
Dass, B. See Chopra, S. K.
Dathe, Joachim See Arlt, Manfred
Datschefski, Guenter Differences in design and operation of natural gas and oil-fired glass tank furnaces (1) 6*h*.
Datta, P. See Giese, R. F., Jr.
Datta, R. K., and Lahiri, D. Effect of small admixture amounts on the hydraulic properties of blast furnace slag: I, Effect of MnO (10) 217*j*.
Dau, Gary J. Promise of acoustical holography (5) 105*b*.
Daubert, Drew B. Forming [nuclear] fuel the Westinghouse way (9) 202*j*.
Daudaus, J. Interface temp. and tank life (3) 62*e*.
Daugherty, K. E. Cement as an indicator of economic development (7) 141*j*.
Daunois, A. See Deiss, J. L.
Daunois, A., Deiss, J. L., and Nikitine, S. Electroreflectance spectrum of Cu_2O crystals in the uv (9) 210*a*.
Dauphinee, Thomas M. Direct reading resistance thermometer, P (10) 233*b*.
Dauret, M. See Blondet-Gonte, G.
Dave, N. G., Masood, Irshad, and Singh, Jagbir Utilization of magnesian limestones for making magnesian limes (7) 143*a*.
Davey, John E., and Pankey, Titus, Jr. Method of forming GaP coatings, P (1) 18*a*.
Davidge, R. W. See Evans, A. G.
Davidsohn, Uryon S. Method of making semiconductor devices through overlapping diffusions, P (6) 130*d*.
Davidson, Jimmy L., and Mason, Donald R. Method of etching Si crystals, P (8) 174*g*.
Davidson, Jimmy L., and Rouse, George V. Precision polishing of semiconductor crystal wafers, P (2) 45*e*.
Davies, Ben, and Whittemore, Dwight S. Method of producing high-density refractory grain from natural magnesite, P (5) 100*g*.
Davies, David H. See Rohrer, Kenneth L.
Davies, J. H., and Ewart, F. T. Chemical effects of composition changes in irradiated oxide fuel materials (10) 229*j*.
Davies, James John, and Wertz, John E. EPR spectrum of trivalent Ti in orthorhombic symmetry in MgO (5) 109*e*.
Davies, M. W. See Robson, M. J.
Davies, Philip H. See Bichard, V. M. ; Cound, Vivienne M. ; Luther-Davies, B.
Davies, Philip H., Hobden, Maurice V., Hulme, Kenneth F., and Jones, Oliver Process for preparing single-crystal Ag_3AsS_3 and Ag_3SbS_3 and solid solutions thereof, P (3) 70*h*.
Davies, Reg See Karuhn, Richard F.
Davies, Robert L. See Huth, Gerald C.
Davies, Ted How to improve ceramic product drying (7) 156*b*.
Davis, Carlton J., Sr. See Preston, Jerome A.
Davis, Carlton J., Sr., Wood, Richard P., and Miller, Everett R. Sheet molding compound and materials thereof, P (9) 194*j*.
Davis, Earl K., and Hansen, Kent W. Glasses for encapsulating semiconductor devices, P (7) 153*j*.
Davis, Elbert Method of connecting attachments to fiberglass rods, P (10) 222*d*.
Davis, Francis C., Cannon, Donald D., Furman, Francis J., Jr., and Sease, John D. Fabrication of bonded-particle nuclear fuel sticks, P (5) 103*j*.
Davis, Grover L. Irradiation test facility, P (6) 131*j*.
Davis, H. H. See Tripp, W. C.
Davis, Harry P. Safety windshield and method of making, P (2) 39*c*.
Davis, Lester W., Jr. Quick change multifuel burner feed assembly, P (7) 158*b*.
Davis, Rodney J., and Truitt, Jack Using condensing steam for air cleaning (2) 48*c*.
Davis, William B. See Grunig, James K.
Davydov, V. D. See Kirichenko, E. A. ; Kreshkov, A. P.
Dawihl, W., and Eicke, W. Fiber composites with a brittle matrix (2) 40*a*.
Dawood, R. I. See Abdel Aziz, N. E.
Dawson, Chester H. Armored metal tools [WC] and production thereof, P (11) 241*e*.
Day, D. E. See Moore, D. W.
Day, Howard W. High-temp. stability of muscovite plus quartz (8) 182*g*.
Day, R. E. See Baker, F. S.
Day, Ralph Thermal conductivity measurement—what method serves your needs best? (9) 205*c*.
De Angelis, William M. Valve for laboratory glassware, P (2) 39*d*.
de Asmundis, C. See Gesmundo, F.
de Beer, A. See Heyne, L.
De Benedictis, Leonard C. See Koechner, Walter
De Bergevin, Francois See Brunel, Michel
De Boer, J. H. Constitution and properties of silica-alumina catalysts (2) 51*j*.
de Bussy, J. Electrical melting furnace and its possible applications in the field of glassmaking (3) 61*g*.
De Caro, Aristide R. Halogen-cycle incandescent lamp having a platinized interior fuse, P (8) 170*c*. See Rainone, Nicholas J.
de Cegama, Ladron See de Gauna, Angel Ruiz
de Combarieu, A., Jay-Gerin, J. P., and Maynard, R. Thermoelectric power of electron-irradiated graphite at low temps. (8) 173*f*.
De Donder, A. See Tenoutasse, N.
De Fabritis, Raymond P., Fefferman, Gerald B., Gesner, Bruce D., and Radner, Raymond J. Magnetic bubble device and method of mfg., P (2) 44*d*.
De Fraeye, Dirk J. R. Halogen-filament lamp, P (10) 222*j*.
de Franco, M. See Marcon, J. P.
de Gauna, Angel Ruiz, and de Cegama, Ladron Properties of concrete (mixtures of portland cement, sand, and water) and method of identifying the proportion and nature of the portland cement and sand in the mixture (7) 143*d*.
de Gier, Johannes, and Elsses, Reinhart C. W. Method of making a CRT, P (7) 147*h*.
de Goer, A. M., and Devismes, N. Phonon scattering by V ions in Al_2O_3 (8) 185*h*.
de Hair, J. Th. W., and Blasse, George Determination of the valency state of Bi in $BaBiO_3$ by ir spectroscopy (9) 209*e*.
de Jong, J. Vitreous enameling and glass research (6) 122*a*.
De Klerk, John Broad-band high-frequency thin-film piezoelectric transducers, P (1) 16*i*.
De Lamotte, Emmanuel See Beutler, Hans ; Phillips, K.
De Long, William T., Szumachowski, Edwin R., and Heverly, Harold R. Liquid binding agent for bonded arc welding flux, P (3) 60*f*.
De Luca, J. P., and Leitnaker, J. M. Review of thermodynamic properties of the Cr-N system (4) 93*c*.
De Neufville, J. P., and Turnbull, D. Phase separation in GeO-GeO_2 glasses (2) 37*b*.
de Neve, Gerard M. J. Discharge lamp with a straight oblong discharge tube, P (4) 81*i*. See Goossens, Urbaan P. M.
de Poorter, J. A. See Bril, Alfred
de Sabata, Coletta See Rusu, Ecaterina
De Santis, Urbano J., and Snyder, Herbert C. Method and apparatus for fluorine surface treatment of glass articles, P (4) 81*f*.
De Seversky, Alexander P. Wet electrostatic precipitator, P (6) 132*d*.
de Seze, L. See Gavignet-Tillard, A.
de Sio, Frederick C. Cable terminator with dielectric, P (2) 42*a*.
De Stefani, G. See De Stefani, P. L.
De Stefani, P. L., and De Stefani, G. Thermoelectric safety thermocouple device for gas burners, P (10) 234*b*.
De Tournemine, R. See Laugier, J.
De Troyer, Georges D. See Smith, Joseph E.
de Vinck, Luc G. Apparatus for joining wall tiles [sheets], P (7) 150*c*.
de Vries, Jaap See Blasse, George
de Vrijer, Bertus See Tol, Taeke
de Waard, P. J. See Acket, G. A.
de Werdt, Reinier Etching method employing an etching mask while suppressing undercutting, P (7) 153*g*. See Jochems, Pieter J. W.
De Wit, H. J. See Crevecoeur, C.
De Witt, David Double epitaxial method of fabricating a pedestal transistor, P (4) 86*h*; Transistor comprising layers of SiO_2 and Si_3N_4, P (4) 87*c*.
De Young, D. B., and Barnes, R. G. ^{57}Fe Moessbauer study of some $M_2(M')B_2$ borides [M = Mo, W; M' = Fe, Co] (8) 181*g*.
Deacon, J. A., and Hiscocks, S. E. R. Growth and properties of single-crystal LaB_4 (2) 53*f*.
Deal, Samuel B., and Bartch, Donald W. Method for preparing the viewing-screen structure of a CRT, P (3) 64*b*.
Dean, D. A. See Lindholm, R. C.
Dean, G. See Schmitz, F.
Dean, G., and Lorenzelli, R. Control of composition in the mfg. by sintering of mixed oxides and carbides of U and Pu: I and II (7) 158*g*.
Dean, P. See Bell, R. J.
Dean, Raymond H. Semiconductor device, P (3) 70*j*.
Dear, Paul S. See Fields, James M., Jr.
Dear, Terrence A. Apparatus for controlling glass fractures, P (3) 63*i*; Method of severing glass, P (3) 64*d*; Noncontact thermal cutting, P (3) 64*e*.
Deardorff, E. R. See Burke, R. W.
Deaton, Ronald L., and Silver, Gary L. Method for dissolving PuO_2, P (7) 155*i*.
Deb, S. K. Photoconductivity and photoluminescence in amorphous TiO_2 [films] (9) 213*d*.
Debbabi, M. See Keller, C.
Debergh, Philippe, and Lagrange, Maurice Installation for surveying the displacement of a structure in a nuclear reactor, P (9) 203*c*.
Deboo, Gordon J. See Burrous, Clifford N.
Debras-Guedon, J., Boix, A., and Draignaud, M. Contribution of atomic emission and absorption spectrometry to chemical analysis in the ceramic industry (5) 104*h*.
Debras-Guedon, J., Draignaud, M., and Boix, A. Contribution made by atomic absorption spectrometry to the problem of soluble Pb in glazed tableware (5) 101*c*.
DeBrunner, Ralph E., and Clements, Patricia C. Method of protecting carbonaceous material from oxidation at high temp., P (5) 100*h*.
Decamps, Edmond Antoine See Ayrault, Bernard
Dechamps, Michel, and Lehr, Pierre Transformations $\beta \rightarrow \omega$ in metallic alloys in the ternary systems Ti-Zr-O (4) 94*a*.
Decker, D. L., Bassett, W. A., Merrill, L., Hall, H. T., and Barnett, J. D. High pressure calibration—a critical review (8) 177*i*.
Decker, John J., and Kerstetter, Donald R. Double layer heater coating for electron discharge device, P (1) 17*d*; Method of making dark heater coatings including W, P (9) 201*c*.
Decker, William E. See Hampe, Walter R.
Deckers, M. Grindability of cement clinker (10) 218*f*.
Declerck, F. D. See Leonard, A. J.
Dederichs, M. See Koenig, W.
DeDiemar, Ronald B., and Schuman, LeRoy J. Gyratory crusher having antispin means for head, P (10) 234*e*.
Deeg, Emil W., Saitzer, Elias, and Simpson, Arnold J. Method for producing laser glasses having high resistance to internal damage and product produced, P (6) 126*a*.
Deeg, Emil W., and Young, Robert W. Method for producing phosphate optical glasses, P (3) 64*d*.
Deelman, J. C. Automatic grain-size analyses by means of electromagnetic surface measurements (6) 132*e*.
Deev, I. S. See Kiselev, B. A.
Deganello, Sergio High-temp. modification of gamma Na_2BeF_4 (1) 25*c*.
Degawa, Jiro, and Takeuchi, Osamu Device for making phosphor screen for color picture tubes, P (8) 169*h*.
DeGrazio, Robert P., and Robinson, Herbert N. Separation of Pu and U from holder, P (5) 103*i*.
Degtyarenko, N. M., Chaus, I. S., and Sheka, I. A. System In_2S_3-NiS (1) 28*f*.
Degtyareva, E. V., Kalita, G. E., and Kainarskii, I. S. Effect of prefiring and milling of alumina on the properties of slips and products (1) 15*a*.
Degtyareva, E. V., Levintovich, E. V., Kainarskii, I. S., and Totsenko, S. B. Thermal effects and sintering of refractory clays (7) 148*h*.
Degueldre, Louis, Gobillon, Yves, Clerbois, Lucien, and Bourgeois, Louis Solid compound of Rh and Te and mfg. process therefor, P (9) 202*a*; Solid compound of Rh and W, P (9) 202*b*.
Dehne, Gert See Schminder, Marianne
Deica, Nicholae D. New refractory hydraulic cements (11) 247*f*.
Deica, Nicolae D. See Braniski, Alexandru I.
Deichman, E. N. See Sokol, V. I.
Deis, Daniel W., and Roland, George W. Pyroelectric detector, P (9) 201*i*; Pyroelectric effect in Tl_3AsSe_3 (10) 238*f*.
Deiss, J. L. See Daunois, A.
Deiss, J. L., Daunois, A., and Nikitine, S. Polarization effects in the electroabsorption spectra of the yellow series of Cu_2O (8) 185*b*.
Dekker, Cornelis, Joustra, Pieter K., and Paro, Josephus Apparatus for the application of a refractory lining to the inside wall of metallurgical vessels as well as a molding unit to be utilized in combination therewith, P (6) 127*i*.
Dekker, P. Two new constants in connection with the viscosity and thermal expansion of enamels and glasses (1) 4*d*; Limitations, formulation, and measurement of the color palette for enameled products (5) 96*e*; Measurements of colors in enameling (6) 122*d*.
Delamarre, Claude HfO_2-MO systems—comparison with corresponding systems based on ZrO_2 (4) 92*a*.
Delamoye, P. See Bernier, J. C.
Delaney, C. F. G. See McDonald, I. R.
Delapalme, A. Cation distribution and dipole field in $Fe_xGa_{2-x}O_3$ (7) 150*i*.
Delcoigne, A., and Matmuller, R. Mfg. of an Na silicate for the glass industry (3) 62*c*.
Delembre, Andre E., Jarrige, Georges R., and Nhiep, Nguyen Dat Hermetic end seals for envelope of a metal-vapor lamp, P (6) 125*e*.
Delhaes, P. See Blondet-Gonte, G.
Delic, D., Zivanovic, B., and Ristic, M. M. Pressing process of polydisperse oxide powders (1) 20*j*.
Dell, Ronald M. See Woodhead, James L.
Dellioca, Conrad J. See Learn, Arthur J.
Delmaire, J. P. See Le Brusq, H.
Delmonte, John, Meadows, Paul L., and Benavides, Augusto E. Method of making transparent laminated structure having transparent interlayer, P (3) 64*b*.
DeLuca, J. See Cuomo, Jerome J.
Demarest, Henry M., Jr. Glass rolling apparatus and method, P (3) 63*h*.
Dembinski, Krzysztof See Anthony, Anne M.
Dembovskii, S. A. See Khvorostenko, A. S. ; Timofeeva, N. V. ; Vinogradova, G. Z.
Dembovskii, S. A., Kirilenko, V. V., and Buslaev, Yu. A. Glass formation in the system Ge-S-I (6) 123*j*; Glass formation in the systems Tl-B-S and Tl-B-Se (6) 136*a*.
Demchock, Louis A., Jr., and Greaney, Gerald F. Photoflash

lamp, P (6) 126*c*.

Demel, O., and Svoboda, P. Computer program to determine the orientation of crystals from Laue patterns (9) 204*h*.

Demharter, G. See Reye, H. J.

Demidenko, L. M. See Andrianov, N. T. ; Popova, L. N.

Demidenko, L. M., Verob'ev, V. K., Baknuov, V. S., and Poluboyarinov, D. N. Electrical conductivity of oxide ceramics in a wide temp. range (1) 25*a*.

Demilie, Paul See Castin, Marcel ; Lecuit, Paul

Demirel, T. See Huang, R. J.

Dempsey, B. J. Programed freeze-thaw durability testing unit for evaluating paving materials (2) 48*h*.

Dem'yanets, L. N., and Suvorova, N. V. Hydrothermal crystallization in the system CdO-GeO_2-LiCl-H_2O (8) 182*i*.

Dem'yanov, V. V. Kinetics of phase transitions of $BaTiO_3$ (7) 161*h*.

Denayer, M. See Callaerts, R.

Deneri, R. Technological developments in sheet glass during the last 25 years (1) 9*b*.

deNeufville, J. See Feinleib, J.

Deniskina, N. D. See Kalinin, D. V.

Denison, Don E. See Laird, Grant

Denisov, Yu. N. See Fedorov, P. I.

Denk, Hans H., and Sabad, Joseph J. Magnetic coating compositions, P (7) 153*f*.

Dennert, Hans V. ZS method for production of expanded lightweight aggregate materials (7) 143*a*. See Dennert, Heinz

Dennert, Heinz, and Dennert, Hans V. Method and apparatus for expanding clay granules, P (3) 64*g*.

Dennis, R. B. See Wherrett, B. S.

Denniston, Donald W. See Drummond, Warren W.

Denny, Patrick J., and Dowden, Dennis A. Catalytic composition, P (6) 122*d*.

Denoyer, F., Comes, Robert, and Lambert, M. Anisotropic critical X-ray diffuse scattering from $NaNbO_3$ crystals (8) 179*i*.

Dental, Andrew G., Van Uitert, L. G., and Williams, J. C. Fluorescent high-alumina substrates, P (6) 129*e*.

Depiere, D. See Smoes, S.

Depmeier, W. See Saalfeld, H.

Deportes, C. See Dontsov, G. ; Fabry, P.

Deren, Jerzy, and Haber, Jerzy Physicochemical and surface properties of Cr oxides (2) 54*d*.

Deren, Jerzy, and Rog, Grzegorz Application of emf measurements of the solid galvanic cells to the problem of Ni oxide doping (1) 15*i*.

Derevyankin, V. A. See Kraus, I. P.

Dergunova, Viktoria S. See Anikin, Leonid T.

Derick, Lincoln, Jordan, Andrew S., and Verleur, Hans W. Use of a glass dopant $[Zn(PO_3)_2]$ for GaP and electroluminescent diodes produced thereby, P (11) 251*e*.

Derie, R. See Duvigneaud, P. H.

Dernier, P. D. See Marezio, M.

Dernier, Paul D. Crystal structure of V_2O_3 and $(V_{0.962}Cr_{0.038})_2O_3$ near the metal-insulator transition (5) 107*c*.

Dernovsek, Joseph F. See Cook, Albert W.

Deronane, E. G., and Indovina, V. ESR of O_2^- species adsorbed on thermally activated MgO powders (10) 235*j*.

Dervy, Aram J. Method of fabricating a rocket nozzle liner, P (2) 40*e*.

Deryagin, Boris V. See Dzevitskii, Boris E.

Derzay, Raymond Hearing conservation for the mineral industry (6) 140*d*.

Desai, C. C. See Patel, A. R.

DeSavage, Bernard F. See Belson, Henry S.

Desbois, Gerard P. Pressure tube reactor fuel bundle, P (1) 20*g*.

DeShazer, Larry G. See Koechner, Walter

Deshmukh, K. G. See Katpatal, A. G.

Deshmukh, K. G., and Ingle, S. G. Optical studies of domain structure in $KNbO_3$ single crystals (6) 138*e*.

DeSimone, Roy R., and Linton, Richard H. Monolithic capacitor structure, P (3) 70*a*.

Desmond, Richard J., and Koenig, Paul W. Processes for the fabrication of protected semiconductor devices, P (10) 228*c*.

Desnitskii, V. P. See Tykachinskii, I. D.

Desvignes, Francois Semiconductor device for modulating electromagnetic radiation, P (1) 19*d*.

Deubel, Reinhold See Fuchs, Otto

Dev, Akant, and Cook, Ralph L. Zircon and alumina strengthen high tension insulators (2) 41*h*; Zircon improves high tension insulator properties (2) 41*i*.

Devenyi, Andrei G. See Grigorovici, Radu G.

Deverse, Frank T., Kurtz, John A., Rendon, Daniel, Trahn, Kenneth A., and Tuttle, James W. Vapor deposition apparatus, P (2) 46*a*.

Devi, A. See Morrow, B. A.

Devine, S. B., Ferrell, R. E., Jr., and Billings, G. K. Quantitative X-ray diffraction technique applied to fine-grained sediments of the deep Gulf of Mexico (1) 22*a*; Mineral distribution patterns, deep Gulf of Mexico (9) 206*h*.

Devismes, N. See de Goer, A. M.

DeVries, Adrian J., and Miller, Robert L. Optical measurement of surface-wave scatter losses in piezoelectric ceramics (10) 226*i*.

deVries, K. J. See Keizer, K.

DeVries, R. C. Evidence for plastic deformation in the natural polycrystalline diamond, framesite (10) 217*d*.

DeVries, Robert C., and Fleischer, James F. Cubic BN preparation from Li-B-N mixtures, P (2) 40*c*; Thermistors, P (3) 70*g*.

Dewing, E. W. Thermodynamics of the system NaF-AlF_3: III, Activities in liquid mixtures (7) 163*i*.

deWit, Roland Theory of disclinations: II-III (11) 259*j*.

DeWitt, D. P. See Touloukian, Y. S.

Dezsi, I. See Nagy, D. L.

Dhaka, Vir A., and Krolikowski, Walter F. Fabrication of diffused junction capacitor by simultaneous outdiffusion, P (9) 200*e*.

Dhalenne, G., Revcolevschi, A., and Collongues, R. Application of floating zone method to growth of bicrystals of refractory oxides (1) 24*b*; Directional solidification in the system NiO-CaO (4) 91*c*.

Dho, Kee Baik See Chi, Ung Up

Diamond, Sidney Identification of hydrated cement constituents using a scanning electron microscope-energy dispersive X-ray spectrometer combination (2) 33*g*; Interactions between cement minerals and hydroxycarboxylic-acid retarders: IV, Morphology of the aluminosalicylate complex (7) 142*h*.

Dias, Fleming Method of making a piezoelectric transducer, P (2) 44*a*.

DiBenedetto, A. T., Gauchel, J. V., Thomas, R. L., and Barlow, J. W. Nondestructive determination of fatigue crack damage in composites using vibration tests (2) 37*h*.

Dichter, Jakob Machine for working articles of thermoplastic materials, P (8) 170*f*.

Dick, B. Gale, and Strauch, D. Theory of one- and two-phonon reorientation rates of paraelectric defects in ionic crystals (8) 187*g*.

Dickinson, David J. See Cowpland, Michael C. J.

Dickinson, George A., and Charnock, Harold Mfg. of float glass, P (3) 63*j*.

Didier, G. Swelling of montmorillonite crystals (6) 139*b*.

Didkovskaya, O. S., Kovalevskaya, I. P., Seryi, V. G., Klimov, V. V., and Veseytsev, Yu. N. Structure and dielectric properties of solid solutions in the system $BaTiO_3$-$PbFe_{0.5}Nb_{0.5}O_3$ (8) 186*f*.

DiDomenico, Mauro, Jr. See Camlibel, I. ; Pinnow, D. A.

Diebold, Adolf, Sinn, Richard, and Schnell, Georg Mfg. of abrasion-resistant magnetic recording media, P (8) 174*c*.

Diegle, R. B. See Varshneya, A. K.

Diem, Albert R. Si-coated substrates and objects fabricated therefrom, P (7) 155*b*.

Diemann, E., and Mueller, A. He(I) photoelectron spectra of OsO_4 and RuO_4 (10) 236*i*.

Diemsen, Gunther H. Process for producing a parallel overgrowth for use as an epitaxial thin-film laser, P (8) 175*i*. See Tait, William C.

Diesperova, M. I. See Bron, V. A.

Dietch, Leonard Reetch process for color CRT, P (8) 170*h*.

Dietrich, Manfred, Eger, Helmut, Neubert, Eckart, and Krueger, Wolfgang Method of producing semiconductor circuits with conductance paths, P (1) 18*h*.

Diettrich, Helmut, and Schmidt, Hans J. Bloating ability of boiler fly ashes and of slag from slagging-type boiler plants (1) 10*g*.

Dietz, Kurt Rotating-anode X-ray tube, P (11) 246*a*.

Dietz, R., and Peover, M. E. Electrochemical evaluation of the surfaces of C fibers (8) 171*g*.

Dietz, Raymond L. Nonflow solder-stop glasses comprising Pb-Zn borate and ceramic, P (3) 64*a*.

Dietz, Wolfgang, and Selter, Hartmut Method for producing epitaxial III-V semiconductor layers containing Ga, P (8) 175*c*.

Dietze, Wolfgang Improved separation of the deposition mandrel from a vapor phase deposited semiconductor body, P (1) 17*a*; Apparatus for production of a closed tube of semiconductor material, P (11) 250*a*.

Dietze, Wolfgang, Reuschel, Konrad, and Sandmann, Herbert Device for producing tubular bodies of semiconductor material, preferably Si or Ge, P (10) 227*i*.

Dietzel, Adolf See Mulfinger, Hans-Otto

Dieulesaint, E. See Bridoux, E.

Diez, Gerhard H. See Niedner, Peter K.

Dijkstra, F. J. See Hendriks, J. H.

Dill, Hans G. IGFET adapted for microwave applications, P (2) 44*b*.

Dillenburg, Helmut, Honig, Helmut, and Moser, Wilhelm Process for the preparation of granular Na perborate tetrahydrate of low bulk density and high abrasion resistance, P (2) 50*e*.

Dillinger, Pavel, and Toelgyessy, Juraj Determination of B in boric glasses by the neutron absorption method (1) 6*e*.

Dillon, J. F., Jr. See Wemple, S. H.

Dillon, James J. See Caroselli, Remus F.

Dillon, John A. Removing SO_2 from stack gas (1) 22*i*; Managing solid wastes (9) 192*c*.

Dimitrov, G. See Dimitrov, J.

Dimitrov, J., Dimitrov, G., and Petrakiev, A. Synthesized ceramic dielectrics in the MgO-CaO-TiO_2 system (9) 200*b*.

Dimmock, J. O. See Honig, J. M.

Dimmock, John O., Meingailis, Ivars, and Strauss, Alan J. Method and means of construction of a semiconductor material for use as a laser, P (11) 250*f*.

Dinsdale, A. See Harrison, R.

Diogenov, G. G., and Bykova, T. E. Systems Na, Rb||Br,Cl and Rb,Cs||Br,Cl (1) 28*h*.

Dionis'ev, S. D., and Bergman, A. G. System AgCl-$CdCl_2$-TlCl (1) 28*c*; System $(KBO_2)_4$-$(K_2SO_4)_2$-$K_4P_2O_7$ (2) 55*a*.

Dionne, Gerald F. Origin of magnetic inhomogeneity of $Ca_3^{2+}V^{5+}$-substituted garnets (4) 92*g*.

Dischler, Bernhard See Herrington, J. R. ; Schneider, Juergen ; Timme, R. W.

Dischler, Bernhard, Herrington, J. R., Raeuber, Armin, Schneider, J., and Urban, W. EPR study of different Gd^{3+} centers in $LiNbO_3$ (9) 210*g*.

Dishington, Roland H. See Hook, William R.

Dismukes, J. P. Semiconducting properties and doping of Sc_2S_3 and Sc_3Se_3 (5) 114*a*. See Yim, W. M.

DiStefano, T. H., and Eastman, D. E. Band edge of amorphous SiO_2 by photoinjection and photoconductivity measurements (9) 208*b*.

Dittmer, Georg See Klopfer, Anton M.

Ditzenberger, J. A. See Barker, Alfred Stanley, Jr.

DiVita, Sam See Frey, Dennis L.

Divoux, Jacques C., and Taxil, Andre M. V. High-pressure Hg vapor discharge lamp, P (10) 222*j*.

Dixon, G. D., and Westervelt, D. C. Determination of the dielectric constants of organic and inorganic mixtures (7) 157*a*.

Dixon, Norman E. Ultrasonic apparatus and method for nondestructively measuring the physical properties of a sample, P (7) 157*h*.

Dmitrevskii, G. E., Martynova, L. G., Antoshenko, E. I., and Lukomskaya, Z. T. Solubility of silicic acid in solutions of alkalis and Na and K carbonates (4) 93*h*.

Dmitrichenko, N. S. See Zavrazhnyi, A. I.

Dmitrieva, G. G. See Danyushevskii, S. I.

Dmitruk, L. N., Maier, A. A., and Vlasov, A. S. Existence of solid solutions with a sillenite structure in the systems Bi_2O_3-SiO_2 and Bi_2O_3-GeO_2 (1) 25*e*.

Dmitruk, L. N., Maier, A. A., Vlasov, A. S., and Mareeva, Z. G. Growth of mixed crystals in the system $Bi_{12}SiO_{20}$-$Bi_{12}GeO_{20}$ (1) 25*a*.

Dobiasova, Ludmila, and Novak, Josef Determination of higher-valence impurity ions in $BaTiO_3$ (11) 253*d*.

Dobierzewska-Mozrzymas, E., Lewanowicz, S., and Mozrzymas, J. Method for determining optical constants of thin films (4) 89*g*.

Dobrolyubov, L. I. See Zakharov, P. P.

Dobronravova, L. A. See Pokrovskaya, V. N.

Dobrov, W. I., and Buchanan, R. A. Photoconductivity and luminescence in La_2S_3 (10) 238*c*.

Dobrovinskaya, E. R. See Bagdasarov, Kh. S.

Dobrovol'skii, A. G. See Samsonov, G. V.

Dobson, D. C., Linnett, J. W., and Rahman, M. L. Moessbauer studies of the charge transfer process in the system $Zn_xFe_{3-x}O_4$ (5) 112*i*.

Dobychin, D. P. See Burkat, T. M.

Dockerty, Robert C. See Bleher, Johannes H.

Dode, M. See Ouensanga, A.

Dode, Maurice, and Touzelin, Bernard Direct X-ray study in a controlled atm. of oxidation equilibria of U oxides at 1150° and 1200°C (4) 87*f*.

Dodonova, R. N. See Khomutova, M. I.

Doenges, Ernst, and Wagner, Fritz Protection from laser radiation, P (7) 154*c*.

Doerbecker, K. Calculation of elastic stresses and deformations occurring in a steel kettle cylinder during the enameling process (2) 34*d*.

Doerr, Henning See Lehmann, Hans

Dogadina, G. V. See Karpenko, N. V.

Dogotar, G. E. See Bukhvostov, A. P.

Doherty, J. E., Tschinkel, J. G., and Copley, S. M. Improvement of thermal shock resistance by surface prestressing (11) 247*c*.

Doi, Kikuo See Kimura, Masakazu ; Nanamatsu, Satoshi

Doinikov, L. I. See Mikhailov, V. N.

Dolcater, D. L., Jackson, M. L., and Syers, J. K. Cation exchange selectivity in mica and vermiculite (5) 106*f*.

Dolci, Gioacchino, and Renzoni, Ruggero Method of removing C from nuclear fuel elements in a closed system, P (5) 103*f*.

Dolejsi, Jaroslla See Bohun, Antonin

Dolgikh, G. V. See Bron, V. A.

Dolmatov, Yu. D., and Bulavina, Z. N. Nucleation action of particles of Ti(IV) hydroxide during thermohydrolytic preparation of TiO_2 (4) 90*g*.

Domanskii, A. I. See Petrova, M. A.

Dombrovskaya, N. S. See Polikarpova, E. M.

Domoto, Kazushige See Igata, Naohiro

Domrachev, Georgy A., Melnikov, Valery V., Kazarinov, Georgy B., Skorik, Gleb A., and Fukin, Konstantin K. Method of depositing inorganic coatings from vapor phase, P (8) 166*i*.

Donat, Ralph J. See Kauffman, John H.

Donath, F. A., and Fruth, L. S., Jr. Dependence of strain-rate effects on deformation mechanism and rock type (1) 24*d*.

Donis, V. K., Pavlov, V. T., Babinets, V. M., Balitskii, V. K., Libershtein, I. L., and Azarov, V. M. Electrotensometric conveyor balance (2) 47*g*.

Donnay, G. See Tsang, T.

Donnay, J. D. H., and Ondik, Helen M. (Editors) Crystal Data Determinative Tables: Vol. II, Inorganic Compounds, B (10) 240*f*.

Donnelly, R. G. See Slaughter, G. M.

Donofrio, Robert L., and Rehkopf, Charles H. Process of forming CRT screens to utilize the luminous efficiency of the phosphor material, P (2) 45*g*.

Donohue, Paul C. Semiconducting Cd, Cd-Zn, and Hg phosphide halides, P (7) 154*g*.

Donovan, Howard G. Apparatus and process for suspending solids, P (2) 48*d*.

Donovan, R. P. See Brooks, A. D.

Dontsov, G., Armand, M., Deportes, C., and Hammou, A. Electrical conductivity in system CeO_2-ZrO_2-CoO (4) 91*e*.

Doo, Ven Y., Regh, Joseph, and Seto, David K. Photolithographic masks of semiconductor material, P (2) 45*c*.

Dorendorf, Heinz Semiconductor devices having at least four

regions of alternately different conductance type, P (5) 103*b*.
Dorfman, V. F. See Bol'shakov, K. A.
Dorner, S. See Schumacher, G.
Doroteyev, Yu. G., and Malevanli, A. I. Problems in forming parts by dynamic hot-pressing, with the formation of a hardened structure surface layer (3) 71*h*.
Doroshenko, A. K. See Belyaev, I. N.
Dosch, Robert G., and O'Neill, William M. Preparation of ferroelectric ceramic compositions, P (2) 45*f*.
Dosen, Masasi, Kaneko, Kuzio, and Watanabe, Naozo Method of making a luminescent [GaP] diode, P (1) 18*c*.
Doty, Edward N., and Hogg, Walter R. Axial trajectory sensor having gating means controlled by pulse duration measuring for electronic particle study apparatus and method, P (4) 89*g*.
Dougherty, J. P., Sawaguchi, E., and Cross, L. E. Ferroelectric optical rotation domains in single-crystal $Pb_5Ge_3O_{11}$ (11) 258*h*.
Dougherty, William E., Jr. Multilayer printed circuit board and method of mfg., P (10) 228*g*.
Dougier, P. See Casalot, Andre
Douglas, R. W. See Burnett, D. G. ; Edwards, R. J. ; El-Shamy, T. M.
Douglas, R. W., and Ellis, Bryan (Editors) Amorphous Materials, B (1) 29*j*.
Douglas, R. W., and Frank, Susan History of Glassmaking, B (5) 117*d*.
Douglas, Thomas B., and Krause, Ralph F., Jr. Experimental search for gaseous reactivity between AlF_3 and HF near 1200°K (11) 258*d*.
Doumeng, M., Borisova, Z. E., and Baidakov, L. A. Chalcogenide glasses—$Te_{60}As_{25}Ge_{13}M_2$ (M = S or Se) (10) 219*h*.
Dourte, Rodger P. See Stoudenheimer, Richard G.
Dousmeau, P. See Boiteux, Michel
Dovbysh, V. A. See Balkevich, V. L. ; Lazovskii, V. A.
Dovgopol, V. I., Royak, S. M., Chebukov, M. F., and Shkol'nik, Ya. M. Use of Ti blast-furnace slags in cement production (2) 34*c*.
Dowden, Dennis A. See Denny, Patrick J.
Downer, B. See Taylor, J. C.
Downing, James H. See McClincy, Richard J.
Doyle, Carroll F. See Simpson, Edgar A.
Drabble, Jon R., Whyte, T. D., and Hooper, R. M. Electrical conductivity of magnetite at low temps. (8) 181*f*.
Draignaud, M. See Debras-Guedon, J.
Drake, C. F. See Regan, M.
Drake, Michael J. See Weill, Daniel F.
Drane, John See Allen, Robert W.
Drees, Joseph M. Integrated circuit bonder, P (4) 86*d*.
Dresnin, A. N. See Adadurov, G. A.
Dress, William See Grimes, John H.
Drever, James I. Preparation of oriented clay mineral specimens for X-ray diffraction analysis by a filter-membrane peel technique (10) 232*i*.
Drews, R. E., Emerald, R. L., Slade, M. L., and Zallen, R. Interband spectra of As_2S_3 and As_2Se_3 crystals and glasses (9) 192*i*.
Driear, J. R. Market report—ceramic permanent magnets (9) 199*g*.
Drifford, Maurice See Soulie, Edgar
Drinkard, B. M. See Allen, Paul T.
Driscoll, J. N., Berger, A. W., Becker, J. H., Funkhouser, J. T., and Valentine, J. R. Determination of oxides of N in combustion effluents with a nitrate ion selective electrode (1) 21*i*.
Driscoll, R. James Environmental challenges at new mfg. facilities (5) 96*j*.
Drobasheva, T. I., Il'yanov, I. I., and Tokman, I. A. Ternary system comprising the chlorides of K, Rb, and Cd (7) 163*a*.
Drobnick, James L., and Chen, Tom Tse-Pu Process for the purification of MoO_3, P (3) 73*g*.
Drobot, D. V. See Sarkisov, E. S.
Drobot, D. V., Aleksandrova, V. A., and Korshunov, B. G. Phase equilibria in the system $ReCl_5$-$ReCl_3$ (1) 26*d*.
Drobot, D. V., Korshunov, B. G., and Aleksandrova, V. A. Reaction of ReO_3Cl with $ReOF_4$ (7) 162*a*.
Drobyshev, V. N. See Adadurov, G. A.
Dron, Ninel A. See Belkin, Nikolai V.
Druskin, R. Possible applications of analog or digital simulation to the heat exchange problems encountered in the working and treatment of glass (1) 8*c*.
Drowart, J. See Smoes, S.
Drozdetskaya, G. V. See Ordan'yan, S. S.
Drozhzhin, A. Kh. See Kantsepol'skii, I. S.
Druin, Melvin L., Ferment, George R., and Rao, Velliyur N. P. Surface modification of C fibers, P (7) 149*f*.
Drummond, Warren W. Glass fiber forming and supply package, P (1) 9*f*.
Drummond, Warren W., and Denniston, Donald W. Glass fiber forming and coating process, P (6) 125*d*.
Drwiega, E. See Auleytner, J.
Dryden, J. S., and Shuter, B. Dependence of thermoluminescence of LiF:Mg^{2+} crystals on the state of aggregation of the Mg^{2+} ions (11) 257*i*.
Dryon, Jacques M. C. Apparatus for incising a web of glass, P (3) 63*j*.
Dube, G. See Boling, N. L. ; Crisp, M. D
Dubenskii, K. K., Kazanskii, S. A., Ryskin, A. I., and Sokolov, V. A. Luminescent method of studying the crystallization front in $ZnSe_{1-x}S_x$ crystals (5) 111*g*.
Dubrovo, S. K. See Danilova, N. P. ; Tsekhomskaya, T. S.
Dubrovskaya, G. N. Stability of sulfides of the IVA subgroup in various corrosive media (5) 114*f*.
Ducato, Aldo See Pieri, Giovanni
Duchene, Jacques See Le Page, Madeleine A.
Dudareva, A. G., Akkelidu, Konstandiya, Ivanov-Emin, B. N., and Fedorov, P. I. System $InBr_3$-NaBr (5) 115*b*.
Dudareva, A. G., Bogatov, Yu. E., Ivanov-Emin, B. N., and Fedorov, P. I. Reaction of $InBr_3$ with Cs bromide (7) 162*h*.
Dudareva, A. G., Mel'nikov, N. N., and Fedorov, P. I. Physicochemical study of the systems $GaBr_3$-NaBr and InI_3-NaI (1) 26*g*.
Duderov, Yu. G. See Sadkovskii, E. P.
Duderov, Yu. G., and Kiryutin, A. A. Thermal conductivity of ceramics based on BN and AlN (1) 29*c*.
Dudkin, Vyacheslav F. See Bogrets, German N.
Duensche, Horst G. Method of gastight sealing of semiconductor components, P (6) 130*a*.
Duerr, Francis R. See Clishem, Thomas A.
Duff, Edward J. Transformation of gypsum into fluorite in aqueous fluoride solutions (8) 166*d*.
Duffy, J. A. Ultraviolet transparency of Na phosphate glass containing metal ion impurities (1) 9*e*.
Duffy, Joseph J., and Dunbar, Alexander S. Segmented laser apparatus and method of making, P (3) 70*j*.
Duffy, Michael T. MOS transistor with Al_2O_3 gate dielectric, P (2) 44*i*.
Duinker, Hans D., and Leng, Eric R. Method of mfg. display screens for CRT, P (10) 228*b*.
Duke, David A. Glass-ceramic articles, P (2) 38*h*.
Duke, David A., and MacDowell, John F. Glass-ceramic body, P (7) 146*i*.
Dulat, Joseph Ceramic whiteware compositions comprising a borate flux, P (3) 66*c*; Method for treating surfaces of building materials, P (5) 100*a*.
Dullabaun, Paul W. See Price, William E.
Duma, Gyorgy, and Ravasz, Csaba Pottery with sand network (1) 15*d*.
Dumbaugh, William H., Jr. Ir-transmissive Pb bismuthate glasses, P (7) 147*c*.
Dumbaugh, William H., Jr., Flannery, James E., Megles, John E., and Smith, John A. Method for making multilayer laminated bodies, P (9) 194*c*.
Dumbaugh, William H., Jr., and Malmendier, Joseph W. Electrical lamp or tube comprising Cu-coated Ni-Fe alloy electrical current conductors and a glass enclosure, P (7) 146*e*.
Dumont, F., and Watillon, A. Stability of Fe_2O_3 hydrosols (2) 54*f*.
Dunaeva, T. Yu., and D'yakov, B. B. Evaluation of porosity of ceramic coatings based on their electrical breakdown (7) 157*c*.
Dunbar, Alexander S. See Duffy, Joseph J.
Duncan, David M. Method of forming semiconductor device contacts, P (10) 227*j*.
Duncan, J. F. See Sitharamarao, D. N.
Duncan, M. A. G., Gillott, J. E., and Swenson, E. G. Alkali-aggregate reaction in Nova Scotia: II, Field and petrographic studies (7) 141*j*.
Duncan, M. A. G., Swenson, E. G., and Gillott, J. E. Alkali-aggregate reaction in Nova Scotia: III, Laboratory studies of vol change (9) 189*g*.
Duncan, M. A. G., Swenson, E. G., Gillott, J. E., and Foran, M. R. Alkali-aggregate reaction in Nova Scotia: I, Summary of a 5-yr. study (7) 141*j*.
Duncan, R. G. See Jones, B. F.
Dunegan, Harry C. See Stradley, Norman H.
Dungan, R. H., and Gilbert, J. A. Molecular sieves for structural desiccants (9) 198*g*.
Dungan, R. H., Gilbert, J. A., and Smith, J. C. Preparation and mechanical properties of composites of fused SiO_2 and W fibers (7) 162*f*.
Dunham, Russell W., and Huntington, Hillard B. Ultrasonic beam mixing as a measure of the nonlinear parameters of fused SiO_2 and single-crystal NaCl (8) 187*f*.
Dunipace, Donald W., McCown, William E., and Schafer, Conrad B. Drawing sheet glass from a mass of molten glass through a body of protective material, P (9) 194*a*.
Dunlop, R. G. Process for coating the interior surfaces of glass containers, P (8) 170*f*.
Dunn, B., Ueka, K., and Mackenzie, J. D. Secondary electron emission of semiconducting glasses (10) 221*d*.
Dunn, Wendell E., Jr. Process for beneficiation of titaniferous ores, P (2) 50*d*.
Dunne, Gilbert M., Jr. See Rotsky, Bernard A.
Dunning, Lester M. Corrosion testing of home laundry coatings (5) 96*h*.
Dunwody, Kenneth W. How the brick industry views the gas shortage (9) 195*d*.
Dupont, Lucien See Anthony, Anne M.
Dupree, Paul M. See Tredinnick, Bruce C.
Dupuis, Jean M. Method and apparatus for mfg. of integrated circuit devices, P (11) 250*j*.
Duraffourg, G. See Eymard, R. ; Noblanc, J. P.
Duran, J. See Pisarev, R. V.
Durand, Marie See Ayrault, Bernard
Durge, V. V. See Bhide, V. G.
Duthie, D. M. L. See Thomson, A. P.
Dutov, Valery V. See Anikin, Leonid T.
Dutta, S. K., and Gazza, G. E. Properties of hot-pressed SiB_6 (10) 224*c*.
Duvignaud, P. H., Deric, R., and Naessens, G. Effect of Fe oxide on the growth of CaO and MgO particles in calcined dolomite (6) 135*g*.
Dvorak, Joseph E., and Wallace, John F. Method of fluxing and fluidizing slag in a cupola, P (7) 149*f*.
Dvornikova, L. M. See Lazareva, L. S.
Dwight, A. E. See Taneja, S. P.
Dwight, K. See Menyuk, N.
Dwivedi, G. L., and Subbarao, E. C. Thermal expansion of monoclinic (alpha) Nb_2O_5 (9) 215*g*.
D'yachkova, N. N. See Nevskii, O. B.
D'yakonov, B. P. See Shcherbak, V. I.
D'yakov, B. B. See Dunaeva, T. Yu.
D'yakova, A. P., Kharin, A. N., and Lomakina, T. P. Oscillographic determination of As and Se in As-Se semiconductor films (4) 85*b*.
Dyban, Yu. P., and Keler, E. K. Correlation between gas permeability of semiacid ladle brick and open pore distribution (1) 11*j*.
Dyer, Lawrence D. Method of obtaining phased growth of epitaxial layers, P (2) 44*d*.
Dykes, Norman L. See McWhorter, William C.
Dyment, John C., and Ripper, Jose E. Method of making *Q*-switched diode laser, P (1) 18*d*.
Dyskin, Ernest M., Raevskii, Georgy V., Biletskii, Semen M., Burmenko, Eduard Yu., Grosman, Erikh R., Satanovskii, Abram L., Kremnev, Oleg A., Zhuravlenko, Viktor Ya., and Protsyshin, Boris N. Hollow tire of rotary furnaces and method of equalizing tire temps., P (1) 22*i*.
Dzevitskii, Boris E., Spitsyn, Boris V., Kochkin, Dmitry A., and Deryagin, Boris V. Producing diamonds synthetically, P (3) 59*e*.
Dzhavuktsyan, S. G. See Pevzner, B. Z.
Dzhanukhadze, D. F., Ugryumova, M. A., Venevtsev, Yu. N., and Zhdanov, G. S. System $PbZrO_3$-$SrCu_{0.33}Nb_{0.67}O_3$ (8) 187*c*.
Dzhurinskii, B. F. See Palkina, K. K. ; Tananaev, I. V.
Dziecinch, Matthew A., and Weber, Neill Cationically conductive ceramics, their preparation and use, P (6) 129*a*.
Dziedzic, J. M. See Ashkin, A.

Eardley, R. P., Aldridge, L. P., and Kennerley, R. A. New criteria for the analysis of portland cement (4) 79*c*.
Eason, M. D., and Lakin, J. R. Developments in blast furnace linings (4) 83*f*.
East, Jerry L. Automatic bottle packing method and apparatus, P (3) 63*b*.
Easterling, K. E. Forces acting on dislocations in sintering (3) 75*b*.
Eastman, D. E. See DiStefano, T. H.
Easton, B. C. See Boucher, A.
Eastwood, Fred See Jago, Edward J.
Eastwood, H. K. See Kwan, Clarence C. Y.
Ebel, H. See Schopper, H. C.
Eberhard, Guenther Integrated bistable stage having MOS FETs, P (9) 200*h*.
Eberhart, J. P., and Triki, R. Identification of clay minerals by electronic microdiffraction using 001 reflections (6) 132*h*.
Ebina, Atsuko See Saito, Kazuyuki
Ebisawa, Isao See Kakehi, Toshihiro
Ebisuzaki, Y., and Nicol, M. Raman spectrum of hexagonal Zn sulfide at high pressures [to 40 kbars] (5) 114*e*.
Ebling, Hilmer F. Method of making steel powder articles of select electrical resistivity, P (7) 154*b*.
Ebregt, Johannes Process for the preparation of catalysts containing crystalline aluminosilicate zeolites, P (3) 73*e*.
Ebrey, John A. C., and Gough, George T. Electrophoretic casting of pottery, P (6) 128*e*.
Eck, Richard H. Directional ir heating element, P (2) 43*d*.
Eckert, Georg, and Ciriack, Guenther Thermionic cathode [Th film] and method of mfg., P (2) 45*i*.
Eckert, L. J., and Bradt, R. C. Thermal expansion of alpha Ga_2O_3 (6) 139*d*; Thermal expansion of corundum structure Rh_2O_3 (8) 187*j*.
Eckstein, Y. See Reisfeld, R.
Economy, J., and Lin, Ruey-Yuan Carbonization and hot stretching of a phenolic fiber (6) 127*c*.
Economy, James, and Matkovich, Vlado I. B_4C fiber production, P (7) 149*a*.
Eddy, David S., Sutherland, Glenn E., Micheli, Adolph L., and Brooks, Merton H. Apparatus for hot-pressing oxide ceramics in a controlled O atm, P (8) 177*a*.
Eddy, W. H., Collins, E. W., Browning, J. S., and Sullivan, G. V. Recovery of feldspar and glass sand from South Carolina waste granite fines (1) 23*f*.
Edelshtein, L. B. See Soldatkin, M. T.
Eden, Jamal S. Cr molybdate-Te oxide-P oxide catalyst, P (4) 90*f*.
Edgar, A. D. See Platt, R. G.
Edge, James Capacitor, P (7) 153*b*.
Edie, Danny D., and Kirwan, Donald J. Impurity trapping during crystallization from melts (5) 110*h*.
Edwards, Albert Method and apparatus for mfg. of cold setting foundry molds and cores, P (3) 65*g*.
Edwards, B. S. See Brown, G. ; Madgett, P. A.
Edwards, David Franklin See Masso, Jon D.
Edwards, Grant C. See Albers, Edwin W.
Edwards, J., and Friedt, R. F. Anisotropy in the resistivity of $NbSe_2$ (5) 106*h*.
Edwards, Leon R., and Lynch, R. W. High-pressure compressibility and Grueneisen parameter of Sr titanate (4) 92*b*.
Edwards, R. J., Paul, A., and Douglas, R. W. Spectroscopy and oxidation-reduction of Fe and Cu in Na_2O-PbO-SiO_2 glasses (6) 124*e*; Spectroscopy and oxidation-reduction of Fe in $MO.P_2O_5$ glasses (6) 124*h*.
Eesmaa, T. E., Turetskii, A. M., and Egorov, G. B. Search for optimum conditions for firing portland cement clinker (2) 34*a*.
Efanov, Boris F. See Maksutov, Rafkhat
Efimov, A. I., and Kudryashova, Z. P. Compound formation in the systems $CoCl_2$($NiCl_2$)-RbCl (1) 24*i*.
Eftax, Daniel S. P. See Brown, Lloyd H.

Egami, Harutoshi See Ichinose, Noboru

Egami, Seiji See Yamada, Tunehiko

Egan, James J., Kimmel, Millard E., Strobl, Ronald L., and Wanesky, William R. Microscopically inspecting and sorting articles, P (8) 175*e*.

Eger, Helmut See Dietrich, Manfred

Egerton, T. A., Hagan, A., Stone, F. S., and Vickerman, J. C. Magnetic studies of zeolites: I, Magnetic properties of CoY and CoA (4) 92*h*.

Egorov, G. B. See Eenmaa, T. E.

Egorov, V. M., Zhirnova, T. V., and Fedotov, A. I. Bombardment of glasses with ions of active gases in glow discharge (7) 144*a*.

Egorova, L. S. See Pavlushkin, N. M.

Ehlers, Ernest G. Interpretation of Geological Phase Diagrams, B (4) 94*i*.

Ehman, Michael F., and Austerman, S. B. Dislocation etchant for BeO (8) 173*b*.

Eibschuetz, Marcu, Guggenheim, H. J., Holmes, Lewis, and Bernstein, J. L. $CsFeF_4$—a new planar antiferromagnet (9) 199*f*.

Eibschuetz, Marcu, Holmes, Lewis, Malta, John P., and Van Uitert, L. G. Low-temp. magnetic phase transition in $ErCrO_3$ (8) 183*i*.

Eichhorn, F., and Metzler, J. Determination of the thermal conductivity of sprayed layers of oxide ceramics (1) 4*c*.

Eick, Harry A. See Haschke, John M.

Eicke, W. See Dawihl, W.

Eidner, Dieter, Rasemann, Winfried, and Meier, Juergen Mathematical-statistical experimental planning—purpose and practical realization (11) 260*a*.

Eigenmann, K., and Guenthard, Hs. H. Valence states, redox reactions, and biparticle formation of Fe- and Ti-doped sapphire (10) 240*a*.

Eigenmann, K., Kurtz, K., and Guenthard, Hs. H. Optical spectrum of α-Al_2O_3:Fe^{3+} (10) 238*a*.

Eikhenbaum, I. G. See Belyaev, I. N. ; Lesnykh, D. S.

Eilenberger, Robert F. Free-form jars with lids (4) 77*f*; Carved clay compartment with hinged doors (4) 77*h*; Sectioned plates (4) 78*b*.

Einnatz, H. J. See Schmidt, Ernst

Einnatz, H. J., and Schmidt, Ernst Effects of cellulose admixture to mortars on the properties of masonry: II, Workability and performance in masonry work (7) 142*a*.

Eipeltauer, Eduard Use of phosphoric acid-gypsum sludge (9) 191*e*.

Eisenberg, Earnold J. See Loewenstein, Klaus L.

Eisenegger, Edwin B. Elevator especially for the vertical conveying of granular or pulverulent materials, P (1) 21*a*.

Eisenstein, J. C. See Taragin, M. F.

Eisses, Reinhart C. W. See de Gier, Johannes

Eitel, Michael J., Kay, Donald A., and Hulbert, Samuel F. Water-resistant polymer coatings for water-soluble glass (6) 125*i*.

Eklund, P. C. See Honig, J. M.

El Adl, E. I. See Abdel Aziz, N. E.

El-Baradie, H. Y. See Kamel, A. H.

El-Batal, H. A. See Abou-El-Azm, A. ; Ashour, G. M.

Elbinger, German See Gerber, Roland

Elcombe, M. M., and Pryor, Arthur W. Lattice dynamics of CaF_2 (11) 258*f*.

Eleftheriou, Michael P. See Cranston, Benjamin H.

Elem, Bee Steel and refractories during India's current 5-year plan (2) 40*a*.

Elena, E. See Aloman, A.

Elger, Gerald W. See Stickney, William A.

Eliseev, A. A. See Ellert, G. V. ; Grizik, A. A. ; Morozov, S. F.

Eliseev, A. A., Uspenskaya, S. I., and Fedorov, A. A. Morphology and symmetry of β-M_2S_3 crystals [M = La, Ce, Pr, Nd] (1) 26*b*; Crystal structure of Nd disulfide (5) 107*b*.

Eliseev, S. S. See Glukhov, I. A.

El'khones, N. M. See Plotnikov, K. A.

Elkins, Perry E. See Mee, Jack E.

Elle, K. H. Formation and removal of rings from the cement works' operational point of view (6) 120*g*.

Ellert, G. V. See Morozov, S. P. ; Sevast'yanov, V. G.

Ellert, G. V., Eliseev, A. A., and Slovyanskikh, V. K. Symmetry of crystals of UTe_2 (5) 115*f*.

Ellert, G. V., and Slovyanskikh, V. K. U ditelluride (9) 216*a*.

Ellert, G. V., Slovyanskikh, V. K., and Sevast'yanov, V. G. Systems U-S and U-Se (5) 115*f*.

Ellis, Bryan See Douglas, R. W.

Ellis, C. J. See Cooke, Arthur H.

Ellis, Ronald, and Wankling, James L. Radiation detector comprising semiconductor body incorporating a two-dimensional array of *pin* devices, P (1) 19*b*.

Ellis, S. C. See Rossiter, M. J.

Ellis, Willard H. See Bokros, Jack C.

Elmaleh, David See Pernet, Michel

El'manova, N. A. See Glukhov, I. A.

Elmore, Glenn V. [Plating] method for strongly adhering a metal film on ceramic substrates, P (1) 18*j*.

Elo, R. B., Murarka, S. P., and Swalin, Richard A. Thermochemical study of the defect structure of BaO (8) 187*b*.

El-Shamy, T. M. Chemical durability of K_2O-CaO-MgO-SiO_2 glasses (11) 243*j*; Rate-determining step in the dealkalization of silicate glasses (11) 244*i*.

El-Shamy, T. M., and Douglas, R. W. Kinetics of the reaction of water with glass (1) 7*i*.

El-Shamy, T. M., Lewins, J., and Douglas, R. W. Dependence on the pH of the decomposition of glasses by aqueous solutions (1) 6*b*.

Elsner, Lothar Process for continuous mfg. of glass-fiber-reinforced modules of synthetic resin, P (1) 10*d*.

Elstner, I., and Scholze, H. Mass-spectrometric studies of the effect of firing atm on bubble formation in porcelain glazes (9) 198*f*.

Elwan, S. M. See Hussein, A. T.

Elwell, D., and Neate, B. W. Review—mechanisms of crystal growth from fluxed melts (8) 176*j*.

Elwell, Dennis, and Tannhauser, D. S. Hall effect in Li ferrite $[LiFe_5O_8]$ (7) 151*h*.

Emeis, Reimer Method and apparatus for subdividing a crystal wafer, P (3) 69*d*; Device for indiffusing dopants into semiconductor wafers, P (3) 69*e*. See Burtscher, Joachim

Emel'yanov, V. A., Beremblyum, G. B., Nakhaev, P. E., Solomentsev, S. L., and Ioffe, V. G. Creep of refractories for blast furnace stoves (1) 11*d*.

Emerald, R. L. See Drews, R. E.

Emerson, Robert B. See Beiding, William A.

Emin, David See Seager, Carleton H.

Emmenegger, Franzpeter, and Roetschi, H. Dielectric properties of some niobates and tungstates (5) 108*d*.

Emmett, Robert C., Jr., and Dahlstrom, Donald A. Method for steam drying filter cake, P (10) 232*a*.

Emmett, Robert C., Jr., Dahlstrom, Donald A., and Brozovich, John C. Apparatus for steam drying filter cake, P (2) 48*d*.

Emon, Donald E., and Riley, Donald R. Nuclear fuel element, P (2) 47*c*.

Emoto, Koichi See Inabe, Katsuyuki

Emoto, Saburo See Yamada, Tunehiko

Emrich, Emerson W. History and development of ceramic wall tile bodies in the U.S. (11) 248*i*.

Emrick, R. M. See Leong, J. T.

Endo, Keizo See Terada, Michiko

Endo, Morinobu See Koyama, Tsuneo

Endoh, Y. See Kohgi, M.

Endoh, Yasuo See Akimitsu, J. ; Syono, Yasuhiko

Endrys, Jiri See Tydlitat, Vratislav

Engel, G. Ir spectroscopic and X-ray diffraction studies of Pb hydroxyapatite, Pb oxyapatite, and Pb alkali apatites (8) 182*f*.

Engel, G., and Klee, W. E. Infrared spectra of the hydroxyl ions in various apatites (2) 53*j*.

Engel, L. J. See Lacam, A.

Engeler, William E. Short-channel FETs, P (1) 19*a*. See Brown, Dale M.

Engeler, William E., and Cordes, Linus F. High-temp. low-ohmic contact to Si, P (5) 102*e*.

Engelmann, Reinhart Semiconductor arrangement for nonreciprocal amplification or generation of oscillations in the microwave range, P (8) 175*b*.

Enger, Phillip F. See Kalousek, George L.

Engerer, H. See Keller, C.

Engler, P. H. Influence of furnace atm. on enamels in direct-fired furnaces (1) 4*g*.

English, J. E. Detection of small differences in the specific surface area of powders (2) 48*g*.

Enoch, R. D., and White, E. A. D. Unusual magnetic domain structure in a single crystal of YIG (1) 16*e*.

Ensign, T. C., and Stokowski, Stan E. Shared holes trapped by charge defects in $SrTiO_3$ (6) 138*h*.

Ensminger, Dale Ultrasonics—The Low- and High-Intensity Applications, B (6) 140*i*.

Entin, V. G. See Pitak, N. V.

Entin, Z. B. See Budnikov, P. P.

Entine, Gerald, Cocks, Franklin H., and Mitchell, Carl R. CdTe devices with nondiffusion contacts, P (7) 153*a*.

Entler, Richard W. See Russell, Robert C.

Epifano, Robert N., and Jordan, Eugene L. Method of making a semiconductor device including a polyimide resist film, P (2) 44*b*.

Eppler, Richard A. See O'Conor, Eugene F.

Epstein, D. J. See Kaplan, Theodore

Epstein, David J., and Bullock, David C. Single and polycrystalline semiconductors, P (5) 103*c*.

Epstein, David J., Herrick, William V., and Turek, Robert F. Elastic constants of Gd molybdate (7) 160*j*.

Epstein, Howard C. Compression accelerometer utilizing a Li niobate piezoelectric crystal, P (5) 101*j*; Accelerometer utilizing shear responsive X-cut Li niobate, P (8) 173*j*.

Epsztein, Bernard Electronic transducer for a piezoelectric line, P (1) 17*g*.

Eramzhyan, R. A. See Bukhvostov, A. P.

Erastova, A. P. See Tret'yakov, Yu. D.

Ercole, P. See Gottardi, V.

Erdely, Imre Classification of the sand fraction of concrete aggregates (9) 189*j*.

Erdelyi, Attila See Kovacs, Karoly

Erdman, William C., and Miller, Paul Removal of projections on epitaxial layers, P (6) 130*b*.

Erdman, William C., and Schmidt, Paul F. Anisotropic etching of Si and Ge, P (9) 200*f*.

Erdogan, H. See Saver, M.

Eremeev, V. V. See Yudin, N. A.

Eremenko, V. V. See Galuza, A. I. ; Gredescul, V. M.

Eremin, A. S. See Zakharov, P. P.

Eremin, N. I. See Smirnov, V. I.

Erenburg, B. G. See Boldyrev, V. V.

Erickson, Clifford W. See Axmark, Roger E.

Erickson, George F., and Stratton, Thomas F. Electrodes for obtaining uniform discharges in electrically pumped gas lasers, P (10) 227*a*.

Erikson, Herluf N. Method, apparatus [spinner], and system for fiberizing molten mineral material, P (4) 81*g*.

Erman, L. Ya., and Gal'perin, E. L. Phases in the system Bi_2O_3-MoO_3 (1) 26*g*.

Erman, L. Ya., Gal'perin, E. L., and Sobolev, B. P. Phase diagram of the system Bi_2O_3-MoO_3 (5) 113*c*.

Ermanok, N. V. See Sil'vestrovich, S. I.

Ermolenko, I. M. See Chernov, R. V.

Ermolenko, Igor N., Sviridova, Remma N., and Kuvaeva, Zoya I. Pyrolytic C fiber, P (2) 40*i*.

Ernest, Lawrence A. See Leary, Ray D.

Erneta, M., and Stoeckler, H. A. Light scattering by pores in ceramic (Pb,La)(Zr,Ti)O_3 (8) 173*i*.

Ernsberger, F. M. Strength of brittle ceramic materials (5) 117*a*.

Ertle, Raymond T. See Schuman, Leonard J.

Esashi, Shinji See Namikata, Takeshi

Eschnauer, Heinz R., and Steine, H. Theo Coating of glass mold tooling by powder-sprayed bronze alloys (2) 35*j*.

Escoubes, M. See Quinson, J. F.

Espeel, Frans J., and Ackermann, Ernst Pneumatic dust collection system, P (8) 177*c*.

Espinosa, G. P. See Krumme, J. P.

Estes, John H. See Suggitt, Robert M.

Estes, Marvin F. See Rasquin, John R.

Estle, Thomas L. See Timme, R. W.

Estour, Henri Microanalysis of glass with the electron microprobe and determination of Na (10) 220*e*.

Esveldt, Cornelis J. See Slijkerman, Nicolaas P.

Esveldt, Cornelis J., and Slijkerman, Nicolaas P. Annular core consisting of a ferromagnetic ferrite and to be used as a magnetic memory element and method of mfg. such a magnetic core, P (4) 86*d*.

Eswaran, H. Morphology of allophane, imogolite, and halloysite (5) 112*a*.

Etsell, T. H., and Flengas, S. N. *N*-type conductivity in stabilized ZrO_2 solid electrolytes (6) 137*j*; Determination of O in gas mixtures by emf measurements using solid oxide electrolytes (7) 156*j*.

Ettenberg, Michael See Lockwood, Harry F.

Etter, D. E. Compact high-temp. dilatometer (11) 253*c*.

Etzel, K., Rosswurm, H., and Wilhelmi, G. Fabrication and properties of synthetic carbon products used in blast furnaces (4) 83*c*.

Etzel, Karl W. F. See van Laar, Jacobus

Eugster, H. P., Albee, A. L., Bence, A. E., Thompson, J. B., Jr., and Waldbaum, D. R. Two-phase region and excess mixing properties of paragonite-muscovite crystalline solutions (1) 29*a*.

Evani, Syamalarao See LaBarge, Robert G.

Evans, A. G. Strength degradation by projectile impacts (9) 215*d*.

Evans, A. G., Padgett, C., and Davidge, R. W. Strength of pyrolytic SiC coatings of fuel particles for high-temp. gas-cooled reactors (2) 46*i*.

Evans, A. G., and Sharp, J. V. Microstructural studies on Si_3N_4 (7) 161*e*.

Evans, Bruce Douglas, and Kemp, James C. Vibronic aspects of the CaO and MgO *F* bands (8) 188*a*.

Evans, C. A., Jr. See Pawel, R. E.

Evans, Cyril G. Carbon filaments, P (1) 14*e*.

Evans, D. J., and Jones, A. E. Cooperative approach to industry's problems needed (1) 14*h*.

Evans, D. L., and Fischer, G. R. X-ray determination of film thickness using the glassy halo (7) 146*g*.

Evans, David J. I. See Kushnir, Bud W.

Evans, Doletha M., and Katz, Lewis Structure of $Ba_3Nb_{2(1-x)}Si_2O_{4x}$($x \cong 0.2$) (10) 239*a*; Structure of 12-layer Ba Cr oxide (10) 239*e*.

Evans, Eloise H. See Swanson, Howard E.

Evans, G., and Cholerton, J. F. E. Mechanism of attack on upper course checker bricks in glass tank regenerators (5) 100*d*.

Evans, H. See Taylor, M. J.

Evans, H. T., Jr. See Appleman, D. E.

Evans, Harry T. Profile thermocouple, P (6) 133*e*.

Evans, James G. See Gartman, William W.

Evans, L. See Johnson, Quintin

Evans, Lyle W., and Slobbe, Walter W. Method of forming a color CRT screen, P (1) 10*b*.

Evans, M. T., Warming, E., Hutchings, M. T., and Stringfellow, M. W. Optic spin waves in magnetite near the Verwey transition (9) 213*i*.

Evans, R. G. See Barber, D. J. ; Cracknell, M. F.

Evans, Robert D. Production of shaped MgO compositions, P (11) 247*j*.

Evans, W. H. See Schumm, R. H.

Evdokimova, Z. U. See Ignatova, T. S. ; Semkina, N. V.

Everett, Dart W. Automated batching at Wheaton Glass Co. (9) 192*b*; Crucible making—craftsmanship still counts (9) 195*i*; Emhart moves in on kiln furniture market (9) 196*d*; Lapp Insulator—growth through innovation (9) 198*d*; Memories are made of this [ferrites] (9) 199*g*; Associated Ceramics—new methods cut costs (9) 203*e*.

Everett, George S. See Brown, Lloyd H.

Everett, Glen E. See White, Henry W.

Eversteijn, Franciscus C., and Poek, Hermanus L. Vapor deposition reactor, P (11) 251*f*.

Evison, Vera I. Glass cone beakers of the "Kempston" type (6) 119*i*.

Evrard, Omer, Jeannot, Francois, and Lecuire, Jean M. Neel temp. dependence of the oxides CoO, NiO, $Fe_{1-x}O$, and MnO with dilution and cation–O–cation distance; application to limiting solubilities determination (9) 212*i*.

Evstrop'ev, K. K. See Golubtsov, L. A.

Evstrop'ev, K. S. See Golubtsov, L. A.

Evteev, Dmitry P. See Rutes, Viktor S.
Ewart, F. T. See Davies, J. H.
Ewell, Joseph R. Rotary abrasive tool, P (8) 165*e*.
Exarhos, G. J., and Risen, W. M., Jr. Cation vibrations in inorganic oxide glasses (9) 192*c*.
Exner, William E. Impregnated ceramic insulators and method of making, P (1) 15*d*.
Eymard, R., and Duraffourg, G. Impurity density-of-states tails in neutral semiconductors—application to the diffusion current in GaSb *pn* junctions (10) 226*e*.
Eysel, W. See Pieper, G.
Eysel, W., Wolfe, R. W., and Newnham, R. E. $Pb_5(Ge,Si)_3O_{11}$ ferroelectrics (5) 101*j*.
Ezhov, V. M. See Belyaev, I. N.

Fa, Charles H. Process for coplanar semiconductor structure, P (10) 228*b*.
Fa, Charles H., and Suzuki, Clarence K. Method for forming a field-effect device, P (1) 17*j*.
Faani, Siamac See Babunovic, Momir
Fabianic, W. L. Executive viewpoint—future of the glass container industry (11) 244*f*.
Fabrichnyi, P. B., Babeshkin, A. M., and Nesmeyanov, A. N. Moessbauer study of the hyperfine nuclear structure of ^{119}Sn in α-Fe_2O_3 (5) 112*j*.
Fabrichnyi, P. B., Lamykin, E. V., Babeshkin, A. M., and Nesmeyanov, A. N. Morin transition in hematite (α-Fe_2O_3) containing Sn impurities by the Moessbauer effect on ^{119}Sn and ^{57}Fe (9) 212*g*.
Fabry, P., Kleitz, M., and Deportes, C. Point electrode use in solid oxide electrolyte cells: I, Application to thermodynamic measurements and to the determination of electronic transport numbers of the electrolyte (2) 48*f*; Point electrode use in solid oxide electrolyte cells: II, Applications to the determination of oxidation-reduction potentials of point defects in the electrolyte (8) 177*j*.
Facey, Owen E., and Sibley, William A. *M* centers in MgF_2 crystals (8) 183*j*.
Fagan, Lloyd D. See Rizzi, Joseph D.
Fagerholt, Gunnar R. Method and apparatus for grinding mineral materials, P (6) 132*b*.
Fahey, Dennis M. Sizing, coating, and combined sizing and coating composition for glass fibers, P (6) 126*d*.
Faile, S. P., and Roy, D. M. Gas solubility in relation to the structures of glasses and liquids (2) 36*e*.
Fain, I. A., Kamenetskii, S. P., and Azbukin, A. V. Production of ultralightweight refractories using perlite at the Bogdanovich (USSR) factory (1) 12*j*.
Fainberg, E. A. See Ul'ko, Yu. N.
Fainerman, A. E., Lipatov, Yu. S., Kulik, V. M., and Vologina, L. N. Determination of the surface tension and contact angles of wetting of liquids (11) 253*f*.
Fairweather, M. J., and Murthy, M. K. Properties and structure of glasses in the systems M_2O-In_2O_3-GeO_2 (M = Li,Na, K) (8) 168*b*.
Falckenberg, R. Kinetics of age strengthening in Mg-Al spinel single crystals (6) 136*g*.
Falconer, W. E. See Burbank, R. D.
Falin, M. L. See Abdulsabirov, R. Yu.
Falk, C. Gas firing—experience in Denmark (11) 255*a*.
Falk, Roland See Hartmann, Job W.
Fan, J. C. C., and Reed, Thomas Binnington Growth of crystals of V_2O_3 and $(V_{1-x}Cr_x)_2O_3$ by the tri-arc Czochralski method (4) 92*a*.
Fan, Liang-Tseng See Chen, Sung J.
Fanderlik, I., and Skrivan, M. Use of the mathematical-statistical method of planified experiments to follow the composition dependence of the physical properties of Pb crystal glasses (3) 63*g*.
Farabaugh, Aloysius W. Method and apparatus for determining contours of objects, especially of glass, P (9) 194*i*.
Farbirovich, A. P. See Balkevich, V. L.
Farioli, Felice See Ruoti, Vincenzo
Farkas, Odon, and Csetenyi, Jozsef Relations between particle size distribution and the microstructure of porcelain (2) 41*c*.
Farkas, Tibor See Bylund, Per A.
Farley, J. M., and Saunders, G. A. Elastic constants of $CaWO_4$ (8) 181*e*.
Farrauto, Robert J., and Haynes, William L. Cements produced from glass powder by reactions with water (5) 95*i*; Fast-setting hydraulic cements from glass powders, P (7) 146*g*; Hydraulic cements from glass powders, P (10) 219*a*.
Farrell, Richard Wide-temp.-range electronic device with lead attachment, P (10) 229*e*.
Farrow, Lewis C. Enamelers reveal experiences with direct-on (7) 143*h*.
Fassler, Michael H., and Brinker, Norman E. Process of casting utilizing MgO cores, P (2) 40*h*.
Fassler, Michael H., and Perron, James S. Method of removing siliceous cores from Ni and Co superalloy castings, P (2) 40*g*.
Fataliev, S. A. See Imanov, A. M.
Fator, Jaroslav, Rambousek, Vladimir, and Vicenik, Jaromir Cristobalite-containing high-voltage porcelain: I (1) 14*i*.
Faucher, Michele See Anthony, Anne M.
Faulkman, B. W. See Mueller, K. A.
Faulkner, Roger F., Barr, Robert Q., and Gilbert, Raymond W., Jr. Electrodes—facts and figures to know (11) 244*c*.
Faulstich, Marga, and Neuroth, Norbert Glasses for temp.-stable ultrasonic delay lines of low damping characteristics, P (1) 9*g*; Glass compositions for ultrasonic delayed action lines, P (7) 147*a*.
Faulstich, Marga, and Ritze, Willy Optical glasses, P (10) 222*i*.
Faure, Alphonse W., and Caldwell, Harold L. Safety valve system for glassware forming machine, P (9) 194*j*.
Faust, Jesse A. See Haldas, Walter J.
Favuzzi, G. See Raccanelli, A.
Fay, Gordon C. Better burners boost kiln performance (9) 205*i*; Materials control costs cut at Sauereisen (11) 252*g*.
Fayet, A. Determination of the mechanical strength of circular plates of thin glass using a bending test on concentric rings (3) 61*d*.
Feagin, Roy C. See Carnot, John J.
Fechter, Henry G. Laser writing, P (10) 227*g*.
Feder, J. See Otnes, K. ; Riste, T.
Feder, Jens, and Pytte, Erling Theory of a structural phase transition in perovskite-type crystals: II, Interaction with elastic strain (6) 139*j*.
Fedorenko, Anatoly S., Mescheryakov, Yu. A., Prytkov, Alexandr A., and Tyabirdin, Vladimir V. Amalgam housing means for a fluorescent lamp, P (1) 9*b*.
Fedorkov, Albert P., Yaroslavskii, Mikhail I., and Orlovskaya, Galina Ya. Piezoelectric quartz element, P (1) 18*j*.
Fedorov, A. A. See Eliseev, A. A.
Fedorov, N. F., Andreev, I. F., Kasparyan, R. M., and Smorodina, T. P. Phase equilibria in the system Al_2O_3-Nb_2O_5 (7) 162*a*.
Fedorov, N. F., Andreev, I. F., and Tunik, T. A. Phase equilibria in the system $BaSiO_3$-Nd_2SiO_5 (10) 238*h*.
Fedorov, P. I. See Dudareva, A. G.
Fedorov, P. I., and Lovetskaya, G. A. System Ga-Al-Cl (1) 28*e*; System $KGaCl_4$-Ga_2Cl_4-$GaCl_3$ (2) 55*a*; Ternary systems of chlorides of In and Ga (7) 163*b*.
Fedorov, P. I., Malova, N. S., and Denisov, Yu. N. Reaction of InI with the iodides of Zn, Pb, Mn, and Al (7) 162*h*.
Fedorov, P. I., Malova, N. S., and Vorob'eva, G. V. Reaction of the lower chlorides of In with the chlorides of Sn and Pb (1) 27*f*; Reaction of the lower chlorides of In with the chlorides of Li and Na (7) 162*j*.
Fedorov, P. I., Malova, N. S., and Zhikharev, V. A. Reaction of lower iodides of In with alkali-metal iodides (10) 238*j*.
Fedorov, P. I., Molochko, V. A., Kurdyumov, G. M., and Braginskaya, M. B. Systems $GeCl_4$ with BCl_3, $TiCl_4$, and $SnCl_4$ (1) 28*g*; Systems $GeCl_4$-CCl_4 and $SiCl_4$-$GeCl_4$ (5) 115*e*.
Fedorov, P. M. See Safronov, G. M.
Fedorov, V. B. See Bukatov, V. G.
Fedorov, V. E. See Opalovskii, A. A.
Fedorova, E. P. See Churakova, R. S.
Fedoseyev, D. V. See Ryabov, V. A.
Fedotov, A. I. See Egorov, V. M.
Fedyukina, G. N., and Zlenko, V. Ya. Determination of refractive index of a transparent body using scratches and immersion liquids (6) 132*f*.
Feenstra, Robijn, and Hinze, Julius O. Diamond bit with annular mud-distributing groove, P (10) 217*e*.
Feenstra, Robijn, and Pols, Albert C. Diamond bit, P (11) 241*e*.
Fefferman, Gerald B. See De Fabritis, Raymond P.
Feher, Antal, and Csaszar, Zoltan Computer control and identification in clinker burning (6) 120*e*.
Fehling, Hans R. Rotary valve for metallurgical vessels, P (1) 14*e*.
Feichtner, J. D. See Roland, G. W.
Feigl, F. J., and Anderson, J. H. Defects in crystalline quartz—EPR of E' vacancy centers associated with Ge impurities (4) 91*j*.
Feingold, Bernard R. See Anderson, Charles H.
Feinleib, J., deNeufville, J., Moss, S. C., and Ovshinsky, Stanford R. Rapid reversible light-induced crystallization of amorphous semiconductors [$Te_{81}Ge_{15}Sb_2S_2$ films] (10) 227*b*.
Feinleib, Julius See Pidgeon, Carl R.
Feklichev, E. M. See Timofeeva, N. V.
Feld, I. L. See Goode, A. H.
Felder, John W., Jr., and Barnett, Sterling Method and apparatus for fabricating glass fiber cushioning material, P (9) 194*j*.
Feldkamp, L. A., Steinman, D. K., Vagelatos, N., King, J. S., and Venkateraman, G. Lattice dynamics of cubic ZnS by neutron scattering (5) 111*a*.
Feldman, Albert, Horowitz, Deane, and Waxler, Roy M. Relative importance of electrostriction and the Kerr effect to self-focusing in optical glasses (10) 221*c*.
Feldman, L. C. See Appleton, B. R.
Feldman, R. F. Mechanism of creep of hydrated portland cement paste (2) 33*a*.
Felsche, Juergen Rare earth silicates with the apatite structure (2) 54*e*.
Felsche, Juergen, and Hirsiger, Werner Crystalline phases and fluorescence of glasses in the system Li_2O-Tb_2O_3-SiO_2 (1) 5*f*.
Felsche, Juergen, and Kaldis, Emmanuel Thermal oxidation of Eu_2SiO_4—a topotactic solid state reaction (2) 55*j*.
Fender, B. E. F. See Cheetham, A. K. ; Jacobson, A. J. ; Tofield, B. C.
Feng, Chung Liao Industrial burner, P (9) 206*d*.
Fenity, Robert D. Electrostatographic developer containing uncoated glass-ceramic carrier particles, P (7) 146*f*.
Fentzke, Daniel Composite refractory for use in molten glass feeder, P (5) 100*c*.
Ferguson, J., Krausz, E. R., Robertson, G. B., and Guggenheim, H. J. Magneto-optical properties and structure of a new antiferromagnetic material $K_3Ni_2F_7$ (10) 237*i*.
Ferment, George R. See Druin, Melvin L.
Fermor, J. H. See Bjoerseth, O.
Fernandez, John J. Spark plug with tapered spark gap, P (4) 84*g*.
Fernandez Navarro, Jose Maria See Aleixandre Ferrandis, Vicente ; Mulfinger, Hans-Otto
Feron, J. L., Fillion, G., Hug, G., Berton, A., and Chaussy, J. Specific heat of YbIG under magnetic field (9) 215*c*.
Ferrand, C. See Siffert, B.
Ferrante, M. J., Stuve, J. M., and Krug, M. P. Low-temp. heat capacities and high-temp. enthalpies of Na chromate (6) 137*a*.
Ferraro, J. R., Manghnani, M. H., and Quattrochi, A. Ir spectra of several glasses at high pressures (5) 98*a*.
Ferre, J. See Pisarev, R. V. ; Suryanarayanan, R.
Ferre, J., Briat, Bernard, Paparoditis, C., Pokrzywnicki, S., and Suryanarayanan, R. Magnetooptical properties of EuS thin films—magnetic circular and linear dichroism (8) 173*b*.
Ferreiro, E. A., and Helmy, A. K. Apparent and partial molal volumes of K-montmorillonite (8) 179*i*.
Ferrell, R. E., Jr. See Devine, S. B. ; Hiltabrand, R. R.
Ferretti, A., and Shannon, R. D. Vapor transport growth of $Ga_{2-x}Fe_xO_3$ crystals (8) 187*j*.
Ferri, John L. See Mehalchick, Emil J.
Ferry, B. See Boiteux, Michel
Fertin, Jacques See Thillays, Jacques
Feuersanger, Alfred E., and Wassermann, Moe S. Solid state device having dielectric and semiconductor films sandwiched between electrodes, P (2) 45*g*.
Ficalora, Peter J. See Margave, John L.
Fichelle, G. See Che, M.
Ficker, Walter W. See Cochran, Thomas J.
Field, J. E., and Zafar, M. A. Effect of surface films on laser damage in glasses (7) 144*j*.
Field, M. B. See Weaver, E. A.
Fields, James M., Jr., Dear, Paul S., and Brown, Jesse J., Jr. Phase equilibria in the system BaO-SrO-SiO_2 (1) 26*c*.
Fields, Stanley A., and Reynolds, John M. Device and method for determining X-ray reflection effciency of optical surfaces, P (2) 49*a*.
Fierens, P., Tirlocq, J., and Verhaegen, J. P. Influence of the excitation method on the thermoluminescence of tricalcium silicate (9) 190*f*.
Fike, Roy A. Method of making glass articles, P (9) 194*c*.
Filho, Manoel M. See Angeleri, Frederico
Filinski, I., Wojtowicz-Natanson, B., and Hvam, J. M. Spontaneous and stimulated emission from CdSe at high excitation levels (5) 114*f*.
Filipenko, O. S. See Litvin, B. N.
Filipovich, George See Taylor, Allen L.
Fillard, J. P. See Charles, J. P.
Fillard, J. P., and Gasiot, J. Thermally stimulated currents in Cu_2O (5) 116*f*.
Fillion, G. See Feron, J. L.
Finch, C. B. See Harris, L. A. ; Kolopus, James L.
Finch, C. B., and Clark, G. W. Several optical properties of single-crystal $CaWO_4$ doped with 0.1–1.8 at.% Am^{3+} (8) 186*d*.
Finch, L. R. See Poole, A. B.
Finch, William A. See Loughridge, Frederick A.
Fincham, Frederick D. Method and apparatus for producing and packaging sealed tubular glass bodies, P (9) 194*a*.
Fine, M. E. See Marcus, H. L.
Finkel'shtein, Ya. G. See Luzhnaya, N. P.
Finkenrath, H., Kalinowski, I., and Uhle, N. Reststrahlen spectra of $Cd_xSr_{1-x}O$ (9) 214*d*.
Finn, John B., and Hudecek, Carl J. Electrically conductive surface, P (3) 63*e*.
Finney, Philip F. Temp.-responsive resistance element for a temp.-sensitive control sensor, P (8) 178*a*.
Finogenova, V. K., Popovkin, B. A., and Novoselova, A. V. Synthesis of Na_2Te (1) 28*b*.
Firestone, R. F., and Heuer, A. H. Yield point of sapphire (4) 94*c*.
Firsova, M. M. See Kiselev, D. F.
Fischer, Donald F. See Leibowitz, Leonard
Fischer, E. See Buksphan, S.
Fischer, E., Gorodetsky, G., and Hornreich, Richard M. New family of magnetoelectric materials—$A_2M_4O_9$ (A = Ta,Nb; M = Mn,Co) (9) 213*b*.
Fischer, G. R. See Evans, D. L.
Fischer, Hellmuth Luminescent glasses (2) 37*d*.
Fischer, Horst See Gereth, Reinhard
Fischer, Horst, Gereth, Reinhard, and Kreuzer, Karl H. Method of producing solar cells, P (9) 201*g*.
Fischer, J. R. See Tan, Y. T.
Fischer, John J., and Sibley, John W. Research blender, P (1) 22*e*.
Fischer, Michael Sealed wide-range capillary viscosimeter for reactive melts under high vapor pressure (10) 233*b*.
Fischer, P. See Krebs, H.
Fischer, R. Crystal structure of $PbSeO_3$ (11) 257*e*.
Fischer, Rose D. See McCarthy, Gregory J.
Fischer, Walter, and Heckmaier, Joseph Process for making C articles, P (7) 149*c*.
Fischer, Werner See Greinacher, Ekkehard
Fischer, Werner, and Schmitt, Felix Process of separating Y from lanthanides, P (7) 159*a*.
Fischer, Wilhelm A. Metallurgical furnaces or vessels, P (1) 14*f*.
Fischer, Wilhelm A., and Janke, Dieter Use of the systems ZrO_2-Y_2O_3, ZrO_2-CaO, and ThO_2-Y_2O_3 as solid electrolytes from 1000 to 1600°C (8) 176*b*.
Fischer, Wilhelm A., Janke, Dieter, and Zielinski, K. Electrical properties of CaO and MgO: I, Conductivity and defects at 1400°–1700°C (9) 209*e*; II, Thermoelectric measurements at 1200°–1650°C (9) 209*f*.

Fisher, E. S. See Manghnani, M. H.
Fisher, George M. C. See Andreatch, Peter, Jr.
Fisher, Glen W., and Franz, Fred A. Particulate solid material inspection system, P (11) 254*f*.
Fisher, John P. Nuclear reactor control rod, P (5) 103*g*.
Fisher, S. B. HVEM damage studies in graphite (5) 110*e*.
Fishwick, John H. Li_2O reduces viscosity melting and firing times (3) 62*a*; Spodumene can substitute for petalite in glasses (7) 145*f*.
Fister, Karoly G., and Gibbons, Martin D. Photocathode-phosphor imaging system for X-ray camera tubes, P (4) 86*f*.
Fitch, Frederick T. See Smith, Jean G.
Fitseva, R. G. See Burmistrova, N. P.
Fitzer, E. Research and development on graphite in the Federal Republic of Germany (2) 40*g*.
Fitzgerald, Derek L. W. Nonslip fiberglass surface, P (2) 39*a*.
Fitzgerald, Joseph J. See Mayo, Kenneth E.
Fitzgibbons, E. T., Sladek, K. J., and Hartwig, W. H. TiO_2 film properties as a function of processing temp. (8) 173*h*.
Fitzpatrick, William B. P. See Branovich, Louis E.
Fixl, J. Grinding wheel efficiency as a function of the volume parameter demands a new standard for texture (2) 31*d*.
Flanagan, C. Erman Method of fabricating ring shapes by hot-pressing, P (6) 132*c*.
Flank, William H., McEvoy, James E., and Stuart, John R. Catalyst for elevated temps., P (7) 158*i*.
Flannery, James E. See Carrier, Gerald B. ; Dumbaugh, William H., Jr.
Flannery, James E., and Lemoine, Jacques G. Borosilicate opal glasses, P (7) 146*a*.
Fleck, John F. Method of lifting a TV funnel mold ring off a mold, orienting it into position, and setting on funnel mold, P (4) 81*h*.
Fleige, Hans Georg See Schoop, Josef
Fleischer, James F. See DeVries, Robert C.
Fleischer, Robert L., Alter, H. W., Furman, S. C., Price, Paul B., and Walker, R. M. Particle track etching (3) 72*h*.
Fleischer, Robert L., Price, Paul B., Bostick, Edgar E., and Holub, Fred F. Geometry control of etched nuclear particle tracks, P (5) 103*e*.
Fleischmann, W. Gunning repairs of blast furnace linings (4) 83*d*.
Fleming, S. J. See Sampson, E. H.
Fleming, S. J., and Sampson, E. H. Authenticity of figurines, animals, and pottery facsimiles of bronzes in the Hui-Hsien style (2) 31*g*.
Flengas, S. N. See Etsell, T. H.
Fletcher, James C. Thermal-shock-resistant HfO_2 ceramic material, P (4) 84*h*; Apparatus and method for measuring the Seebeck coeff. and resistivity of materials, P (9) 205*e*.
Fletcher, W. W. Chemical durability of glass, a burial experiment at Ballidon in Derbyshire (7) 141*f*.
Fleury, Paul A. Anomalous phonon behavior near the phase transition in ferroelastic-ferroelectric $Gd_2(MoO_4)_3$ (7) 150*h*.
Flidlider, G. M. See Balkevich, V. L.
Flint, E. P. See Ampian, Sarkis G.
Flipot, Alfred J. Controlled calcination of agglomerated nuclear fuel prior to pelletizing and sintering, P (1) 20*e*.
Flipot, Alfred J., and Gillissen, Robert E. M. Fabrication of nuclear fuel pellets, P (11) 251*i*.
Floch, Jenny Thrown chuck (4) 78*a*.
Floerke, O. W. See Heimke, G.
Florea, Valer See Grigorovici, Radu G.
Flowers, Joseph K. See Lootens, William F.
Fluegel, Dale A. Thermocouple reference junction, P (1) 22*f*.
Foerthmann, Ruediger See Hamesch, M.
Fogel, Howard J. See Schultz, Fred D.
Folt, Franklin F., Jr., Pescor, D. R., and Heinrich, E. W. Cancrinite with a new superstructure from Bancroft, Ontario (6) 135*h*.
Fokina, L. A. See Mamatova, T. A.
Foley, Edward F., Jr., Tsai, Shan-Pu, and Zatorsky, William A. Catalyst solution for electroless plating on nonconductors, P (3) 69*b*.
Foley, G. M. High-speed optical pyrometer (11) 253*b*.
Folkmann, Eduard See Pammer, Erich
Follows, Alan G. See Garofano, Norman R.
Foltynek, Svatopluk Capillary properties of ceramic body and pore size (11) 246*c*.
Fomenko, V. S. See Gnesin, G. G. ; Samsonov, G. V.
Fong, Ching-Yao See Hemstreet, Louis A., Jr.
Fong, Francis K. Significance of the third-nearest-neighbor divalent cation K^+ vacancy pairs in KCl (6) 138*h*.
Fonlok, Fryderyk Technology of Ni and Ni-Zn ferrites for microwave systems in X-frequency band (2) 43*b*.
Fontana, M. P., and Lambert, M. Linear disorder and temp. dependence of Raman scattering in $BaTiO_3$ (9) 211*h*.
Fontanella, John See Andeen, Carl
Foran, M. R. See Duncan, M. A. G.
Forber, Albert See Reid, Alexander M.
Forbes, R. A. Drying of heavy clay products (9) 195*e*.
Forbes, Warren C., Jr. Fe content of talc in the system $Mg_3Si_4O_{10}(OH)_2$-$Fe_3Si_4O_{10}(OH)_2$ (1) 25*f*.
Ford, Donald T. See Krumme, John F.
Ford, Geoffrey E., and Waite, Philip S. Bottle inspection apparatus, P (10) 222*e*.
Forester, D. W. See Rubinstein, M.
Foris, C. M. See Brixner, L. H.
Forschepiepe, Fritz Method for processing slag, P (4) 81*i*.
Forsthoff, W. Effect of quarrying and preparation methods on the quality of limestone (11) 255*i*.
Fortunatova, T. V. See Balkevich, V. L.
Fosker, Alan P., and Mill, Patrick J. Dry water-dispersible Al hydroxide gels, P (10) 234*j*.
Foss, Warren M. Photoconductive TiO_2 material, P (2) 50*c*.
Foster, Alan Bilateral gate-controlled semiconductor devices, P (3) 68*j*; Triac, P (9) 202*h*.
Foster, Karl, and Seidel, Joseph Process of making glass-coated electrical steel sheets, P (1) 4*i*.
Foster, L. M., Scardefield, J. E., and Woods, J. F. Solidus boundary in the GaAs-GaP pseudobinary phase diagram (9) 214*i*.
Foster, W. R. See Yang, Houng-Yi
Fotiev, A. A. See Makarov, V. A.
Fotiev, A. A., Volkov, V. L., and Golovkin, B. G. Oxide V bronzes of a new type (2) 53*f*.
Fouassier, Claude, Matejka, Guy, Reau, Jean Maurice, and Hagenmuller, Paul System Co-O-Na—new O-rich bronzes of the type $Na_xCoO_2 (x \leq 1)$ (9) 215*f*.
Fournier, Joseph T. See Robinson, Charles C.
Fournier, Joseph T., and Bartram, Ralph H. Inhomogeneous broadening of the optical spectra of Yb^{3+} in phosphate glass (5) 98*c*.
Fowkes, A. J., and Parkinson, R. T. Analysis of gaseous inclusions in glass using a quadrupole mass spectrometer (5) 97*c*.
Fowkes, R. S. See Pariseau, W. G.
Fowkes, R. S., Frisque, D. E., and Pariseau, W. G. Materials handling research—penetration of selected granular materials by wedge-shaped tools (10) 231*i*.
Fowler, C. M. Megagauss physics (9) 212*c*.
Fowler, G. A., Orr, W. N., and Kulm, L. D. Upper Miocene diatomaceous rock unit on the Oregon continental shelf (1) 23*i*.
Fraade, David J. See Copeland, John R.
Fraas, Foster Ac matrix-type magnetic separator (11) 252*a*.
Fradin, D. W., and Bass, Michael Comparison of laser-induced surface and bulk damage (10) 235*c*.
Fraiman, L. S. See Kichkina, E. S.
France, Peter W., and Hooper, Henry O. NMR study of semiconducting V phosphate glass (4) 80*i*.
Francel, Josef, and Mansur, Fred E. Composition, articles prepared therefrom, and method of preparing such articles, P (9) 193*j*.
Franco, Enrico See Sersale, Riccardo
Francombe, M. H. Research status and device potential of ferroelectric thin films (4) 85*j*. See Wu, S. Y.
Frandon, Pierre M. Dynamic data storage cell [IGFET], P (10) 227*j*.
Frank, E. See Gugel, E.
Frank, Guenter Reactivity of lime—investigation of testing methods (6) 133*d*.
Frank, J. Development in tunnel kiln construction—firing zone rotation system (10) 233*i*.
Frank, Robert G. Moving glass locating devices, P (2) 39*e*; Method and apparatus for shaping glass sheets with opposed roller sets, P (2) 39*f*; Apparatus for press bending glass sheets, P (9) 193*g*.
Frank, Russell W. Industrial safety changes dictated by progress and new federal regulations (5) 104*b*.
Frank, Susan See Douglas, R. W.
Frankland, Roger A. Method of mfg. cathode-ray storage tube target, P (1) 18*d*.
Franklin, Dennis M., Hornreich, Richard M., and Rubinstein, Harvey Magnetostatically coupled thin-film magnetic memory devices, P (2) 44*f*.
Frankovich, Paul M. Technique of process analysis applied to a major facility start-up (5) 97*a*.
Franksen, Robert W. See Hensler, Donald
Franz, Fred A. See Fisher, Glen W.
Franz, Helmut Stabilization of silvering solutions, P (7) 147*f*; Removal of metal-containing deposits from nonmetallic substrates, P (9) 194*i*.
Fraser, A. R. See Ahlrichs, J. L.
Fraser, D. B., and Cook, H. D. Highly conductive transparent films of sputtered $In_{2-x}Sn_xO_{3-y}$ (10) 236*j*.
Fraser, David B. Fine grain ferroelectric ceramic optical display device utilizing thermal depoling write-in, P (2) 43*j*.
Fraser, David B., O'Bryan, H. M., Jr., and Thomson, John, Jr. Use of water-soluble La compounds in Pb zirconate-Pb titanate ceramics, P (6) 130*g*.
Fraser, Donald L., Jr. Miniature directed electron-beam source, P (11) 250*j*.
Fraser, Robert W. See Kushnir, Bud W.
Fratzscher, R., Storm, W., Walter, H., and Petermann, Karl Programmed calculation of ceramic batches (10) 231*f*.
Frazier, John F., and Zlver, Garo M. Temp. sensor, P (7) 157*g*.
Freake, Stuart M. See MacVicar, Margaret L. A.
Frederick, C. G. See Chamberland, B. L.
Frederick, Carol G. See Bither, Tom A.
Frederikse, H. P. R., and Hosler, W. R. Electrical conductivity of coal slag (9) 202*j*.
Frederiksen, Thomas M., and Long, Ernest L. Low-current low-noise avalanche diode, P (7) 153*e*.
Fredrickson, D. R., Barnes, R. D., and Chasanov, Martin G. Enthalpy of UB_2 from 1300° to 2300°K by drop calorimetry (8) 176*b*.
Freeder, Herman, and Wilt, Homer E. High-temp. brake disk [graphite], P (8) 172*d*.
Freeh, Edward J. See Grant, Michael P.
Freeman, K. B. Ceramic project development (9) 195*e*.
Freeman, Leo B., Jr. See Brickman, Norman F.
Freeze, Paul D., and Parker, Leslie P. Bibliography of temp. measurement (6) 132*f*.
Freilino, Ray S. Nondispersive ir gas analyzer having sample and reference beams using flow-sensitive detector and with unbalanced operation, P (8) 178*b*. See Strange, John P.
Freiman, Stephen W. See Mountvala, A. J.
French, I. E., and Pollard, H. F. Effects of fast neutron irradiation on internal friction and Young's modulus of NaCl single crystals (11) 257*g*.
French, William G. See Pearson, A. David
Freud, Paul J. See Hed, A. Zeev
Frey, Dennis L., DiVita, Sam, and Smoke, Edward J. Method of treating $BaTiO_3$, P (6) 130*g*.
Frey, Frederick W. See Lee, Thomas E.
Frey, Harry R. Photographic method for printing a screen structure for a CRT, P (1) 10*c*.
Frey, James O., Marshall, Harry L., and Minnier, Henry V. Preparation of sulfide phosphors, P (3) 70*f*.
Freyheit, Paul J., and Lustig, Claude D. Process for mfg. cold cathode gas discharge devices and the product thereof, P (2) 45*h*.
Frick, N. F. Refractories in the Ar-O vessel at Jessop Steel (11) 247*j*.
Fridkin, V. M., Grekov, A. A., Kosonogov, N. A., and Volk, T. R. Photodomain effect in $BaTiO_3$ (4) 85*e*.
Fridman, V. M. See Loshak, M. G.
Fridrich, Elmer G. Compact metal halide arc lamp containing primarily Hg iodide, P (5) 99*c*.
Friedberg, A. L. See Tummala, R. R.
Friedel, Rudolf X-ray tube with rotary anodes, P (4) 82*a*.
Friedrich, Heinz See Massonne, Joachim
Fries, R. Jay, Cummings, John E., Hoffman, Carroll G., and Daily, Stanley A. Carbide layer growth rates on W-Mo and W-Re alloys (1) 24*e*.
Frieser, R. G. Cr-glass interface (9) 192*c*.
Frigone, G. See Mascolo, G.
Frindt, R. F. See Consadori, F. ; Edwards, J.
Fripiat, J. J. See Leonard, A. J.
Frischat, G. H. Ionic transport in silica (1) 7*h*; Diffusion of trace elements in ceramic substances (5) 108*f*; Na self-diffusion in mixed-alkali glasses (6) 124*d*.
Frischat, G. H., and Kirchmeyer, R. Relation between tracer diffusion and ion exchange in silicate glasses (11) 245*a*.
Frisillo, A. L. See O'Horo, M. P.
Frisque, D. E. See Fowkes, R. S.
Fritz, William B. Coated ferrite rf filter, P (10) 227*h*.
Froeschner, Kenneth E. See Wilkins, Mark L.
Froese, E. Oxidation of almandine and Fe cordierite (6) 138*f*.
Frog, C. R. Automation at Limhamn cement works (9) 189*i*.
Frolov, A. S. See Khomutova, M. I.
Frolovskii, N. M. See Karklit, A. K.
Fromhold, Hal Being a professional potter: I-III (4) 77*f*; Compartmented bowls (4) 77*j*.
Frova, A. See Capizzi, M.
Fruchart, Eliane See Barberon, Michel
Fruchart, Robert See Barberon, Michel
Fruth, L. S., Jr. See Donath, F. A.
Fry, J. L. See Norwood, T. E.
Fry, Ralph Applicator mechanism for particulate material, P (6) 122*c*.
Frye, Helmut See Nickel, Ernst G.
Fuchs, Otto, Deubel, Reinhold, and Weide, Joachim Process for wet grinding of pigments in aqueous alkaline medium, P (11) 256*e*.
Fuchs, W. Heat-insulating composition for molds, P (7) 149*d*.
Fuentes, A. Using a computer for raw meal proportioning (9) 191*f*.
Fuess, H., and Kallel, A. Refinement of the crystal structure of some rare earth vanadates RVO_4 (R = Dy, Tb, Ho, Yb) (2) 54*j*.
Fuess, H., Kallel, A., and Tcheou, F. Neutron diffraction determination of the magnetic structure of $DyPO_4$ (9) 213*a*.
Fuess, Hartmut See Tcheou, Francois
Fujie, Hideo Furnace constructed from plastic refractories (7) 148*j*; Gunning refractory materials for hot repair on converter and electric furnace, spots to be repaired, and improved type of gunning machine (9) 196*f*.
Fujihara, Masamichi See Sakaeda, Osao
Fujii, K. Determination of free CaO and $Ca(OH)_2$ in portland cement clinker and hydrated cement by *o*-cresol (10) 217*j*.
Fujii, Kinjiro See Kaneko, Motoshi
Fujii, Kiyohisa See Tagawa, Hiroaki
Fujiki, Y. See Mitsuhashi, T.
Fujimoto, Masatomo See Seki, Hisashi ; Yamazaki, Hajime
Fujino, Yoshio See Tsuya, Hideki
Fujisada, Hiroyuki See Kataoka, Shoei
Fujishiro, Yasuo Controllable junction device and radiation-generating method of utilizing it, P (10) 227*h*.
Fujita, Hiizu See Brown, Frederick C.
Fujita, Kinji, and Mitsui, Hiromitsu Variable temp. compensating capacitor [$BaTiO_3$] for crystal oscillators, P (8) 175*h*.
Fujita, Masayuki Labor saving efforts at firebrick factories (1) 12*j*.
Fujita, Takashi See Yamada, Tadashi ; Yamashita, Akio
Fujita, Tetsuo See Wada, Nobuhiko
Fujita, Toshihito, Takao, Nobuyuki, and Kodama, Atsuki Process for producing glass-fiber-reinforced polypropylene molded article, P (9) 194*h*.
Fujita, Yuko See Terada, Michiko
Fujiwara, Shigeru See Ochiai, Tsunemi
Fujiwara, Shohei Method of making thermocompression-bonded [GaAs] semiconductor device, P (8) 174*j*. See Iizuka, Mutsuo ; Kano, Gota
Fujiwara, Tadashi See Takayanagi, Kenjiro
Fujiwara, Teiichi See Iwasa, Uichi ; Shibuno, Masao
Fujiwara, Yasuharu Method of producing a laminated glass panel incorporating an electrical heating wire assembly, P (10) 222*g*.

Fukin, Konstantin K. See Domrachev, Georgy A.
Fukino, Katsuhige Multiemitter power transistor having emitter region arrangement for achieving uniform emitter-base junction temps., P (3) 70*b*.
Fuks, G. I. See Barboi, V. M.
Fukuda, Atsuo See Kamejima, Taibun
Fukuda, Masataro, Miura, Takashi, and Takahashi, Katsuhiro Method of making a U-containing catalyst for a metal electrode, P (4) 87*h*.
Fukuda, Mitsugu See Kurokawa, Takaaki
Fukuda, Tsuguo, and Uematsu, Yutaka Preparation of $KNbO_3$ single crystal for optical applications (3) 63*a*.
Fukumoto, Kenichi, Nakamura, Tokunori, and Kadota, Kenji Foamed products of silica and mfg. from silica gel, P (6) 128*f*.
Fukunaga, Osamu See Yamaoka, Shinobu
Fukuoka, Hiromi See Ohba, Hiroshi
Fukuro, Koichi Bricks for lime kilns using heavy oil and damage to the bricks (5) 100*c*.
Fukushige, Shinobu See Kishida, Tohru
Fullager, Harry Pt resistance temp. sensors, P (7) 157*f*.
Fuller, O. M. See Carriere, R. L.
Fullmer, L. D. See Geller, Seymour
Fulrath, Richard M. See Masaryk, Joseph S. ; Reed, James S.
Fundal, Erling A simple microscopic method for the quantitative definition of the topological properties of structures, particularly sintered materials (9) 204*g*.
Funk, Robert M. Method for controlling the grind in a single-stage autogenous grinding mill, P (5) 104*a*.
Funkhouser, J. T. See Driscoll, J. N.
Fuqua, Lloyd T., and Todd, Harold E. Miniature incandescent lamp having integral bulb and base, P (11) 245*g*.
Furber, R. W., and Waite, B. D. A. Glass composition, P (8) 170*a*.
Furman, Francis J., Jr. See Davis, Francis C.
Furman, S. C. See Fleischer, Robert L.
Furmanik, Z. See Auleytner, J.
Furnival, Thomas J. Cold-welded ceramic semiconductor package, P (1) 16*j*; Repairable semiconductor assembly [Zener diode], P (2) 45*b*; Apparatus for welding a cover to a tubular ceramic housing, P (11) 250*b*. See Daniels, Dale L.
Furubayashi, Eiichi See Takeuchi, Tomoyuki
Furuhashi, H. See Inagaki, M.
Furukawa, George T. See Riddle, John L.
Furukawa, George T., Riddle, John L., and Bigge, William R. International Practical Temp. Scale of 1968 in the region 13.81° to 90.188°K as maintained at the Natl. Bur. of Stand. (11) 253*e*.
Furukawa, K. See Watanabe, H.
Furumi, Koichi See Miyatake, Kazumi
Furumoto, Horace W. See Ceccon, Harry L.
Furuta, Tomihiko, and Rhodes, John R. Investigation of factors leading to improved sensitivity in radioisotope X-ray fluorescence analysis (11) 253*h*.
Furuya, Kisaku, Ishii, Satoru, and Konno, Shinichiro Effect of salts on gypsum obtained as a by-product of phosphoric acid production (5) 95*j*.
Furuya, Masaaki, Nakajima, Yoji, and Tanaka, Tatsuo Design of closed-circuit grinding system with tube mill and nonideal classifier (4) 88*c*.
Furuya, Yoshio See Hirose, Masami
Fuse, Yuzo See Naruse, Yohsuke
Fusek, R. L. See Hecht, N. L.
Futagami, Koji, and Akashi, Yoshito Plastic deformation of MgO single crystals during cleavage fracture (5) 113*g*.
Futo, L. Production of pressed bodies, P (9) 204*d*.
Fyler, Norman F. Photochromic fiber optic image storage device, P (3) 64*b*.
Fyna, G. W., and Powell, W. J. A. Diamond abrasives and electroplated soft metal laps (6) 119*d*.

Gabbrielli, Guglielmo High production machine for decorative printing of tiles, P (1) 15*c*.
Gabelnick, S. D., Reedy, G. T., and Chasanov, Martin G. Ir spectrum of matrix-isolated U oxide vapor species (10) 230*g*.
Gabrail, Sami I. See Aird, Alanson D.
Gabrielyan, V. T. See Belabaev, K. G.
Gad, G. M. See Abdel Fattah, W. I. ; Khalil, A. A.
Gadzhi, E. N., Nagornyi, A. P., and Kostyuk, V. A. Calculation-designing of linings in steel casting ladles (1) 11*d*.
Gaechter, B. F., Blum, H., and Guenthard, Hs. H. ESR spectra and magnetic constants of α-Al_2O_3:Co^{2+}, H^+ (10) 236*a*.
Gage, Wayne T., and Karski, Leo W. Fluid energy grinder for increasing bulk density of materials, P (10) 232*a*.
Gagea, Lucia See Schuster, Uwe
Gager, H. M., Hobson, M. C., and Lefelhocz, J. F. Chemical modification of the quadrupole interaction in α-Fe_2O_3 microcrystals (10) 235*a*.
Gager, Robert N. X-ray tube having anode target layer of Mo-Re alloy, P (9) 195*a*.
Gagin, Lawrence V. High temp. insulating fiber, P (1) 9*i*.
Gagosz, R. M. See Palma, G. E.
Gahlot, P. S. Use of fly ash in mortars (5) 96*a*.
Gahwiller, Christian See Brown, Frederick C.
Gaidai, Yu. A. See Solomko, A. A.
Gaiduk, A. P. See Kovchur, S. G.
Gaillibaud, Jean Adaptation of the Brillant method to the calculation of the resistance of glassmelting furnaces heated by electrodes partly immersed in the melt (1) 5*a*; Calculation of the characteristics of electrically heated glass furnaces with variable specific resistance of the bath (1) 5*j*.
Gaiser, Floyd E. Bonding tool, P (3) 69*a*.
Gaiser, K., Kraft, E., Goetz, D., and Hauser, H. Electrical surface heating, P (10) 234*b*.
Galakhova, G. S., Pavlushkin, N. M., and Artamonova, M. V. Photochromic borate glasses containing Ag halides (1) 8*a*; Influence of the type of glass-forming compounds on the state of light-sensitive components in glass (3) 62*b*.
Galakhova, L. A. See Smirnova, R. I.
Galant, E. I. See Burkat, T. M.
Galante, F., Gardini, A., and Manfre, G. Al silicate glass interaction: I, Silica and glasses in the system SiO_2-Al_2O_3-Li_2O (4) 80*e*.
Galasso, F. S. Research spurs fast-expanding fibers market (11) 247*j*.
Galasso, Francis S., Jacob, Bernarr A., and Pinto, Jane P. Method of strengthening SiC coated B filaments, P (2) 40*g*.
Galchenko, I. E. See Bol'shakov, K. A.
Galcso, I. See Zipszer, E.
Galdabini, R. Method and apparatus for measuring deviations from straightness in shafts and beams, P (10) 233*b*.
Galginaitis, Simeon V. See Barnett, Allen M.
Galkiewicz, R. K., and Tauc, J. Photoelastic properties of amorphous As_2S_3 (9) 213*d*.
Galkin, N. P., Sviderskii, M. F., Petranin, N. P., and Bardin, V. A. Kinetics of the fluorination of W-Re melts (5) 111*i*.
Gallaer, Charles A. Gas flow regulation for electric precipitators, P (9) 204*c*.
Gallaghan, John A., Benson, Ronald W., and Carlson, Bertil V. Laser-stimulated ordnance initiation device, P (7) 147*c*.
Gallaro, Anthony V. Dual persistence screen for a CRT, P (7) 146*d*.
Gallaway, John See Gallaway, Sally
Gallaway, Sally, and Gallaway, John Wind chimes (4) 78*d*.
Gallego, Hercules Perlite ore discovered near Legaspi City (3) 73*d*.
Galli, Richard J. Semiconductor chip packaging apparatus and method, P (7) 154*h*.
Gallus-Olender, Joanna See Pampuch, Roman
Galmiche, Philippe M., Pelissier, Jean H., and Spinat, Roland R. Method for the mfg. of a composite refractory metallic element with porous coating, P (5) 97*a*.
Gal'perin, E. L. See Erman, L. Ya.
Galtier, M., Montaner, A., and Vidal, G. Optical phonons of CaO, SrO, BaO at the center of the Brillouin zone at 300° and 17°K (8) 184*j*.
Galustashvili, M. V. See Politov, N. G.
Galuza, A. I., Eremenko, V. V., and Kirichenko, A. P. Optical properties of YIG (8) 185*b*.
Galves, Jean P., Monfroy, Henri, and Reboul, Jean P. Gas-discharge display panel with mineral powder between apertured matrix and envelope seal, P (4) 86*b*.
Galy, Jean See Andersson, Sten ; Carpy, Alain ; Darriet, Jacques ; Meunier, Georges ; Senegas, Jean
Gambale, James R. See Tredinnick, Bruce C.
Gambale, James R., and Stone, Henry A., III Glass polishing compositions based on zircon and/or ZrO_2 and Zr fluosulfate and polishing process using the same, P (1) 9*g*.
Gambill, Ulysses T. See Brock, Gregory C., Jr. ; Kissell, Ronald E.
Gamble, B. R. See Smith, R. H.
Gamble, Fred R. X-ray diffraction grating crystals, P (1) 22*f*.
Gamble, R. See Austin, Ifor G.
Gammon, R. W. See Schnaus, U. E.
Gandurina, V. S. See Balkevich, V. L.
Ganeev, I. G., and Rumyantsev, V. N. Dissolution and crystallization of quartz under hydrothermal conditions (7) 160*d*; Solubility of quartz in water under high-temp. conditions (7) 162*f*.
Gangopadhyay, C. R. See Chatterji, A. K.
Ganguli, N. C. See Arora, B. R.
Ganguly, A. C., and Singh, M. P. Metallurgical aspects of fabrication of semiconductor microelectronic circuits (8) 173*c*.
Ganguly, Jibamitra Staurolite stability and related paragenesis—theory, experiments, and applications (1) 27*e*.
Gani, M. S. J., and McPherson, R. Submicron Al_2O_3-TiO_2 powders condensed from a plasma (6) 138*j*.
Gankin, Vladimir B. See Rutes, Viktor S.
Gans, Francois F. Segmented glass laser, P (5) 99*h*; Liquid-cooled segmented glass laser, P (9) 194*h*.
Ganzala, Gary W., and Ott, W. R. Studying Pb glass model tank (11) 245*f*.
Gaodu, A. N., Shapiro, Ya. Z., and Shaptala, V. I. Highly refractory mortar for bonding alumina refractory (1) 12*g*.
Gapeev, A. K. See Pokholok, K. V.
Gappa, Guenther, Knoblauch, Karl, Maier, Franz, Schwarte, Juergen, and Steiner, Peter Process for removing S oxides from S oxide-containing exhaust gas, P (6) 134*b*.
Garber, Alan M. Masking method of making semiconductor device, P (8) 174*c*.
Garbett, E. S. See Austin, Ifor G.
Garcia, Joseph M. See Mori, Hideo
Gardiner, Arthur N. Method for mfg. wire-bonded integrated-circuit devices, P (1) 18*g*.
Gardini, A. See Galante, F.
Gardiol, Maurice See Recasens, Joseph
Gardner, Phillip J., Silver, H. Graham, Ahmed, Samir A., and Heller, Adam Electric discharge lamp, P (7) 146*d*.
Gardon, Robert See Akfirat, John C.
Garet, Pierre Preparation of inorganic pigments, P (5) 105*j*.
Garfein, Andre See Rindner, Wilhelm
Garfinkel, Marvin See Brown, Dale M.
Garg, A. K. See Agnihotri, O. P.
Garipov, V. F. See Polozova, I. E.
Garn, Paul D. See McAdie, H. G.
Garncarek, S. See Janas, M.
Garofano, Norman R., and Follows, Alan G. Process for increasing bulk density of Na carbonate by the addition of Ca ion, P (3) 73*d*.
Garrett, Hoke M. See Simmons, Kenneth D.
Garrett, John M. Inverse gate semiconductor controlled rectifier, P (7) 153*d*; Semiconductor device, P (7) 154*h*.
Garris, George J. High-pressure purification of HF, P (1) 23*f*.
Garrison, A. K. See Perkowitz, S.
Garrone, A. F. See McKenna, C. D.
Garside, John, Mullin, John W., and Das, Sibendu N. Importance of crystal shape in crystal growth rate determinations (11) 253*e*.
Garstang, William W. Alloyed metal oxide [NiO] capacitor, P (1) 16*f*.
Gartman, William W., Evans, James G., and Allen, Harold A. Thin film deposition system, P (2) 45*i*.
Gartner, Robert J. See Abdale, John M.
Garvey, Francis J., and Winterbottom, Bruce Sanding hand tool, P (2) 31*e*.
Gary, Rex L., Jr., and Kille, Charles A. Glass ball valve, P (10) 222*h*.
Gasanaliev, A. M. See Bergman, A. G.
Gasanaliev, A. M., and Mal'tsev, V. T. System Na,Tl,Ca||SO_4 (1) 28*j*.
Gasiot, J. See Fillard, J. P.
Gaskell, P. H. Vibrational spectra of simple silicate glasses (2) 38*j*.
Gasperin, M. See Chevalier, R.
Gass, H. See Phillips, K.
Gates, Bruce C. See Swabb, Edward A.
Gatley, John A., and Jackson, George O. Nuclear reactor fuel elements, P (2) 47*d*.
Gatos, Harry C. See Kim, K. M. ; Platakis, Nicolaos S.
Gauchel, J. V. See DiBenedetto, A. T.
Gaudreau, B. See Grannec, J.
Gaukhman, Yu. V. See Arkhipkin, V. I.
Gauldie, Kenneth Centrifugal jaw crushers, P (1) 23*c*.
Gaume-Mahn, F. See Jacquier, B.
Gauntlett, Galen J. See Abel, William T.
Gautama, G. D. See Chakravarti, A. K.
Gauthron, Maurice Vented nuclear fuel element, P (2) 47*f*.
Gautier, Rene Process for extracting U from its ores, P (10) 231*d*.
Gavignet-Tillard, A., Hammann, J., and de Seze, L. Crystal-field splitting of the fundamental multiplet of Tb^{3+} in Tb Al garnet (8) 180*f*.
Gavrik, G. G. See Metushevskii, A. S.
Gavrilis, Gheorghe Effect of Cd and Sn oxides on wetting capacity and adherence of glass to metal—effect of temp. (9) 191*i*; Influence of CdO and SnO_2 on the wetting capacity and the adherence of glass on metal—effect of contact time (11) 243*e*.
Gavrin, Mikhail G. See Samodaev, Evgeny T.
Gawlicki, Marek See Paluch, Edmund
Gawne, D. T., and Higgins, G. T. Associations between spherical particles of two dissimilar phases (2) 50*j*.
Gazza, G. E. See Dutta, S. K.
Gazza, G. E., Roderick, D., and Levine, B. Transparent Sc_2O_3 by hot-pressing (6) 139*j*.
Gazzara, C. P. See Caslavsky, J. L.
Geary, Brian W. See Allen, Lloyd R.
Geballe, T. H. See King, C. N.
Geballe, Theodore H. See Bachmann, Robert
Gebauer, J. See Hasselman, D. P. H.
Gebbie, H. A. See Larson, Sylvia J.
Gebhardt, Ronald F. See Simmons, Kenneth D.
Gebhart, Joseph See Bol, Jan P.
Gee, W. See Green, Mino
Geffcken, Walter, and Paquet, Volker Method for producing mixed layers from inorganic and organic substances on a substrate, P (1) 10*f*.
Geguzin, Ya. E. Initial stage of porous body melting (11) 258*b*.
Gehring, G. A., Malozemoff, A. P., Staude, W., and Tyte, R. N. Effects of uniaxial stress on the optical spectrum of $DyVO_4$ (8) 181*c*.
Gehring, K. A. See Cooke, Arthur H.
Gehring, K. A., Malozemoff, A. P., Staude, W., and Tyte, R. N. Observation of magnetically controllable distortion in $TbVO_4$ by optical spectroscopy (8) 184*h*.
Geiger, Gordon H. See Calanog, Eduardo M.
Geiger, N. See Schlinkert, Clemens
Geirnaert, G. Study of surface layers in phase-separated industrial pressed glassware: III, Investigation of surface defects. Comparison of the check patterns on the internal and external surfaces (1) 8*j*.
Geissinger, H. D. See Wilding, L. P.
Geissler, E. See Hecht, Anne-Marie
Gelb, T. See Segnit, E. R.
Gel'd, P. V. See Alyamovskii, S. I. ; Tskhai, V. A. ; Zainulin, Yu. G.
Gelfand, Peter C. Electric field directed control of dust in electrostatic precipitators, P (6) 132*d*.
Gelin, Robert J. Chopper for linear material, P (8) 169*f*; Apparatus for advancing strand, P (10) 222*b*.
Gell, P. A. M. Electric melting for larger tonnage furnaces (8) 167*e*.
Geller, S. Thermal expansion of some garnets (6) 139*e*.
Geller, Seymour, Grant, Ronald W., and Colville, A. A. Magnetic structures in the $Ca_2Fe_{2-x}Al_xO_5$ system: II (8) 183*g*; Magnetic space group of brownmillerite, Ca_2FeAlO_5 (9) 212*d*.
Geller, Seymour, Grant, Ronald W., and Fullmer, L. D. Mag-

netic structures in the $Ca_2Fe_{2-x}Al_xO_5$ system (4) 92*g*.

Cellou, Joseph, and Slouina, Jean P. Method of making a carbonized material of expanded graphite and C fibers, P (8) 172*e*.

Gel'perin, N. I., and Chebotkevich, G. V. Thermal decomposition of Al sulfate and characteristics of its dehydration: I (1) 29*d*.

Gelsdorf, G., and Olbricht, R. Tamping [plastic] and spraying refractories in blast furnaces (4) 83*i*.

Geltman, Gerald L. See Kastenbein, Ernest L.

Gelven, Cordeveanu High-speed brick dryer (10) 233*i*.

Genannt, Wilhelm, Brodin, Willi, and Weishaupt, Siegfried Method and apparatus for gasifying liquid fuels and effecting a complete combustion thereof, P (3) 73*a*.

George, Charles R. High-temp. cementing compositions containing a lignosulfonic acid salt and a pentaboric acid salt, P (11) 243*b*.

George, D'Arcy R., and Ross, John R. U recovery, P (10) 231*e*.

George, Jay R. Glass-organic fiber scrim for flooring, P (9) 194*e*.

George, William L. Process for making a fine-geometry self-aligned device structure, P (7) 154*a*. See Zoroglu, Demir S.

Georoff, A. N., and Babcock, C. L. Relation of microindentation hardness to glass composition (3) 63*c*.

Gerard, A., and Grandjean, F. Observation by Moessbauer effect of an electron hopping process in ilvaite $[Ca^{2+}Fe_2^{2+}Fe^{3+}(Si_2O_8)]^{2-}OH^-$] (9) 213*d*.

Gerasimovich, Alexei V. See Bakul, Valentin N.

Gerber, Roland, and Elbinger, German Contribution of Fe^{2+}, Mn^{3+}, and Fe^{3+} ions to the magnetic anisotropy of $Mg_{x-}Mn_{0.6}Fe_{2.4-x}O_4$ (11) 257*b*.

Gerecke, Hanspeter Bricks need new advertising strategies (8) 171*b*.

Gerek, Gene See Hartzell, Rowland S.

Gereth, Reinhard See Fischer, Horst

Gereth, Reinhard, and Fischer, Horst Solar cell with metal layered contact and method of mfg., P (1) 19*a*.

Gerhaher, Max Ridge [roof] tile, P (3) 64*h*.

Gerlach, Gottfried See Lailach, Guenter

Gerlich, David A. Mode Gruenеisen parameters for single-crystal Al_2O_3 (4) 92*i*. See Alterovitz, S.

Germain, Andrew G., and Wiles, Donald R. Permanent [graphite] mold risering, P (9) 197*b*.

German, W. L. Ceramic production techniques (11) 248*d*.

Germscheid, Hans G. See Groschopp, Heinz ; Schoenemann, Rudolf

Gerner, M. Brick production by hand (2) 39*f*.

Gero, Gabor See Kocsis, Geza

Gerontopoulos, Panayotis, Neri, Dino, and Renzoni, Ruggero Process for preparing spheres of UO_2 and UO_2-Pu oxide having a controlled porosity, P (8) 176*h*.

Gerritsen, Jan CRT, P (8) 169*d*.

Gershun, A. S. See Bagdasarov, Kh. S.

Gerson, Robert See Moreau, J. M. ; Teague, James R.

Gertz, U. Introducing Gerd Knaepper at the Exhibition (Baden-Baden 1972) of individual pieces of ware by German ceramists working in Mashiko, Japan (6) 119*h*.

Gesche, Guenter Apparatus for applying a nonslip coating to an enameled bathtub, P (1) 4*h*; Automatic installation for enameling cast iron bath tubs (10) 219*c*.

Gesi, Kazuo Dielectric relaxation measurement on ferroelectric $AgNa(NO_2)_2$ by step-function method (7) 150*i*.

Gesing, Horst See Schimmer, Rigobert

Gesmundo, F., and de Asmundis, C. EPR study of magnetic interactions in solid solutions of ferric oxide in β-Ga_2O_3 (8) 181*i*; Magnetic interactions in corundum-hematite solid solutions—EPR study (8) 183*a*.

Gesner, Bruce D. See De Fabritis, Raymond P.

Gessinger, G. H. Vol diffusion as densification rate-controlling step in sintering (9) 216*b*.

Get'man, E. I. See Alekseev, F. P. ; Butukhanov, V. L. ; Mokhosoev, M. V.

Geusic, Joseph E., Nelson, Terence J., and Schinke, David P. Ferroelectric domain shifting devices [Gd molybdate], P (2) 43*i*.

Geyer, Dieter See Trojer, Felix

Geyer, Norman M. See Wurst, J. C.

Geyman, James M. See Roy, Amedee

Ghafghaichi, Majid, and Tuman, Daniel Positional dependency monolithic impedance, P (4) 86*j*.

Ghate, B. B., Hasselman, D. P. H., and Spriggs, R. M. Synthesis and characterization of high purity, fine grained mullite (11) 247*a*.

Ghez, R., and Gless, E. A. Liquid phase epitaxial growth kinetics of magnetic garnet films grown by isothermal dipping with axial rotation (5) 101*i*.

Ghez, R., and van der Meulen, Y. J. Kinetics of thermal growth of ultrathin layers of SiO_2 on Si: II, Theory (9) 199*e*.

Ghezzo, M. Chemical vapor deposition of phosphosilicate glasses from mixtures of SiH_4, O_2, and $POCl_3$ (8) 167*c*. See Wong, J.

Ghoneim, N. A. See Ashour, G. M.

Ghosh, D. K. See Bharadwaj, M.

Ghosh, H. N., Oberai, A. S., Chang, J. J., and Vora, M. B. As emitter structure for high-performance Si transistors (7) 150*h*.

Ghosh, Hitendra N. Performance-matched complementary pair of transistors, P (8) 175*g*.

Giammarco, Guiseppe, and Giammarco, Paolo Process for eliminating CO_2 and/or H_2S from gaseous mixtures, P (7) 158*c*.

Giammarco, Paolo See Giammarco, Guiseppe

Gianoglio, C., and Ramonda, G. Investigation of the system Ni-V-O (11) 258*c*.

Giardini, A. A. See Melton, Charles E.

Gibb, R. M., and Anderson, J. S. System TiO_2-Cr_2O_3—electron microscopy of solid solutions and crystallographic shear structures (1) 28*b*; Electron microscopy of solid solutions and crystallographic shear structures: II, Fe_2O_3-TiO_2 and Ga_2O_3-TiO_2 systems (2) 52*h*.

Gibbons, Martin D. See Fister, Karoly G.

Gibbs, G. V. See Louisnathan, S. John ; McCauley, James W. ; Phillips, Michael W.

Gibbs, G. V., Hamil, M. M., Louisnathan, S. John, Bartell, L. S., and Yow, Hsiukang Correlations between Si—O bond length, Si-O-Si angle, and bond overlap populations calculated using extended Hueckel molecular orbital theory (5) 107*a*.

Gibbs, H. L., and Bilbrey, J. H., Jr. Development of a portable radon detector (9) 204*f*.

Giberson, Dudley F., Jr. Gas burner for furnaces and kilns, P (2) 49*g*.

Gibson, James O., Schumacher, Robert L., and Myler, Kay L. Composites having low thermal expansion, P (9) 197*e*.

Giddings, Robert A., and Gordon, Ronald S. Review of O activities and phase boundaries in wustite as determined by emf and gravimetric methods (4) 93*b*.

Gie, Ong Tjing See La Grouw, Coenraad M.

Gier, Thurman E. See Bither, Tom A.

Giese, R. F., Jr., and Datta, P. Hydroxyl orientation in kaolinite, dickite, and nacrite (10) 236*h*.

Gieskes, Joris M., and Rogers, W. Carl Alkalinity determination in interstitial waters of marine sediments (9) 204*f*.

Giess, E. A. See Calhoun, B. A. ; Ghez, R.

Giess, E. A., and Cronemeyer, D. C. Magnetic anisotropy of $Eu_{0.65}Y_{2.35}Fe_{3.8}Ga_{1.2}O_{12}$ films grown on garnet substrates with different lattice parameters (10) 226*d*.

Giffen, James W. Mold assembly, P (8) 170*d*; Method for forming subsurface-fortified laminates, P (10) 222*e*.

Giffin, Robert H. New lorry design for weigh batching (11) 252*h*.

Gifkins, R. C. Superplasticity, creep, and grain-boundary sliding (9) 215*e*.

Ghigi, Giorgio Investigations of the mechanism of Na acetate as a grinding aid in the milling of clinkers (3) 59*g*.

Giglio, John Match moisture needs to mixing methods (11) 252*f*.

Gikow, Emanuel Anisotropic crystal circuit, P (1) 16*g*.

Gil-Arnao, Francisco C. See Larsen, Edwin M.

Gilbert, J. A. See Dungan, R. H.

Gilbert, L. See Taneja, S. P.

Gilbert, M. C. See Popp, R. K.

Gilbert, Raymond W., Jr. See Faught, Roger F.

Gilbert, T. L. See Hartmann, William M.

Gilbert, Van See Calkins, D. J.

Giler, Roger $MoSi_2$ in glass melting: I–II (9) 192*d*.

Gillisen, Robert E. M. See Flipot, Alfred J.

Gillespie, Frank C. See Nobbs, J. McK.

Gillies, George M., and Littlechild, James E. Rotary kilns, P (2) 49*h*.

Gillooly, George R. Halophosphate phosphor treatment process, P (7) 153*j*.

Gillott, J. E. See Duncan, M. A. G.

Gillson, J. L. See Bouchard, R. J. ; Chamberland, B. L.

Gilman, J. J. Stress-corrosion cracking in plastic solids including the role of H (5) 114*g*.

Glon, Leon Aluminous ceramic compositions with TiO_2 + MnO_2 flux, P (1) 15*c*.

Giorgi, Angelo L., and Szklarz, Eugene G. High-transition-temp. superconductors in the Nb-Al-Ge system, P (3) 69*j*; Process for preparing high-transition-temp. superconductors in the Nb-Al-Ge system, P (5) 102*g*.

Girard, Roland T., and Rice, George A. [Glass] capacitor encapsulant and method of forming, P (3) 63*g*.

Girgis, Badie S. Influence of conditions of preparation on the texture of some SiO_2 gels (8) 182*d*; Multilayer thickness relation applicable to pore size analysis of SiO_2 gel (8) 184*d*.

Gissler, W. See Axmann, A.

Giuliano, Concetto R. Laser-induced damage in transparent dielectrics—ion beam polishing as a means of increasing surface damage thresholds (10) 237*d*.

Giurcanu, Constantin New method of producing a ceramic relief (4) 82*g*.

Givargizov, E. I., and Chernov, A. A. Growth rate of whiskers grown by the vapor-liquid-solid mechanism and the role of surface energy (8) 182*c*.

Gladney, Kurt P., and Rao, Ramesh P. Production of alkali metal silicate fibers, P (1) 10*e*.

Gladrow, Elroy M. See Kimberlin, Charles N., Jr.

Glaine, Rene SemiconJuctor device and circuit arrangement comprising the device, P (3) 70*b*.

Glasbeek, M. See Lagendijk, A.

Glaser, Walter See Boggum, Paul

Glaser, Walter, and Simon, Guenter Unitized shapes vs special shapes (10) 233*i*.

Glass, A. M. See Peterson, G. E.

Glass, Alastair M. See Keve, E. T.

Glass, Alexander J., and Guenther, Arthur H. (Editors) Laser induced damage in optical materials: 1972 (2) 37*c*.

Glass, H. L. X-ray topographic analysis of dislocations and growth bands in a melt-grown Gd Ga garnet crystal (5) 116*j*.

Glasser, F. P. Formation and thermal stability of spurrite, $Ca_5(SiO_4)_2CO_3$ (7) 142*b*. See Gunawardane, R. P. ; West, A. R.

Glasser, F. P., Woodhams, F. W. D., Meads, R. E., and Parker, W. G. Moessbauer and ESR study of $CaO.6Al_2O_3$-CaO. $6Fe_2O_3$ solid solutions (4) 92*j*.

Glauser, A. Alumina/Fe ratio in equivalent-normative calculations of raw mixes (9) 189*h*; Summary of the equivalent-normative methods of calculation in the cement industry (10) 219*a*.

Glazer, A. M. See Ahtee, M.

Glazman, Yu. M. See Barboi, V. M.

Glazyrin, M. P., Ivakin, A. A., and Yatsenko, A. P. Phase diagram of the system $NaVO_3$-KVO_3 (9) 213*c*.

Gleim, Paul S. See Bean, Kenneth E.

Gleitzer, Charles See Zanne, Michel

Glekel, F. L. See Kurbatova, I. I.

Glemza, Rimantas See Rettew, Richard R.

Glendinning, William B., and Pharo, Wellington B. Method of forming a diffusion mask barrier on a Si substrate, P (5) 102*a*; Method of forming a diffusion mask barrier on a Si substrate, P (6) 130*a*.

Glesner, William K., and Thompson, Clifford E. Process for mfg. corrugated glass-fiber-reinforced PVC sheets, P (9) 194*g*.

Glew, David N., and Clarke, Ewart C. Deuterium sulfide separation and its conversion to deuterium oxide, P (1) 20*e*.

Glicksman, Leon R., and Renier, G. Errors associated with temp. measurements in hot glass (6) 123*d*.

Glinski, Vincent J. Monolithic integrated circuit structures and methods of making, P (2) 44*h*.

Glotov, V. G. Sintering of Li ferrites with fluxes (8) 173*e*.

Glower, Donald D. See Miller, D. W. ; Schlosser, Philip A.

Glueck, W. Measurement of the elastic constants (s_{11} and $s = -s_{12}/s_{11}$) of ZnO in the region 4°–300°K (8) 183*j*.

Glukhov, I. A., and Eliseev, S. S. Exchange reactions in the system MoO_2-$WOCl_4$ (1) 25*d*.

Glukhov, I. A., Eliseev, S. S., and El'manova, N. A. Oxidation-reduction processes in the systems $ReCl_5$-UO_2Cl_2 ($UOCl_3$) (2) 53*e*; Reactions in the system $ReCl_5$-WO_2Cl_2 (2) 54*h*; Reactions in the system ReO_3-$MoCl_5$ (2) 54*i*.

Glushkova, V. B. See Korneev, V. R.

Gluyer, V. P. See Mazurin, O. V.

Gnesin, G. G., Oleinik, G. S., Okhrenchuk, L. N., Podcheruyaeva, I. A., Samsonov, G. V., and Fomenko, V. S. Emission properties of polycrystalline SiC (8) 181*a*.

Gnesin, G. G., Pilyankevich, A. N., Kuznetsova, O. V., and Oleinik, G. S. Structure formation in polycrystalline SiC (8) 186*g*.

Gnuchev, V. S. See Belkov, V. M.

Gnutzmann, Heinrich, and Kassler, Holger Control rods for nuclear reactors, P (8) 176*f*.

Goan, John C., and Joo, Louis A. Oxidized C fibers, P (10) 224*e*.

Gobillon, Yves See Degueldre, Louis

Gobrecht, K. H. See Schlichting, U.

Gobrecht, K. H., and Schlichting, U. Some electrical properties of PbSe at low temps. (0.3°–300°K) (7) 152*a*.

Godai, Tomokazu, and Tanaka, Osamu Flux for submerged arc welding, P (1) 4*h*.

Godfrey, James Semiconductor device fabrication using combination of energy beams for masking and impurity doping, P (9) 202*c*.

Godfrey, T. G. See Tennery, V. J.

Goebel, K. Recent foreign developments in brickwork construction (11) 246*f*.

Goel, P. S. See Chakravorty, D.

Goettsch, Roger Pinch pot owls (4) 78*b*.

Goetz, D. See Gaiser, K.

Goetz, Frederick E., and Hause, James R. Wafer polishing machine, P (1) 19*f*.

Gogadze, N. G. See Ippolitov, E. G.

Gogndze, N. G., Ippolitov, E. G., and Zhigarnovskii, B. M. Condensed state diagrams of the systems CaF_2-SmF_3 and CaF_2-DyF_3 above 800°C (9) 208*a*; Condensed state diagram of the system CaF_2-GdF_3 above 800°C (9) 208*j*.

Gohegen, Richard H. Purification of $NaAlO_2$ liquor, P (8) 179*c*.

Gokhshtein, Ya. P., and Safonov, A. A. Study of refractory ceramic electrode of a magnetohydrodynamic generator during its operation (7) 152*d*.

Gold, L. W. Process of failure of columnar-grained ice (5) 114*c*.

Goldberg, Arnold J. Get more glass from hotter tanks (7) 144*d*. See Knavish, Leonard A.

Goldberg, Arnold J., and Knavish, Leonard A. Flow and edge control in vertical sheet drawing, P (1) 9*e*.

Goldberg, Steven A. Glaze Calculation, B (4) 94*h*.

Goldberg, Y. A., Posse, E. A., and Tsarenkov, B. V. Ideal GaP surface-barrier diode (11) 249*a*.

Gol'dinova, E. L. See Goncharov, V. I.

Goldman, Irving, M. Process for making activated MnO_2, P (2) 50*e*.

Goldman, Jerry Clay bugles (4) 77*i*.

Goldman, V. M. See Sankova, L. I.

Goldsmid, H. J. See Uher, C.

Goldsmid, H. J., Savvides, N., and Uher, C. Nernst effect in Cd_3As_2-NiAs (5) 112*b*.

Goldsmith, F. J. Nuclear fuel sintering concepts (9) 203*a*.

Goldstein, Max Method of making improved nose caps for missiles and rockets, P (6) 125*i*.

Golibersuch, David C. Noise-free small particle analysis, P (10) 233*c*.

Golius, T. E. See Minakov, A. G. ; Pavlushkin, N. M.

Golliher, Waldo R., Harris, Robert L., and LeDoux, Reynold A., Jr. Removal of Pu from PuF_6-UF_6 mixtures, P (4) 88*a*.

Golob, Helen R. See Ohlberg, S. M.

Golovkin, B. G. See Fotiev, A. A.

Golovko, Vladimir N. See Pokhodnya, Igor K.

Gol'tsman, B. M., and Kominarchik, M. G. Mechanical stresses in $(Bi,Sb)_2Te_3$ solid-solution films (8) 173*c*.

Golubkov, V. V. See Porai Koshits, E. A.

Golubtsov, L. A., Evstrop'ev, K. K., Kir'yanova, T. N., Kondrat'eva, V. S., and Khaliliev, V. D. Electrical properties of alkali-free fluorophosphate glasses (6) 123*c*.

Golubtsov, L. A., Khaliliev, V. D., Evstrop'ev, K. S., and Ivanova, E. N. Regions of glass formation and certain properties of glasses in the systems $Al(PO_3)_3$-BaF_2-RF_2 (R = Mg, Ca, Sr) (1) 8*e*.

Golubyak, L. S. See Kislyi, P. S.

Gomes de Mesquita, Albert H. See Bril, Alfred

Gomes de Mesquita, Albert H., and Bril, Alfred CRT containing Ce-activated Y silicate phosphor, P (5) 99*a*.

Gomez, G. Special problems of sintering Mn ferrites in continuous kilns (7) 152*b*.

Goncharov, A. D. See Sandulova, A. V.

Goncharov, V. I., and Gol'dinova, E. L. Effect of grain shape of quartzite on properties of dinas (1) 11*i*.

Goode, A. H. See Tyrrell, M. E.

Goode, A. H., Tyrrell, M. E., and Feld, I. L. Glass wool from waste glass (6) 123*b*.

Goodenough, J. B. Energy bands in TX_2 compounds with pyrite, marcasite, and arsenopyrite structures (2) 52*h*.

Goodenough, J. B., and Kafalas, J. A. Exploring the $A^+B^{5+}O_3$ compounds (9) 210*j*.

Goodfellow, L. C. See Bates, Colin A.

Goodfellow, R. C. See Cornwall, M. G.

Goodnight, Hershel See Zink, John S.

Goodnight, Hershel, Zink, John S., and Reed, Robert D. Burner for gaseous fuels in reduced O and/or significant velocity atm, P (8) 178*e*.

Goodson, R. E. See Chen, Tai-Seng

Goodwin, A. R. See Selway, P. R.

Goodwin, D. W. See Barton, K. J.

Goodwin, Korwin J. See Harrison, Hugh T.

Goorissen, Jan Quartz lamp seal, P (11) 245*j*.

Goossens, Urbaan P. M., van Hoorn, Willem L., and de Neve, Gerard M. J. Vibration-reducing assembly for oblong discharge lamp, P (4) 82*b*.

Gopal, R., and Calvo, C. Crystal structure of β-VPO_5 (4) 91*d*.

Gopen, Howard J. See Yu, Albert Y. C.

Goransson, Rolf E. Method and apparatus for cutting up semiplastic lightweight concrete bodies, P (8) 166*g*.

Gorbatov, A. G., and Kamyshov, V. M. Electrical conductivity of materials from mixed Al and Si nitrides (8) 173*d*.

Gordeev, S. Ya. See Mikheev, V. N.

Gordon, Bernard M., Neumann, Leopold, and Kirsch, Ivan H. Ultrasonic apparatus, particularly for thermometry, P (6) 133*g*.

Gordon, Eugene I. See Crowell, Merton H.

Gordon, Ronald S. Mass transport in the diffusional creep of ionic solids (4) 92*i*. See Giddings, Robert A. ; Hollenberg, Glenn W.

Gordon, V. G. See Surkov, M. E.

Gorecki, Joseph S. See Martin, Jack

Gorecki, T. Photostimulated exoelectron emission during thermal decomposition of nonmetallic Ni compounds (5) 113*f*.

Gorey, Edward F. See Brack, Karl

Gorgan, Ecaterina See Schuster, Uwe

Gorin, Everett Conversion of Ca sulfate to CaO and elemental S, P (8) 179*a*.

Gorin, Everett, and Yavorsky, Paul M. Desulfurization of flue gas, P (1) 22*h*.

Gorjunov, Vladimir I. See Samodaev, Evgeny T.

Gorn, F. Importance of grain size distribution in the mfg. of stoneware pipes (4) 82*f*.

Gorobinskaya, V. D. See Gorokhovskii, V. A.

Gorodetsky, G. See Fischer, E.

Gorodetsky, G., Luethi, B., and Wanklyn, Barbara M. Elastic properties of a magnetically controllable Jahn-Teller distortion in $DyVO_4$ (9) 209*c*.

Goroff, Iza, and Kleinman, Leonard First-principles calculation of the bulk modulus of diamond (6) 136*h*.

Gorokhovskii, V. A., Gorobinskaya, V. D., Ivanova, V. A., Belyavskaya, V. V., and Berezina, I. N. New polishing materials for glass (2) 37*g*.

Goroshchenko, Ya. G. Derivation of phase diagrams of certain systems by a translation method (5) 107*i*; Phase diagrams of systems with chemical compounds (5) 113*j*.

Gorshkov, A. M., Zander, V. F., Shcheksanenko, P. A., Nizovkin, G. A., and Ovchinnikov, L. F. Process technology and equipment for mfg. expanded clay drainpipe filters (11) 252*j*.

Gorter, E. W. See Schippers, A. B. A.

Goryachev, A. A., and Ignat'ev, O. S. Behavior of Mg during hydrochemical reprocessing of alumina-containing raw material (1) 23*b*.

Gosney, William M. See Carbajal, Bernard G., III

Gosselin, Kenneth F. See Alexander, Warner

Gossie, Mijo A. See Bustraan, Daniel J.

Gossink, R. G. Glass fibers for optical communication (11) 244*h*.

Gosteva, G. P. See Beresneva, T. I.

Goswami, A. K. Dielectric properties of explosively compacted $BaTiO_3$ (3) 66*i*.

Goto, Tsuneaki See Kabashima, Shigeharu

Goto, Yasumasa See Takahashi, Katsuaki

Goto, Yasumasa, and Kachi, Sukeji Studies on the mechanism of electric conduction in Fe-doped $BaTiO_3$ single crystals by applying Kerr effect (5) 115*d*.

Goto, Yasumasa, Osaka, Akiyoshi, and Takahashi, Katsuaki Anomaly in optical properties of Ni contained in alkali borate glass (6) 122*j*.

Goto, Yasumasa, and Takahashi, Katsuaki Growth of Sr ferrite crystal from molten Sr borate (10) 236*f*.

Gottardi, V. See Locardi, B.

Gottardi, V., Nicoletti, M., Sersale, R., and Buri, A. Surface reactivity of a soda-lime glass (6) 125*d*.

Gottardi, V., Tornati, M., Scaglioni, O., and Ercole, P. Proposed standards for glass containers for food (10) 221*g*.

Gottlieb, M. See Roland, G. W.

Gouda, George R. See Roy, Della M.

Gough, George T. Apparatus for casting ceramic articles, P (7) 156*f*. See Ebrey, John A. C.

Gough, J. Casting today and yesterday (1) 14*h*; Speeding up pottery making (1) 15*g*.

Gould, R. E. Reduction—a better way to fire porcelain? (2) 41*b*; Electrical porcelain—oxidation vs reduction (11) 248*f*.

Gould, Robert W. See Hench, Larry L.

Gourley, J. Terry See Runciman, W. Alan

Goursat, P. See Lortholary, P.

Govednik, Richard E. See Provenzano, Joseph C.

Govindaraju, K., Mevelle, G., and Chouard, C. Direct atomic absorption analysis of rock powders—determination of Rb and Li (5) 104*j*.

Goyette, Robert J. See Crosby, Philip C.

Grabmaier, Josef Czochralski crystallization of GaAs using a B oxide sealed device, P (6) 129*b*.

Grace, Martin I. High-efficiency-mode planar microcircuit high-frequency signal generator, P (7) 153*b*.

Grace, R. E. See Rigdon, M. A.

Grachev, V. I. See Mazepova, V. I.

Grach'yan, A. N., Zubekhin, A. P., and Leonov, V. M. Dependence of liquid-phase viscosity of a cement clinker on the characteristics of cations and anions of mineralizers (1) 2*a*.

Grach'yan, A. N., Zubekhin, A. P., Mandrykin, Yu. I., and Rotych, N. V. Effect of water vapors in gas medium on the structure and properties of the liquid phase of white portland cement clinker (2) 33*c*.

Graenicher, Heini See Mueller, K. A.

Graf, Robert E. See Robinson, Charles C. ; Snitzer, Elias

Gragg, F. M., and Skalny, Jan Simple calorimeter for hydration studies (4) 79*b*.

Graham, Glenn R., and Biggs, Robert W. Coupling with C and Be friction surfaces, P (3) 65*e*.

Graham, H. C. See Tripp, W. C.

Graham, Leslie W. See Voice, Eric H.

Graham, Leslie W., Voice, Eric H., and Brinkmann, Heinz U. Pyrolytic deposition process for applying a multilayer coating to a nuclear fuel kernel, P (9) 203*c*.

Graham, R. A. Strain dependence of the piezoelectric polarization of Z-cut Li niobate (9) 215*c*.

Graham, R. A., and Brooks, W. P. Shock-wave compression of sapphire from 15 to 420 kbars—effects of large anisotropic compression (5) 114*c*.

Graifer, Valery I. See Maksutov, Rafkhat

Grandjean, F. See Gerard, A.

Granitzki, Karl E., Ackermann, Manfred, and Thomas, Klaus Experiences with a new rapid-hardening taphole repair composition (4) 83*b*.

Granitzki, Karl E., and Hoffmann, Heinz Refractories applied in tunnel kiln cars (1) 13*b*; Latest developments in refractories for tunnel kiln cars for the ceramic industry (6) 127*b*.

Grannec, J., Champarnaud-Mesjard, J. C., Costy, J. P., Cousseins, J. C., and Gaudreau, B. Systems MF-InF_3 (M = Rb, Cs, Tl) (10) 239*g*.

Grant, A. J. See Jerome, D.

Grant, A. J., and Yoffe, Abraham D. Pressure dependence of the optical gap in crystalline and amorphous As_2Se_3 (8) 185*e*.

Grant, Clarence L. See Scammon, Lawrence W., Jr.

Grant, Howard See Wasserman, Reuben

Grant, Michael P., and Freeh, Edward J. Grinding mill method and apparatus, P (2) 48*b*.

Grant, Ronald W. See Geller, Seymour

Grasenick, Fritz Apparatus [gas discharge] for the preparation and treatment of thin layers, P (9) 200*h*.

Grassaud, Jean See Cohen-Alloro, Richard

Grassman, J. See Busch, D. M.

Gravel, Charles L. See Kurtz, Anthony D.

Gravelle, P. C., Juillet, F., Meriaudeau, P., and Teichner, S. J. Surface reactivity of reduced TiO_2 (2) 55*f*.

Gray, Martin E., Whittaker, Dennis W., and Appleton, David Cutting glass, P (10) 222*f*.

Gray, Peter V. See Brown, Dale M.

Gray, Ralph C. See Romick, Thomas A.

Gray, Thomas J., and Lowery, N. Surface electronic structure of oxides as established by thermally stimulated electron current measurements (2) 55*c*.

Greaney, Gerald F. See Demchock, Louis A., Jr.

Grebe, Kurt R. See Anacker, Wilhelm

Grebenshchikov, R. G., and Parfenenkov, V. N. Phase equilibria in the system HfO_2-$Y_2Si_2O_7$ (1) 26*d*.

Greco, Edgar J. Optical glass, P (5) 99*e*.

Greco, Edgar J., Blair, Gerald E., and Rindone, Guy E. High-index optical glass, P (1) 9*h*.

Gredescul, S. A. See Gredescul, V. M.

Gredescul, V. M., Gredescul, S. A., Eremenko, V. V., and Naumenko, V. M. Magnetization and resonance in orthorhombic antiferromagnets with the Dzyaloshinsky interaction $[CoWO_4]$ (5) 112*g*.

Green, D. H., and Ringwood, A. E. Comparison of recent experimental data on the gabbrogarnet granulite—eclogite transition (4) 91*b*.

Green, M. L. See Chin, G. Y.

Green, Mino, Gee, W., Levy, A., and Ming, P. Electrical changes on the surface of chalcogenide glasses (5) 97*e*.

Green, Robert E., Jr. Treatise on Materials Science and Technology: Vol. 3, Ultrasonic Investigation of Mechanical Properties, B (11) 260*i*.

Greenberg, Jerome S. Supporting carriage for, and method of casting in, molds for the production of ceramic hollow ware, P (1) 15*f*.

Greenberg, Leon S. See Thomas, Albert W.

Greenberg, Walter H. Glass-fiber-reinforced thermoplastic cellular plastics, P (9) 194*d*.

Greene, Edward E. See Crayton, Philip H.

Greene, Kenneth F. Two-resist method for printed circuit structure, P (10) 229*c*.

Greenham, A. C. See Kell, R. C.

Greenstein, Bernard, Langston, Perry R., Jr., Narken, Bernt, and Turetzky, Melvin N. Process for forming a multilayer glass-metal module adaptable for integral mounting to a dissimilar refractory substrate, P (8) 175*h*.

Greer, J. G., and Troup, G. J. F. Crystal and magnetic structures of Mn_3GeO_4 (7) 159*h*.

Gregg, Galen C. See Boyer, Charles B.

Grego, Peter, and Howell, Robert G. Method of chemically strengthening a silicate article containing soda, P (11) 245*e*.

Gregory, A. G., and Veasey, T. J. Review—the crystallization of cordierite glass: I, A review of glass crystallization theory with particular reference to glass-ceramics from the MgO-Al_2O_3-SiO_2 system (7) 145*j*.

Gregson, E. Flooring tiles, P (11) 246*h*.

Greig, William J. See Banfield, Joseph H.

Greinacher, Ekkehard, Fischer, Werner, and Dahne, Martin Process of separating Y and La through Lu from mixtures of such elements, P (5) 106*b*.

Greiner, J. D., and Shanks, H. R. Magnetic susceptibility of ReO_3 (4) 92*h*.

Greiner, James H. See Anacker, Wilhelm

Greiner, Roland See Schlegel, Ernst

Grekov, A. A. See Fridkin, V. M.

Grenet, J. C. See Bernier, J. C.

Grenier, Robert P. See Anderson, Albin R.

Greskovich, C., and Schmalzried, H. Nonstoichiometry and electronic defects in Co_2SiO_4 and in $CoAl_2O_4$-$MgAl_2O_4$ crystalline solutions (4) 92*d*.

Greskovich, C., and Woods, K. N. Fabrication of transparent ThO_2-doped Y_2O_3 (7) 144*d*.

Greubel, Waldemar Data-exhibiting screen device with a liquid-crystal layer and method of mfg., P (7) 153*d*.

Grey, I. E., and Mumme, W. G. Structure of $CrFeTi_2O_7$ (2) 54*h*.

Gribina, I. A. See Tarasevich, Yu. I.

Gribkov, V. N. See Portnoi, K. I.

Gribkov, V. N., Mukaseev, A. A., and Shchetanov, B. V. Normal modulus of elasticity of ceramic whiskers (8) 171*j*.

Griessen, R., Landolt, M., and Ott, H. R. New antiferromagnetic phase in EuSe below 1.8 K (9) 213*a*.

Griffin, Bobby I. See Olsen, Larry C.

Griffin, Judson R., Martin, Donald L., Jr., and Siron, Robert E. Quadruple lap simple shear test specimen, P (10) 233*d*.

Griffin, Ronald G. Method of testing integrated circuits, P (9) 201*j*.

Griffiths, C. H. See Kwan, Clarence C. Y.

Griffiths, C. H., and Walker, M. S. Combined DTA and spectrophotometric cell (11) 253*b*.

Griffiths, R. Mechanical properties of ceramics: IV (1) 21*i*.

Grigor'eva, L. F. See Rozhnova, G. A.

Grigor'eva, V. S. See Shestakova, N. A.

Grigorovici, Radu G., Devenyi, Andrei G., Florea, Valer, Korony, Gheorghe, Belu, Aretia, and Costachescu, Carol Piezoresistive transducers and devices with semiconducting films and their mfg. process, P (3) 70*e*.

Grimes, Donald E. See Halley, James W.

Grimes, John H., and Dress, William Precipitation processes for metal-containing materials (6) 132*a*.

Grimes, N. W., and Hilleard, R. J. X-ray diffraction studies of the spinel series $Mg(Cr_xAl_{2-x})O_4$: I, Lattice parameters and structure (11) 259*i*.

Grimm, Werner, Olschewski, Karl H., and Sack, Rolf E. Apparatus and method for heating shaft furnaces with fuel gas, P (4) 90*c*.

Grinberg, L. Ya. See Piontkovskii, O. D.

Grineva, M. K. See Butt, Yu. M.

Grineva, M. K., Butt, Yu. M., Bakshutov, V. S., and Timashev, V. V. Tensile strength of single crystals of a series of natural and synthetic hydrated Ca silicates (9) 191*c*.

Grineva, M. K., Butt, Yu. M., Timashev, V. V., Bakshutov, V. S., and Ilyukhin, V. V. Phase equilibria in the system CaO-Si-O_2-H_2O (1) 26*c*.

Griscom, D. L. ESR observations of Cl and Br atoms isolated at 22°K in X-irradiated alkali halide-alkali borate glasses (9) 209*i*.

Grishina, N. I. See Berul, S. I.

Griswold, Douglas A. See Rohrer, Kenneth L.

Grizik, A. A., Eliseev, A. A., Tolstova, V. A., and Shmidt, E. V. Synthesis and X-ray diffraction study of the Dy sulfides (9) 215*f*.

Grochowski, Christian, and M. ...enski, Zdzislaw Obtaining Ta_2O_5 thin films by three-electrode sputtering technique (2) 42*e*.

Grochowski, Edward G. See Castrucci, Paul P.

Grochowski, M., and Kulakowski, W. Application of the data logging system in a sheet glass plant (6) 122*h*.

Grodkiewicz, W. H. See Van Uitert, L. G. ; Wemple, S. H.

Groebler, H. An old enameling family (1) 1*h*.

Grofcsik, Janos See Boszilkov, Vladimir

Gromova, R. Ya. New recipe for Co glass (2) 37*h*.

Gronka, Edward A. High voltage processing of CRTs, P (2) 38*j*.

Groppe, Arthur D. Glass cutting table, P (10) 222*i*.

Gropyanov, V. M., and Abbakumov, V. G. Sintering of materials under nonisothermal conditions (1) 27*j*.

Gros, Yves See Koenig, Udo

Groschopp, Heinz See Schoenemann, Rudolf

Groschopp, Heinz, Schoenemann, Rudolf, Germscheid, Hans G., and Venschott, Hubert Process for enameling steel using an electrolytic Ni preplate, P (7) 143*j*.

Grosman, Erikh R. See Dyskin, Ernest M.

Grossman, David G. Tetrasilicic mica glass-ceramic method, P (8) 170*i*.

Grosso, Patrick F., Rutherford, Robert E., Jr., and Sargent, Donald E. Method of electrophoretic deposition of cathodoluminescent materials, P (5) 102*j*.

Grove, F. J., Wright, D. C., and Hamer, F. M. Cutting of glass, P (7) 146*d*; Cutting of glass, P (9) 194*a*.

Grover, J. E. See Turnock, A. C.

Groves, Warren O., Herzog, Arno H., and Craford, Magnus G. $GaAs_{1-x}P_x$ electroluminescent device doped with isoelectronic impurities, P (7) 153*j*.

Grubb, Everett F., Hammer, Friedrich W., and Monks, Joseph R. Chemically strengthened glass-encapsulated glass articles and process therefor, P (8) 169*f*.

Gruenewald, H., and Karsch, K. H. Formation of slip cast fine ceramic body by casting under pressure up to 40 atm (7) 149*i*.

Gruenling, H. W. Ceramic-metal compounds for use above 600°C (10) 223*g*.

Grundy, K. H. See Crabtree, J. D.

Grundy, P. J. See Hothersall, D. C.

Grunichev, V. A. See Vlasov, A. S.

Grunig, James K., Anderson, Rodney J., and Vance, Bess L. Crystallization of $BeSO_4$, P (6) 134*d*.

Grunig, James K., Davis, William B., and Aitkenhead, William C. Extraction of Be from ores, P (1) 23*d*.

Grunwitz, Frank A. Baffle for forced draft gas burner, P (1) 22*j*.

Gruver, Robert M. See Kirchner, Henry P.

Gruver, Robert M., and Kirchner, Henry P. Effect of surface damage on the strength of Al_2O_3 ceramics with compressive surface stresses (2) 52*b*.

Gubanova, A. I. See Kudeyarova, N. P.

Gubarev, Yakov F. See Maksutov, Rafkhat

Gubina, T. F. See Safronov, G. M.

Gueckel, Helmut See Arlt, Manfred

Guenter, John R. Topotactic dehydration of MoO_3 hydrates (4) 94*d*.

Guenthard, Hs. H. See Eigenmann, K. ; Gaechter, B. F.

Guenther, Arthur H. See Glass, Alexander J.

Guentherodt, G., and Wachter, Peter Ir reflectivity and coupled modes in Gd-doped EuO (10) 237*b*.

Guerga, Michel H., and Hallier, Bernard L. D. Microwave dryer for ceramic articles, P (3) 73*a*; Apparatus for casting of ceramics, P (8) 176*j*.

Guerguerian, Rhual L. See Nelson, John E.

Guerrieri, Salvatore A. Process for treating flue gases, P (1) 22*j*.

Gugel, E. See Schuster, P.

Gugel, E., Schroeder, K., and Frank, E. Texture and properties of stoneware: I, Macrostructure and strength of stoneware (2) 41*f*.

Guggenheim, H. J. See Eibschuetz, Marcu ; Ferguson, J.

Guha, J. P. Phase equilibrium relations in the system UN-UC-Fe (10) 230*a*.

Guha, J. P., and Kolar, D. Subsolidus equilibria in the system $BaO-CeO_2-TiO_2$ (2) 55*b*; Phase equilibria in the system $BaO-CeO_2$ (6) 138*g*.

Guidee, P. Comparison of the mobilities of cations Li^+ and Na^+ in silicate glasses by electrical methods: I (3) 61*a*; Comparison of the mobility of Li^+ and Na^+ ions in silicate glasses by electrical methods: II (10) 219*j*.

Guidevaux, J., and Rochet, D. Measurement of the stripe domain wall mobility in YIG by light diffraction (9) 212*j*.

Gulle, A. E. Stored charges in relatively thin oxide films (3) 68*n*.

Guilland, Charles See Hamelin, Andre

Guillaume, Gilles See Darriet, Jacques

Guille, Gilbert J., Jr. See Brown, Malcolm G., Jr.

Guilliatt, I. F., and Brett, N. H. Crystal growth in Mn-doped MgO powders (2) 51*c*.

Gujer, Hans Filter conveyor band for a continuously operating filter press, P (1) 21*b*.

Gukelberger, Thomas F., Jr. See Blakeslee, A. Eugene

Gukov, O. Ya., Ugai, Ya. A., and Pshestanchik, V. R. Reaction of some groups I-IV arsenides with solid NaOH during heating (5) 114*i*.

Gulick, Joan M. See Hubble, F. F.

Gulikers, Josef H. Apparatus for simultaneously decorating both sides of a 3-dimensional article, P (10) 231*i*.

Gump, J. R., Kim, Tai K., and Long, Robert E., Jr. Y purification, P (2) 50*h*.

Gump, Klaus H., and Stuetz, Dagobert E. Process for the formation of stabilized and carbonized acrylic fibrous material, P (8) 172*b*.

Gunawardane, R. P., and Glasser, F. P. Phase equilibria and crystallization kinetics in the system $Na_2Si_2O_5-BaSi_2O_5$ (6) 124*h*.

Gungle, Warren Calvin See Olson, Albert W. ; Waymouth, John F.

Gunter, William D. See Bricker, Owen P.

Gunther, Phillip B. See Weiss, Robert O.

Gupta, Alok K. System forsterite-diopside-akermanite-leucite and its significance in the origin of K-rich mafic and ultramafic volcanic rocks (2) 55*j*.

Gupta, Devendra See Malik, W. U.

Gupta, P., Chatterji, S., and Jeffery, J. W. Studies of the effect of various additives on the hydration reaction of tricalcium aluminate: I–III (1) 3*i*; Studies of the effects of various additives on the hydration reactions of tricalcium aluminate: IV (8) 166*h*.

Gupta, R. C., and Prakash, B. Sintered crucibles for small induction furnaces (1) 13*i*.

Gupta, T. K. Critical grain size for noncatastrophic failure in Al_2O_3 subjected to thermal shock (8) 180*d*.

Gupta, T. K., Rossing, B. R., and Straub, W. D. Fabrication of transparent polycrystalline CaO (7) 160*j*.

Gurev, Harold S., and Kirk, Ralph W. Noncorrosive [phosphate] coating for thin Al metalization, P (9) 201*b*.

Gurevich, B. M. See Pavlushkin, N. M.

Gurevich, Ts. N. See Pavlushkin, N. M. ; Skopina, L. V.

Gurganus, Thomas B., Turnbull, Gordon K., and Montgomery, Allen M. Method of hot compacting Ti powder, P (8) 177*a*.

Gurikova, L. M. See Sil'vestrovich, S. I.

Gurtler, Richard W., and Saltich, Jack L. Electro-optical coupled pair using a Schottky barrier diode detector, P (2) 43*e*.

Gurwood, Alexander G. Electroconductive and heat barrier coatings for ceramic bodies, P (1) 9*d*.

Guse, W. See Rath, R.

Gusel'nikov, Yu. V. See Rozhnova, G. A.

Gusev, Vladimir V. See Krikorov, Vadim S.

Gushchin, V. Ya. See Stegantsev, S. A.

Gustavii, Klas R. See Brandstrom, Arne E.

Gustavsson, Karl A. G. Apparatus for cleaning SO_2-containing flue gases, P (4) 88*e*.

Gutowski, R., Maslankiewicz, W., and Milosz, J. Axially balanced ceramic-metal seals in the design of high-power transmitting valves (3) 66*g*.

Gutt, W. See Smith, M. A.

Gutta, John J. See Cohen, Sheppard

Guttwein, Gunter K., Ballato, Arthur D., and Lukaszek, Theodore J. Vhf-uhf piezoelectric resonators, P (3) 70*i*.

Guzek, Z. See Sroczynski, R.

Guzman, I. Ya. See Adushkin, L. E. ; Kutukov, V. F. ; Purusova, T. N. ; Zabruskova, T. N.

Guzman, I. Ya., Pankratova, V. S., and Aleksandrovskaya, O. V. Nitride-bonded foamed SiC refractories (1) 12*f*.

Gvazava, G. G. See Kutateladze, K. S.

Gvishi, M. Hall mobility of undoped and Li-doped MnO at high temps. (9) 211*c*.

Gvishi, M., and Tannhauser, David S. Hall mobility and defect structure in undoped and Cr- or Ti-doped CoO at high temp. (5) 110*e*; Transition from *p*-type to *n*-type Hall effect in pure and Ti-doped Co oxide at high temp. (7) 163*i*.

Gwilliam, R. D. English china clay tube filter press (2) 47*h*.

Gyurk, Warren J. See Stetson, Harold W.

Gzielo, A. See Janas, M.

Haans, Petrus F. A. See Bouwhuis, Gijsbertus

Haas, B. See Brueckner, R.

Haas, Helmut, and Siedler, Helmut Method and arrangement for performing low-temp. grinding operations in a vibrating mill, P (9) 204*a*.

Haas, Herbert Diaspore-corundum equilibrium determined by epitaxis of diaspore on corundum (3) 74*h*.

Haber, Jerzy See Deren, Jerzy

Haber, Norman Tiltable grinder-blender, P (2) 50*h*.

Haberberger, T. H. Ferrite applications ever changing and expanding (7) 151*j*.

Haberkamp, J. See Krumme, J. P.

Haberman, Norton See Triggiani, Leonard V.

Haberrecker, Klaus X-ray tube with rotary anodes, P (8) 171*a*.

Habiniak, S. See Szafran, Z.

Hackbarth, Lowell E., and Crockett, Joseph T. Alkali metal aluminosilicates, methods for their production and compositions thereof, P (10) 225*f*.

Hackstein, Karl G. See Rachor, Lothar

Haddad, Nadim F. See Castrucci, Paul P.

Hadwiger, H. Vacuum method of enamel application—its use in the enameling of hot water storage vessels, boilers, and exhaust silencers (10) 219*f*.

Hadwiger, H., and Wenda, A. New enameling methods (6) 122*a*.

Haehnel, H. See Saalfeld, H.

Haendle, Norbert Cost-influencing factors in the brickmaking industry: I, II (3) 64*g*.

Haensel, Ruprecht See Cardona, Manuel

Haensel, Ruprecht, Rabe, P., and Sonntag, B. Optical absorption of Ce, Ce oxide, Pr, Pr oxide, Nd, Nd oxide, and Sm in the extreme uv (8) 184*i*.

Haerdtl, K. H., and Wernicke, R. Lowering the Curie temp. in reduced $BaTiO_3$ (9) 211*i*.

Haertling, Gene H. See Cutchen, John Thomas

Haertling, Gene H., and Land, Cecil E. Recent improvements in the optical and electrooptic properties of PLZT ceramics (4) 85*h*.

Haertling, Gene H., Land, Cecil E., and McKinney, Ira D. Strain biased ferroelectric electrooptics, P (10) 229*f*.

Haertling, Gene H., and McCampbell, Carroll B., Jr. Ferroelectric electrooptic devices, P (10) 227*d*.

Haft, Harry H. General illumination fluorescent lamp which accents the color of green objects, P (11) 245*c*.

Haft, R. See Heide, K.

Hagan, A. See Egerton, T. A.

Hage, Dietrich See Pieper, Klaus

Hagedorn, Erwin C. Opalizable alkaline earth aluminosilicate glass compositions, P (4) 81*j*.

Hagedorn, F. B. See Vella-Coleiro, G. P.

Hagedorn, F. B., Blank, S. L., and Barns, R. L. Growth-induced magnetic anisotropy in $Y_{2.4}Eu_{0.6}Ga_{1.2}Fe_{3.8}O_{12}$ [films] (10) 236*c*.

Hagedorn, Fred B., and Kurtzig, Arjeh J. Method of producing magnetic devices utilizing garnet epitaxial materials, P (10) 228*d*.

Hageman, George Ceramic ladles (4) 77*h*.

Hagenbach, Robert J., and Lenhard, Myron J. Xerographic imaging and development using metal oxide carrier particles, P (5) 99*j*.

Hagenmuller, Paul See Carpy, Alain ; Casalot, Andre ; Fouassier, Claude ; Ravez, Jean

Hager, Robert J., Hitchell, Maurice L., and Tufte, O. N. Process for preparing epitaxial layers of $Hg_{1-x}Cd_xTe$, P (7) 154*a*.

Haggerty, John S., and Wenckus, Joseph F. Method of synthesizing intermetallic compounds, P (3) 69*i*.

Hagie, Laird T., and Ryer, Chester M. Nuclear fuel pressing process, P (7) 155*j*.

Hagiwara, Kiyokazu See Nakajima, Yasuo

Haglund, J. A., and Hunter, O., Jr. Elastic properties of polycrystalline monoclinic Gd_2O_3 (7) 160*a*.

Hagspiel, W. Outlook in the 1970's for the production, consumption, and processing of cement with special reference to the lining problems of cement kilns (4) 79*d*.

Hagstrum, Homer D. Electronic characterization of solid surfaces (3) 72*b*.

Hagymassy, Julius, Jr. See Odler, Ivan

Hahn, H. Use of monolithic linings in blast furnaces (4) 83*j*.

Hahn, Mathew P. Unit body vibrating screen, P (3) 71*h*.

Hahn, Th. See Pieper, G.

Hailes, Laurence See Crossland, William A.

Haines, Robert S. Magnetic recording media including compositions of C-modified Cr oxide, P (8) 174*b*.

Haisty, Robert W., Johnson, Rowland E., and Mehal, Edward W. Three-dimensional integrated circuits and method of making, P (11) 251*d*.

Hakes, Glade L. Abrasive dicing of semiconductor wafers, P (3) 68*h*.

Halachmy, M. See Schmitz, F.

Haldas, Walter J., and Faust, Jesse A. Well cementing compositions and method, P (7) 143*e*.

Hale, J. W. See Nelson, R. L.

Hale, Thomas E. Coated cemented carbide product, P (9) 197*e*.

Hall, Edward L., and Philofsky, Elliott M. Electromigration-resistant semiconductor contacts and method of producing, P (10) 227*b*.

Hall, Elisha W., Jr. Abrasive device, P (8) 165*e*.

Hall, H. T. See Decker, D. L.

Hall, John W., II Method of making Ni-Cr ohmic contact to p-type SiC, P (4) 86*g*.

Hall, Lou H. Method and device employing high resistivity Al_2O_3 film, P (2) 44*h*. See Carbajal, Bernard G., III

Hall, M. E. Chemical composition for use in coating glass fibers, P (8) 169*e*.

Hall, Norman T. Glass frit-ceramic powder composition, P (4) 81*c*.

Hall, T. P. P., and Bessent, R. G. Optical absorption of neutron-irradiated CaO (9) 213*f*.

Hall, William B. See Voigt, Edward H.

Hall, William C., and Peterson, John M. Self-supporting structures for nuclear radiation shields and binders therefor, P (11) 251*j*.

Hall, William J. See Sparks, Larry L.

Haller, W. See Taragin, M. F.

Haller, Willis D., and Colline, Raymond M. Magnetic recording tape, P (7) 153*f*.

Haller, Wolfgang K. See Simmons, Joseph H.

Hallett, J. B. See Childs, B. G.

Halley, James W., Grimes, Donald E., Mills, Norman T., and Yalamanchili, Krishna R. Slag use in continuous casting of steel, P (3) 65*j*.

Hallier, Bernard L. D. See Guerga, Michel H.

Halpin, J. A. Blast furnace linings with a phosphate-bonded 85% Al_2O_3 brick (4) 82*i*.

Halsted, Robert Casting with native red clays (4) 77*h*.

Haly, A. R. Specific heat of a synthetic zeolite and the heat of fusion of its absorbed water (8) 186*i*.

Hamada, Akira See Kikuchi, Makoto

Hamada, Akira, Kurosu, T., Saito, Mitsuyoshi, and Kikuchi, Makoto Transient phenomena of the light-induced memory in amorphous semiconductor films $[Te_{81}Ge_{15}Sb_2S_2]$ (10) 227*f*.

Hamada, Akira, Saito, Mitsuyoshi, and Kikuchi, Makoto Photodarkening effect in amorphous As-Se-Ge films (8) 173*d*; Effect of heat treatment on optical property in amorphous semiconductors (8) 181*a*.

Hamada, Akira See Kurosu, T.

Hamaguchi, Yoshikazu See Ishii, Tamotsu

Hamai, Jituo Mfg. method for small electric lamps, P (2) 38*j*.

Hamamoto, Hiroshi See Kimura, Takashi

Hamano, Kenya, and Lee, Eung Sang Densification processes in kaolin bodies (7) 159*j*.

Hamano, Yoshiteru See Kinoshita, Makoto

Hamelin, Andre, Paulus, Max, and Guilland, Charles Process for flux crystallizing ferrites, spinels, and garnets from 1% melt mixture, P (9) 201*g*.

Hamer, D. W., and Biggers, J. V. Thick Film Hybrid Microcircuit Technology, B (2) 58*j*.

Hamer, F. M. See Grove, F. J.

Hamesch, M., Foerthmann, Ruediger, and Nickel, Hubertus Incorporation of solid fission products in sol-gel processed

spherical fuel particles (1) 20*b*.

Hamil, M. M. See Gibbs, G. V.

Hamilton, L. W., and Ingram, M. D. Free radical reactions in molten salts by glow-discharge electrolysis: I, Molten nitrates (2) 53*c*.

Hamilton, W. C. See Abrahams, S. C.

Hamisch, Wolf Dieter Mfg. of float glass (10) 220*d*.

Hamling, Bernard H. Ceramic-coated articles, P (4) 80*c*; Fibrous ZrO_2 cement composites, P (9) 197*f*.

Hammann, J. See Gavignet-Tillard, A.

Hammer, Friedrich W. Forehearth addition section, P (7) 146*h*. See Grubb, Everett F.

Hammond, Michael J., and Herner, Raymond F. Rare earth oxide phosphors having inert nonluminescent layer thereon, P (10) 228*e*.

Hammoon, A. See Dontsov, G.

Hamon, Richard E. Method of providing a lead wire seal, P (4) 81*i*.

Hampe, Walter R., Simon, Albert B., Hampton, William H., and Decker, William E. Rotary diamond core bit, P (1) 1*f*.

Hampton, William H. See Hampe, Walter R.

Han, Sang Mok See Choi, Sang Heul

Han, Suk Woo See Chi, Ung Up

Hanada, Hiroshi Process for preparing photoconductive powders, P (1) 19*a*.

Hanak, Joseph J., and Russell, John P. Sputter-etching technique for recording holograms or other fine-detail relief patterns in hard durable materials, P (9) 202*b*.

Hanaoka, Masafumi Plural photodiode target array, P (2) 45*e*.

Hancock, C. See Baldwin, N. L.

Hand, John W., Lockwood, Don L., and Harris, Robert K. Discharge mechanism for shaft kiln, P (3) 72*j*.

Handa, Minoru See Kanazawa, Takafumi

Handrek, Eberhard, and Lauenroth, Peter Optimizing the operating time of glass processing machinery (10) 220*f*.

Hanke, I. Effect of Ti ions on the magnetic properties of Mn Zn ferrites (9) 199*i*.

Hanna, Kaisar M. See Yudenfreund, Marvin

Hanna, Owen T. See Kunz, Robert G.

Hansen, Charles M. Quantitative evaluation of leveling by surface waviness measurements (3) 72*h*.

Hansen, James H., Leedy, Nelson J., and Slonaker, Robert O. Laminar refractory structures for forming glass fibers, P (1) 9*j*.

Hansen, Kent W. See Davis, Earl K.

Hansen, Lars J. Process for the recovery of waste pickle liquor, P (10) 219*e*.

Hansen, Torben C. See Radjy, Fariborz

Hansford, Robert J. Construction process and apparatus for forming ceramic walls, P (7) 156*h*.

Hansford, Rowland C. Dehydrogenative process and catalyst, P (6) 134*e*.

Hanson, Alden W. See LaBarge, Robert G.

Hanus, Hans D., and Aussenegg, Franz Process for hardening coatings with lasers emitting ir radiation, P (10) 228*b*.

Hanus, J. See Hulin, D.

Hanusa, Wolfgang See Schulle, Wolfgang

Hara, Akio, and Yaru, Syuji High-strength metal-bonded WC-base composites, P (10) 224*i*.

Hara, Hisashi Semiconductor device with an FET, P (9) 202*c*.

Hara, Kamekichi See Kawamura, Junichi

Hara, Takao Apparatus for arranging articles in staggered rows, P (7) 146*g*.

Harada, Hiroyuki GaAs vapor phase epitaxial growth (10) 236*a*.

Harada, S., Suzuki, S., and Nakagawa, T. Practical application of computer control to long wet-process kilns (10) 218*a*.

Harada, Toshiaki, and Morigaki, Kazuo Generation of free carriers via exciton-donor interaction and impact ionization of excitons in Cd(S,Se) crystals (5) 110*c*.

Harao, Norio See Tsuneta, Asahide

Harao, Norio, and Yano, Motohiro CRT with contiguous transparent section and fiber-optics section, P (1) 16*j*.

Harari, D., Bernier, J. C., and Poix, Paul Two perovskite-type tellurates (4) 94*a*.

Harata, Mitsuo See Imai, Atsuo

Harbach, A. J. Some aspects of gunning (7) 148*d*.

Harbeke, Guenther See Steigmeier, E. F.

Harbeke, Guenther, and Lehmann, H. W. Optical transitions and band-structure model for Cd Cr chalcogenides [ferromagnetic semiconductors] (7) 161*g*.

Hard, Robert A., and Ripley, Robert L. Process for leaching base elements such as U ore in situ, P (4) 88*a*.

Hardesty, C. A. See Brooks, A. D.

Harding, B. C., and Price, D. M. Cation self-diffusion in MgO up to 2350°C (5) 106*h*.

Harding, F. L. Reply to "Comments on 'Dependence of melt O activity and water retention on composition of amber glass'," (6) 122*h*.

Harding, Maynard C., and Payne, Joseph A. High-voltage insulator having a thick-film resistive coating, P (8) 174*j*.

Harding, William R. See Hill, Vincent G.

Hardy, Clarence J., and Holdoway, Michael J. Fibrous [Al_2O_3] inorganic materials, P (3) 66*d*.

Hardy, Paul W., and Peterson, Orrin M. Method of making glazed ceramic bonded expanded vermiculite articles, P (1) 11*b*.

Hare, Paul N. Pelletizer [with twin shafts], P (8) 177*c*.

Hares, George B., and Morgan, David W. Optical glass with controlled uv transmission, P (8) 170*e*.

Hargrove, R. Steven, and Kuendig, Walter Moessbauer measurements of magnetite below the Verwey transition (7) 161*e*.

Harker, Robert I. Hydrothermal synthesis of perovskite composed of $CaO.TiO_2$, P (2) 50*i*.

Harkort, Dietrich, and Hoffman, Ulrich Germany streamlines firing operations (3) 66*d*.

Harley, R. T., Hayes, W., and Smith, S. R. P. Raman study of phase transitions in rare-earth vanadates (8) 185*h*.

Harnden, John D., Jr. Electromagnetic device having a metal oxide varistor core, P (4) 86*j*; Switch assembly having wafers of metal oxide varistor material, P (4) 87*b*; Hybrid circuit arrangement with metal oxide varistor shunt, P (10) 227*f*.

Harnisch, Heinz See Tiedemann, Jens

Harper, David W. See Reid, Alexander M.

Harper, H., James, P. F., and McMillan, P. W. Crystal nucleation in Li silicate glasses (2) 35*b*.

Harper, H., and McMillan, P. W. Formation of glass-ceramic microstructures (5) 97*i*.

Harper, N. C., Marshman, J. H., and Marshman, H. T. Automatic control of chemical concentration, P (7) 157*c*.

Harper, W. C. See Taneja, S. P.

Harrach, Walter Fused-cast Hungarian tank blocks used in glassmelting kilns (1) 12*d*; Heating of glassmelting kilns (3) 61*d*.

Harrap, Victor See Brown, George A.

Harre, Willi Properties of construction materials determine the space climate (7) 148*c*.

Harrier, Jack L. Process for preparing fiber-glass preforms, P (5) 99*f*.

Harrington, James A., and Walker, Charles Thomas Phonon scattering by point defects in CaF_2, SrF_2, and BaF_2 (6) 138*g*.

Harris, Anthony Michael See Jackson, John Henry

Harris, I. R. See Abell, J. S.

Harris, J. J., and Ridley, B. K. Room-temp. transport properties of *p*-type PbTe (8) 186*b*.

Harris, James O., Jr. See Cutchen, John Thomas

Harris, L. A., and Finch, C. B. Phase stability in the $ThGeO_4$ system in the range 750°–1450°C at 1 atm (5) 113*b*.

Harris, L. A., Yakel, H. L., and Yust, C. S. Formation of an Fe-Pt carbide from Fe carbonyl in CO gas (5) 110*a*.

Harris, Robert K. See Hand, John W.

Harris, Robert L. See Golliher, Waldo R.

Harris, Ronald E. Processes using a masking layer for producing field effect devices having oxide isolation, P (2) 45*j*.

Harrison, A. Michael See Myhre, Kjell E.

Harrison, Hugh T., and Goodwin, Korwin J. Aqueous hydraulic cement slurry, P (1) 4*b*.

Harrison, James W., Jr. Survey of single crystal growth methods for GaAs (10) 227*d*.

Harrison, Maurice C., and Vancil, Donald O. Mfg. of NaF/Al-F_3 double salt, P (3) 73*g*.

Harrison, R., and Dinsdale, A. Internal wall-tile fixing (7) 149*j*.

Harsell, W. B. See Ott, W. R.

Hart, Frederick H., and McFegan, William Method and apparatus for electrically welding a double-walled glazing unit, P (8) 170*g*.

Hart, L. W., and Stanford, J. L. Magnetic resonance in the spiral phase of polycrystalline $MnAu_2$ at 20—26 GHz (7) 161*a*.

Hart, Melvin G. High-temp. [quartz] diffusion tube, P (10) 222*a*.

Hart, Patrick E. Hot-pressing oxide fuels (9) 203*a*; New class of ceramic composites (11) 247*e*.

Hartley, Kenneth See Mills, Alfred L.

Hartline, S. D., Bradt, R. C., Baumgartner, H. R., and Rosebrooks, N. B. Notched-beam test for fracture-energy measurement (11) 254*a*.

Hartmann, Hans J. See Hartmann, Job W.

Hartmann, Hans J., Leonhard, Karl W., Ohlinger, Manfred, and Schwarzmann, Matthias Mfg. of highly coercive CrO_2, P (1) 17*d*.

Hartmann, Job W., Hartmann, Hans J., Schnell, Georg, Falk, Roland, and Balz, Werner Magnetic recording media, P (1) 17*c*.

Hartmann, William M., Gilbert, T. L., Kaiser, K. A., and Wahl, A. C. H-F⁻ potential interaction and local mode frequencies for an interstitial H atom in alkaline earth fluorides (8) 182*e*.

Hartnett, James P. See Rohsenow, Warren M.

Hartwig, W. H. See Fitzgibbons, E. T.

Hartzell, Rowland S., and Gerek, Gene Asbestos sheet material directly adhered to a cellular foam substrate, P (5) 100*i*.

Harvey, P. J. See Childs, B. G.

Harvey, P. J., Childs, B. G., and Moerman, J. Optical absorbance and fluorescence in pure and doped ThO_2 (4) 87*h*.

Haschke, John M., and Eick, Harry A. Incongruent vaporization of nonstoichiometric $YbC_{1.25+x}$ (8) 182*a*.

Hasegawa, Hiromasa See Iizuka, Mutsuo ; Kano, Gota

Hasegawa, Kanemitsu See Mizukusa, Shin

Hasegawa, Masahiko, Daido, Katsuhiko, and Ishimoto, Akiteru Effect of external magnetostatic field on fast magnetization reversal of ferrite cores (3) 66*j*.

Hasegawa, Masashi See Kawazoe, Hiroshi

Hasegawa, Taro, and Sato, Heihachi Polarization—reflection type of light modulator using ferroelectrics (4) 85*f*.

Hashimoto, N., and Smith, J. M. Macropore diffusion in molecular sieve pellets by chromatography (11) 253*j*.

Hashimoto, Takasu See Yamaguchi, Masuhiro

Hashimoto, Toshio, and Tanabe, Isao Mask for selectively exposing photoresist to light, P (7) 153*g*.

Hashmi, F. H. See Callaerts, R.

Hasiguti, Ryukiti R. See Igata, Naohiro

Haskell, R. W. Introduction to the thermodynamics of spinodal decomposition (8) 183*c*.

Haskins, Arlie W. Process for the preparation of a ^{90}Sr-^{90}Y beta source in a radiation hazard free manner, P (4) 88*a*.

Hasler, M. Automatic and continuous Blaine apparatus (7) 156*i*.

Hass, E. H. See Hensler, Donald

Hass, Marvin Raman spectra of vitreous silica, germania, and sodium silicate glasses (4) 81*a*.

Hasselman, D. P. H. Comment on "Prediction of thermal-shock resistance during heating at very high rates" (5) 104*f*; Correction—"Griffith flaws and the effect of porosity on tensile strength of brittle ceramics" (10) 235*f*. See Coppola, J. A. ; Ghate, B. B. ; Krohn, D. A. ; Penty, R. A.

Hasselman, D. P. H., Gebauer, J., and Manson, J. A. Elastic behavior of polymer-impregnated porous ceramics (1) 3*a*.

Hasselman, D. P. H., and Peaty, R. A. Stress concentrations in polymer-impregnated porous brittle materials (4) 79*d*.

Hassler, A. Continuous reduction firing of ceramic products, P (8) 178*e*.

Hassoun, Fadhil See Trier, Wolfgang

Hastings, I. J. Burnup and temp. dependence of swelling in U_3Si (10) 229*i*.

Hasty, Turner E. Method for encapsulating discrete semiconductor chips, P (10) 227*j*.

Hata, Takayoshi See Mizukusa, Shin

Hatano, H. Behavior of S in the suspension preheater kiln system (6) 120*b*.

Hatcher, Arthur L., Jr., and Stonefelt, Ronald D. Method of controlling the reverse breakdown characteristics of semiconductors, P (6) 129*j*.

Hathaway, Robert E. Method and apparatus for measurement of particle size and percent solids in multiple process flow streams, P (6) 132*c*.

Hatieganu, S. Measurement of the optical quality of flat glass using an industrial apparatus, the profiloscope (3) 62*d*.

Hattanda, T. See Kamata, N.

Hattori, Kenichi, Yamakawa, Tyoji, and Tuji, Akitoshi Dispersing composition, P (1) 4*b*.

Haughton, D. R. See Connolly, J. W. D.

Haughwout, Lefferd B. See Bortz, Seymour A.

Haugsten, Kjell, and Roest, Erling Crystal structure of $Ni_{0.55}Se_{0.08}Te_{0.37}$ (2) 51*g*.

Haugsten, Kjell, Roest, Erling, and Vestersjoe, Egil System Ni-S-Te (2) 55*d*.

Hause, James R. See Goetz, Frederick E.

Hauser, C. O paramagnetic centers adsorbed on TiO_2 and SnO_2 (10) 238*b*.

Hauser, H. See Gaiser, K.

Hauser, Karl V. Method of treating slag, P (6) 128*c*.

Havek, Jack E. Automobile requirements meet head on with materials capabilities (5) 117*a*.

Hawrylo, Frank Z. See Kressel, Henry

Hawrylo, Frank Z., and Kressel, Henry Method of forming semiconductor device with smooth flat surface, P (1) 18*b*.

Hay, Warren H. See Kopelman, Bernard

Hay, William J., Jr. Combined stain retardant and separator interleaving material for glass sheets, P (7) 146*c*.

Hayakawa, Shigeru See Matsuo, Yoshihiro

Hayakawa, Yoshihide See Sato, Masamichi

Hayakawa, Yoshimitsu See Saito, Toshitaro

Hayakawa, Yukio See Muta, Akinori

Hayami, R., and Terai, R. Diffusion of alkali ions in Na_2O-Cs_2O-SiO_2 glasses (5) 97*h*.

Hayashi, Hiroaki See Chiku, Takewo

Hayashi, Hiroshi See Mizukusa, Shin

Hayashi, Izuo Double heterostructure laser diodes, P (1) 17*d*.

Hayashi, Kunio, and Uei, Isao Rapid determination of thermal conductivity of refractories by the hot-wire method: IV, Method of estimating suitable radius of specimens for measurement (9) 196*d*.

Hayashi, Masaaki See Niwa, Shohei

Hayashi, Shigeyuki Magnetoplastic effect in Ni and Ni-Co alloy single crystals (6) 137*j*.

Hayashi, Shinsuke, and Saito, Hajime Growth of fibrous MgO via vapor phase (10) 236*d*.

Hayashi, Shintaro Growth and electrical properties of Cd oxide single crystals (3) 67*e*.

Hayashi, Tadao Test results on insulating material used for skid rail in beam rolling furnace (7) 148*f*.

Hayashi, Tetsu, Korotaeva, L. G., and Ivanov-Emin, B. N. Decomposition of double selenates of Sc and alkali metals during heating (7) 159*i*.

Hayashi, Yasuhige See Niwa, Shohei

Hayes, John C., and Pollitzer, Ernest L. Dehydrogenation with a catalytic composite containing Pt, Re, a group VI transition metal, and an alkali or alkaline earth metal, P (5) 105*i*.

Hayes, W. See Harley, R. T.

Hayford, John S. Hydrothermal process for making HF, P (6) 134*f*.

Haynes, William L. See Farrauto, Robert J.

Hays, Robert G., Pennell, Ronald C., Reed, Edwin E., and Volk, Charles E. Method of doping semiconductor substrates, P (1) 17*h*.

Hays, Robert G., and Rhee, Chongkook Etch stop for KOH anisotropic etch, P (7) 153*g*; Thin single-crystal Si on an insulating substrate and improved dielectric isolation processing method, P (7) 155*b*.

Hazell, R. G. See Christensen, A. Noerlund

Heaps, J. D. See Liu, S. T.

Hearn, C. J. *C/a* ratio of VO_2 crystals with the rutile structure (9) 208*e*.

Hearn, Eric W., Schwuttke, Guenter H., and Tekast, Erich H. Method for reducing crystallographic defects in semiconductor structures, P (9) 201*i*.

Heaton, Richard A. Removal of glass article from ribbon forming machine by vibrating force, P (8) 170*h*.
Heaton, Richard A., and Mallory, James D. Method and apparatus for making glass containers, P (3) 64*a*.
Heaton, Richard A., and Sachs, Maurice J. Method of shaping glass, P (8) 170*b*.
Heberlein, Klaus Electrostatic glazing in the porcelain industry (9) 197*i*; Electrostatic enameling of holloware (10) 219*d*.
Hecht, Anne-Marie, and Geissler, E. Properties of adsorbed water between the sheets of a synthetic fluoromontmorillonite (11) 259*c*.
Hecht, H., and Mollwo, E. Luminescence efficiency of band-band recombination and concentration of conduction electrons in ZnO crystals (9) 212*a*.
Hecht, N. L., and Fusek, R. L. Holography—Q. C. tool of the near future (9) 204*h*.
Hecker, R. R. See Holmes, L. M.
Heckmaier, Joseph See Fischer, Walter
Heckman, Richard A., and Cowles, John O. Reduction of radioactive gas contamination of nuclear detonations in geological formations, P (3) 71*d*.
Hed, A. Zeev, and Freud, Paul J. Polaronic semiconductor devices, P (1) 18*j*.
Hedler, Robert A. Means and process for achieving a controlled particle-size range of CRT phosphors, P (7) 153*g*.
Heer, John Surface barrier diode having a hypersensitive n region forming a hypersensitive voltage variable capacitor, P (4) 87*a*.
Heer, William F. See Moore, Claude A.
Heflich, Henry G. Means for cutting glass tubes, P (5) 99*j*.
Heflich, Henry G., and Krumm, Charles K. Method and means for forming a thermometer bulb, P (9) 194*d*.
Heger, G., and Dachs, H. Magnetic behavior of the two-dimensional antiferromagnet $RbFeF_4$ (9) 212*b*.
Hehemann, G. Piezoelectric devices for emitting radiation, P (9) 201*e*.
Heian, Glenn A. See Kohl, Robert F.
Heide, H., and Hoffmann, U. Ceramic materials in human medicine (2) 41*b*.
Heide, K., Haft, R., Panlik, J., and Paulik, Ferenc Derivatographic determination of simultaneous dilatometric analysis and DTA of glasses (7) 144*e*.
Heidenbluth, Heinz D. See Schoenemann, Rudolf
Heidenhain, Johannes, Burkhardt, Horst, and Kraus, Heinz Optical diffraction grid, P (8) 170*e*.
Heightley, John D., and Waaben, Sigurd G. Two-terminal dual *pnp* transistor semiconductor memory, P (1) 19*c*.
Heinke, G., Sharma, K. K., Sahl, K., and Floerke, O. W. Relations . between habit, topotaxy, and texture of polycrystalline corundum (9) 214*b*.
Heinke, Guenther See Kieffer, Richard
Hein, Gary Electrostatic deposition of powdered frit (8) 166*h*.
Heine, J. H. D. Automatic tunnel kiln control (6) 133*j*.
Heinemann, Otto Automatic apparatus for determining fineness in grinding plants (7) 156*j*. See Schossler, Werner
Heinrich, E. W. See Foit, Franklin F., Jr.
Heinrici, K. Preliminary crushing of cement clinker (6) 121*d*.
Heintges, G., and Kroenert, W. Stress-strain behavior of high-alumina refractory materials in torsion (1) 13*b*.
Heinz, David M. Method of forming bubble domain system, P (8) 174*g*. See Mee, Jack E. ; Owens, John M.
Heinze, Gerhard See Schwochow, Friedrich
Heinze, R. Stress and concentration in a chemically hardened glass (4) 81*b*.
Helbig, R. See Mueller, G.
Held, Llewellyn J. See Pieri, Giovanni
Helekal, Jaroslav See Bolek, Milan
Heller, Adam See Gardner, Phillip J.
Helmer, John C. See Bates, Clayton W., Jr.
Helmer, John C., and Weichert, Norbert H. Apparatus for performing chemical analysis by electron spectroscopy, P (10) 233*a*.
Helmy, A. K. See Ferreiro, E. A.
Helsen, J., Schmidt, K., Chakupurakal, Th., Coussement, R., and Langouche, G. Determination of the self-diffusion coeff. in a vermiculite by the Moessbauer effect—preliminary results (6) 135*e*.
Helsen, J., and Wijnhoven, J. Determination of Al coordination by X-ray fluorescence in γ-irradiated silica-alumina gels—statistical study of results obtained from cumulative curves (6) 135*d*.
Hem, J. D. See Smith, R. W.
Hem, J. D., Roberson, C. E., Lind, C. J., and Polzer, W. L. Chemical interactions of Al with aqueous SiO_2 at 25°C (9) 208*g*.
Hemingway, B. S. See Robie, R. A.
Hemingway, J. E. See Al-Hashimi, W. S.
Hempel, S., and Peters, W. Building of tunnel kilns by Baukasten method (9) 205*i*.
Hemstreet, Louis A., Jr., Fong, Ching-Yao, and Cohen, Marvin L. Calculation of the band structure and optical constants of diamond using the nonlocal-pseudopotential method (8) 179*f*.
Hench, L. L. See Sanders, D. M.
Hench, Larry L., and Gould, Robert W. Characterization of ceramics, B (3) 76*h*.
Henderson, James R., Johnson, Donald M., and Muramoto, Michiya Production of high-purity rare-earth sulfides, P (11) 256*f*.
Hendrickson, J. R., and Bray, Philip J. Theory for the mixed alkali effect in glass: II (5) 98*b*.
Hendriks, Adrianus A. M. Gas discharge tube having a number of juxtaposed matrix groups for displaying characters, P (8) 169*i*.
Hendriks, J. H., and Dijkstra, F. J. Acoustic relaxation in Mn ferrites ($Mn_xFe_{3-x}O_4$) at temps. between 90° and 400°K for $1.0<x<1.6$ (5) 106*e*.
Heneghan, Leo F. See Lee, Leonard S.
Henes, Siegfried See Maier, Gerhard
Hengehold, R. L., Almassy, R. J., and Pedrotti, F. L. Electron energy-loss and uv-reflectivity spectra of crystalline ZnO (6) 136*c*.
Henin, S. See Besson, H.
Henisch, Heinz K. See Lee, S. H. ; Roy, Rustum
Hennecke, J. F. A., and Scherff, Hans L. CO equilibrium pressures and phase relations during carbothermic reduction of UO_2 (1) 19*g*.
Hennequin, Francois M. Shaping hollow glass bodies by plurality of jets, P (3) 64*c*.
Hennicke, Hans W. Outlook and trends in the development of fine ceramics (4) 84*e*. See Schuster, P.
Hennicke, Hans W., and Vaupel, Horst Elastic deformations in hardness testing (1) 6*j*; Microstresses and their effect on the load dependence of microhardness (2) 48*j*.
Hennig, H. Thoughts on the specification for signal colors with a view to a rational preparation of the necessary sheet glass color filters (9) 193*g*.
Henning, John C. M. See van den Boom, H.
Henning, Otto See Kaessner, Bernd
Hennings, Klaus System for photographic production of semiconductor microstructures, P (6) 130*f*. See Schuetze, Hans J.
Hennion, B. See Bonfante, M.
Henrion, P. N., and Leurs, A. Kinetics of the reaction of UO_2, NpO_2, and $(U,Pu)O_2$ with F and its Cl derivatives (8) 176*d*.
Henry, Charles H., and Nassau, Kurt Lifetimes of bound excitons in CdS (6) 136*j*.
Henry, Edward C., and McCreight, Louis R. Astroceramics—dawn of a new era? (9) 195*g*.
Henry, George R. See Morris, Martin
Henry, Robert E. Method of measuring entrained gas in a liquid using a converging-diverging nozzle, P (9) 203*a*.
Hensler, Donald, Soos, N. A., Hass, E. H., Frankson, Robert W., and Rott, Dennis A. Laser specular reflectometer for ceramic surface diagnostics (4) 89*c*.
Hensler, Donald H. See Cuthbert, John D.
Hensley, Eugene B. See Kappers, Lawrence A. ; O'Dell, K. D.
Hentzschel, Wolfgang, and Ziems, Joachim Process model for preparing kaolin (10) 234*g*.
Heuyey, Thomas L., and Teng, Ta-Liang A microdrilling technique for use on ceramics and crystalline materials (7) 156*j*.
Herbst, U. Rheological measurements on enamel slips (4) 80*a*.
Herchenbach, H. Dust cycles—effects in the air-suspension preheater on coating, precalcining, and partial gas extraction (6) 120*f*.
Hercules, Aubrey S., and Phillips, Colin R. Elutriation from two-species liquid-fluidized beds (9) 203*f*.
Herczog, Andrew See Asher, John W.
Herickhoff, Robert J., and Kimmel, William D. Interface amplifier, P (8) 174*a*.
Herlet, Adolf See Burtscher, Joachim
Herman, Herbert Treatise on Materials Science and Technology, Vol. 1, B (5) 118*d*.
Hermans, F. Current advances in the rapid heating of the open kiln for sanitary ware (6) 133*i*.
Hermes, O. Don Paragenetic relations in an amphibolitic tectonic block in the Franciscan terrain, Panoche Pass, California (9) 206*h*.
Herner, Raymond F. See Hammond, Michael J.
Herulcz, R. S. See Touloukian, Y. S.
Heron, John B. Electrical component having an attached Pb assembly, P (4) 86*i*; High-voltage monolithic ceramic capacitor, P (7) 153*c*.
Herrick, William V. See Epstein, David J.
Herrington, J. R. See Dischler, Bernhard
Herrington, J. R., Dischler, Bernhard, and Schneider, Juergen EPR investigation of Fe^{3+} and Mn^{2+} in $LiNbO_3$ (9) 210*g*.
Herron, R. H. See Leonard, R. J.
Herron, Rand E., and Olich, Jack M. Burner construction for flame spectrophotometer and system therefor, P (3) 72*e*.
Hersey, Arthur T., and Toury, J. Richard Quick-setting portland cement, P (1) 4*b*.
Herve, A. See Maffeo, B. ; Ruis, G.
Herzberg, Claude Apparatus for feeding a gas furnace, P (7) 157*j*.
Herziger, Gerd B. See Banse, Karlheinz V. H.
Herzog, Arno H. See Groves, Warren O.
Herzog, Guenther, Kahle, Guenter, Koelling, Wolfgang, Lamm, Christian, Muench, Ursula, Schumann, Horst, Wolfrom, Walter, Riesel, Werner, and Wagner, Roland Process for increasing the strength of cement obtained from Ca sulfate, P (6) 121*g*.
Hess, J. See Bauminger, E. R.
Hess, Martin S. See Castrucci, Paul P.
Hesselmann, Heinz Screw nipple connection for C and graphite electrodes, P (8) 172*e*.
Hessinger, Philip S. See Snyder, Christopher L.
Hetrich, Harold A. Fluidic masking apparatus for etching, P (2) 43*j*.
Heuer, A. H. See Firestone, R. F. ; Snow, J. D.
Heumann, Frederick K. See Barnett, Allen M.
Heverly, Harold R. See De Long, William T.
Hewat, A. W. Lattice dynamics of ZnO and BeO (7) 161*i*.
Heyndryckx, P., and Chenebaux, J. Checking and control of glass products by new techniques (3) 60*i*.
Heyne, Clarence A. Method and apparatus for recovering discrete gobs of molten glass, P (8) 170*j*.
Heyne, L., Beekmans, N. M., and de Boer, A. Ionic conduction and O diffusion in yellow Pb oxide (9) 211*b*.
Heywang, W. Semiconducting $BaTiO_3$ (6) 129*e*.
Heywang, Walter, Winstel, Guenter, and Zschauer, Karl H. Semiconductor diode for an injection laser, P (9) 202*f*.
Hiatt, John C., and Luker, John P. Method for making cement, P (1) 4*a*.
Hicks, Gerald W. Furnace wall construction, P (3) 73*a*.
Hieb, Harry L. Basic refractory [periclase], P (5) 100*j*.
Hielscher, J. Tests on cavity walls (2) 39*g*.
Higashi, Seiya, and Kobayashi, Kenro Crystal pulling apparatus having means for maintaining liquid-solid crystal interface at a constant temp., P (2) 43*b*.
Higashinakagawa, Iwao See Yasuda, Nobuaki
Higgins, G. T. See Gawne, D. T.
Higgins, T. J., Boesch, L. P., Volterra, V., Moynihan, C. T., and Macedo, P. B. Electrical and mechanical relaxations in a mixed-alkali silicate glass (7) 144*a*.
Higham, G. A. See Parry, R. J.
Higuchi, Katsuji See Mizukusa, Shin
Higuchi, Shigetaka See Kawasaki, Meiro ; Makino, Yoshimi
Hihara, Takeshi See Sawamura, Mitsuyoshi
Hikino, Tadashi See Wada, Mitsuo
Hilberg, Ronald P. See Hook, William R.
Hilbig, Gerhard Spectral transmission of a Christiansen filter (11) 254*d*. See Schwarz, Frieder
Hildebrand, H., and Schweak, W. Susceptibility of sheet steels to fish-scaling and test methods (5) 96*j*.
Hildreth, Clarence L. Chloridizing alumina-containing ore, P (3) 73*f*.
Hilgers, Giovanni, Hitzemann, Gerhard, and Kolling, Achim Means for producing pyrogenic TiO_2 pigment, P (3) 73*g*.
Hilker, E. Determination and application of the optimum firing curve (10) 223*d*.
Hill, Bryan H. Process for forming a *pn* junction in a semiconductor material, P (3) 70*h*.
Hill, Dorothy K. Precious metal and glass—an alabastron at the Walters Art Gallery (6) 119*j*.
Hill, Howard W., Marlowe, Mickey O., and Kaznoff, Alexis I. Method of preparing uniform size powders, P (11) 251*j*.
Hill, R., Richardson, D., and Wilson, S. Ohmic contacts on semiconductors using In amalgam (1) 16*h*.
Hill, Robert D., Jr. Method of making a variable resistor, P (10) 228*a*.
Hill, Vincent G., and Harding, William R. Molding of powdered or granular material, P (3) 71*h*; Molding of powdered or granular material, P (9) 204*b*.
Hilleard, R. J. See Grimes, N. W.
Hiller, Sigwart Device for nondestructive consumption testing of reactor fuel elements, P (6) 131*h*.
Hilliard, William G. See Knavish, Leonard A.
Hilsum, Cyril, and Rees, Huw D. Semiconductor device of p-type alloys, P (10) 228*j*.
Hiltabrand, R. R., Ferrell, R. E., Jr., and Billings, G. K. Experimental diagenesis of Gulf Coast argillaceous sediment (9) 206*j*.
Himmel, L. See Braeunlich, P.
Hinazumi, H., Hosoya, M., and Mitsui, T. Estimation of the electric field near the surface of ferroelectrics (11) 258*b*.
Hingsbergen, J. P. Report on PEI Bulletin P—309, Air and Water Pollution Control for Porcelain Enameling (5) 96*j*.
Hino, Masaaki Specimen heating device [for X-ray apparatus], P (8) 178*a*.
Hintermann, H. E. See Phillips, K.
Hinthorne, J. R. See Andersen, C. A.
Hinz, Wilhelm See Korn, Hans
Hinze, Julius O. See Feenstra, Robijn
Hioki, Tatsumi See Kontani, Masaaki
Hiragushi, Keisuke See Ohba, Hiroshi
Hirahara, Eiji See Nakai, Jun
Hirai, Akira See Nishihara, Hironori ; Tsuda, T.
Hirai, Toshihiro See Nakagawa, Masayoshi
Hirai, Toshio See Yajima, Seishi
Hirai, Y. See Matsuda, A.
Hiramatsu, Kengo See Omori, Shigemi
Hirano, Mikio See Mikami, Itsuo
Hirano, Shinichi See Miyagawa, Saburo ; Sugai, Mikio
Hirano, Shinichi, Tada, Minoru, and Somiya, Shigeyuki Decomposition of zircon sand by addition of MgO under heated conditions: III (3) 65*c*; Decomposition of zircon sand by addition of MgO under heated conditions: IV (9) 195*j*.
Hirao, Minoru Thermal expansion and solid solubility in fluorphlogopite and tetrasilicic mica sintering system (5) 116*e*.
Hirao, Motohisa See Asai, Shojiro
Hirao, Motohisa, and Takeda, Yutaka Process for doping with impurities a gas-phase-grown semiconductor layer of a III-V compound, P (6) 130*a*.
Hirashima, Hiroshi, and Yoshida, Tetsuro Electric conductance and structure of molten oxide system $PbO-SiO_2-Fe_2O_3$ (10) 235*c*.
Hirayama, Chikara, and Maniero, Daniel A. Process for producing pyrolytic graphite, P (7) 149*c*.
Hirono, Katsumi See Yabe, Masaya
Hirose, Masami, and Furuya, Yoshio Growth of ZnO single-crystal plates (3) 75*g*.
Hirota, Eiichi See Chiba, Hiroyuki
Hirota, Masumi See Tani, Tetsuro
Hirsiger, Werner See Felsche, Juergen
Hisano, K., and Ryan, J. F. Quasi-elastic scattering in Pb

germanate ($5PbO.3GeO_2$) (9) 214*f*; Raman scattering from the ferroelectric mode in $5PbO.3GeO_2$ (9) 214*g*.

Hiscocks, S. E. R. Electrical device substrates, P (1) 17*d*. See Deacon, J. A.

Hiskes, Ronald Method and flux for growing single crystals of garnet or orthoferrites, P (2) 44*i*.

Hitchell, Maurice L. See Hager, Robert J.

Hitzemann, Gerhard See Hilgers, Giovanni

Hivert, A. Metal-ceramic composites (2) 40*d*.

Hiwatari, Yukio Evaluation of quality of bricks for blast furnace walls (1) 12*b*.

Hjerten, Vilhelm E. S. Method for treating a transparent tube for use in an optical analyzing apparatus, P (8) 170*c*.

Ho, C. Y. See Touloukian, Y. S.

Ho, C. Y., Powell, R. W., and Liley, P. E. Thermal conductivity of the elements (8) 187*h*.

Ho, F. C., and Ord, J. L. Anodic oxide of Fe—its component layers and their properties (9) 199*b*.

Hobden, Maurice V. See Davies, Philip H.

Hobson, G. S. Purity evaluation of *n*-type GaAs LSA [large-scale array] diodes from low-field temp.-dependent mobility (7) 152*i*.

Hobson, M. C. See Gager, H. M.

Hochberg, Frederick See Brown, Alan V.

Hodge, M. H., Bitler, W. R., and Bradt, R. C. Deformation texture and magnetic properties of $BaO.6Fe_2O_3$ (11) 249*e*.

Hodges, James K. Production of active MgO, P (1) 24*a*.

Hodgkinson, H. R. See Astbury, N. F.

Hodkin, E. N., Mortimer, D. A., Nicholas, Michael G., and Poole, David M. Surface and interfacial energies of the U-UC system (1) 20*f*.

Hoeberechts, Arthur M. E. See Kooi, Else

Hoechli, U. T. Ultrasonic investigation of the first-order α–β phase transition in quartz (7) 163*j*.

Hoehne, Artur See Schaefer, Karl

Hoening, H. Blending control by process computer in cement works (6) 120*c*.

Hoersch, Alice Lynn See Crawford, William A.

Hoff, Frederick B., Jr. Electron-voltaic effect device, P (5) 102*b*.

Hoff, G., Krings, A., and Recasens, J. Fusion-cast corundum-zirconia bricks in a new type of crown for glassmelting furnaces (6) 127*f*.

Hoffman, Carroll G. See Fries, R. Jay

Hoffman, George W. Process of preparing high-silica faujasite, P (9) 207*c*.

Hoffman, H. Differences in bloating behavior of coarse and finely crushed shale (1) 10*h*.

Hoffman, Joe G., and Mason, Donald J. Semiconductor bonding alloy, P (8) 175*b*.

Hoffman, Lewis C. Metalizing compositions containing bismuthate glass-ceramic conductor binder, P (10) 227*h*.

Hoffman, Mary V. Phosphor comprising La Ce Th phosphate, P (1) 18*h*; Eu-activated Ca Al fluoride phosphors of Ba and Sr, P (2) 43*g*.

Hoffman, Ulrich See Harkort, Dietrich

Hoffman, William D. Bottle-crushing apparatus, P (5) 99*a*.

Hoffmann, Hans Devices for simplification of the work process in an enameling plant (2) 34*f*; Pneumatic conveyors and dust removal in the ceramic industry (2) 47*j*; A look into enamel by optical and scanning electron microscopy (6) 121*i*.

Hoffmann, Hans, and Leontaritis, Lambis Microscopic examination of the white direct-on enamel layer (2) 34*j*.

Hoffmann, Heinz Effect of organic material on the bloating capacity of clay rocks (7) 147*j*. See Granitzki, Karl E.

Hoffmann, U. See Heide, H.

Hofmann, John J. See Alexander, Harold M.

Hofmann, U., Wallner, A., and von Rappard, E. Illite from Le Puy[-en-Velay] (9) 206*f*.

Hogan, E. M. See Barkley, John R.

Hoge, Carl E., Brennan, John J., and Pask, Joseph A. Interfacial reactions and wetting behavior of glass-Fe systems (3) 60*f*.

Hogg, George W. Fluidized bed production of UC and UC-U aluminide mixtures, P (5) 103*j*.

Hogg, Walter R. Particle [size] analyzing apparatus, P (1) 22*d*; Aperture tube assembly for a particle study apparatus, P; Self-cleaning aperture tube for Coulter study apparatus, P (10) 233*f*. See Coulter, Wallace H. ; Doty, Edward N.

Hohnke, D. K., Holloway, H., and Kaiser, S. Phase relations and transformations in the system PbTe-GeTe (8) 185*f*.

Hojo, Shiro, and Komiya, Kuniko $V_2O_5/TiO_2/K_2SO_4$ catalyst suitable for preparation of phthalic anhydride, P (1) 24*b*.

Hokinoue, Y. See Tsuboi, T.

Holba, P., Khilla, M. A., and Krupicka, S. Miscibility gap of spinels $Mn_xFe_{3-x}O_{4+\gamma}$ (8) 184*i*.

Holcombe, C. E., Jr., and Coffey, A. L., Jr. Calculated X-ray powder diffraction data for beta Al_2TiO_5 (5) 106*d*.

Holdoway, Michael J. See Hardy, Clarence J.

Holker, Kenneth See Vesley, Clifford A.

Hollander, Betty R. Referencing thermocouple junctions (7) 157*g*.

Holleck, H. Ternary Th-Ru carbides (2) 46*j*.

Hollenberg, Glenn W., and Gordon, Ronald S. Effect of O partial pressure on the creep of polycrystalline Al_2O_3 doped with Cr, Fe, or Ti (4) 91*d*; Origin of anomalously high activation energies in sintering and creep of impure (4) 92*g*.

Holley, Carl A. Apparatus and method for agglomerating and hardening metal oxide pellets, P (8) 177*a*.

Hollingsworth, Elvin R. Method for forming a blown bottle having a chime in the shoulder portion thereof, P (9) 194*b*.

Holloway, D. G. Physical Properties of Glass, B (11) 260*e*.

Holloway, H. See Hohnke, D. K.

Holloway, John R., and Burnham, C. Wayne Melting relations of basalt with equilibrium water pressure less than total pressure (1) 26*a*.

Hollox, G. E. See Phillips, K. ; Rowcliffe, D. J.

Holm, Jan Luetzow See Berge, Bjoern

Holm, Robert L., and Ashford, John W. Method of mfg. a ceramic ball-insulated depressed collector for a microwave tube, P (11) 250*c*.

Holmes, L. M., Ballman, Albert A., and Hecker, R. R. Antiferromagnetic ordering in $MnNb_2O_6$ studies by magnetoelectric and magnetic susceptibility measurements (9) 207*g*.

Holmes, L. M., and Van Uitert, L. G. Magnetoelectric study near the critical field for spin flop in an orthorhombic antiferromagnet, $MnGeO_3$ (9) 212*i*.

Holmes, L. M., Van Uitert, L. G., and Hull, G. W. Magnetoelectric effect and critical behavior in the Ising-like antiferromagnet, $DyAlO_3$ (9) 212*h*.

Holmes, Lewis See Eibschuetz, Marcu

Holmquist, S. Comments on "Dependence of melt O activity and water retention on composition of amber glass" (6) 122*h*.

Holt, Albert C. See Wilkins, Mark L.

Holt, D. B. See Chase, B. D. ; Unvala, B. A.

Holton, William C. See Watts, Roderick K.

Holub, Fred F. See Cullen, William F. ; Fleischer, Robert L.

Holzrichter, J. F. See Chang, T. S.

Homeyer, Roger H. Segmental abrasive wheel, P (11) 241*f*.

Honma, Makoto See Tauchi, Shoji

Honbo, Keizo Method for the mfg. of alkali chromate from a chrome ore, P (9) 207*a*.

Honda, Hidemasa See Ouchi, Koji

Honda, Hidemasa, Isayama, Yukio, Jinasi, Kazuhiko, and Kimura, Kunio Method for producing hollow glass microspheres and their composites, P (11) 245*g*.

Honda, Shigeo, and Tomura, Masao Emission mechanisms of the excited *F* centers in alkali halides (10) 235*g*.

Honda, T. See Imai, Hisashi

Hongo, Shozo, Ueda, Zen-ichi, Shirafuji, Junji, and Inuishi, Yoshio Negative photoconductivity in *n*-InSb under transverse magnetic field (6) 137*e*.

Honig, Helmut See Dillenburg, Helmut

Honig, J. M. See Wahnsiedler, W. E.

Honig, J. M., Wahnsiedler, W. E., and Dimmock, J. O. Theoretical study of the band structure of oxides crystallizing in the rock-salt structure—TiO (4) 93*f*.

Honig, J. M., Wahnsiedler, W. E., and Eklund, P. C. Electrical properties of NbO in high magnetic fields (8) 181*h*.

Honjo, Satoru See Sato, Masamichi

Honma, Kou, and Honma, Kouji Products obtained by heating mixtures of Na dihydrogen phosphate and boric acid (6) 138*b*.

Honma, Kouji See Honma, Kou

Hoogendoorn, Bastiaan M. See van Laar, Jacobus

Hoogendoorn, Helen M., and McIntosh, Charles M. Magnetic head assembly using TiO_2 and $BaTiO_3$ slider, P (9) 200*j*.

Hook, William R., Hilberg, Ronald P., and Dishington, Roland H. Low-loss laser *Q*-switch, P (3) 69*c*.

Hooker, Richard, III Fiber optics encoding-decoding apparatus and method of fabricating, P (2) 38*g*.

Hooper, Henry O. See France, Peter W. ; Milberg, M. E.

Hooper, R. M. See Drabble, Jon R.

Hoopes, Harry P., and Weber, Horst L. Fiber-reinforced insulating segments, P (9) 197*f*.

Hoover, Merwin F., and Sinkovitz, Gloria D. Dispersing clays, pigments, and the like with amino diphosphonates, P (5) 105*j*.

Hopkins, Richard H. See Roland, George W.

Hopkins, Richard H., Roland, George W., Partlow, William D., and Steinbruegge, Kenneth B. Ca-Y silicate oxyapatite lasers, P (4) 86*g*.

Hopper, R. W. Coalescence of second phase particles in phase separation (2) 35*g*.

Hoppin, Larry, and Willett, Richard L. Low-impedance wide-band strip transmission line transformer, P (1) 17*c*.

Horai, John C. See Beyard, Romayne M.

Hordijk, W. See Blasse, George

Hordvik, A., and Schlossberg, H. R. Luminescence from $LiNbO_3$ (10) 226*c*.

Hordvik, A., Schlossberg, H. R., and Stickley, C. M. Spontaneous parametric scattering of light in proustite [Ag_3AsS_3, nonlinear optical material] (10) 239*j*.

Horie, Michio See Ouchi, Koji

Horii, Kazuo See Ueoka, Hisayoshi

Hormodaly, J. See Reisfeld, Renata

Horn, Lothar See Vogel, Werner

Horn, M. See Rostworowski, J. A.

Horn, Manfred, and Schwerdtfeger, C. F. EPR of substitutional and charge-compensated Fe^{3+} in anatase (TiO_2) (5) 109*f*; Reinterpretation and temp. dependence of EPR in TiO_2:Fe^{3+} (anatase) (8) 185*i*.

Hornbaker, David R., and Rall, Dieter L. Temp.-measuring method and apparatus, P (6) 133*g*.

Horuman, Johannes, Van Esdonk, Johannes, and Visser, Jan Gas discharge tube comprising Hg vapor and provided with a getter, P (9) 194*d*.

Hornreich, R. M., Komet, Y., and Wanklyn, Barbara M. Optical spectroscopy of $NdCrO_3$ (9) 213*h*.

Hornreich, Richard M. See Bukspshan, S. ; Fischer, E. ; Franklin, Dennis M.

Hornyak, Joseph V. Apparatus for liquid quenching glass sheets, P (8) 169*j*.

Horowitz, Deane See Feldman, Albert

Horowitz, Paul, and Howell, John A. Scanning X-ray microscope using synchrotron radiation (5) 105*d*.

Horton, Robert A. Refractory cores, P (1) 14*d*.

Horzepa, John P. Fluid cracking catalyst and preparation thereof, P (10) 234*j*.

Hoshikawa, Takeshi, and Akagi, Saburo Formation of leucite and thermal expansion in SiO_2-Al_2O_3-K_2O-Na_2O glasses (6) 123*g*.

Houler, W. R. See Frederikse, H. P. R.

Hosokoshi, Kakuichiro Method and apparatus for making color CRT, P (7) 147*e*; Hg-vapor discharge lamp with radiation plane in envelope, P (8) 170*f*.

Hosoya, Akira See Okagaki, Hiroshi

Hosoya, M. See Hinazumi, H.

Hothersall, D. C., Jones, G. A., and Grundy, P. J. Detection of bubble domains in $YFeO_3$ by scanning electron microscopy (1) 24*e*.

Hotz, M. C. B., Kerby, R. C., and Ingraham, T. R. Galvanic cells in molten Na bisulfate (7) 161*b*.

Hou, Kenneth C. Surface modification of C fibers, P (10) 224*h*.

Hou, Shou-Ling, Marley, James A., Jr., and Beck, Kenneth O. Method of obtaining type conversion in Zn telluride and resultant *pn* junction devices, P (8) 175*b*.

Houghton, Le Roy H. See Rempes, Paul E., Jr.

House, H. See Taylor, R. J.

Houser, Lloyd Multiple glazed units, P (9) 194*f*.

Howard, C. R. See Bye, G. C.

Howat, D. D. See Coale, R. D.

Howe, D. W. See Mozzi, R. L.

Howe, Frank C. Fuel burner nozzle, P (8) 178*g*.

Howe, J., Jr. See Oden, Laurance L.

Howe, James D. Multilayer filter based on substitution of herpin equivalent layers in an antireflection coating formula, P (9) 194*e*.

Howe, T. Load-carrying stacking platforms, P (9) 200*j*.

Howe, Wallace B. Land reclamation law in Missouri (6) 134*h*.

Howell, John A. See Horowitz, Paul

Howell, Robert G. See Grego, Peter

Howell, Robert G., and Panzarino, Joseph N. Ion-exchange-strengthened electrically heated glass, P (7) 147*c*.

Hower, John See Perry, Edward A., Jr.

Howie, R. Alan, and Moser, Wolf Crystal data and formula for hydrous Sn(II) oxide—a note (11) 257*c*.

Hoye, G. S., and O'Reilly, W. Magnetic study of the ferromagnesian olivines ($Fe_xMg_{1-x})_2SiO_4$, $0<x<1$ (8) 183*h*.

Hozumi, Shiro See Wakabayashi, Takashi

Hrebicek, Milan See Mach, Otto

Hrma, Paul Properties of heterogeneous interfacial layers and related liquid phases occurring at phase boundaries in incongruent dissolution—application to the corrosion of refractory aluminosilicates by a Na silicate melt (10) 221*e*.

Hruda, Robert M. Electronic power regulation control device for providing constant electrical power to a load of varying impedance, P (1) 17*g*.

Hsia, J. J. See Richmond, J. C.

Hsu, C. J. See Obenauf, R. H.

Hswe, Myint See Wakefield, Robert H., Jr.

Hu, H. L., and Morgenthaler, F. R. Strong ir-light scattering from coherent spin waves in YIG (10) 239*a*.

Huang, Chao-Yuan See Inoue, Masasi

Huang, R. J., Demirel, T., and McGee, T. D. Calculation and interpretation of surface free energy of wetting of E-glass by vapors (3) 60*i*.

Huang, W. H., and Keller, W. D. Standard free energies of formation calculated from dissolution data using specific mineral analyses (4) 93*d*.

Huang-Liu, N. L. See Simanek, E.

Hubbell, Dean S. Anatomy of colored architectural coatings (a basis for comparing their service worth) (7) 143*g*.

Hubble, F. F., Gulick, Joan M., and Moulton, W. G. Superconductivity in the K, Rb, and Cs W fluoroxide bronzes (5) 115*d*.

Huber, F. Properties of HfO_2 thin-film capacitors (11) 249*h*.

Huber, M. See Baffier, N. ; Renault, Nicole

Huber-Panu, J. Mathematical description of the continuous comminution process (2) 47*h*.

Hubert, Charles See Milard, Roland

Hudecek, Carl J. See Finn, John B.

Hudson, A. S. Substituted Ca-V garnets as potential microwave materials (1) 16*c*.

Hudson, Edward C., Jr. Method of fabricating a semiconductor magnetic transducer, P (1) 17*i*.

Hudson, Willard G. See Snellman, Donald L.

Huebers, E. Apparatus for charging a material into a mold, P (8) 177*a*.

Huebotter, Paul R. Fuel assembly for a fast reactor, P (2) 47*a*.

Huefner, S. See Courths, R.

Huelsenberg, D., and Breuer, G. Exchange relations between mullite and the vitreous phase of aluminosilicates and their effect on deformation (3) 65*g*.

Huelsenberg, Dagmar, Verworner, Otto, and Richter, Dieter Torsional alternating load test of refractory chrome ore products (10) 233*d*.

Huff, N. T., and Call, A. D. Computerized prediction of glass compositions from properties (3) 61*c*.

Huff, Ronald G. Method of making apparatus for sensing temp., P (2) 49*c*.

Huffman, Ralph R., and Smith, Siegfred A. Offset top ejection vapor deposition apparatus, P (10) 228*h*.

Hug, G. See Feron, J. L.

Huggins, C. W. See Jackson, J., Jr.

Huggins, R. A. See Clark, L. D.

Huggins, R. A., Bube, R. H., and Roberts, R. W. (Editors) Annual Review of Materials Science: Vol. 2, 1972, B (3) 76*f*.

Hughes, D. L. See Pruett, H. D.

Hughes, David O. See Stander, Cornelius M.

Hughes, H. See McNaughton, D.

Hughes, Harry E., Jr., Morton, Jack A., and Wachs, Meyer H. Manipulation of semiconductor elements by a magnetic means, P (1) 17*d*.

Hughes, John J. See Napoli, Louis S.

Hukki, Risto Pneumatic classifier with grating, P (7) 156*e*.

Hulbert, S. F., Klawitter, J. J., and Bowman, L. S. History of ceramic orthopedic implants (3) 66*a*.

Hulbert, Samuel F. See Eitel, Michael J.

Huldt, Leunart, and Bolja, S. Ir absorption of photoelectrons in CdSe (7) 161*f*.

Hulin, D., Hanus, J., Benoit a la Guillaume, Claude, and Reed, Thomas Bissington Luminescence of EuTe and other Eu chalcogenides [-O, -S, -Se] (7) 161*j*.

Hulinsky, Vaclav See Matej, Jiri

Hull, G. W. See Holmes, L. M.

Hulls, K., and McMillan, P. W. Amorphous semiconductors—a review of current theories (1) 15*h*.

Hulme, Kenneth F. See Bichard, V. M. ; Cound, Vivienne M. ; Davies, Philip H. ; Luther-Davies, B.

Hulscher, W. S., and Jonker, G. H. Comment on "Electron diffraction superlattice lines in Mg ferrite" (1) 24*i*.

Humberstone, Gordon H. See Zivi, Samuel M.

Humi, James O. See Layne, Gilbert S.

Humi, James O., Bangs, Leigh B., and Layne, Gilbert S. Preparation of Si [or Ge], P (3) 70*f*.

Hummel, Floyd A., and Sarver, James F., Jr. Inorganic pigments, P (7) 159*a*.

Hund, Franz See Rodi, Fritz

Hundt, H. W. Ceramics from black clay—an ancient folk art from Mexico (1) 1*i*.

Hundt, J. See Lichtner, B.

Hundt, L. See Behrens, K. J.

Hunt, Fern E. Plastics and porcelain enamel in refrigerators (8) 166*j*.

Hunt, James G., and Rice, Roy W. Extrusion can, P (2) 48*b*.

Hunt, Paul D. See Tetenbaum, Marvin

Hunter, Joseph E. Materials for emission control exhaust systems (5) 96*f*.

Hunter, O., Jr. See Haglund, J. A.

Hunter, Richard S. Appearance attributes of interest to the porcelain enamel industry (5) 96*c*.

Hunter, Richard S., Christie, John S., and Robinson, Roland D. Method of making fiber light-pipe diffuser for colorimeters, P (4) 81*h*.

Hunter, Willard L. See Stickney, William A.

Huntington, Fred R. Rotary sample collector, P (6) 133*f*; Rotary arcual sampler for particulate materials, P (8) 178*a*.

Huntington, Hilliard B. See Dunham, Russell W.

Hurley, Forrest R., Tecotzky, Melvin, and Vanik, Milton C. Method for the preparation of UO_2 sols, P (1) 20*f*.

Hurley, Thomas P., and McAdams, Arthur C., Jr. Ceramic slip composition, P (6) 128*g*.

Hurst, Fred J., and Crouse, David J. Reductive stripping process for the recovery of U from wet-process phosphoric acid, P (5) 103*i*.

Hurx, Adrianus A. See Boekkooi, Anton

Hush, Iain Gobs and parisons, scrubbers and drills (8) 167*h*; Save 40% in crystal glass cutting (8) 168*f*.

Husni, Saleem Y. See Banfield, Joseph H.

Hussein, A. T. See Abdel Fattah, W. I.

Hussein, A. T., Maksoud, M. Abdel, and Elwan, S. M. Hydrothermal preparation of Na silicate (8) 178*i*.

Hutchings, M. T. See Evans, M. T.

Hutchins, Thomas B., IV Low-density dielectric coating for electrode in electron tube, P (1) 17*c*.

Hutchison, J. L. See Anderson, J. S.

Huth, Gerald C., and Davies, Robert L. Semiconductor devices with improved voltage breakdown characteristics, P (2) 45*d*.

Huthmann, Erich Method and apparatus for the drying of green ceramic and other materials, P (7) 158*b*.

Huxtable, J., Aitken, M. J., and Weber, J. C. Thermoluminescent dating of baked clay balls of the Poverty Point culture (2) 31*i*.

Huyskens, Johan E. L. C. Electric filament lamp or discharge lamp, P (9) 194*b*.

Hvam, J. M. Exciton-exciton interaction and laser emission in high-purity ZnO (9) 210*i*. See Filinski, I.

Hwang, Paul Y. Method of preparing Co-doped magnetic Fe oxide particles, P (11) 250*g*.

Hyde, B. G. See Bursill, L. A. ; Tilley, R. J. D.

Hyde, Garrett R., and Rao, Narsing G. Specimen holder for high-temp. electron transport property measurements (11) 254*c*.

Hygh, Earl H. See Page, Larry J.

Iadicicco, Robert A., and Wolfe, Paul G. Graded field CRT, P (8) 170*c*.

Iannini, Americo See Rindner, Wilhelm

I'Anson, Thomas C. Protective carrier for semiconductor devices, P (10) 228*d*.

Iberg, Rolf, Peters, Tjerk, and Mumenthaler, Thomas Thermal behavior of brick clays (4) 82*e*.

Ibuki, S. See Manabe, A.

Ichimura, Hiroshi, and Komatsu, Wazo $Co_3O_4 \rightleftharpoons 3CoO + 0.5_2$ reaction: III, Effect of dopants on oxidation of Co(II) oxide (5) 107*g*.

Ichinose, K. See Wakatsuki, M.

Ichinose, Masataka See Takahashi, Shiro

Ichinose, Noboru Piezoelectric oxide materials, P (1) 18*i*.

Ichinose, Noboru, Egami, Harutoshi, Yokoyama, Katsunori, and Yamashita, Yohichi Piezoelectric materials, P (1) 18*i*; Piezoelectric materials, P (2) 45*d*.

Ichinose, Noboru, and Takahashi, Takashi Electromechanical properties in the binary system $PbTiO_3$-$Pb(Cd_{1/2}W_{1/2})O_3$ (5) 109*g*.

Ichiroku, Kikuo See Chernick, Leon

Ida, Ichiro See Kasai, Toshio ; Noda, Juichi

Iemura, Iwao, and Shibuno, Masao Refractories for lime kilns (5) 100*h*.

Igarashi, Masaru See Shinoda, Masaichi

Igata, Naohiro, Domoto, Kazushige, and Hasiguti, Ryukiti R. Frictional force coeff. of a moving dislocation in UO_2 with excess O (5) 110*c*.

Iglesias, J. E., and Steinfink, H. Crystal chemistry of AB_2X_4 (X=S,Se,Te) compounds (6) 135*a*.

Ignat'ev, O. S. See Goryachev, A. A.

Ignatov, D. V. See Ivanova, R. S.

Ignatova, T. S., Belyakova, N. P., Permikina, N. M., Semkina, N. V., Myakisheva, N. A., and Evdokimova, Z. U. Effect of technical factors on the density and microstructure of alumina ceramics containing 1% TiO_2 (1) 15*c*.

Igo, Takeo See Ohmachi, Yoshiro

Igo, Takeo, and Toyoshima, Yoshio Optically induced reversible change in amorphous semiconductors (3) 68*a*.

Iguchi, Yasuo, and Miyake, Kazuo P. Photoelectric emission spectrum of α-quartz in the region of the Si $L_{2,3}$ threshold (9) 213*e*.

Ihara, Hisato See Toda, Hideo

Ihara, Masayoshi See Naiki, Toshio

Ihara, Seiichi, Suzuki, Motokazu, and Akimoto, Yumi High-temp. thermal lattice expansion of mixed carbonitride and U carbonitride (2) 46*h*.

Ihara, Seiichi, Tanaka, K., Suzuki, Motokazu, and Akimoto, Yumi Mutual solubility and preparation of U-Ce carbonitride (2) 46*f*.

Ihlefeldt, H. Measures for reducing the alkali cycle in the Lepol kiln (6) 121*b*.

Ihochi, Takahiko, and Yamada, Tomio Method of mfg. a package of a semiconductor element, P (8) 174*j*.

Iida, Hirofumi, and Watanabe, Kazufumi Method of suppressing the formation of N oxides and burner apparatus for practicing the method, P (8) 178*e*.

Iida, Hiroyuki See Imoto, Fumio

Iida, Kiyoto, and Tsujide, Tohru Physical and chemical properties of Al_2O_3 film deposited by $AlCl_3$-CO_2-H_2 system (3) 68*g*.

Iida, Seishi Luminescence due to O and self-activated centers in ZnTe (5) 111*d*.

Iida, Shinya See Ito, Kazuhiro

Iida, Shuichi See Mizushima, Koichi

Iida, Shunichi See Inoue, H.

Iida, Yoshio See Matsuoka, Michio ; Nakata, Koreaki ; Wada, Mitsuo

Iimura, Masao See Ogawa, Takuzo

Iizima, Sigeru See Sugi, Michio ; Tanaka, Kazunobu

Iizima, Sigeru, Sugi, Michio, Kikuchi, Makoto, and Tanaka, Kazunobu Electrical and thermal properties of semiconducting glasses As-Te-Ge (7) 144*b*; Effect of stabilization on electrical conductivity in chalcogenide glass [$As_{20}Te_{70}Ge_{10}$ (at.%)] (8) 167*d*; Influence of water on surface conduction of As-Te-Ge glass—comments on "Effect of stabilization on electrical conductivity in chalcogenide glass" (8) 167*j*.

Iizuka, Eiichi See Yamaoka, Shinobu

Iizuka, Mutsuo See Kano, Gota

Iizuka, Mutsuo, Fujiwara, Shohei, Kano, Gota, Hasegawa, Hiromasa, Teramoto, Iwao, and Iwasa, Hitoo Schottky barrier-type semiconductor device with improved backward breakdown voltage characteristic, P (10) 228*f*; Method of making a Schottky barrier device, P (11) 250*c*.

Ikawa, Katsuichi Krypton adsorption for study of micropore structure (10) 232*h*.

Ikeda, Hideo Multilayer antireflection coating, P (9) 194*e*.

Ikeda, Shozo See Takeuchi, Tomoyuki

Ikeda, Takahide See Tokuyama, Takashi

Ikegaki, Makoto See Tsuneta, Asahide

Ikegama, Seiji, Ueda, Ichiro, and Nagata, Takashi Electromechanical properties of $PbTiO_3$ ceramics containing La and Mn (11) 249*g*.

Ikemoto, Robert N. See Qurnell, Frank D.

Ikeno, Susumu See Takeuchi, Tomoyuki

Ikuta, Y. See Manabe, A.

Ilardi, Joseph M., and Rau, Eric Mfg. of soda ash from Wyoming trona, P (6) 134*f*.

Ilegems, Marc, and Panish, Morton B. Liquid phase diffusion technique, P (7) 153*e*.

Ilichev, Valery A. See Samodaev, Evgeny T.

Ilin, V. G. Heat exchangers, P (8) 178*h*.

Il'inskii, V. A. Heat engineering factors of tank furnaces with higher temp. regimes (2) 36*j*.

Ilisavskii, Yu. V., and Kulakova, L. A. Ultrasonic lattice absorption in CdS from light scattering measurements (8) 187*g*.

Il'yasov, E. A. See Izmailzade, I. G.

Il'yasov, I. I. See Drobasheva, T. I.

Il'yasov, I. I., and Barsegov, D. G. Volumetric properties of melts in the systems CdI_2-$CdCl_2$,Tl_2Br_2-$CdBr_2$, and Tl_2Cl_2-$CdCl_2$ (1) 29*d*.

Il'yasov, I. I., and Litvinov, Yu. G. Irreversible reciprocal system comprising the chlorides and nitrates of Li and K (9) 211*c*.

Il'yasov, I. I., Voichanskaya, V. V., and Lagutova, R. P. System Na,Cs,Rb||Cl (1) 28*i*.

Ilyukhin, V. V. See Butt, Yu. M. ; Grineva, M. K. ; Voronkov, A. A.

Imai, Atsuo, and Harata, Mituo Ionic conduction of impurity-doped β-alumina ceramics (3) 75*i*.

Imai, Hisashi, Honda, T., and Sasaki, Y. Heats of hydrolysis of Th carbides (2) 46*f*.

Imaizumi, Ichiro See Taniguchi, Kenji

Imamura, Eiji, and Arakawa, Hajime High-voltage capacitor assembly, P (10) 227*e*.

Imamura, Yoshihiro See Suemune, Yasutaka

Imanishi, Wataru See Nakanishi, Hisao

Imanov, A. M., and Fataliev, S. A. Crystallization of Ca sulfoaluminate hydrate in cement (4) 78*f*.

Imatake, Tadami, Nishikawa, Hideo, Kawaguchi, Akihito, and Washimi, Koichi [Premix] burner, P (11) 255*e*.

Imbert, P. See Jimenez, F. Gonzalez

Imbusch, G. F. See Chang, T. S.

Imoto, Fumio, and Iida, Hiroyuki Formation processes of Pb-$(Mg_{1/3}Nb_{2/3})$-O_3 in the solid-state reaction (8) 181*i*.

Imura, Toru See Nohara, Akira

Inabe, Katsuyuki, Emoto, Koichi, Sakamaki, Kiyoshi, and Takeuchi, Nozomu Rosette length and microhardness of alkali halide [NaCl, KCl, KBr, KI] crystals (7) 162*c*.

Inagaki, Kiyokazu, Kato, Hidemasa, and Inoue, Kiyoshi Method of heating a sample material to a high temp. by using a relatively low power nuclear reactor, P (10) 231*b*.

Inagaki, M., Furuhashi, H., Ozeki, T., Mugishima, H., and Naka, Shigeharu Integrated intensity changes for crystalline powders by grinding and compression—changes in effective temp. factor (8) 182*g*.

Inagaki, Yonekazu See Shimakawa, Koichi

Inaguma, Yukio See Kimura, Takashi

Inamura, Takahiro Effects of bonding materials on piezoelectric ultrasonic delay lines (6) 128*h*.

Inbar, Dan See Suhami, Albert

Indenbom, V. L., Zhitomirskii, I. S., and Chebanova, T. S. Internal stresses during crystal growth under steady-state conditions (8) 183*b*.

Indovina, V. See Derouane, E. G.

Ing, David W., and Pogge, Hans B. Method of growing an epitaxial layer by controlling autodoping, P (6) 130*b*.

Ingle, S. G. See Deshmukh, K. G. ; Kulkarni, R. H.

Ingraham, T. R. See Hotz, M. C. B.

Ingram, A. E. See Messier, Donald R.

Ingram, D. J. E. See Robson, D.

Ingram, M. D. See Hamilton, L. W.

Ingrey, Sidney I. J. Recording information on a layer of orthoferrite with an electron beam, P (2) 45*j*.

Inoue, A. See Onoda, T.

Inoue, E. See Kokado, H.

Inoue, H., and Iida, Shunichi Repair of converter lining, its mechanization and future (9) 196*g*.

Inoue, Jun See Osamura, Kozo

Inoue, Keikichi, and Okuda, Susumu Negative surface charges of ground dickite and kaolinite (8) 184*e*.

Inoue, Kiyoshi Method of mfg. a solid ion-conductive composition, P (1) 18*f*. See Inagaki, Kiyokazu

Inoue, Masasi, and Huang, Chao-Yuan EPR studies of Mn^{2+} in $Cd_{1-x}Mg_xTe$ mixed single crystals (6) 136*g*.

Inoue, Masataka, Nakade, Yoshiharu, Shirafuji, Junji, and Inuishi, Yoshio Temp. dependence of the velocity-field characteristic in *n*-type GaAs (6) 139*h*.

Inoue, Morio See Nakashima, Shinichi

Inoue, Noboru See Kurokawa, Takaaki

Inoue, Touru, Noguchi, Seizo, and Mukai, Kunihiko Process for production of optical fiber bundles, P (5) 99*g*.

Insollo, Thomas A. Machine for feeding, scoring, and breaking small-diameter glass tubing, P (6) 125*g*.

Institut de Verre Artistic and Historical Communications—IXth International Congress on Glass, B (5) 117*b*.

International Commission on Glass Terminology of Defects in Glass, B (9) 216*h*; Chemical durability of glass—determination of boric oxide in durability extract solutions (11) 243*i*.

Interrante, Leonard V. See Browall, Kenneth W.

Inuishi, Yoshio See Hongo, Shozo ; Inoue, Masataka ; Taguchi, Tsunemasa

Ioffe, V. G. See Emel'yanov, V. A.

Ioffe, V. M. See Kovalev, F. V.

Ionescu, Nicolae See Meret, Nicolae

Ionescu, Teodor D. See Braniski, Alexandru I.

Ippen, E. P. See Stolen, R. H.

Ippen, Erich P., Patel, Chandra K. N., and Stolen, Rogers H. Broad-band tunable Raman-effect devices in optical fibers, P (3) 69*a*.

Ippolitov, E. G. See Gogadze, N. G.

Ippolitov, E. G., Gogadze, N. G., and Zhigarnovskii, B. M. Diagrams of the systems CaF_2-LaF_3 and CaF_2-NdF_3 (2) 52*e*.

Ippolitov, E. G., and Maklachkov, A. G. Structure and some properties of Sc fluoride (1) 27*g*.

Iriya, Teruhiro See Omori, Shigemi

Iriand, Frank W. Glass furnace lip tile, P (9) 194*d*.

Irwin, George W. Multiple-cavity glass mold opening apparatus, P (7) 147*b*.

Irwin, J. C. See LaCombe, J. L.

Isaac, George L. See Carlson, Heinz F.

Isakova, R. A., Ugryumova, L. E., Amosova, K. S., Potanina, N. A., and Sapukov, I. A. Behavior of ReS_2 during heating in a vacuum (9) 208*c*.

Isaksson, Sven E. Furnace for sintering powder, P (3) 73*a*.

Isayama, Yukio See Honda, Hidemasa ; Kimura, Kunio

Ishida, Iwao See Wada, Masamichi

Ishida, Satoru See Yamazaki, Hajime

Ishida, Toshimasa See Sakuta, Masaaki

Ishii, Katsuyuki Semiconductor strain-sensitive element of

predetermined temp. coeff. of resistance and method of making, P (11) 251*a*.

Ishii, M. See Kijima, K.

Ishii, M., Nakahira, Mitsuoki, and Yamanaka, T. Ir absorption spectra and cation distributions in $(Mn,Fe)_3O_4$ (9) 211*i*.

Ishii, Motohiko See Kimizuka, Noboru

Ishii, Sakae See Niwa, Shohei

Ishii, Satoru See Furuya, Kisaku

Ishii, Tadao See Shimada, Shiro

Ishii, Tamotsu, Naito, Keiji, and Oshima, Keichi X-ray study on a phase transition and a phase diagram in the U_4O_9 phase (7) 164*a*.

Ishii, Tamotsu, Naito, Keiji, Oshima, Keichi, and Hamaguchi, Yoshikazu X-ray and neutron diffraction study of a phase transition in the U_4O_9 phase (5) 103*g*.

Ishikawa, Masaoki See Shinoda, Daizaburo

Ishikawa, Toshikatsu See Yajima, Seishi

Ishikawa, Toshikatsu, and Teranishi, Haruo Method of producing C fibers, P (3) 65*h*.

Ishikawa, Y. See Akimitsu, J. ; Kohgi, M.

Ishimoto, Akiteru See Hasegawa, Masahiko

Ishizuka, Toshio, Sunahara, Hiroshi, and Tanaka, Kazuhiko Determination of Na, Mg, and Ca in Y oxide by flame emission and atomic absorption spectrometry (10) 232*f*.

Ish-Shalom, M., and Bentur, Arnon Effects of aluminate and sulfate contents on the hydration and strength of portland cement pastes and mortars (4) 78*e*.

Ish-Shalom, M., and Winitzer, S. Comment on the technique of EPM determination of concentration profiles in glass (6) 122*h*.

Ishutinova, L. N. See Nikitina, G. V.

Iskraut, A. Direct potentiometric determination of fluoride in raw materials, clinker, and cement (11) 241*i*.

Islam, M. N. See Subhan, M. A.

Ismatov, A. A. Synthesis and X-ray analysis of double gallates of rare-earth elements (2) 55*j*.

Isoda, Masao Phases by which a 50-ton arc furnace was finally provided with a roof of all basic refractories (1) 12*g*.

Isogai, Akio, and Nakajima, Koichi Ionic diffusion in β-alumina induced by electron beam irradiation (9) 211*c*.

Isojima, Tsuyoshi See Miyamoto, Hiroshi

Isomoto, Masaki See Kawamura, Junichi

Isomura, Kiyoshi, and Ohba, Jun Measures for reducing accidents due to leakage of molten steel through cracks in runner bricks used in bottom casting (1) 12*c*; Improvements made in quality of bricks for converter mouth at Muroran Steel Works (1) 12*i*; Changes in the method of lining converter body of a steel plant of Muroran Steel Works (7) 148*c*.

Isotani, Mitsuo See Kondo, Yasuhiko

Israelson, A. F. How to select magnetic separators (11) 252*e*.

Isupov, V. A. See Leibler, K.

Itashiki, C., and Shioya, Y. Three years' operation of a 4000-ton preheater kiln (11) 255*g*.

Ito, Akio See Matsubara, Shohei

Ito, Akira Glassmelting apparatus, P (11) 245*d*.

Ito, Jun Rhodonite-pyroxmangite peritectic along the join $MnSiO_3$-$MgSiO_3$ in air (4) 93*c*.

Ito, Kazuhiro, and Iida, Shinya Method for selective epitaxial deposition of intermetallic semiconductor compounds [Ga-As], P (11) 250*i*.

Ito, Seiichi See Suzuki, Masakuni

Ito, T. See Tsuboi, T.

Ito, Toshio See Nomaguchi, Tamotsu

Itoga, R. S., and Kannewurf, C. R. Electrical resistivity, Hall effect, and optical absorption in TlS, $TlS_{0.5}Se_{0.5}$, and TlSe (5) 109*e*.

Itoh, Minoru See Nakagawa, Hideyuki

Itoh, N. See Chowdari, B. V. R.

Itoh, Tsutomu, Suga, Koji, Takumi, Yasuo, and Yamamoto, Masahiro Control system of rotary kilns, P (8) 178*f*.

Itoh, Yokichi See Naraoka, Kiyotake

Ivakin, A. A. See Glazyrin, M. P.

Ivannikov, V. L., Miryasov, N. Z., Semkina, V. A., and Taskaev, V. P. Effect of magnetic anisotropy on conductivity of $Cu_{0.85}Co_{0.1}$-$Fe_{2.05}O_4$ ferrite (8) 181*b*.

Ivanov, A. G. See Novitskii, E. Z.

Ivanov, F. M., Chernomordik, E. I., and Akimova, K. M. Diffusion of salts in cement mortars (4) 78*h*.

Ivanov, I. A. See Andreev, G. A.

Ivanov, I. P. See Zharikov, V. A.

Ivanov, Ivan T., and Lapin, Vladimir H. Ba- and Mn-containing crystal phases in the blast furnace slags of the Kremikovzi Smelting Works (10) 217*g*.

Ivanov, N. R. See Shuvalov, L. A.

Ivanov, O. R., Zarudnyi, L. B., and Shorin, S. N. Dwell time of solid particles in vertical cyclones (4) 88*e*.

Ivanova, E. N. See Golubtsov, L. A.

Ivanova, M. M. See Rode, E. Ya.

Ivanova, N. V. See Yakubov, V. I.

Ivanova, R. S., Ignatov, D. V., and Lazarev, E. M. Phase transformations in thin films of ZrO_2-SiO_2 and HfO_2-SiO_2 (5) 113*c*.

Ivanova, R. V. See Nisel'son, L. A.

Ivanova, V. A. See Gorokhovskii, V. A.

Ivanov-Emin, B. N. See Dudareva, A. G. ; Hayashi, Tetsu

Ivanovskaya, I. S. See Boksay, Zoltan

Ivashin, S. A. See Krokhina, A. G.

Ivieva, I. N. See Savitskii, A. V.

Iwagoshi, Tadakazu Use of refractories in UHP operation: I, Suspended furnace roof (7) 148*j*.

Iwai, Shinichi See Oh, Ki Dong

Iwanaga, Hiroshi See Shibata, Noboru

Iwanaga, Hiroshi, and Shibata, Noboru Orientation of ZnO ribbon crystal (6) 138*f*.

Iwasa, Hitoo See Iizuka, Mutsuo ; Nakashima, Shinichi ; Teramoto, Iwao ; Yokozawa, Masami

Iwasa, T. See Toda, M.

Iwasa, Uichi, Fujiwara, Teiichi, Nobehara, Keiichi, and Yabe, Atsuo Refractories for a large cement kiln (5) 100*g*.

Iwasaki, Hiroshi See Sugii, Kiyomasa ; Yamada, Tomoaki

Iwasaki, Hiroshi, and Sugii, Kiyomasa Optical activity of ferroelectric $5PbO.3GeO_2$ single crystals (10) 237*i*.

Iwasaki, Hiroshi, Sugii, Kiyomasa, Yamada, Tomoaki, and Niizeki, Nobukazu $5PbO.3GeO_2$ crystal—a new ferroelectric (10) 226*j*.

Iwase, Keizo, Takada, Toshio, Bando, Yoshichika, Kiyama, Masao, Naito, Itsusaku, and Kazihara, Masao Elimination of grinding of calcined ferrite in production of anisotropic magnets, P (7) 153*f*.

Iwase, Keizo, Takada, Toshio, and Kiyama, Masao Method for producing Fe-containing materials, including ferrites and oxyhydrates, P (10) 234*g*.

Iwata, Tadao, Nihira, Takeshi, and Matsuo, Hideto Low-temp. electron-irradiation damage and recovery in pyrolytic graphite (10) 230*i*.

Izirlya, Atsuhisa See Niwa, Shohei

Izmailzade, I. G. See Nesterenko, V. I.

Izmailzade, I. G., Nesterenko, V. I., and Il'yasov, E. A. X-ray diffraction and dielectric studies of the system $LiNbO_3$-$KNbO_3$ (8) 188*b*.

Izrailenko, A. N. See Strukov, B. A.

Izumitani, Tetsuro See Asahara, Yoshiyuki ; Nakagawa, K.

Izumitani, Tetsuro, Asahara, Yoshiyuki, Tsuchiya, Makoto, and Nagarekawa, Osamu Semiconductive glass having low resistance, P (5) 99*h*.

Izumitani, Tetsuro, and Masuda, Isao Colorless P_2O_5 glass with anomalous dispersion in short-wavelength region, P (11) 245*a*.

Jachimowski, M. See Czapla, A.

Jachimowski, M., and Szczyrbowski, J. Optical absorption in thin films of Pb oxides (5) 112*f*.

Jacksen, Niels F. Method of making semiconductor wafer having concave rim, P (7) 154*a*.

Jackson, George O. See Gatley, John A.

Jackson, J., Jr., Huggins, C. W., and Ampian, S. G. Synthesis and characterization of dawsonite (1) 23*h*.

Jackson, Jesse, Jr. See MacMillan, Robert T.

Jackson, John Henry, and Harris, Anthony Michael Annealing effects and optical absorption of thermoluminescent LiF (11) 256*h*.

Jackson, Kenneth A. Close look at surfaces (11) 249*b*.

Jackson, M. L. See Dolcater, D. L.

Jackson, P. W. See Braddick, D. M.

Jacob, Bernarr A. See Galasso, Francis S.

Jacobs, Gerardus H. J. M. Method and apparatus for determining the length of fibers suspended in a liquid, P (3) 72*f*.

Jacobsen, G. W. See Sleggs, A. C.

Jacobson, A. J., Tofield, B. C., and Fender, B. E. F. Structure of $BaCeO_3$, $BaPrO_3$, and $BaTbO_3$ by neutron diffraction—lattice parameter relations and ionic radii in O perovskites (1) 27*f*; Structure and some properties of Sc fluoride (1) 27*g*.

Jacobson, David S. Hermetically sealed semiconductor, P (3) 69*i*.

Jacobson, Howard W. Sheetlike alpha Al_2O_3, P (6) 128*g*.

Jacobsson, Jan R. Vapor deposition apparatus, P (3) 70*h*.

Jacoo, M. Lo See La Ginestra, A.

Jacquier, B., Boulon, G., Sallavuard, G., and Gaume-Mahn, F. Bi^{3+} center in an La gallate phosphor (1) 24*c*.

Jadin, Andre Apparatus for bending sheet material, P (5) 98*j*.

Jaeger, Hans G. Marketing for products of brickworks in U.S.A. (3) 64*h*.

Jaeger, Heinz System and method of controlling a high-discharge comminuting or pulverizing mill such as a tube mill, P (1) 21*d*.

Jaeger, R. E. See Van Uitert, L. G.

Jaep, W. F. See Brixner, L. H.

Jaffe, Mary S., and Potter, Ralph M. SiC lamp mounted on a ceramic of poor thermal conductivity, P (5) 103*b*.

Jago, Edward J., Eastwood, Fred, and Todish, W. Donald Hot topping method, P (11) 247*h*.

Jagodzinski, P. See Jakubowski, A.

Jahn, I. R., and Dachs, H. Change of the optical birefringence associated with the antiferromagnetic ordering of MnF_2, FeF_2, CoF_2, and NiF_2 (9) 208*f*.

Jain, S. K., Prasad, P. M., and Jena, P. K. Kinetics of the thermal dissociation of Co_4S_3 under reduced pressures (7) 161*h*.

Jakes, Jerry Better motors drive glass machinery (2) 35*f*.

Jaklevic, Robert C., and Lambe, John Inelastic tunneling due to vibrational modes of Y and Cr oxides (8) 182*c*.

Jakubowski, A., and Jagodzinski, P. Investigation of properties of the CdSe-SiO_x system by the MIS structure capacitance measurement method (3) 67*b*.

Jalbing, John I. See Van Uum, Donald R.

James, David W. F., Spiller, David O., and Coltman, Harvey D. Getter-sputtering apparatus, P (1) 9*e*.

James, P. F. See Harper, H.

James, P. F., and McMillan, P. W. Transmission electron microscopy of partially crystallized glasses (7) 146*d*.

James, William J. See Moreau, J. M. ; Teague, James R.

Janakirama-Rao, Bh. V. Magnetic properties of glass containing transition metal ions and their relation to the structure of glass (3) 62*b*.

Janas, M., Gzieto, A., and Garncarek, S. Use of concentration cell method for determining SiO_2 and Al_2O_3 activity in a liquid phase of CaO-SiO_2-Al_2O_3 slag (2) 56*d*.

Janetos, Nicholas S. See Marzocchi, Alfred

Janke, Dieter See Fischer, Wilhelm A.

Jankowski, Bernhard Shift of separating grain and limiting grain when repeating processes of separation by means of separators (11) 252*a*.

Jansen, Constant G. J., Compaan, Klaas, and Venema, Albertus Device having an electric discharge tube comprising a field emission cathode, and discharge tube destined for such a device, P (1) 17*c*.

Jansen, George, Jr. Nuclear reactor incorporating means for preventing molten fuel from breaching the containment vessel thereof in the event of a core meltdown, P (2) 47*e*.

Janssen, E. H. J. See Keizer, K.

Janssen, Eduard J. P. See Notelteirs, Victor R. ; T'jampens, Germain R.

Janssen, G. A. M. Determination of the composition of thin garnet films by use of radioactive tracer techniques (5) 104*h*.

Jantz, W., and Schneider, Joachim High-resolution spin-wave spectroscopy in YIG (8) 182*e*.

Janus, H. M. Formation of ohmic contacts to ZnO (11) 249*h*.

Janz, G. J., Krebs, Ursula, Siegenthaler, H. F., and Tomkins, R. P. T. Molten Salts: III, Nitrates, nitrites, and mixtures (11) 258*j*.

Janzon, Karl H., Simon, Eugen M., and Schwab, Heinrich Process for the production of colloidal silicic acid coated with mixture of metallic oxides, and product, P (1) 23*j*.

Jaque, F., and Agullo-Lopez, Fernando Anion-vacancy processes occurring after room-temp. *F*-light bleaching for irradiation of NaCl (8) 179*h*.

Jarny, P. See Chauvin, G.

Jarocki, E. See Dargel, L.

Jarrige, Georges R. See Delembre, Andre E.

Jarvela, Gary N., and Klink, Howard N. Apparatus for providing epitaxial layers on a substrate, P (1) 16*i*.

Jashobki, S. V. See Aggarwal, D.

Jaure, Robert P. See Viers, Jean C.

Javellaud, Jean See Blattmann, Henri

Jayaraman, A. See Singh, A. K.

Jay-Gerin, J. P. See de Combarieu, A.

Jeanneret, Jean L. Process [refractory coating] and apparatus for die-casting of ferrous metals, P (9) 197*c*.

Jeannot, Francois See Evrard, Omer

Jebsen-Marwedel, Hans Glass as a model for the study of natural and technological processes (1) 7*a*.

Jech, Cestmir, and Kelly, Roger Bombardment-induced disorder: II, Formation of ion-bombardment-induced disorder in zircon, corundum, and diamond (4) 90*j*.

Jeffers, P. E. Another milestone in mechanical unloading (1) 10*g*; Job-site system for making panels (1) 11*a*; High capacity grinding system simplifies clay separation (1) 20*j*; New plant inaugurated in the Caribbean; Panel progress for Metromodule (4) 82*c*; World's first fly ash brick plant (4) 82*g*; Kaiser Refractories in Australia (4) 83*f*; Four plants in one; Automation and stiff extrusion in action; Several plants in one (6) 126*e*; High production plant; Show place plant in Australia (6) 126*f*; Old and the new; New 2.5 million dollar plant (6) 126*g*; Production for a growing market (6) 126*h*; Leans toward more refractories (6) 127*c*; Unusual deposit yields quality lightweight aggregate [Lelite] (8) 166*e*; Clay pipe—make it where the market is (8) 171*b*; Flying panels go underground (8) 171*c*; Brick panels in perspective (9) 195*c*; Fuel efficiency—major factor in new plant design (9) 195*f*; New brick plant sets pace for record industry expansion (11) 246*c*; Promoting brick—where does it begin? (11) 246*e*; Introducing the mechanical bricklayer (11) 246*g*; Useful aggregate from fly ash at Free-Lite (11) 246*h*; Job know-how plus product control spells success at Johns-Manville (11) 247*d*. See Svec, J. J.

Jeffery, J. W. See Gupta, P.

Jeffery, R. N. See Lazarus, D.

Jena, P. K. See Jain, S. K.

Jenkins, Edwin E. Conversion with synthetic crystalline zeolite, P (1) 23*d*.

Jenkins, Weston H. Apparatus and method for forming spheres from molten fusible material, P (10) 222*c*.

Jennings, John D. See Anderson, Albin R.

Jennings, Richard F. Method and apparatus for introducing and controlling flow of batch in a furnace, P (10) 222*d*.

Jennings, Walter B., Jr. Multirod single-pump source laser, P (2) 44*j*.

Jensen, Andrew O. See Campbell, Albert E., Jr.

Jensen, Flemming E. Method and apparatus for cooling cement clinker, P (3) 60*d*.

Jensen, J. W. See Visnapuu, A.

Jensen, Neil F. Apparatus for fastening contact pins to a substrate, P (9) 200*g*.

Jensen, Thomas H. Method and apparatus for forming glass fibers, P (9) 194*j*.

Jepsen, Tage L. B. Heavy liquid separation of brucite from associated minerals of brucitic ores, P (7) 158*j*.

Jepson, W. B. See Rouse, J. B.

Jepson, W. B., and Williams, J. F. Adsorption of water by clays (5) 106*f*.

Jerome, D., Grant, A. J., and Yoffe, Abraham D. Pressure enhanced superconductivity in $NbSe_2$ (9) 214*c*.

Jerphagnon, J., and Kurtz, Stewart K. Optical nonlinear susceptibilities—accurate relative values for quartz, ammonium dihydrogen phosphate, and K dihydrogen phosphate (6) 138*e*.

Jerphagnon, J., and Newkirk, H. W. Optical nonlinear susceptibilities of BeO (10) 237*j*.

Jeschar, R., Schroeder, U., and Bredehoeft, R. Effect of the marginal gaps (around the setting) on flow distribution in tunnel kilns (4) 89*j*.

Jeschar, R., Schroeder, U., and Poetke, W. Experiments with a model of the distribution of gas flow and heat exchange in tunnel kilns (4) 89*i*.

Jeschke, Peter See Kienow, Sigismund

Jhaveri, S. H. Inverter for induction melting furnaces (5) 105*f*.

Jimenez, F. Gonzalez, and Imbert, P. Moessbauer study of ^{170}Yb in the antiferromagnetic compositions Yb_2O_2S and Yb_2O_2Se (9) 212*f*.

Jin, Jung Hyung, Koo, Kang Il, and Taik, Shim Moon Mfg. lightweight aggregate from brick clay (11) 246*i*.

Jinnai, Kazuhiko See Honda, Hidemasa ; Kimura, Kunio

Jitianu, G. See Solacolu, S.

Jobkes, Jakob See Motek, Herbert

Johson, H. E. See Brady, L. L.

Jochems, Pieter J. W., and de Werdt, Reinier Method of mfg. an electric device, e.g. a semiconductor device, P (3) 69*g*.

Jochens, P. R. See Coale, R. D.

Joe, Edwin G. See Craigen, William J. S.

Joffrin, Jacques See Boiteux, Michel

Joffrin, Jacques, and Levelut, A. Natural acoustical rotatory power of α-quartz (7) 161*f*.

Johansen, Vagn Model for reaction between CaO particles and portland cement clinker (10) 218*i*.

Johanson, Jerry R. Working guide—feeding and storage methods (9) 203*h*.

Johanson, John E. Variable [ceramic] disk capacitors, P (2) 46*a*.

Johansson, L. G. See Lakatos, T.

Johnesee, J. W. Powder coating of glass bottles (9) 192*g*.

Johns, H. L., and King, A. G. ZrO_2 tailored for thermal shock resistance (9) 197*c*.

Johnson, A. E. See Crabtree, J. D.

Johnson, Anderson F., Jr. See Boyer, Lynn F.

Johnson, Benjamin M. See Coppinger, Eugene A.

Johnson, Carl E. Method for making crystalline zeolite Y, P (1) 23*h*. See Meyer, Robert J.

Johnson, Clair A. Hermetically sealed electronic package, P (11) 250*h*.

Johnson, D. L. Discussion of "Vol diffusion as densification rate-controlling step in sintering" (9) 216*b*. See Kumar, P.

Johnson, D. W., Jr. See Berrin, L.

Johnson, D. W., Jr., Nitti, D. J., and Berrin, L. High purity reactive alumina powders: II, Particle size and agglomeration study (1) 16*b*.

Johnson, Don M. Stretched texture (4) 78*a*.

Johnson, Donald M. See Henderson, James R.

Johnson, Dudley B. Field survey of architectural porcelain enameled aluminized steel (5) 96*c*.

Johnson, Gordon H. Inorganic Li chrome silicate pigments, P (1) 23*g*.

Johnson, H. See Wiederhorn, S. M.

Johnson, John Y. American Optical fights pollution via pyrodecomposition (6) 122*g*.

Johnson, Paul W. See Barrett, Paul J.

Johnson, Paul W., and Barclay, James A. Economic studies of uses of the glass fractions from municipal-incinerator residues (8) 167*j*.

Johnson, Quintin, Mitchell, Arthur C., and Evans, L. X-ray diffraction study of single crystals undergoing shock-wave compression (10) 240*d*.

Johnson, Ralph T., Jr., Northrop, David A., and Quinn, R. K. Vaporization associated with surface electrical switching in semiconducting As-Te-I and As-Te-Ge glasses (9) 193*j*.

Johnson, Ralph T., Jr., and Quinn, R. K. Electrical conductivity and surface layer formation in semiconducting $As_{50}Te_{45}I_5$ (8) 181*g*.

Johnson, Robert C., Sweeney, John W., and Lorenz, Walter C. Economic availability of by-product F in the United States (in two sections). I. Utilization of by-product fluosilicic acid in the mfg. of NH_4F. 2. Utilization of by-product fluosilicic acid in the mfg. of CaF_2 (8) 178*j*.

Johnson, Robert G., and McClure, Benjamin T. Wide-angle uv radiation detector, P (8) 170*j*.

Johnson, Rowland E. See Haisty, Robert W.

Johnson, T. A., and Beuzel, J. F. Unidirectional solidification of stabilized HfO_2-W (6) 131*g*.

Johnson, Walter A. See Sadoski, Tadius T.

Johnsson, Torsten Crystal structure of Mo_8P_5 from twin-crystal data (2) 51*f*.

Johnston, C. D. Mechanical properties of aggregates, their determination, and their effect on concrete (1) 3*j*.

Johnston, Robert B., and Rees, John M. Electric incandescent lamps, P (5) 99*d*.

Johnston, Roy D. See Blake, Paul D.

Jojima, Takehiko See Kobayashi, Seihin

Jonas, Klara Examination of silicates by ir spectrophotometry (11) 258*d*.

Jones, A. E. See Evans, D. J.

Jones, A. R. Scattering and emission of radiation by clouds of elongated particles (1) 13*h*.

Jones, Alan R. Sample mixing and metering apparatus, P (11) 253*a*.

Jones, Anthony R. See Scholes, Geoffrey W.

Jones, B. F., and Duncan, R. G. Effect of fiber diameter on the mechanical properties of graphite fibers mfg. from polyacrylonitrile and rayon (2) 39*j*.

Jones, B. F., and Pegg, I. D. Effect of fast-neutron irradiation on the structure and mechanical properties of a high-modulus graphite fiber (6) 131*b*.

Jones, Bryan Frederick See Bates, Colin A.

Jones, Charles E. See Bryant, Michael I.

Jones, Claude K., and Martin, Stuart W. Workpiece support for glow discharge apparatus, P (9) 202*h*.

Jones, D. See Lawrenson, Jack

Jones, Fitzhugh B. See Krinitz, Benjamin

Jones, G. A. See Hothersall, D. C.

Jones, G. R. See Bichard, V. M.

Jones, J. T. See Krishnamachari, V. ; Nehring, V. W.

Jones, James L. See Dahlquist, Ralph L.

Jones, John B., Jr. Process of calcination [lime], P (10) 219*a*.

Jones, John F., and McManus, Bert D. Materials performance in coal pyrolysis and coal oil hydrotreating (11) 255*b*.

Jones, Oliver See Davies, Philip H.

Jones, Paul V. See Nancarrow, John

Jones, R. G. See Birch, J. R.

Jones, Rexford W., and Thompson, William B. Producing printed circuits by using powder-embedded composition as etch resist, P (9) 201*h*.

Jones, Richard H. Transition metal oxide catalysts, P (1) 24*a*.

Jones, S. Electron probe modifications using polarized light for mineralogical grain examination (3) 72*b*.

Jong, B. W., and Ownby, P. D. Formation and densification of Cd Mn ferrite (7) 151*e*.

Jongetjes, H. See Ninck Blok, C. J. J.

Jonker, G. H. See Hulscher, W. S.

Jonker, G. H., and Stuijts, A. L. Controlling the properties of electroceramic materials through their microstructure (7) 150*f*.

Joo, Louis A. See Goan, John C.

Joo, Louis A., McKee, John A., and Shea, Frederick L. Process for the production of C filaments from coal-tar pitch, P (6) 128*b*.

Jordan, Andrew S. See Derick, Lincoln

Jordan, Eugene L. See Epifano, Robert N.

Jordan, John A. See Perigo, Leon A.

Jordan, John E., and Newcombe, George M. SO_2 removal from stack gases, P (8) 177*f*.

Jordan, Larry L. Glass-polysilicon dielectric isolation, P (1) 17*i*.

Jordan, Roy E., Jr. At Glascote—precise production for the process industries (9) 191*i*; Sheffield [brick and tile] streamlines for savings; Calcining cuts costs at Can-Tex (9) 195*d*; Frontenac's floor tile production; Universal Clay Products Company's policy—diversify (9) 195*e*; Specialty refractories—Sherwood's stock in trade (9) 196*h*; Glaze the easy way (9) 198*b*; Stoneware: main ingredient—craftsmanship (9) 198*d*; Thai ceramics—modern equipment, much manpower; Wenczel [tile] of Florida's southern strategy (9) 198*h*; Ferrites from Ferronics (9) 199*b*; "Unitized" expansion yields added quality, versatility [in brickmaking] (9) 203*g*; Automated grinding at North State Pyrophyllite (9) 206*e*; Norton abrasives—wheels for the world (11) 241*e*; Industrial Ceramics—a natural switch to success (11) 247*c*; Brush Pottery—success in a single market Lapp's southern strategy—standardize and automate (11) 248*c*; Ceramic Insulator Co.—newcomer with experience (11) 248*d*; Flamingo Tile—maverick methods, rewarding results (11) 248*g*; Georgia Sanitary—enlightened personnel policy means pride in product (11) 248*h*; Alberox—making ceramic and metal one (11) 248*j*.

Jordan, Russell T. Cement having improved color, P (7) 143*b*; Cements, P (7) 143*c*.

Jose, V. R., and Urmes, Sigmund X-ray diffraction studies of glasses in the system Na_2O-TiO_2-SiO_2 (5) 98*i*.

Joseph, Michel M. Glass furnace [electric], P (7) 147*b*.

Joseph, Werner Heat-resistant plastics (10) 219*d*.

Joshi, A. V., and Wagner, J. B., Jr. Polarization measurements on mixed conductors (3) 76*a*.

Joshi, Madhukar L., Masters, Burton J., Viva, Osvaldo R., and Yeh, Tsu-Hsing Semiconductor structure having reduced carrier lifetime, P (8) 175*f*.

Joshi, R. C., and Rossner, E. A. Pozzolanic activity in synthetic fly ashes: I, Experimental production and characterization; II, Pozzolanic behavior (7) 143*c*.

Joshi, S. See Mitchell, A.

Jost, Victor See Kiehl, Jean P.

Jottler, Christian F. Automatic [wet] sample analyzer, P (4) 89*f*.

Joubert, J. C. See Marezio, M.

Joubert, Jean C. See Pernet, Michel

Joubert, M. See Van Daele, H.

Joullie, A. M. See Marucchi, J.

Joustra, Pieter K. See Dekker, Cornelis

Judd, George G. See Staut, Ronald

Judd, Joseph H., and Clark, Raymond L. Deposition apparatus, P (1) 17*b*.

Judd, M. D., and Pope, M. I. Energy of activation for decomposition of the alkaline-earth carbonates from thermogravimetric data (7) 160*d*.

Juhasz, Zoltan Physicochemical reactions (3) 71*f*.

Juillet, F. See Gravelle, P. C.

Julienne, P. S. See Marchetti, M.

Junak, Edward M. See Schweitzer, John C.

Jung, H. "Antique" vases on the conveyor belt. Visit to an oriental potter treading in the footsteps of his Roman ancestors (2) 31*e*.

Jung, M. Hydraulic properties of high-Al_2O_3 cements (11) 247*c*.

Junggren, Ulf K. See Brandstrom, Arne E.

Junkinson, Anthony R. See Woodhead, James L.

Juricek, Edward L. Resonance control for a muffle burner, P (7) 158*d*.

Justi, E. W., Kalberlah, A. W., and Schilling, H. H. Co negative electrode and a method for producing it, P (8) 174*b*.

Kabanov, A. A. Semiconductor properties of $KMnO_4$ (5) 114*b*.

Kabanovskii, L. N. See Loshak, M. G.

Kabashima, S. See Kamata, N.

Kabashima, Shigeharu, Goto, Tsuneaki, Nishimura, Katsuyuki, and Kawakubo, Tatsuyuki Impurity conduction in Ti-doped VO_2 studied by microwave frequency conductivity (5) 110*g*.

Kabliuka, R. J., and Solin, S. A. Resonance Raman scattering from amorphous As_2S_3 (9) 214*c*.

Kachel, Irwin Method of screening a color picture tube, P (9) 194*e*.

Kachhawaha, J. S. Thermodynamic investigations on NiO-ZnO solid solutions (9) 215*j*.

Kachi, Sukeji See Asbrink, Gudrun ; Goto, Yasumasa

Kachi, Sukeji, Kosuge, Koji, and Okinaka, Hideyuki Metal–insulator transition in V_nO_{2n-1} (8) 184*b*.

Kacker, K. P., Satiya, R. C., and Chandra, D. Effect of clay minerals on the thermal decomposition of limestone and dolomite (6) 120*j*.

Kacsalova, L., and Boazilkov, V. Application of perlite in floor tile mfg. (3) 66*a*.

Kacsalova, L., and Kolali, A. A. Coloring of porcelain by Fe oxide as a function of particle size (1) 14*i*.

Kacsalova, Lidia Effect of the particle size distribution of nonplastic components on the properties of porcelain (2) 41*c*.

Kaderka, Miroslav See Bohun, Antonin

Kadota, Kazuya, Kamiyama, Koji, and Sakaino, Teruo Heat of solution of Na phosphate glasses (6) 123*c*.

Kadota, Kazuya, Saito, Shogo, and Sakaino, Teruo Stress relaxation mechanism of Na phosphate glasses (8) 169*b*.

Kadota, Kenji See Fukumoto, Kenichi

Kaes, Hans Herbert Influence of base glass on the radiophotoluminescence of Ag-activated dosimeter glasses (3) 61*e*; Radiophotoluminescent glass with improved dosimeter properties (10) 221*h*. See Brueckner, Rolf

Kaes, Hans Herbert, May, Arno, and Scharmann, Arthur Influence of melting and heat treatment on the dosimeter properties of Ag-activated phosphate glasses (3) 62*a*.

Kaeser, L. See Brinkmann, D.

Kaesmer, Bernd, and Henning, Otto Quantitative phase analysis of portland cement clinkers—quantitative and qualitative studies of portland cement clinker minerals by ir spectroscopy (10) 218*c*; Quantitative phase analysis of portland cement clinkers—ir spectroscopy (10) 233*a*.

Kaether, H. New developments in high-capacity tunnel kilns (6) 134*b*.

Kafalas, J. A. See Goodenough, J. B.

Kaganov, I. R. See Akh'yan, A. M.

Kahan, G. J. Equivalent circuit for conductivity/temp. characteristics of the PdO/Ag-Pd glaze resistor (7) 151*g*.

Kahle, Guenter See Herzog, Guenther

Kahle, Klaus Mechanism of formation of Mg-sulfate cement (10) 218*h*.

Kahn, Manfred Electrical device having ohmic or low loss contacts, P (6) 129*c*; Overlay [Au or Ag] for ohmic contact electrodes, P (6) 130*h*.

Kaido, Takao See Miyatake, Kazumi

Kainarskii, I. S. See Degtyareva, E. V.

Kaiser, F. Automatic analytical classifier for cement (7) 141*j*.

Kaiser, Fritz W. Fluidized bed jet mill, P (9) 204*c*.

Kaiser, H. Slag cement produced by separate grinding (6) 121*b*.

Kaiser, K. A. See Hartmann, William M.

Kaiser, P. Spectral losses of unclad fibers made from high-grade vitreous SiO_2 (11) 245*e*.

Kaiser, P., Marcatili, Enrique A. J., and Miller, S. E. New optical fiber (11) 244*b*.

Kaiser, S. See Hohnke, D. K.

Kaiser, W. See Penzkofer, A.

Kajita, Koji, and Masumi, Taizo Magnetophotoconductivity of Eu_2O_3 near the Curie temp. (7) 161*d*; Direct determination of Hall mobility of photoelectrons in the ferromagnetic semiconductor EuO (11) 257*j*.

Kakegawa, Kazuyuki See Shirasaki, Shinichi

Kakehi, Toshihiro See Tani, Tetsuro

Kakehi, Toshihiro, Kobayashi, Jiro, Ebisawa, Isao, Nanba, Yasutoshi, Terao, Masaru, and Matsuo, Akira Slinger process for ladle lining (5) 100*h*.

Kakhana, M. M. See Nefedov, V. I.

Kalabinski, B., and Marinek, W. Effect of cement grout density on the hydration degree of cement (2) 32*h*.

Kalachnik, O. N. See Nisel'son, L. A.

Kalachnikov, Ya. A. See Timofeeva, N. V.

Kalb, A. See Leute, V.

Kalb, Jeffrey C., and Widlar, Robert J. Multiple emitter transistor apparatus, P (2) 44*i*.

Kalberlah, A. W. See Justi, E. W.

Kaldis, Emmanuel See Felsche, Juergen

Kaldis, Emmanuel, Streit, P., and Wachter, Peter Luminescence properties of the monoclinic phase of ferromagnetic $Eu_3(II)SiO_4$ (5) 111*f*.

Kaldis, Emmanuel, and Wachter, Peter Semiconductor–metal transition of the Sm monochalcogenides [SmS] (9) 214*e*.

Kalinin, D. V., Deniskina, N. D., and Lokhova, G. G. Synthesis of fibrous amphiboles and genesis of natural amphibole asbestos (6) 139*d*.

Kalinin, P. S. See Zvyagin, A. I.

Kalinowski, I. See Finkenrath, H.

Kalish, Herbert S. Method of forming a hard surface on cemented carbides and resulting article, P (10) 224*d*.

Kalish, Israel H., and Khajezadeh, Heshmat Zener diode for monolithic integrated circuits, P (9) 202*i*.

Kalita, G. E. See Degtyareva, E. V.

Kalitin, P. P., and Pavlushkin, N. M. Sintering and properties of cermets based on corundum microlite and W and Ti carbides (1) 13*j*.

Kalkei, A. See Fuess, H.

Kalnin, Ilmar L. Glass-fiber-reinforced composite article exhibiting enhanced longitudinal tensile and compressive moduli, P (1) 9*f*.

Kalousek, George L. Method for measuring thixotropy, P (3) 72*g*; New instrument for measuring thixotropy (9) 205*a*.

Kalousek, George L., and Benton, Elton J. Saline resistant cementitious binders, P (2) 34*b*.

Kalousek, George L., and Eager, Phillip F. Apparatus, for measuring thixotropy, P (3) 72*g*.

Kalugina, Z. I. See Knyazeva, R. N.

Kalvenes, O. Raw slurry sampling (7) 143*d*.

Kalyoncu, R. S. See Westwood, A. R. C.

Kamata, N., Yamazaki, S., Kabashima, S., Hattanda, T., and Kawakubo, Tatsuyuki High-frequency conductivity of n-type $CdCr_2Se_4$ (10) 236*i*.

Kamei, Tatsya See Tsukuda, Kiyoshi

Kamejima, Taibun, Shionoya, Shigeo, and Fukuda, Atsuo Investigation of luminescence from bound excitons in KBr:I by using polarized light (6) 136*f*.

Kamel, A. H., Abdallah, A. M., and El-Baradie, H. Y. Effect of temp. on properties of calcined red Fe oxide pigments (8) 172*i*.

Kamenetskii, A. B. Perforated ceramics from alumina and high-alumina bodies (1) 15*d*.

Kamenetskii, S. P. See Fain, I. A.

Kamenskaya, L. A., and Konstantinov, V. I. System KCl-KF-K_2NbF_7 (7) 163*a*.

Kamigaito, Osami See Oyama, Yoichi

Kamilov, I. K., Aliev, Kh. K., and Shakshaev, G. M. Critical behavior of $Cu_{0.4}Cd_{0.6}Fe_2O_4$ ferrite near the Curie point (8) 180*d*.

Kaminura, Hiroshi See Natsume, Yuhei

Kaminow, I. P., and Carruthers, J. R. Optical wave-guiding layers in $LiNbO_3$ and $LiTaO_3$ (10) 238*a*.

Kaminow, I. P., Carruthers, J. R., Turner, E. H., and Stulz, L. W. Thin-film $LiNbO_3$ electrooptic light modulator (10) 240*b*.

Kamiya, Iwao See Makino, Yoshimi

Kamiyama, Koji See Kadota, Kazuya

Kamm, K. Dosage and homogenization of raw material by reclaiming (6) 120*f*.

Kamo, Takeshi See Nakamura, Masashi

Kamoshita, Genichi See Mikami, Itsuo

Kamstrup-Larsen, Harry Method and a rotary kiln for producing a bloated clay product, P (1) 11*b*; Rotary kiln for the production of a granular bloated product, P (4) 90*d*.

Kamyshov, V. M. See Gorbatov, A. G. ; Nechaev, Yu. A.

Kana'an, A. S. See Cankaya, K.

Kanamaru, Fumikazu See Shibasaki, Yasuo

Kanamaru, Fumikazu, and Koizumi, Mitsue Synthesis of $Ba_4In_6O_{13}$ (8) 186*j*.

Kanaoka, Shigeto, and Kato, Etsuzo Cookeite in petalite from Africa (9) 208*f*.

Kanaya, Koichi, Kawakatsu, Hisazo, Atoda, Nobufumi, Yotsumoto, Haruo, and Ono, Akishige Quantitative analysis of electron microscopic images recorded on thin polymer films (10) 232*i*.

Kanazawa, Takafumi See Kawazoe, Hiroshi

Kanazawa, Takafumi, Kawazoe, Hiroshi, and Handa, Minoru Thermal properties and crystallization of Mg high polyphosphate glass (10) 221*h*.

Kanda, Motoya See Seki, Hisashi

Kaneda, Yoko See Sada, Tomohiko

Kaneko, Kunio See Dosen, Masasi

Kaneko, Motoshi, Kondo, Wakichi, and Fujii, Kinjiro Resistance of cement mortar and concrete to corrosion by hot seawater (5) 95*i*.

Kanert, E. Impulse burner kiln, a kiln with additional peripheral injection of heavy fuel oil (11) 255*a*. See Schiele, E.

Kang, Ho Ill See Chi, Ung Up

Kanishcheva, A. S. See Kuznetsov, V. G.

Kannewurf, C. R. See Itoga, R. S.

Kanno, Masayoshi See Yamawaki, Michio

Kano, Gota See Iizuka, Mutsuo

Kano, Gota, Iizuka, Mutsuo, Fujiwara, Shohei, Hasegawa, Hiromasa, and Sawaki, Tsukasa Pressure-sensitive Schottky barrier semiconductor device having a nonconductive barrier for preventing undesirable reverse-leakage currents and method for making, P (10) 228*a*.

Kansky, Evgen Nonporous vitreous body for supporting electronic devices, P (9) 201*c*.

Kanter, Jerome J. Process for enameling ferrous articles, P (3) 60*g*.

Kantorski, Joseph W. Method of making a lens balanced laser rod and rod produced thereby, P (2) 39*c*.

Kantsepol'skii, I. S., Terekhovich, S. V., and Druzhzhin, A. Kh. Optimization of fineness of grinding of raw material mixture (2) 33*e*.

Kanunov, Mikhail A. See Belkin, Nikolai V.

Kapadia, C. M. See Leipold, Martin H.

Kapadia, C. M., and Leipold, Martin H. Interrelation of pore size and grain size during grain growth of oxides (6) 136*f*.

Kaplan, Benjamin B. Insulating composition, P (10) 224*a*.

Kaplan, Sam H. Screening process for color CRT, P (3) 64*b*; Aperture mask for and method of screening a color CRT, P (9) 193*d*; Face panel assembly for color CRT, P (9) 194*b*; Color TV picture tube with subtractive color filters, P (11) 250*b*.

Kaplan, Theodore, and Adler, David Thermal effects in amorphous-semiconductor switching (10) 239*i*.

Kaplan, Theodore, Bullock, D. C., Adler, David, and Epstein, D. J. Thermally induced negative resistance in Si-doped YIG (10) 227*e*.

Kaplun, V. A. Formation of a Cu bromide complex and structural changes in K borosilicate glasses (1) 7*i*. See Zvyagin, A. I.

Kapatias, Demetrios E. Semiconductor package containing a dual epoxy and metal seal between a cover and a substrate and method for forming the seal, P (9) 202*f*.

Kapoor, B. S. Acid character of montronite—permanent and pH-dependent charge components of cation exchange capacity (8) 179*f*.

Kappatsch, A., Burlet, P., and Sivardiere, Jean Magnetic properties of the solid solution $TbFe_{1-x}Co_xO_3$ with deformed perovskite structure ($x = 0.1$ and 0.2) (8) 183*g*.

Kappers, Lawrence A., Kroes, Roger L., and Hensley, Eugene B. F^+ and F' centers in MgO (6) 136*h*.

Kappes, Karl A., and Bateson, Sydney High-shear rolled Al_2O_3 ceramic substrate, P (10) 227*e*.

Kapur, P. C. Kinetics of solid-state reactions of particulate ensembles with size distributions (3) 75*j*.

Karapet'yants, M. Kh. See Malyutin, S. A. ; Mazepova, V. I.

Karchmar, Tsetsiliya A. See Stepanov, Gleb A.

Karger, George Million dollar expansion doubles plant production (7) 150*b*.

Karklit, A. K., Shevchenko, V. P., Lapotyshkin, N. M., Chigrinov, Mikhail G., and Frolovskii, N. M. Reaction of liquid metal with steel-casting nozzles for continuous steel casting (1) 13*b*.

Karklit, A. K., Stegantsev, S. A., and Petrova, E. V. Properties of ceramics in the system $MgO-MgCr_2O_4$ (1) 27*a*.

Karklit, A. K., and Tikhonova, L. A. Thermomechanical properties of some oxide refractories (1) 13*j*.

Karle, Franklin J., and Langer, Horst G. DTA cell assembly, P (1) 22*d*.

Karle, J. See Konnert, J. H.

Karmanova, T. S. See Larin, A. P.

Karpenko, A. D. See Vlasov, A. S.

Karpenko, N. V. Determination of vapor pressure and composition in the systems $SnCl_2$-(Rb,Cs)Cl (1) 24*f*.

Karpenko, N. V., and Dogadina, G. V. Determination of pressure and composition of the vapor in the system $SnBr_2$-RbBr (5) 108*b*.

Karpenko, V. Ya. See Buslovich, N. M.

Karpov, I. K., and Kaz'min, L. A. Calculation of complex chemical equilibria in multicomponent heterogeneous geochemical systems (9) 208*e*.

Karpov, V. N. See Rode, E. Ya.

Karpov, V. N., and Rode, E. Ya. Phase diagrams of the systems Na_2WO_4-$R_2(WO_4)_3$ (5) 113*g*.

Karpov, V. N., Rode, E. Ya., and Sorokina, O. V. Phase diagram of the system Na_2WO_4-$Sc_2(WO_4)_3$ (5) 113*e*.

Karpovich, V. K. See Val'kovskii, S. N.

Karra, V. K., Bose, S., and Sant, B. R. Mineralogical characteristics of clays of Mayurbhanj district, Orissa [India] (7) 158*e*.

Karsch, K. H. See Gruenewald, H.

Karski, Leo W. See Gage, Wayne T.

Karstendiek, Claude A. See Wright, Robert J.

Kartsev, V. E. See Kovalev, F. V.

Kartseva, L. A. See Morozov, V. N.

Karuhn, Richard F., Davies, Reg, and Clinch, John M. Method and apparatus for detecting and sizing microscopic particles, P (9) 205*h*.

Karuhn, Richard F., Davies, Reg, and Kaye, Brian H. Particle sensing apparatus, method, and flow direction collar therefor, P (9) 205*e*.

Karyakin, L. I. See Mikhailova, K. A.

Karyakina, T. A. See Korago, A. A.

Karzhavina, T. P. See Bron, V. A.

Kasa, Stanislav See Sasek, Ladislav

Kasabov, Yordan D. Method of producing diffused high-resistivity microresistors, P (8) 175*c*.

Kasabova, M. I. See Babachev, G. N.

Kasahara, Ichiro, and Yamaguchi, Hideki Method for measuring [glass] plate thickness, P (7) 147*a*.

Kasai, Toshio See Noda, Juichi

Kasai, Toshio, Noda, Juichi, and Ida, Ichiro Precision machining of $LiTaO_3$ crystals for electrooptic elements (3) 68*i*.

Kasano, Hiroyuki Optical semiconductor device and method of mfg., P (10) 228*i*. See Aoki, Masaharu

Kasano, Hiroyuki, Kurata, Kazuhiro, Ogirima, Masahiko, Kawasura, Masao, and Kusumoto, Hazime Solid-state electronic device using quaternary compound semiconductor material consisting of Ga, In, phosphor, and As, P (3) 70*d*.

Kashirkina, T. G. See Vardanyan, S. M.

Kashiwabara, Minoru See Nakayama, Satoshi

Kashiwagi, Haruhiko See Tanemura, Fumikazu

Kashkooli, Faraj Y. See Brand, Warren L.

Kasparyan, R. M. See Fedorov, N. F.

Kaspaul, Alfred F., and Kaspaul, Erika E. Transparent conductive coating and process therefor, P (2) 45*j*.

Kaspaul, Erika E. See Kaspaul, Alfred F.

Kasper, H. M. See Shay, J. L.

Kassler, Holger See Gnutzmann, Heinrich

Kastenbein, Ernest L., and Geltman, Gerald L. Dielectric compositions, P (2) 43*c*.

Kastner, Miriam See Siever, Raymond

Kastrinos, Arthur Trunnion liner and seal for rotary mills, P (10) 232*c*.

Kasuya, Tadao See Petrich, Georg

Kasuya, Tadao, and Penney, T. Transient photoconductivity in EuSe (7) 163*i*.

Kas'yanova, G. N. See Korneev, V. I.

Katanic-Popovic, J., and Stevanovic, M. Torsion strength of sintered UO_2 (2) 47*a*.

Kataoka, Shoei Semiconductor-type potentiometer device, P (1) 19*f*.

Kataoka, Shoei, Tateno, Hiroshi, Fujisada, Hiroyuki, Kawashima, Mitsuo, Komamiya, Yasuo, and Yamada, Hideo Negative resistance element, P (1) 18*f*.

Kataoka, Toshihiko, Okuda, Shogo, and Yamada, Tomoharu Internal stress at Lueders band front of KCl-KBr solid solution single crystals (5) 111*f*.

Katiyar, R. S. Dynamics of the rutile structure: I, II (11) 257*a*.

Kato, Akio, Ono, Yoshihiro, Kawazoe, Sanae, and Mochida, Isao Finely divided Si_3N_4 by vapor phase reaction between $SiCl_4$ and NH_3 (7) 161*a*.

Kato, Akio, and Tomoda, Katsuhiko Growth of AlN whiskers by vapor phase reaction (9) 211*b*.

Kato, Daisuke Fused-silica-core glass fiber as a low-loss optical waveguide (10) 220*e*.

Kato, Etsuro See Yamaguchi, Akira

Kato, Etsuzo See Kanaoka, Shigeto

Kato, Hidemasa See Inagaki, Kiyokazu

Kato, K. See Miyatani, K.

Kato, Kotaro See Komatsu, Ryosaku

Kato, Ryuzo Pickup tube envelope sealant [In] extending into groove of annular target support, P (5) 102*f*.

Kato, Shigeki, and Yamamoto, Takeshi Neutral gray glass, P (7) 147*b*.

Kato, Takahiro See Toda, Masumi

Kato, Taketoshi See Nakamura, Masakatsu

Kato, Toshiko Optical activity of Fe group selenate crystals: II, Theoretical analysis (5) 112*i*.

Kato, Toshiko, Ban, Toshiro, and Tsujikawa, Ikuji Optical activity of Fe group selenate crystals: I, Experimental studies (5) 112*h*.

Katoh, Noritada See Miyata, Yoshihiko

Katpatal, A. G., and Deshmukh, K. G. Surface-charge layers on ferroelectric $KNbO_3$ crystals (5) 115*e*.

Katsai, Margarita Ya. See Prikhna, Alexei I.

Katsel'bogen, V. A. See Altschuler, B. A.

Katsumata, Takuma, Uchiyama, Hideo, and Marita, Yoshiharu Method and apparatus for inspecting a bottle, P (9) 194*j*.

Katsura, Masahiro, Yuki, T., Sano, T., and Sasaki, Y. Graphitization of free C precipitating through the reaction of UC_2 with N (2) 46*d*.

Katsuta, H. See Watanabe, H.

Katsuta, Yukio, Tanifuji, Shinya, and Yahagi, Kichinosuke Two kinds of switching phenomena in TiO_2 thin films (6) 140*a*.

Katuta, Tadao Apparatus for embedding metal pins in a glass panel, P (3) 63*j*.

Katz, Amitai Zoned dolomite crystals (1) 23*j*.

Katz, Gerald, and Roy, Rustum Comments on "Precipitation in crystalline solids" (4) 91*b*.

Katz, Lewis See Evans, Doletha M.

Katz, R. N. See Seaton, C. C.

Kauffman, John H., and Donat, Ralph J. Mixer system [pan mill], P (10) 232*a*.

Kaufman, Alvin B. Optimum electrode configuration for ceramic memories with ceramic motor element and mechanical damping, P (9) 201*d*; Electrical characteristics of vitreous vs common carbons (10) 235*e*.

Kaufmann, Peter, and Liepert, Reinhold Apparatus and method for filling flash lamps, P (10) 222*b*.

Kauppila, James E. Method of making a passivated wire-bonded semiconductor device, P (9) 201*e*.

Kausay, Tibor Method for computerized planning of the crushed stone and crushed gravel supply (1) 20*j*.

Kaushanskii, V. E. See Al-Dzhabari, Subkhi M. R. ; Butt, Yu. M.

Kausish, J. P. See Chopra, S. K.

Kaverin, B. S. See Beshtein, Yu. I. ; Butt, Yu. M.

Kawabata, Akira See Adachi, Masatoshi ; Shiosaki, Tadashi

Kawabe, Ushio, Tarutani, Yoshinobu, and Kudo, Mitsuhiro Preparation of transparent EuO films by oxidation of EuO films (5) 101*j*.

Kawabuchi, Katsuhiro, and Magari, Saburo UO_2 deposition from its plasma (10) 231*d*.

Kawachi, Chihiro See Kobayashi, Taneo

Kawada, Takehiko Method of operating piezoelectric transformers, P (1) 18*g*; Driving apparatus for piezoelectric ceramic elements, P (10) 227*j*.

Kawagoe, Hiroto See Tominaga, Yoshio

Kawaguchi, Akihito See Imatake, Tadami

Kawai, Kakutaro See Sakamoto, Yuzaburo

Kawai, Naoto See Mochizuki, Shosuke

Kawai, Naoto, and Mochizuki, Shosuke Insulator-metal transition in NiO (9) 211*i*.

Kawai, Teruo See Moriya, Yoshiro

Kawakatsu, Hisazo See Kanaya, Koichi ; Tsukahara, Sonoko

Kawakita, Hitoshi See Kubota, Takehiro

Kawakubo, Syoichiro See Baba, Masataka ; Takuma, Takashi

Kawakubo, Tatsuyuki See Kabashima, Shigeharu ; Kamata, N. ; Tsuchiya, Yoshimi

Kawalska, Marta See Pampuch, Roman

Kawaminami, M. See Okazaki, A.

Kawamoto, Yoji See Shibayama, Hikou

Kawamoto, Yoji, Nagura, Nagao, and Tsuchihashi, Shoji Properties of Ag-containing sulfide glasses (6) 124*b*.

Kawamura, Hajimu See Takano, Shuzo

Kawamura, Junichi See Aoki, Kumao

Kawamura, Junichi, Hara, Kamekichi, Isomoto, Masaki, and Okusawa, Kazuhiro Tests of ladle lining by slinger machine injecting powdered refractories: I (1) 13*f*.

Kawamura, Junichi, Hara, Kamekichi, and Oguri, Shigeo Comparative studies on several types of bricks developed for hot spot lining of steelmaking arc furnace (1) 11*h*.

Kawamura, Masao See Kasano, Hiroyuki

Kawamura, Mitsunori Application of statistical geometry to the formation of a fibrous C-S-H gel particle network in the structure of hardened cement pastes (2) 32*c*.

Kawamura, Takao Method of mfg. fluorescent screens of color picture tubes, P (1) 10*d*; Color CRTs of the shadow-mask type, P (3) 63*c*.

Kawano, Hidejiro See Komatsu, Wazo

Kawasaki, Meiro, and Higuchi, Shigetaka Method of making a magnetic powder, P (2) 44*a*.

Kawasaki, Tatuo See Watarai, Seizo

Kawasaki, Yasuhiro See Seki, Hisashi

Kawashima, Mitsuo See Kataoka, Shoei

Kawazoe, Hiroshi See Kanazawa, Takafumi

Kawazoe, Hiroshi, Hasegawa, Masashi, and Kanazawa, Takafumi Effect of cooling rate on vitrification of condensed Na phosphate melts (9) 209*h*.

Kawazoe, Sanae See Kato, Akio

Kay, Donald A. See Eitel, Michael J.

Kay, M. S. Lieh See Brixner, L. H.

Kay, S. E. Treatment of glass sheets, P (8) 170*j*.

Kay, W. W. Thermic lancing tool, P (10) 232*c*.

Kayal, P. B. See Mitra, N. K.

Kayatz, Karl H. Material [clinker] cooling apparatus, P (3) 60*d*.

Kayatz, Karl H., and Schreiner, Paul Cement clinker cooler, P (8) 166*g*.

Kaye, Brian H. See Karuhn, Richard F.

Kaya, Olaf See Calkins, J. A.

Kazakov, V. D. See Sil'vestrovich, S. I.

Kazama, Kazuo See Sakurai, Tooshi

Kazan, Benjamin Self-scanning plasma display device with [ZnO] phosphor screen, P (7) 154*f*.

Kazanskii, M. F. See Savvina, Yu. A.

Kazanskii, S. A. See Dubenskii, K. K.

Kazanskii, V. M. See Savvina, Yu. A.

Kazarinov, Georgy B. See Domrachev, Georgy A.

Kazihara, Masao See Iwase, Keizo

Kaz'min, L. A. See Karpov, I. K.

Kaznoff, Alexis I. See Hill, Howard W.

Kearney, Joseph P. See Retzer, Theodore C.

Keck, Donald B., Maurer, Robert D., and Schultz, Peter C. Ultimate lower limit of attenuation in glass optical wave guides (10) 222*a*.

Keck, Donald B., and Schultz, Peter C. Method of producing optical wave-guide fibers, P (5) 99*d*.

Keck, Donald B., Schultz, Peter C., and Zimar, Frank Method of forming optical wave-guide fibers, P (9) 194*b*.

Keck, Roger E. J. See Bardinet, Guy M. P.

Keefer, E. K. See Calkins, J. A.

Keeffe, William M. See Waymouth, John F.

Keen, Ralph S., Jr. Fabrication of integrated microcircuit devices [etched glass], P (2) 43*g*.

Keenan, James P. See Bonazoli, Robert P.

Keene, Carl E., and Bradley, Ruth D. Masking techniques for use in fabricating microelectronic components, P (2) 44*f*.

Keey, R. B. Drying—Principles and Practice, B (7) 164*b*.

Keig, George A., Smith, James C., and Watts, John M. J. Asteriated synthetic corundum gemstones, P (7) 150*c*.

Keijzer, H. See Van Leeningen, J.

Keil, John G. Diffusion process for heteroepitaxial. Ge device fabrication utilizing polycrystalline Si mask, P (7) 153*d*.

Keiner, John E. Production problems relating to direct-on enameling (4) 80*e*; Direct-on enameling—a precision operation (7) 143*g*.

Keister, Frank Z., and Rust, John B. Pyrotechnic eradication of microcircuits, P (7) 154*c*.

Keister, Frank Z., and Smolker, Gary S. Single-layer self-destruct circuit produced by codeposition of tungstic oxide and Al, P (10) 229*d*.

Keitch, J. A., and Stanford, R. L. Slide gate refractory applications (11) 247*a*.

Keizer, K., Janssen, E. H. J., deVries, K. J., and Burggraaf, A. J. Influence of particle size and structure of ZrO_2 on microstructure development and dielectric constant of $PbZr_{0.5}Ti_{0.5}O_3$ (9) 211*f*.

Keizik, G. P. See Kurdyumov, G. M.

Kelareva, E. I. See Rutman, D. S.

Keler, E. K. See Andreeva, A. B. ; Dyban, Yu. P. ; Korneev, V. R.

Kel'kh, V. E. See Smirnov, V. I.

Kell, R. C., Greenham, A. C., and Olds, G. C. E. High-permittivity temp.-stable ceramic dielectrics with low microwave loss (8) 173*g*.

Kell, Ray D. Luminescent screen comprising phosphor cores luminescent in first color and phosphor coatings luminescent in second color, P (5) 102*h*.

Keller, John D. See Bentley, William

Keller, C. See Paul, R.

Keller, C., Berndt, U., Debbabi, M., and Engerer, H. Phase relations in the systems Sc oxide-actinide (Th or Am) oxides (10) 230*d*.

Keller, C., Berndt, U., Engerer, H., and Leitner, L. Phase equilibria in the system ThO_2-lanthanide oxide (1) 26*e*.

Keller, Robert H. Funnel-arm-mounted mold-lubrication apparatus, P (7) 146*i*.

Keller, W. D. See Huang, W. H.

Keller, Wolfgang Device for crucible-free floating-zone melting a crystalline member, P (1) 17*b*; Method for floating zone melting, P (3) 69*e*.

Keller, Wolfgang, and Reuschel, Konrad Method for crucible-free zone melting using a displaced heater, P (1) 17*h*.

Kelley, C. E. See Reifsnider, K. L.

Kelly, B. T. See Pojur, A. F.

Kelly, J. W. See Taylor, J. C.

Kelly, Joseph D. See Stilley, George W.

Kelly, R. See Naguib, H. M. ; Pronko, P. P.

Kelly, Robert G., Legg, Louis L., and Ruf, Walter Valve bag applicator machine, P (1) 21*d*.

Kelly, Roger See Jech, Cestmir

Kelly, W. J. Quality control procedures in the mining and processing of ceramic ball clays and kaolins (7) 158*h*.

Kelsall, Denis F., and Restarick, Clifford J. Determination of particle-size distribution, P (6) 132*d*.

Kemlage, Bernard M., and Pogge, Hans B. Process for forming monocrystalline and polycrystalline materials, P (2) 45*h*.

Kemp, James C. See Evans, Bruce Douglas

Kempa, C., and Lorenc, S. Effects of overdoses of Klutanit and Hydrobet additives on the physical and mechanical properties of portland cement concrete (10) 218*e*.

Kempchen, H. New pressing technique for the mfg. of ceramic tile (4) 84*h*.

Kendall, Don L. Individual device tuning using localized solid-state reactions, P (7) 153*d*.

Kendall, Louis F., Jr. See Bredt, James H.

Keneman, S. A., Miller, A., and Taylor, G. W. Bi titanate FE-PC optical storage medium—further developments (4) 84*j*.

Kenmotsu, Akihiro, Shinohara, Takeshi, and Watanabe, Hiroshi NMR of ferromagnetic Mn_3AlC and Mn_3GaC (6) 137*j*.

Kennedy, Bobby W. Polyimide resin-fiberglass cloth laminates for printed circuit boards, P (2) 39*b*.

Kennedy, David I., and Russ, Malcolm J. Effect of annealing procedures on photoluminescence and electroluminescence in ZnTe (5) 108*a*.

Kennedy, G. C. See Vaidya, S. N.

Kennedy, George C. Apparatus for mfg. diamonds, P (3) 71*e*.

Kennedy, Thomas N. Method for reactive sputter deposition of phosphosilicate glass, P (10) 222*g*.

Kennerley, R. A. See Eardley, R. P.

Kent, Albert C., and Bowyer, James M., Jr. Thermal convection by air in small cells heated from below (1) 22*f*.

Kenville, Cyril P. See Kueneman, Don

Kerby, R. C. See Hotz, M. C. B.

Kerekes, Bela Oxide cathode for an electric discharge device, P (1) 18*g*.

Kerkhof, Frank, and Schinker, Martin Relation between abrasion, microindentation hardness, and max fracture velocity in different optical glasses (1) 8*g*.

Keropyan, V. V., Kozachenko, E. L., and Bergman, A. G. Quaternary reciprocal system of the fluorides and chlorides of Li, Na, and K (2) 54*e*.

Kerr, George Semiconductor device and method of mfg., P (9) 202*c*.

Kerr, George T. See Chester, Arthur W.

Kerr, John A. See Beale, Julian R. A.

Kerr, William J. See Lunquist, Richard E.

Kerschbaumer, H. Use of magnesite bricks in high-performance rotary kilns (9) 191*d*.

Kerstan, Walter Glasses of the system RO-R_2O-SiO_2 as the basis of low-melting fluxes for porcelain, ceramics, glass, and enamels (2) 36*e*.

Kerstetter, Donald R. See Decker, John J.

Kerstetter, Donald R., and Losey, Harold D. Vacuum tube readout device having ruggedized internal electrode structure and method of making, P (6) 126*c*.

Kerswill, Edson G. See Urbanek, Karel

Kervalishvili, Nikolai A. See Barkhudarov, Eduard M.

Kesarev, V. V. See Belyaev, I. N.

Keshishyan, T. N. See Kukina, L. A.

Kesler, George H. See Carpenter, James F.

Kessel, Alvan A. See Orth, Edward D.

Kesten, Patrick N., Webb, Richard A., and Bedford, Raymond E. Method for processing resistor glass seal compositions employing organic liquid, P (3) 64*c*.

Kester, F. L. See Baldwin, N. L.

Kestigian, Michael See Worley, J. C.

Ketchpel, Richard D. See Curran, Robert E.

Ketov, A. N. See Beresneva, T. I.

Kettner, Irene Variations on basic shapes (4) 78*c*.

Keve, E. T., Abrahams, S. C., Nassau, Kurt, and Glass, Alastair M. Ferroelectric, ferroelastic, paramagnetic Tb molybdate, β-$Tb_2(MoO_4)_3$ (7) 151*b*.

Key, P. Y. See Allingham, C. O.

Keyworth, B., and Rogers, P. S. Crystallization phenomena in glasses containing Cr oxide (10) 219*h*.

Khadzhi, I. P. See Rozhnova, G. A.

Khajezadeh, Heshmat See Kalish, Israel H.

Khalikova, S. I., Pavlushkin, N. M., and Khodakovskaya, R. Ya. Features of sintering corundum-based glass-ceramic materials (1) 7*h*; Possible synthesis of sintered glass-ceramic materials (1) 8*c*.

Khalil, A. A., and Gad, G. M. Gypsum plasters: I, Preparation of β-hemihydrate (8) 166*a*; II, Constitution and properties of the prepared β-hemihydrates (8) 166*b*.

Khalil, A. M. See Mikhail, R. Sh.

Khalilev, V. D. See Golubtsov, L. A. ; Nikolina, G. P.

Khan, B. Kh. See Ladokhin, S. V.

Khanna, R. K. See Miller, P. J.

Kharchenko, V. K. See Kislyi, P. S.

Khardikova, E. Ya. See Vereshchagina, V. I.

Khardikova, E. Ya., and Vereshchagina, V. I. Internal cross sections of the quaternary reciprocal systems 2Li,2Na,2Ba||2F,2Cl (9) 211*j*.

Kharin, A. N. See D'yakova, A. P.

Kharitonov, F. Ya. See Budnikov, P. P. ; Surkov, M. E.

Khartishvili, L. S. See Kutateladze, K. S.

Khazan, E. A. See Sil'vestrovich, S. I.

Kheikia, A. L. See Sil'vestrovich, S. I.

Khilla, M. A. See Holba, P.

Khitrik, S. I. See Piontkovskii, O. D.

Khizanishvili, I. G., Mamaladze, R. A., and Chargeishvili, V. K. Reduction glaze (2) 41*b*.

Khlyusnev, V. D. See Altaeva, S. N.

Khaykin, Yu. F., Timashev, V. V., Malinin, Yu. S., and Ryazin, V. P. Effect of P_2O_5 on the phase composition of portland cement clinker (9) 190*h*.

Khoda, R., and Mathur, V. N. S. Phosphate rocks—their beneficiation and use with special reference to Indian deposits (7) 158*g*.

Khodakov, G. S. Effect of comminution of calcite on equilibrium and heat of thermal dissociation (11) 257*b*.

Khodakovskaya, R. Ya. See Burovtseva, G. N. ; Khalikova, S. I. ; Khomutova, M. I. ; Pavlushkin, N. M.

Khodakovskii, I. L. See Volosov, A. G.

Khokhlachev, P. P. See Amirkhanova, D. Kh.

Khokonova, T. N. See Shurdumov, G. K.

Kholmyanskii, V. A. Aging of ultrathin films obtained during condensation of Ta and Ir vapors in vacuum (7) 150*g*.

Kholodnyi, A. G. See Nestik, S. V.

Khomutova, M. I., Dodonova, R. N., Pavlushkin, N. M., Khodakovskaya, R. Ya., and Frolov, A. S. Heat-resistant glass-ceramic coatings (1) 4*e*.

Khosla, R. P. See Tan, Y. T.

Khoury, Henri A., and Rottmann, Hans R. Apparatus for contouring the surface of thin elements, P (8) 173*j*.

Khozhainov, Yu. M. See Vlasov, A. S.

Khrabrov, V. I. Hysteresis of magnetic reversal of orthoferrite crystals (8) 182*j*.

Khvorostenko, A. S., Dembovskii, S. A., and Luzhnaya, N. P. System As_2Se_3-As_2Te_3 (1) 28*c*.

Kibblewhite, J. F. J. See Tench, A. J.

Kichkina, E. S., Fraiman, L. S., Manukhina, L. M., Klimov, V. V., and Bednyakov, F. I. Calculation of movement of material in rotary furnaces using radioactive isotopes (2) 32*e*.

Kidde, Gustave E. Preparation of monoammonium Al tetrafluoride, P (3) 73*d*.

Kieffer, Richard Sintered hard alloy and method of making, P (10) 224*h*.

Kieffer, Richard, Heimke, Guenther, Wruss, Werner, and Vendl, Alfred Behavior during pressing and sintering of finely ground α-Al_2O_3 powder as a function of time of grinding during which there is no change in particle size (6) 135*e*.

Kieffer, Richard, Mariacher, Hans, and Schoof, Hans O. Machine parts having a wear- and abrasion-resistant surface [nitrides], P (6) 128*b*.

Kiehl, Jean P., and Jost, Victor Insulating refractory and method of mfg., P (11) 247*i*.

Kiel, A., and Scott, James Floyd Impurity Raman scattering from CaF_2:Ce (8) 182*j*.

Kielski, A. See Nadachowski, F.

Kienle, Horst See Roess, Dieter

Kienast, Gerhard See Bade, Heribert

Kienberger, Charles A. See Petit, George S.

Kienow, Sigismund, Konopicky, Kamillo, Jeschke, Peter, and Routschka, Gerald Study of transport phenomena and crack formation in chromite-magnesite bricks by a simulated service test (6) 127*f*.

Kierkegaard, Peder, Larsson, Lars Olof, and Nyberg, Birgit Structure and bonding in metal sulfides (2) 54*h*.

Kiess, Helmut High-field behavior of ZnO: I, II (5) 110*i*; Decay of the polarization charge on ZnO induced by the pyroelectric effect (9) 209*b*.

Kietzman, Richard C. See Carl, David G.

Kijima, K., Setaka, N., Ishii, M., and Tanaka, H. Preparation of Si_3N_4 by vapor-phase reaction (7) 152*h*.

Kikuchi, Makoto See Hamada, Akira ; Iizima, Sigeru ; Kurosu, T. ; Matsuda, A. ; Mizuno, H. ; Sugi, Michio ; Tanaka, Kazunobu

Kikuchi, Makoto, Tanaka, Kazunobu, Saito, Mitsuyoshi, Sugi, Michio, and Hamada, Akira Comments on "Endotherm in switch-on process in semiconducting glasses" (5) 97*d*.

Kikuchi, T. See Watanabe, H.

Kilday, Marthada V. See Prosen, Edward J.

Kilday, Marthada V., and Prosen, Edward J. Enthalpy of solution of low quartz (α-quartz) in aqueous HF (9) 210*f*.

Kilday, Marthada V., Prosen, Edward J., and Wagman, D. D. Enthalpies of solution of BeO(*c*) in HF(*aq*) and in HCl(*aq*) (9) 210*e*.

Kille, Charles A. See Gary, Rex I., Jr.

Killerby, Walter E. See Anderson, Albin R.

Killey, N. M. Secondary creep behavior of UC in compression: I, Hypostoichiometric UC (10) 230*j*.

Killigrew, Daniel L., Jr. Pouring vessel [design], P (1) 10*d*.

Killin, A. F. Industrial minerals (review 1971) (9) 206*f*.

Kim, Boung In See Chi, Ung Up

Kim, C. H., and Tomozawa, M. Effect of Pt on phase separation in alkali silicate glasses (2) 35*j*.

Kim, Chang Soo, and Palmer, Gerald G. Method of fabricating composite integrated circuits, P (1) 17*i*.

Kim, Choong-Ki, and Snow, Edward H. Charge-coupled devices with continuous resistor electrode, P (8) 174*a*.

Kim, Chul Young See Lee, Chong Keun

Kim, Chung Il, and Kim, Moo Kyung Zircon refractories (9) 197*b*.

Kim, E. I. See Solomin, N. V.

Kim, K. M., Wist, August F., and Gatos, Harry C. Crystal growth method based on controlled power reduction under stabilizing thermal gradients (2) 51*d*; Crystal growth from the melt under destabilizing thermal gradients (9) 208*i*.

Kim, Keun Joong See Oh, Ki Dong

Kim, Kil Chan See Chi, Ung Up

Kim, Moo Kyung See Kim, Chung Il

Kim, Tai K. See Gump, J. R.

Kim, Y. S. Cryochemical drying of ceramic raw materials (9) 199*e*.

Kimball, C. W. See Taneja, S. P.

Kimberlin, Charles N., Jr., and Gladrow, Elroy M. Hydrocarbon conversion catalyst, P (1) 23*g*.

Kimble, Floyd E., and Buchholz, Richard H. Rotor construction for impact crusher, P (2) 50*g*.

Kimizuka, Noboru, Ishii, Motohiko, Saeki, Masanobu, Nakano, Mitsuko, and Nakahira, Mitsuoki Metal–antiferromagnetic insulator transition of V_2O_3 as affected by nonstoichiometry and Ti, Cr, and Fe doping (9) 212*c*.

Kimmel, G., Tomer, A., and Bar-Or, A. Kinetics of U_3Si formation in cast U-Si alloy (7) 155*g*.

Kimmel, Millard E. See Egan, James J.

Kimmel, William D. See Herickhoff, Robert J.

Kimura, Kunio See Honda, Hidemasa

Kimura, Kunio, Jinnai, Kazuhiko, and Isoyama, Yukio Hollow glass microspheres made from the shirasu (Silas balloons) (7) 144*g*.

Kimura, Masakazu See Nanamatsu, Satoshi

Kimura, Masakazu, Nanamatsu, Satoshi, Doi, Kikuo, Matsushita, Shigeo, and Takahashi, Masao Electrooptic and piezoelectric properties of $La_2Ti_2O_7$ single crystal (3) 67*b*.

Kimura, Morihiro See Tani, Tetsuro

Kimura, Morihiro, Otani, Takeo, and Ayuzawa, Nobuo MgO clinker components studied by EPMA (5) 100*d*.

Kimura, Reniti See Terada, Michiko

Kimura, Ryozaburo See Nakagawa, Masayoshi

Kimura, Sadao See Mizuno, Hideo

Kimura, Takashi, Hamamoto, Hiroshi, Majima, Azusa, Awano, Yoji, Inaguma, Yukio, and Tomatsu, Mitsuo Sintered filter having straight holes therethrough, P (11) 248*h*.

Kimura, Tatsuya See Otsuka, Kenju

Kinch, M. A., and Buss, D. D. Far-ir determination of the transverse optic lattice mode in PbTe at low temp. (9) 210*b*.

King, A. G. See Johns, H. L.

King, Alfred David Th diffusion in single-crystal ThO_2 (1) 29*h*.

King, Burnham W., Jr., Koenig, C. J., and Cook, Louis S. Porcelain enamels can be fired in combustion atm (7) 143*i*.

King, C. N., Kirsch, H. C., and Geballe, T. H. Low-temp. heat capacity and electrical resistivity of ReO_3 (8) 183*i*.

King, G. A. See Ridge, M. J.

King, Harry A. Lightweight armor material, P (7) 147*d*.

King, J. S. See Feldkamp, L. A.

King, James P. Heat- and abrasion-resistant [glass fiber] textiles, P (4) 81*d*.

King, James R. Optical viewing system for [vacuum] work chambers, P (2) 48*c*.

King, Lewis C., Yearsley, Gerald A., Adams, Anthony L., Simmons, Marion L., Altenburger, Eugene G., and Yager, Billy P. Automated method and system for fabricating semiconductor devices, P (9) 200*h*.

King, P. G. R. See Allenson, M. B.

King, P. J. Low-temp. hypersonic attenuation of some transverse modes in quartz (11) 258*f*.

King, Robert D. Transparent articles, P (7) 147*g*.

King, Roger P. See Ritter, George F., Jr.

King, William R. Extraction of alumina from ores, P (9) 207*e*.

Kingery, W. D. See Kinoshita, M. ; Mocellin, A.

Kino, Y., and Luethi, B. Magnetic and elastic properties of Zn chromite (8) 183*a*.

Kino, Y., Luethi, B., and Mullen, M. E. Elastic properties and cooperative Jahn-Teller effect in Ni chromite (9) 209*c*.

Kinomura, N. Synthesis of Tl and Ag aluminogermanates with the hollandite-type structure (7) 162*i*.

Kinoshita, M., Kingery, W. D., and Bowen, H. K. Phase separation in NiO-CoO solid solution single crystals (8) 185*f*.

Kinoshita, Makoto, and Hamano, Yoshiteru Plastic deformation in hot-pressing of alumina (9) 213*h*.

Kinstley, Warren O., and Sivertsen, David R. Method of depositing a metal oxide film by electron bombardment, P (3) 69*d*.

Kinugasa, Terukazu See Wakabayashi, Takashi

Kiovsky, Joseph R. See Bart, Ronald K.

Kira, K. See Nishida, K.

Kira, Kimihiro See Suzuki, Gen

Kirby, David B. See Kroening, Roger D.

Kirchmeyer, R. See Frischat, G. H.

Kirchner, Henry P. Method of strengthening ceramic material by glazing and quenching, P (5) 101*c*. See Gruver, Robert M.

Kirchner, Henry P., Gruver, Robert M., and Walker, Ralph E. Strengthening of hot-pressed Al_2O_3 by quenching (2) 54*f*.

Kirchner, Henry P., and Platts, Dennis R. Method of strengthening ceramics using ion exchange, P (9) 199*a*.

Kirchner, Henry P., Walker, Ralph E., and Gruver, Robert M. Method of strengthening ceramic bodies and strengthened ceramic bodies produced thereby, P (5) 101*c*.

Kirichenko, A. P. See Galuza, A. I.

Kirichenko, E. A. See Kreshkov, A. P.

Kirichenko, E. A., Damaeva, A. D., and Davydov, V. D. Synthesis and study of organic polysilicates by ir spectroscopy and DTA (9) 215*e*.

Kirilenko, V. V. See Dembovskii, S. A.

Kirk, G. T. Extrusion press, P (7) 156*a*.

Kirk, J. L., and Vedam, K. Piezooptic behavior of forsterite, Mg_2SiO_4 (8) 185*a*.

Kirk, Ralph W. See Gurev, Harold S.

Kirsch, H. C. See Bachmann, Robert ; King, C. N.

Kirsch, Ivan H. See Gordon, Bernard M.

Kirsch, J. Sampling of raw crushed stone at the Amoeneburg cement works (7) 143*e*.

Kirschner, John G. Variable capacitance multilayered ceramic capacitor, P (3) 70*i*.

Kirsh, V., and Kristianpoller, N. Thermally stimulated conductivity induced in SrF_2:Tb by uv light (9) 215*h*.

Kirtschig, Kurt Determination of mortar quality in masonry construction (8) 165*j*.

Kirwan, Donald J. See Edie, Danny D.

Kir'yanova, T. N. See Golubtsov, L. A.

Kiryutin, A. A. See Duderov, Yu. G.

Kisel, N. G. See Limar, T. F.

Kiselev, A. V. Effect of geometrical structure and chemistry of oxide surfaces on their adsorption properties (2) 52*a*.

Kiselev, B. A., Bruevich, V. N., Zherdev, Yu. V., Deev, I. S., Kudishina, V. A., Rozdina, N. A., and Korolev, A. Ya. Failure of glass fabrics under the action of heat and phosphoric acid (6) 123*e*.

Kiselev, D. F., and Firsova, M. M. Interference dilatometer measurements of $LiNbO_3$ piezoelectric coeff. (8) 183*a*.

Kiseleva, I. A. See Topor, N. D.

Kishi, Toru, and Takashio, Haruo Nonparabolic stress distribution in quench-hardened plate glass (7) 145*f*; Scattered light photoelasticity of glass by Ar ion laser (8) 168*g*.

Kishida, Tohru, Arikawa, Tadashi, Matsuyama, Shigeru, and Fukushige, Shinobu Agent for adding to a mold in which molten ferritic stainless steel is cast by a continuous casting process, P (4) 84*b*.

Kishimoto, Shoichi, and Matsuo, Terumoto Results of surveys conducted on condition of refractories in dust-collecting inlet in roof of arc furnaces at various mills (1) 13*g*; Block-type steel tapping spout of large-sized bricks for electric furnace (7) 148*b*.

Kislitskaya, E. A., and Kokorina, V. F. Effect of replacement of Ge by Sn on the glass formation and physicochemical properties of glasses in the system Sb-Ge-Se (1) 6*e*.

Kislova, A. I. See Larina, R. A.

Kislyakov, I. P. See Bol'shakov, K. A.

Kislyi, P. S. See Kuzenkova, M. A. ; Zaverukha, O. V.

Kislyi, P. S., Badyaa, A. Kh., Kharchenko, V. K., and Shvab, S. A. Effect of high-temp. heating on the structure and properties of $MoSi_2$ heating elements (8) 171*e*.

Kislyi, P. S., Badyan, A. Kh., Shvab, S. A., and Pogosyan, A. S. Changes induced in the structure and properties of $MoSi_2$ blanks by sintering and subsequent oxidation (9) 195*h*.

Kislyi, P. S., Golubyak, L. S., and Zaverukha, O. V. Effect of annealing on the structure and properties of fused TiC (9) 196*c*.

Kislyi, P. S., Kuzenkova, M. A., and Zaverukha, O. V. Effect of the particle size of powders on the sintering kinetics of TiB_2 (3) 74*b*.

Kislyi, P. S., and Zaverukha, O. V. Vacuum sintering of TiB_2 (8) 187*h*.

Kissell, Ronald E., and Gambill, Ulysses T. Method and apparatus for subdividing a body of fibers into sections, P (4) 81*g*.

Kistler, Richard P. Method of operating a cement kiln, P (1) 4*a*.

Kita, Hideaki See Sato, Seichi

Kitagawa, Tadayoshi See Ohba, Jun

Kitagawa, Yasuo Aspect of the water in clay minerals—an application of NMR spectrometry to clay mineralogy (4) 90*j*.

Kitajima, Kunio, Daimon, Nobutoshi, Sakai, Yasuji, and Tate, Isao Kinetic studies on thermal decomposition of synthetic fluorphlogopite crystals by TG (9) 211*e*.

Kitajima, Susumu Mechanism for automatically transporting filter plates in filter press, P (5) 104*a*.

Kitamura, Tomoyasu See Ohba, Hiroshi

Kitano, Ichiro, and Togo, Hidetoshi Measurement of residual stress in tempered glass plate (8) 168*d*.

Kitao, Michihiko Ac conductivity of amorphous As_2Se_3 (5) 106*c*.

Kitazume, Tomio See Wada, Toru

Kitchel, Fred L. Annealing furnace seal, P (11) 255*h*.

Kiyama, Masao See Iwase, Keizo

Kiyosawa, T. See Masumoto, K.

Kizhaev, S. A. See Petrov, M. P.

Kizhaev, S. A., Sultanov, G. D., and Mirishli, F. A. Magnetic properties and Moessbauer effect in ferroelectric $Bi_3Ti_3Fe_5O_{27}$ (8) 173*a*.

Kjekshus, A., and Nicholson, D. G. Use of InSb as standard for ^{121}Sb Moessbauer spectroscopy (2) 49*c*.

Kjekshus, A., Nicholson, D. G., and Mukherjee, A. D. Bonding in tetragonal FeS (2) 51*c*.

Kjekshus, Arne Electrical and magnetic properties of PdSb and PtSb (2) 52*c*. See Bjoerseth, O. ; Selte, Kari

Kjelland-Fosterud, Einar Method of shaping brittle foamed clay by crushing with a blunt roller, P (10) 223*f*.

Kjos, David M., and Rowland, Chester A., Jr. Apparatus for and method of liberating and removing fibrous material from a mineral ore, P (8) 178*j*.

Klaphaak, Daniel J., and Barnes, Lawrence G. Method of centrifugal atomization, P (7) 156*d*.

Klar, Erich, Schmid, Peter, and Schubert, Hans P. Device for determining neutron flux distribution in a nuclear reactor, P (5) 103*i*.

Klassen, V. K. See Luginina, I. G.

Klasson, George A. See Robba, William A.

Klawitter, J. J. See Hulbert, S. F.

Klee, W. E. See Engel, G.

Klein, A. Ceramic centers in Italy: VI, Modern Italian ceramics (1) 1*h*.

Klein, Alan Petlin Magnetic field dependence of the metal-insulator "Mott transition"—study of the compound VO_2 (11) 258*g*.

Klein, Albert A., Jr. See Carpenter, James F.

Klein, Gerhart P. Horizontal-vertical sintering method, P (8) 177*f*.

Klein, Gerhart P., and Wingood, Ivan L., Jr. Anodes for solid electrolytic capacitors, P (1) 16*g*.

Klein, Joachim Efficiency of the vacuum hot extraction method in measurement of the gas content of glasses (11) 253*g*.

Klein, Marvin B., and Silfvast, William T. Broad spectrum Se ion laser, P (3) 69*a*.

Klein, Siegfried See Weitzel, Hans

Klein, Thomas See Beale, Julian R. A.

Kleinbrahm, A. See Baunack, F.

Kleine, I. Determination of the temp. gradient in the wall of a clinker silo (9) 190*f*.

Kleiner, M. B., Kovel'man, G. A., Alesovitskii, A. E., and Shavalikhina, L. V. Gradient furnace with controllable gaseous atm. (2) 49*h*.

Kleinhans, Robert J. See Bernett, Frank E.

Kleinman, Leonard See Goroff, Iza

Kleitz, M. See Fabry, P.

Klemm, W. A. See Berger, R. L.

Klemm, W. A., and Berger, R. L. Accelerated curing of cementitious systems by CO_2: I, Portland cement (2) 32*a*.

Kleppa, O. J. See Melnichak, M. E. ; Navrotsky, A.

Kleshchev, G. V., Bryzgalov, A. N., and Cheruyi, L. N. Dependence of the internal morphology of synthetic quartz crystals on the orientation of shear of the seed plates (6) 135*d*.

Kleshchevnikov, O. A. See Novitskii, E. Z.

Kliesse, Brigitte Allegorical and mythological Cu-plate engraving patterns in baroque cut glass (7) 141*e*.

Klevkov, Yu. V. See Medvedev, S. A.

Klevtsov, P. V., Vinokurov, V. A., and Klevtsova, R. F. Double Cs-rare earth molybdates of composition $Cs_3Ln(MoO_4)_3$ (Ln = La, Pr, Nd) (8) 180*f*.

Klevtsova, R. F. See Klevtsov, P. V. ; Magarill, S. A.

Klientov, L. K. See Zakharov, P. P.

Klimashin, Petr S. See Rutes, Viktor S.

Klimov, V. A. See Andreev, G. A.

Klimov, V. V. See Didkovskaya, O. S. ; Kichkina, E. S.

Klink, Howard N. See Jarvela, Gary N.

Klischat, H. J. Temp. measurement on a reinforced concrete silo for clinker (11) 242*d*.

Kloba, Anthony, and Maskell, Roy Method of detecting cathode poisoning contaminants in a CRT, P (7) 147*g*.

Klosek, Arvid E. See Scott, Myrryl W.

Klokman, V. R. See Rodionov, Yu. I.

Klomp, Johannes T. Method of sealing a metal article to a glass article in a vacuumtight manner, P (7) 147*a*.

Klopfer, Anton M., and Dittner, Georg Field emission cathode, P (9) 194*c*.

Klotzbach, Kurt Apparatus for conveying glass panes through a processing plant, P (2) 38*d*.

Klyucharov, Ya. V. See Suvorov, S. A.

Kmonk, Stanley See Mayers, Joseph B.

Knap, M., and Pacovskii, V. Industrial measurements of glass bath temp. (10) 220*h*.

Knapke, Donald H. See Ruleff, Robert L.

Knapp, W. J. See Wermuth, F. R.

Knapp, William A. See Carl, David G.

Knavish, Leonard A. See Goldberg, Arnold J. ; Pecoraro, George A.

Knavish, Leonard A., Goldberg, Arnold J., and Hilliard, William G. Method and apparatus for homogenizing viscous molten glass, P (10) 222*d*.

Knierim, Vincent L. Minimicron particle separation system, P (1) 21*b*.

Kniga, M. V., Vasil'eva, L. I., and Skomorokhova, A. I. Solid-phase reactions in the systems Ho_2O_3-Fe_2O_3 and Pr_2O_3-Fe_2O_3 (1) 27*b*.

Knight, Rodney W., Martin, Melvin M., and Martin, William R. Gradient-type nuclear fuel plate, P (2) 47*a*.

Knights, Clive F., and Perkins, R. Levitation melting of UC (2) 46*c*.

Knippenberg, Wilhelmus F., and Verspui, Gerrit Method of mfg. SiC whiskers, P (1) 14*a*; Camera tube having photoconductive PbO layer on SiC signal plate, P (7) 153*b*.

Knoblauch, Karl See Gappa, Guenther

Knochel, William J., and Werner, Leo C. End cap configuration for ceramic discharge lamp, P (10) 227*c*.

Knowles, Daniel H., Lapinsky, George D., Overman, Kenneth T., and Simon, Raphael A. Sheet glass thickness control, P (7) 147*e*.

Knox, J. S. See Pye, L. D.

Knudsen, Karl J. See Abdale, John M.

Knutson, Oliver J. See Church, Peter K.

Knyazev, A. S. See Sil'vestrovich, S. I.

Knyazeva, R. N., and Kalugina, Z. I. Synthesis of Sr orthotellurate from elemental Te (1) 28*b*.

Ko, Young Shin See Park, Keum Churl

Kobayashi, Hiroo, and Oyama, Takeji Effects of addition of alpha and beta alumina on some properties of fired zircon refractories (7) 148*f*.

Kobayashi, Hiroshi See Suzuki, Gen

Kobayashi, Isamu Method of forming seeding sites on a semiconductor substrate, P (1) 18*a*. See Wakamiya, Kinji

Kobayashi, Jiro See Kakehi, Toshihiro

Kobayashi, K. Optical and EPR studies on the interactions of Ag^+ ions with polyvalent ions (As, Sb, Bi) and the formation of Ag colloids [in Na_2O-SiO_2 glass] (11) 244*d*.

Kobayashi, Keisuke See Maeda, Hisao

Kobayashi, Kenro See Higashi, Seiya

Kobayashi, Koichi See Makita, Yunosuke

Kobayashi, Masaaki Method and apparatus for positioning patterns of a photographic mask on the surface of a wafer on the basis of backside patterns of the wafer, P (11) 250*a*.

Kobayashi, Seihin, Torii, Michihiro, Jojima, Takehiko, and Okuda, Masanao Magnetic thin film plated wire memory, P (8) 174*c*.

Kobayashi, Shigehiko, Miyazaki, Kazuhide, and Yamamoto, Michiaki Exhaust gas catalyst, P (5) 105*h*.

Kobayashi, Taneo, Suzuki, Suguru, Kawachi, Chihiro, and Nishiyama, Tetsuji Rheological properties of plastic clay bodies (Astbury's cyclic torsion test method) (7) 157*g*.

Koberstein, Edgar, and Lakatos, Eduard Catalyst for purification of waste gases, P (11) 256*g*.

Koch, Robert W. Cracking of a gas oil with zeolite and non-zeolite catalyst, P (3) 73*f*.

Kochis, John L. See Brady, Hugh B.

Kochkin, Dmitry A. See Dzevitskii, Boris E.

Kociszewski, L. See Badyoczek, G.

Kocman, Vladimir, and Rucklidge, John Crystal structure of a titaniferous clinohumite (11) 257*f*.

Kocsis, Geza, and Gero, Gabor Characterization of electrodes used in electric glassmelting (2) 49*e*.

Kodama, Atsuki See Fujita, Toshihito

Kodama, Hisashi Kuzu [clay] obtained on Hiju Plateau, Oita Prefecture (9) 206*g*.

Koechner, Walter, and De Benedictis, Leonard C. Method and means for stabilizing the amplitude and repetition frequency of a repetitively Q-switched laser, P (10) 228*b*.

Koechner, Walter, Rice, Dennis K., and DeShazer, Larry G. Reduction of thermally induced stress birefringence in a synthetic crystal by control of growth direction, P (2) 45*a*.

Koehler, B. See Boenisch, D.

Koehler, H. Optical properties and energy-band structure of CdO (9) 213*g*.

Koelling, Wolfgang See Herzog, Guenther

Koenig, C. J. Water Vapor in High-Temp. Ceramic Processes—Literature Abstracts, B (9) 216*j*. See King, Burnham W., Jr.

Koenig, G. See Weidemueller, Ch.

Koenig, Paul W. Continuous strip processing of semiconductor devices and novel bridge construction, P (9) 200*a*. See Desmond, Richard J.

Koenig, Udo, Bertaut, E. Felix, Gros, Yves, Mitrikov, M., and Chol, Gerard Models of the magnetic structure of Zn ferrite (7) 152*d*.

Koenig, W., and Dedericks, M. Surface grinding with high peripheral speeds and rates of material removal (9) 189*e*.

Koepke, B. G. See Anderson, R. H.

Koerner, R. M. New pressing method—triaxial compaction (10) 231*j*.

Koester, Heinrich M. Comparison of the spectrophotometric analysis of Fe with o-phenanthroline and the complexometric titration of ferric Fe with Variamine Blue as redox indicator in silicate analysis (6) 132*g*.

Koffyberg, F. P. Diffusion of donors in semiconducting CdO (9) 209*f*. See Austin, Ifor G.

Koga, Masashi See Aizu, Keiichiro

Koga, Motoyuki Method of fabricating structural block assemblies, P (3) 64*h*.

Koga, Yoshikata Long-range order-disorder problem at the magnetite-wustite boundary (10) 237*g*.

Kogan, N. P. See Mchedlov-Petrosyan, Otar P.

Kogan, Naum P., Mchedlov-Petrosyan, Otar P., and Satarin, Vladimir I. Method of producing cement, P (5) 96*b*.

Kohashi, Tadao See Nakamura, Shigeaki ; Suzuki, Norio ; Tanaka, Kazunobu

Kohashi, Tadao, Nakamura, Tadao, and Nakamura, Shigeaki Solid-state image converter having composite energy-sensing element, P (4) 87*a*.

Kohgi, M., Ishikawa, Y., and Endoh, Y. Inelastic neutron scattering study of spin waves in MnO (9) 211*e*.

Kohl, Lou, and Shea, Daniel J. Dry-pressing ceramic dish in mold having a multipart female die, P (6) 128*h*.

Kohl, Robert F., and Heian, Glenn A. Method and apparatus for removing alkali from cement system, P (1) 4*a*.

Kohler, Hansrobert Theory of light deviation by sheets with circular cone geometry (11) 259*c*.

Kohler, Robert D. See Birner, Richard A.

Kohmoto, Kohtaro See Someya, Akira

Kohnke, E. E. See Tunheim, Jerald A.

Kolke, Mitsuru See Motojima, Kenji

Kolzumi, Mitsue See Kanamaru, Fumikazu ; Shibasaki, Yasuo ; Shimada, Masahiko

Koka, Volodimir P. Aerosol precipitator, P (9) 203*h*.

Kokado, H., Nakayama, T., and Inoue, E. Enhanced electrical conduction in ZnO crystals by excited O molecules (5) 109*d*.

Kokin, Vitaly K. See Krikorov, Vadim S.

Kokiso, Shiro See Mizukusa, Shin

Kokorina, V. F. See Kislitskaya, E. A.

Kokot, I. F. See Mokhosoev, M. V.

Kokta, M. See Suchow, L.

Kolali, A. A. See Kacsalova, L.

Kolar, D. See Guha, J. P. ; Vdovic, J.

Kolbasov, V. M. See Butt, Yu. M. ; Komarova, N. I. ; Kozyreva, N. A. ; Pokrovskaya, V. N. ; Topil'skii, G. V.

Kolesnikova, S. F. See Shcherbak, V. I.

Kolesova, Alvina G. See Roizin, Natan M.

Kolesova, V. A. Structure of $Li_6Si_2O_7$ glass (6) 125*a*; Crystalline $Li_2Si_2O_5$ (7) 159*i*.

Kollar, Ivanne Radioactivity-based adherence tester used in the Dopol heat exchanger of the No. 4 kiln of the Danube Cement Works (10) 218*d*.

Koller, Hans Drying process and spray dryer for carrying out the process, P (10) 232*a*.

Kollmar, A. See Axmann, A.

Kolmer, H. See Bertoldi, G.

Kolomiets, B. T., Lyubin, V. M., and Shilo, V. P. Softening temp. of As_2Se_3 glass (7) 145*d*.

Kolomiets, Nikolai E. See Bogrets, German N.

Kolopus, James L. See Schoemaker, Dirk

Kolopus, James L., Finch, C. B., and Abraham, M. M. ESR of Pb^{3+} centers in ThO_2 (8) 181*d*.

Kolosovskaya, V. M. See Pankratov, V. I.

Kolpakov, Serafim V. See Chigrai, I. D. ; Rutes, Viktor S.

Koluch, Joseph S., and Wittman, Ralph E. Article supply system, P (8) 177*b*.

Komamiya, Yasuo See Kataoka, Shoei

Komarov, V. F. See Tret'yakov, Yu. D.

Komarova, N. I., Butt, Yu. M., and Kolbasov, V. M. Effect of temp. of the medium and $NaNO_3$ on the hydration and hardening of tricalcium silicate (9) 190*i*; Effect of temp. of the medium and $NaNO_3$ on structure formation of hardening C_2S (9) 190*j*.

Komatsu, Ryosaku, Watanabe, Yoshio, and Kato, Kotaro New process for forming passivated mesa semiconductor devices (3) 67*g*.

Komatsu, Susumu See Yamaguchi, Goro

Komatsu, Wazo See Ichimura, Hiroshi

Komatsu, Wazo, and Moriyoshi, Yusuke Effect of O pressure on sintering of ZnO (6) 135*i*.

Komatsu, Wazo, Moriyoshi, Yusuke, and Kawana, Hidejiro Sintering of RuO_2 (10) 239*f*.

Komet, Y. See Hornreich, R. M.

Kometani, T. Y. See Chin, G. Y.

Komissarchik, M. G. See Gol'tsman, B. M.

Komissarova, L. N. See Arkhangel'skii, I. V. ; Pokholok, K. V. ; Shepelev, N. P. ; Spiridonov, F. M. ; Vladimirova, Z. A.

Komiya, H. See Manabe, A.

Komiya, Kuniko See Hojo, Shiro

Komiya, Yoshio, Moll, John L., and Tarui, Yasuo Semiconductor device having surface electric-field effect, P (5) 103*a*.

Komiyama, Toru, and Ueno, Tsutomu Composition and temp. dependency of emission spectra of Eu^{3+} in glasses (9) 192*d*.

Koncen, Raymond E. Laser image and power level detector having thermographic phosphor, P (10) 227*f*.

Kondo, Toru See Nakamura, Terutaro

Kondo, Wakichi See Kaneko, Motoshi

Kondo, Yasuhiko, Isotani, Mitsuo, Shimada, Kenzo, and Yasue, Kazuo Apparent thermal conductivity of molding materials and heat flow in sand molds (6) 126*j*.

Kondo, Yusuke See Maruno, Shigeo

Kondrat'ev, S. N. See Sidorova, E. E.

Kondrat'ev, Yu. N. Effect of composition of glasses of the Li aluminosilicate system on the rate of new phase formation (7) 144*h*.

Kondrat'eva, V. S. See Golubtsov, L. A.

Konig, U. Moessbauer effect in $MnFe_2O_4$ (8) 184*a*.

Konik, L. P. See Korobka, L. A.

Koning, Ely Mfg. of lightweight aggregate, P (2) 39*i*.

Konishi, A. See Kunugi, M.

Konnert, J. H., and Karle, J. Crystalline ordering in silica and germania glasses (4) 80*h*.

Konno, Shinichiro See Furuya, Kisaku

Konno, Teruaki See Saito, Shinroku

Kono, Masaru See Yabe, Masaya

Kononenko, I. S. See Mokhosoev, M. V.

Konopicky, Kamillo Problems in the refractories industry (6) 127*c*. See Kienow, Sigismund

Konopicky, Kamillo, Wohlleben, Karl, von Kahler, Urs, and Buttgereit, Christa Analysis of small areas in the reaction zones of refractories by X-ray microspectroscopy (macroprobe) (3) 64*i*.

Konowalow, D. O. See Rogowoi, M. I.

Konstantinov, V. I. See Kamenskaya, L. A.

Kontani, Masaaki, Hioki, Tatsumi, and Masuda, Yoshika Nuclear spin relaxation of impurities in dilute ferromagnetic alloys (6) 138*b*.

Kontz, Robert F. Hydraulic powered bottle crusher [for recycling], P (4) 81*e*; Safety device for blow molding machine, P (9) 194*j*.

Konyaev, Yu. S. See Vereschagin, Leonid F.

Koo, Kang Il See Jin, Jung Hyung

Kooi, Else Compact semiconductor device for monolithic integrated circuits, P (6) 129*b*; Method of mfg. an IGFET and the product thereof, P (11) 250*d*.

Kooi, Else, and Hoeberechts, Arthur M. E. Camera tube target with projecting *p*-type regions separated by grooves covered with SiO_2 layer approximately 1/7 groove depth, P (9) 193*h*.

Kookootsedes, G. T., Ruth, T. E., and Leonhard, P. G. Use of silicones in producing moldable precision ceramics (1) 21*c*.

Koopman, Donald E. See Cartmell, James V.

Kopelman, Bernard, and Hay, Warren H. Flash lamp, P (4) 81*j*.

Kopicko, Walter J. Multiple fill compacting press, P (1) 21*c*.

Kopp, Otto C., and Staats, P. A. Characterization of RbOH-grown quartz by ir and mass spectroscopy (5) 106*j*.

Koppius, Otto G. Impregnants for dispenser cathodes, P (6) 129*f*.

Koptsik, V. A. See Strukov, B. A.

Kopylov, N. I. See Margulis, E. V.

Korago, A. A., and Karyakina, T. A. Ontogenetic classification of the mosaic structure in quartz crystals (6) 138*d*.

Korda, E. J., Pruden, L. H., and Williams, J. P. Elemental analysis of glass and glass-ceramics with the scanning electron microscope (5) 97*h*.

Korenev, Yu. M., Novoselova, A. V., and Ukrainskii, Yu. M. *T-x* [temp. concentration] projection of the phase diagram of the Na_2BeF_4-Na_2SO_4 system (1) 29*b*.

Korn, Hans, and Hinz, Wilhelm Photochemical reactions in Li-Al silicate glass (10) 221*a*.

Korneev, V. I., Sychev, M. M., and Kas'yanova, G. N. Complex procedure for determining compositions of clinker phases (2) 32*h*.

Korneev, V. R., Glushkova, V. B., and Keler, E. K. Heat of formation of rare-earth zirconates (7) 161*e*.

Korobka, E. I. See Akopov, E. K. ; Larina, R. A.

Korobka, L. A., Tret'yak, Z. A., and Konik, L. P. Photometric determination of Al in zircon refractories (1) 12*h*.

Korogiannakis, P., and Wedemeyer, H. Preparation of S-modified U carbides (4) 87*i*.

Korolev, A. Ya. See Kiselev, B. A.

Korony, Gheorghe See Grigorovici, Radu G.

Korotaeva, L. G. See Hayashi, Tetsu

Korshunov, B. G. See Drobot, D. V. ; Safonov, V. V.

Korshunov, V. S. See Balkevich, V. L.

Kortkhondzhia, Vladimir P. See Barkhudarov, Eduard M.

Kortnev, V. V. See Bulavin, I. A.

Korytkova, E. N., and Makarova, T. A. Hydrothermal alteration of olivine in connection with asbestos formation problems (9) 211*d*.

Kosareva, T. M. See Savitskii, A. V.

Koshcheev, G. G. See Chernysh, L. F.

Koshel'kova, V. S. See Sil'vestrovich, S. I.

Kosinkiewicz, Z. See Szafran, Z.

Kosonocky, W. F. See Taylor, G. W.

Kosonogov, N. A. See Fridkin, V. M.

Kossowsky, Ram Cyclic fatigue of hot-pressed Si_3N_4 (11) 257*f*.

Koster, A. S., and Mendel, H. X-ray $K\beta$ emission spectra and energy levels of compounds of 3*d* transition metals: I, Oxides [of Ca, Ti, Cr, Mn, Fe] (5) 116*f*.

Koster, A. S., and Rieck, Gerard D. Determination of valence and coordination of Fe in oxidic compounds by means of the Fe X-ray fluorescence emission spectrum (5) 108*b*.

Kostikov, V. I. See Arkhipkin, V. I.

Kostiner, E. See Bless, P. W. ; Rea, J. R.

Kostrjukov, Gennady V. See Maksutov, Rafkhat

Kostyley, S. A. See Shaw, M. P.

Kostyuk, V. A. See Gadzhi, E. N.

Kosuge, Koji See Asbrink, Gudrun ; Kachi, Sukeji

Kosulina, G. I. See Rozhnova, G. A.

Kotel'nikova, G. D. See Mazo, E. E.

Kotera, Noboru, Nishikawa, Satoru, and Sakamoto, Hitoshi Radiothermoluminescent materials and radiothermoluminescence dosimeters, P (10) 228*d*.

Kotera, Yoshihide See Saito, Shinroku

Kothari, N. C. Room- and elevated-temp. properties of ball-milled Al-Al_2O_3 alloys (10) 230*j*.

Kotlova, A. G., and Shchepochkina, N. I. Thermal analysis of $FePO_4.2H_2O$ and $AlPO_4.2H_2O$ (9) 215*g*.

Kotlyarova, T. V. See Vlasov, A. S.

Kougiya, M. V. See Volkonskii, B. V.

Kouwenhoven, Herman W. See van Klinken, Jakob

Kovacs, Karoly, Boros, Margit, and Erdelyi, Attila Phenol-induced corrosion of concrete (1) 3*b*.

Koval'chenko, M. S. See Samsonov, G. V.

Koval'chenko, M. S., and Rogovoi, Yu. I. Microstructure of hot-pressed Mo carbide (9) 196*i*.

Kovalev, F. V., Ioffe, V. M., and Kartsev, V. E. Reaction of alkali metal chlorides and fluorides with K fluoroniobate in melts (1) 27*c*.

Kovalev, Igor T. See Krikorov, Vadim S.

Kovalev, N. N., Markov, V. A., and Sorokin, O. V. Laboratory arc furnace for producing crystals of refractory materials (7) 157*i*.

Kovalev, Yu. Yu. See Bagdasarov, Kh. S.

Kovaleva, I. S. See Tarasevich, S. A.

Kovaleva, Raisa M. See Alexandrov, Albert I.

Kovalevskaya, I. P. See Didkovskaya, O. S.

Kovba, L. M. See Lykova, L. N. ; Trunov, V. K. ; Verbetskii, V. N.

Kovba, L. M., Lykova, L. N., and Shevchenko, N. N. X-ray study of mixed tungstates of Ba and Sr of composition $Ba_{3-n}Sr_nWO_6$ (7) 164*a*.

Kovchur, S. G., and Gaiduk, A. P. Effect of colorants on the spectral transmission of Pb and soda-Ca silicate glasses (2) 35*i*.

Kovel'man, G. A. See Kleiner, M. B.

Koyama, Makoto Adsorption of lignosulfonates by clays: II, Adsorption of lignosulfonate by montmorillonite—effect of the exchangeable cations (3) 73*i*.

Koyama, Tsuneo, Endo, Morinobu, and Onuma, Yosiharu C fibers obtained by thermal decomposition of vaporized hydrocarbon (3) 64*j*.

Koyano, Akio Piezoelectric ceramics, P (10) 228*i*.

Kozachenko, E. L. See Keropyan, V. V.

Kozak, Philip E. Electrode [carbon] joint having undercut electrode sockets, P (4) 84*d*.

Kozhina, I. I. See Ryabov, A. N.

Kozhukhar, A. Yu., Seleznev, V. N., Tsintsadze, G. A., and Shapovalov, V. A. Co^{2+} EPR in Li-Ga spinel (8) 179*j*.
Kozlov, I. L. See Ryabov, A. N.
Kozlova, O. B. See Suvorov, S. A.
Kozlovskii, V. V. See Todes, O. M.
Kozlowski, A. Investigation of causes of ring formations in suspension preheater kilns (1) 3*g*; Operating the suspension preheater kiln at constant fuel rate (6) 121*d*.
Kozlowski, G., Zietek, W. J., and Zietak, K. Theory of the thickness dependence of the domain width in regular layer-like domain structures of uniaxial ferromagnets (6) 139*j*.
Kozlowski, James E. Slab construction over a newspaper core (4) 78*c*.
Kozuka, Takeshi See Mizukusa, Shin
Kozyreva, N. A., Butt, Yu. M., and Kolbasov, V. M. Electron microscopic study of kinetics of crystal formation during hydration of C_3A in the system C_3S–β-C_2S–C_3A–C_4AF–CS.H_2–H_2O (8) 165*h*; Electron microscopic study of processes of crystal formation during hydration of C_4AF (8) 165*i*.
Kraeft, U. Specimen preparation for X-ray fluorescence analysis by disintegration in the Schmelzkokille (10) 233*c*.
Kraft, E. See Gaiser, K.
Kraft, Wolfgang Method of forming a low-ohmic contact to a semiconductor device, P (8) 174*h*; Surface attack of porcelain glazes by detergents in household dishwashers (10) 225*c*.
Krahl, P. H. See Bogenschuetz, A. F.
Kraj, Lucja See Raczkowski, Jozef
Krambeck, Robert H., and Sequin, Carlo H. Reversible two-phase charge coupled devices, P (9) 202*a*.
Kramer, Heinz See Busch, Walter
Kramer, Horst G. Crucible apparatus for a semiconductor crystal puller, P (3) 69*d*.
Krasil'nikova, A. A. See Plotnikov, K. A.
Krasnikov, A. S. See Berezhnoi, A. I.
Krasnov, Yu. N. See Smirnov, M. V.
Krasotin, K. A., Min'kov, D. B., Vinogradova, L. V., Makarova, T. S., and Logacheva, N. S. Experience with the production of oxide insulating refractories (1) 12*c*.
Krasov, Vladimir G. See Krikorov, Vadim S.
Kraus, Heinz See Heidenhain, Johannes
Kraus, I. P., Derevyankin, V. A., and Kuznetsov, S. I. Nature of growth and dissolution of hydrated Na aluminosilicate crystals in alkaline aluminate solution (1) 26*b*.
Kraus, Joachim See Cremer, Gottfried
Kraus, Richard B. See Musschoot, Albert
Kraus, Thaddaus Resistance heater graphite test capsule, P (11) 248*b*.
Krause, J. T. See Stolen, R. H.
Krause, Ralph F., Jr. See Douglas, Thomas B.
Krause, Walter J., and Stout, Gilbert T. Carbon core segmented friction disk, P (4) 84*c*.
Krauss, M. See Marchetti, M.
Krausz, E. R. See Ferguson, J.
Kraut, E. A., Lim, T. C., and Tittmann, B. R. Application of nonlinear interactions in ferroelectric ceramics to microwave signal processing (4) 84*i*.
Kravchenko, E. A. See Buslaev, Yu. A.
Kravetskii, Gennady A. See Anikin, Leonid T.
Kravitz, Stanley See Suggitt, Robert M.
Krebs, H., and Fischer, P. Electrical conductivity of melts and their ability to form glasses in the system Ge+As+Te (2) 36*a*.
Krebs, Heinz, and Ackermann, Fritz Atomic distribution in the chalcogenide system Ge-As-Se (1) 5*c*.
Krebs, Ursula See Janz, G. J.
Kreidl, Ekkehard L. Ceramics in construction—critical years ahead (9) 216*c*.
Kreidl, Norbert J. Recent progress in glass sciences (1) 8*e*; What is happening in glass? (1) 9*j*; What's happening in glass? (2) 38*b*; What's happening in glass? (11) 245*i*.
Krekeler, Jerome H., Wehr, Charles H., and Aboutboul, Henri A. High shear mixing apparatus for making silica gels, P (4) 88*f*.
Kremer, H. Principles of the use of high-velocity burners (6) 134*b*.
Kremnev, Oleg A. See Dyskin, Ernest M.
Kremser, Fritz See Bienert, Klaus
Krenkel, Teodoro G. See Arazi, Salomon Cohen
Kreshkov, A. P., Kirichenko, E. A., Damaeva, A. D., and Davydov, V. D. Absorption spectra and DTA curves of some organosilicon compounds (9) 207*g*.
Kreshkov, A. P., Sayushkina, E. N., and Timasheva, N. A. Analysis of mixtures of Ga and In sulfates with other salts by ion-exchange method in nonaqueous solutions (9) 204*g*.
Kressel, Henry See Hawrylo, Frank Z.
Kressel, Henry, and Hawrylo, Frank Z. Semiconductor injection laser, P; Semiconductor laser [GaAlAs] producing light at two wavelengths simultaneously, P (10) 229*a*.
Kretz, Ralph Kinetics of the crystallization of garnet at two localities near Yellowknife (11) 258*e*.
Kreutz, Rolf See Massonne, Joachim
Kreuzer, Karl H. See Fischer, Horst
Krey, Roger A. Method of making ceramic electrical device, P (2) 44*a*.
Kriegler, Rudolph J. See Colton, Douglas R.
Krigman, L. I. See Bluvshtein, M. N.
Krikorov, Vadim S., Krasov, Vladimir G., Sukhodaev, Boris A., Kokin, Vitaly K., Zhelninskii, Valentin D., Sukhanov, Nikolai M., Leonov, Gennady M., Likholetov, Nikolai I., Kovalev, Igor T., Gusev, Vladimir V., and Medvedev, Andrei P. Method of obtaining SiO, P (8) 179*c*.
Krings, A. See Hoff, G.
Krinitz, Benjamin, and Jones, Fitzhugh B. Rapid screening procedure gets the lead out (7) 150*d*.
Krinitzsky, E. L. X-ray measurement of soil densities in models (3) 72*d*.
Krishnamachari, V., Jones, J. T., and Bell, H. Compressive creep of rutile in vacuum (2) 51*h*; Compressive creep of rutile in vacuum—correction (9) 208*i*.
Krishnan, R. S. See Vasudevan, T. N.
Krishnan, S. See Manoharan, L. C.
Kristianpoller, N. See Kirsh, V.
Kristofel, N. N. Impurity vibrational spectra in ferroelectrics (8) 182*j*.
Krivovyazov, E. L., and Voskresenskaya, N. K. Surface and volume properties of melts of the diagonal cross sections in the reciprocal systems $Na,Zn||PO_3,O$ and $K,Zn||PO_3,O$ (1) 27*i*.
Kriz, Harry M., and Bray, Philip J. Doubts concerning the structure of boracites $[Mg_3B_7O_{13}Cl]$ (5) 108*a*.
Krock, Richard H. See Zdanuk, Edward J.
Krock, Richard H., Shen, Yuan Shou, and Zdanuk, Edward J. Ag-Cd oxide alloys having periodic precipitation, P (3) 70*d*.
Kroeckel, Ottomar Influence of porosity on mechanical strength of ceramic materials (10) 237*a*.
Kroeger, F. A. See Yee, J.
Kroenert, W. See Heintges, G.
Kroenert, W., and Boehm, A. Measurement of vapor pressure of alumina and magnesia by free-evaporation methods (4) 89*e*.
Kroenert, W., and Zografou, C. Sintering properties and microstructure of alkaline earth aluminous porcelain (9) 198*c*.
Kroening, Roger D., and Kirby, David B. Method of producing clay-base pigment, P (1) 23*h*.
Kroes, Roger L. See Kappers, Lawrence A.
Krogbeumker, G., and Ludwig, U. Depth of hydration of portland cement particles (10) 217*i*.
Krohe, Wilfried See Nedopil, Erich
Krohe, Wilfried, and Roesch, Berthold Single-chamber kiln with combustion gas circulation, P (10) 234*a*.
Krohn, D. A., and Hasselman, D. P. H. Effect of abrasion on strength and thermal-stress resistance of a soda-lime-silica glass (7) 144*h*.
Krohn, D. A., Larson, D. R., and Hasselman, D. P. H. Comparison of thermal-stress resistance of polycrystalline Al_2O_3 and BeO (10) 235*d*.
Krokhin, V. A. See Krokhina, A. G.
Krokhin, V. N. See Butt, Yu. M.
Krokhina, A. G., Ivashin, S. A., and Krokhin, V. A. Phase diagrams of the system $KAlCl_4$-$KFeCl_4$-K_2NbOCl_5 (7) 161*i*.
Krolicki, F. See Zdanowicz, W.
Krolikowski, Walter F. See Dhaka, Vir A.
Kroll, J. M. See Borchert, W.
Kromer, H. Mineralogical compositions of two north Spanish clays from Vivero (Galicia) (4) 90*f*.
Krueger, Wolfgang See Dietrich, Manfred
Krug, M. P. See Ferrante, M. J.
Kruger, P. See Buettner, A.
Kruglitskii, N. N. See Ovcharenko, F. D.
Krumi, Frantisek Influence of constant rate of loading on ultimate strain of lightweight concrete (11) 242*j*.
Krumm, Charles K. See Heflich, Henry G.
Krumme, J. P., Verweel, J., Haberkamp, J., Tolksdorf, W., Bartels, G., and Espinosa, G. P. Thermomagnetic recording in thin garnet layers (10) 227*e*.
Krumme, John F., and Ford, Donald T. Apparatus for continuous vacuum deposition, P (9) 200*g*.
Krupakar, J. D. Electronic automatic voltage regulator (5) 104*e*.
Krupicka, S. See Holba, P.
Krupe, Peter Formation of bubbles in brown glost firing glaze and technical firing problems connected with it (10) 225*a*.
Kryczun, Alfred See Weigel, Horst
Krylov, E. I. See Bazuev, G. V.
Krylow, J. See Auleytner, J.
Kryzhanovskaya, I. A., Shchetkina, T. Yu., and Svirskaya, Yu. L. Dependence of structure and activity of electrothermal phosphorus slags on content of phosphorus compounds (2) 32*d*.
Krzeminski, S. Spin wave theory of the field-induced magnetic phases of a uniaxial two sublattice Neel-type antiferrimagnet: II, Transversal magnetic field (4) 93*j*.
Krzeminski, S., and Zietek, W. J. Spin wave theory of the field-induced magnetic phases of a uniaxial two sublattice Neel-type antiferrimagnet: I, Longitudinal magnetic field (4) 93*i*.
Krzhizhanovskaya, E. K., and Suvorov, A. V. Calorimetric determination of the heat of formation of crystalline MCl_4. $POCl_3$(M = Ti, Zr, Hf) (7) 159*h*.
Kubel, W. See Dargel, L.
Kubis, L. P., and Brynzin, V. A. Stability of stabilized slag pumice (4) 79*c*.
Kubo, Katsushi See Mizukusa, Shin
Kubo, Tomitaro See Sugaike, Suezo
Kubosaki, Masanobu See Naito, Fumio
Kubota, Takehiko Effects of substrate temp. during rf sputtering of silica on optical and chemical properties, and reemission coeff. (5) 108*i*.
Kubota, Takehiro, and Kawakita, Hitoshi Results of examination of preliminary draft of standard test method for sleeve brick spalling (1) 13*d*.
Kubota, Takehiro, and Morimoto, J. Preliminary basic study for adoption of slinger process and use test results (9) 196*a*.
Kuchma, A. Yu. See Samsonov, G. V.
Kuczynski, G. C. (Editor) Sintering and Related Phenomena, B (7) 164*d*.
Kudaka, Katsuya New type of microstructure for TiC-Mo-Ni-C cermet (7) 148*b*.
Kudeyarova, N. P., Butt, Yu. M., Vorob'eva, M. A., and Gubanova, A. I. Change in surface properties of CaO and SiO_2 during comminution (8) 165*h*.
Kudeyarova, N. P., Vorob'eva, M. A., and Butt, Yu. M. Effect of combined milling of lime and sand on the strength of lime-sand bond (1) 2*d*; CaO hydration under various conditions (8) 165*g*.
Kudishina, V. A. See Kiselev, B. A.
Kudman, Irwin, and Schmelz, Carl M. Protected thermoelectric elements and method of protecting, P (9) 201*i*.
Kudo, Mitsuhiro See Kawabe, Ushio
Kudo, Toshiyuki See Naito, Fumio
Kudryashova, Z. P. See Efimov, A. I.
Kuehn, H. Glazed bricks of Babylon (2) 31*j*.
Kuehnel, E. E. Color defects in screen printing (2) 41*c*.
Kuenadig, Walter See Hargrove, R. Steven ; Roggwiller, P.
Kuenesman, Don, and Keuville, Cyril P. Gyratory crusher securing and adjusting mechanisms, P (1) 23*e*.
Kuennecke, M. Combating rings in rotary cement kilns (6) 120*d*.
Kugler, Tibor, and Silbiger, Jakob Preparation of finely particulate SiO_2, P (9) 207*c*.
Kuhn, Lawrence, Sadagopan, Varadachari, and Tsui, Robert T. Cyclotron resonance devices controllable by electric fields, P (3) 69*d*.
Kuhs, R. See Wildpaner, H.
Kuiper, Adrianus, Brouns, Jan W., and Visser, Bauke Directly heated oxide cathode, P (3) 69*e*.
Kuishi, Max Method of producing a transistor with an insulated control electrode, P (1) 18*j*.
Kukina, L. A., Keshishyan, T. N., Kuznetsova, I. P., and Savel'ev, V. G. Crystallization capacity and effect of phase composition of blast-furnace slag on the binding properties of slag portland cement (1) 2*j*.
Kukina, L. A., Keshishyan, T. N., and Savel'ev, V. G. Bond properties of Krivoi Rog blast-furnace granulated slag (1) 2*c*; Comparative effect of gypsum and phosphogypsum on the hydraulic properties of clinker and slag minerals and glasses of the composition of slag minerals (9) 189*j*.
Kulaeva, S. Kh. See Belyaev, I. N.
Kulakova, L. A. See Ilisavskii, Yu. V.
Kuliakowski, W. See Grochowski, M.
Kulchitskii, L. I. Crystal chemistry of the surface of clay minerals and their surface dissociation in an aqueous medium (11) 257*c*.
Kulicke, Frederick W., Jr., and Lepone, John J. Semiconductor die bonder, P (9) 202*e*.
Kulig, Constantine W. Glassware transfer mechanism, P (2) 38*i*; See Campbell, Lyman L.
Kulig, Frank M. Method and apparatus for [dental] investment casting, P (1) 14*f*.
Kulik, V. M. See Fainerman, A. E.
Kulkarni, R. H., and Ingle, S. G. Dielectric constant of $KNbO_3$ single crystals under biasing conditions (3) 74*i*.
Kulling, Achim See Hilgers, Giovanni
Kulm, L. D. See Fowler, G. A.
Kulshreshtha, S. K. See Raj, P.
Kumada, Akio Optical properties of Gd molybdate and their device applications (4) 85*b*. See Aizu, Keiichiro ; Nakamura, Terutaro
Kumagai, Henry Y. N-doped beta Ta capacitor, P (7) 154*h*.
Kumai, Hiroshi, Ochiai, Tsunemi, and Shimizu, Hiroshi Tests on quality and durability of MgO-dolomite bricks by means of experimental converter—effects of MgO and flux contents on durability of synthetic MgO-dolomite bricks (7) 148*g*.
Kumai, Hiroshi, and Otsuie, Tsunemi Improvement of refractories for lining mixer (1) 12*j*.
Kumar, Arun See Srivastava, G. P.
Kumar, Jitendra, and Srivastava, O. N. Electron diffraction study of SmO (3) 74*e*.
Kumar, P., and Johnson, D. L. Grain-boundary grooving in CoO (8) 182*b*.
Kumazaki, Kenji, and Odajima, Akira Thermal treatment of HgSe in Se atm. (6) 139*e*.
Kume, Shoichi See Shibasaki, Yasuo ; Shimada, Masahiko
Kumon, Osamu See Osada, Mitsuo
Kumurdjian, Pierre See Bourgoin, Gerard
Kun, Zoltan K. Methods of producing *p*-typeness and *pn* junctions in wide band gap semiconductor materials, P (3) 69*j*; *Pn* junction semiconductor devices, P (9) 201*g*.
Kun, Zoltan K., and Robinson, Robert J. Single-step process for making pn junctions in ZnSe, P (10) 229*e*.
Kunitsky, J. A. See Samsonov, G. V.
Kuno, Hiroshi See Senna, Mamoru
Kunselman, Maurice H. See Odom, Clyde H.
Kuntsevich, O. V. See Zhukov, Yu. A.
Kunugi, M., Soga, N., Sawa, H., and Konishi, A. Thermal conductivity of cristobalite (1) 29*c*.
Kunz, A. Barry Energy bands and the optical properties of LiCl (8) 181*b*; Self-consistent local orbitals for Li halide crystals (8) 186*d*. See Brown, Frederick C.
Kunz, Hans J. Electroluminescent diode configuration and method of forming, P (3) 69*g*.
Kunz, Karol Rapid determination of sulfates in cements using cation exchange (3) 59*j*.
Kunz, Robert G., and Hanna, Owen T. Analytical relations for influence of particle size on precipitator design (2) 47*h*.
Kunze, W. See Wesche, K.
Kuper, Alan B. Oxidation of semiconductive alloys and prod-

ucts obtained thereby, P (7) 154*i*.
Kuperman, Yu. E. See Bron, V. A.
Kupp, Robert N. Fundamentals of ball grinding (5) 95*f*.
Kupper, A. K., and Bosshard, Ulrich W. Cooling of rotary kiln outlets by means of heat pipes (11) 254*j*.
Kupriĭ, V. Z. See Lunenok-Burmakina, V. A.
Kupsky, George A. Gaseous discharge display device with improved cathode electrodes, P (8) 169*i*.
Kurasawa, T. See Watanabe, H.
Kurata, Kazuhiro See Aoki, Masaharu ; Kasano, Hiroyuki
Kuratomi, Tatsuo Ultrahigh pressure-temp. apparatus, P (8) 177*g*.
Kurbatova, I. I., Glekel, F. L., and Larionova, T. S. Change of composition of liquid phase of alunitized portland cement during hydration (2) 32*g*.
Kurczyk, Heinz G., Wuhrer, Josef, and Ottenheym, Adrian Process for the production of synthetic indialite, P (5) 100*j*.
Kurdowski, Wiesław Effect of additions of Ba on properties of portland cement clinker (2) 32*g*.
Kurdyumov, G. M. See Fedorov, P. I.
Kurdyumov, G. M., and Molochko, V. A. Systems Si_2Cl_6 with $TiCl_4$ and $SnCl_4$ (9) 215*j*.
Kurdyumov, G. M., Molochko, V. A., and Keizik, G. P. Systems of $GeBr_4$ with CBr_4, $SiBr_4$, $TiBr_4$, and $SnBr_4$ (5) 115*d*.
Kurihara, Isaji See Niwa, Shohei
Kurihara, Yasutoshi See Ohuchi, Hirobumi
Kurita, Kenichiro Filter press with endless filter cloth, P (1) 21*b*; Filter press for endless filter cloth, P (11) 252*h*.
Kurkjian, C. R. See Peterson, G. E. ; Stolen, R. H.
Kurochkina, V. V. See Mashovets, V. P.
Kurokawa, Takaaki, Inoue, Noboru, and Fukuda, Mitsugu Mold operating mechanism of a glass bulb mfg. machine, P (1) 10*b*.
Kurosawa, Kou, Saito, Shozo, and Takemoto, Susumu Growth of thin platelike NiO crystals by chemical transport (5) 110*e*.
Kurosu, T. See Hamada, Akira
Kurosu, T., Saito, Mitsuyoshi, Hamada, Akura, and Kikuchi, Makoto Contribution to the transient analyses of light induced memory on amorphous semiconductor films $[As_{20}Te_{70}Ge_{10}]$ (9) 208*e*.
Kursawe, Helga See Reuschel, Konrad
Kurtseva, L. I. See Sokol, V. A.
Kurtz, Anthony D. Pressure-sensitive transducers employing capacitive and resistive variations, P (11) 251*b*.
Kurtz, Anthony D., Gravel, Charles L., and Malloy, Joseph R., Jr. Transducers employing integral protective coatings and supports, P (11) 251*e*.
Kurtz, Anthony D., Malloy, Joseph R., Jr., and Gravel, Charles L. Semiconductor transducers having H-shaped cross-sectional configurations, P (9) 202*g*.
Kurtz, John A. See Deverse, Frank T.
Kurtz, K. See Eigenmann, K.
Kurtz, Robert G., and Van Vorous, Theodore Process for metal coating BN objects, P (4) 84*c*.
Kurtz, Stewart K. See Jerphagnon, J.
Kurtzig, Arjeh J. See Hagedorn, Fred B.
Kuryachaya, Valentina A. See Mchedlov-Petrosyan, Otar P.
Kurz, Fredrik W. A. Bonding or impregnating compositions, P (4) 86*f*.
Kurzius, Shelby C. See Nelson, Lloyd Spencer
Kurzweil, Karel, and Loughran, James Thick-film pastes for multilayer use (9) 196*j*.
Kusaka, K. See Uchikawa, H.
Kusano, Hiroshi See Nishiyama, Shigeru
Kushihashi, Akira, and Manabe, Seiichiro Sputtering method for mfg. transparent heat-ray-reflecting glass, P (3) 64*d*.
Kushihashi, Akira, and Yamada, Naoyoshi Glass having semitransparent colored coating, P (5) 99*f*.
Kushiro, Ikuo Effect of water on the composition of magmas formed at high pressures (1) 24*j*; Determination of liquidus relations in synthetic silicate systems with electron probe analysis—the system forsterite-diopside-silica at 1 atm (2) 52*d*.
Kushnir, Bud W., Norris, Leon F., Fraser, Robert W., and Evans, David J. I. Preparation of powder composition for making dispersion-strengthened binary and higher Ni-base alloys, P (9) 197*c*.
Kushtalova, I. P. See Samsonov, G. V.
Kusior, E. See Czapla, A.
Kuskov, O. L. See Zhidikova, A. P.
Kusumoto, Hazime See Kasano, Hiroyuki ; Ogirima, Masahiko
Kuszyk, J. A., and Bradt, R. C. Influence of grain size on effects of thermal expansion anisotropy in $MgTiO_2O_5$ (9) 211*j*.
Kutateladze, K. S., and Gvazava, G. G. Surface crystallization of glasses with high Al_2O_3 and Fe oxide content (7) 145*h*.
Kutateladze, K. S., Verulashvili, R. D., and Khartishvili, L. S. New glass composition for electrical insulators and a study of the influence of trivalent cations on the mixed alkali effect (3) 62*e*.
Kutsenko, L. A. See Barbashov, G. K. ; Butt, Yu. M.
Kutsenko, L. A., Butt, Yu. M., Timashev, V. V., and Al'bats, B. S. Technology of shaping portland cement raw material into briquets (9) 191*b*.
Kutsenok, I. B. See Tret'yakov, Yu. D.
Kutukov, A. S. See Sil'vestrovich, S. I.
Kutukov, V. F., and Guzman, I. Ya. Formation of combined nitride-oxynitride bond in SiC refractories (9) 210*e*.
Kutzendorfer, Jaroslav Kinetics of formation of Sr metazirconate by solid-phase reaction (1) 25*h*.
Kuvaeva, Zoya I. See Ermolenko, Igor N.
Kuvakin, M. A., and Malofeeva, E. P. Diagonal cross section in the quaternary reciprocal system composed of the fluorides and chlorides of Li, Na, and Al (5) 108*c*.
Kuvakin, M. A., and Rod'kina, N. F. Ternary reciprocal system of the fluorides and chlorides of Na and Al (5) 115*h*.
Kuwabara, Makoto, and Yanagida, Hiroaki Two-step anomalous increase of resistivity on La-doped $BaTiO_3$-Bi_2O_3 composite ceramics with surface barrier layer (5) 116*a*; La-doped $BaTiO_3$ ceramics with Bi_2O_3 as a grain boundary element (10) 226*h*.
Kuwahara, Yoshitaka Analysis of grinding process by apparent energy efficiency of comminution (7) 156*a*.
Kuwahata, Takao See Arai, Kazuo
Kuwayama, Shigeo Method of producing crystalline glass containing portions having different crystallization extents, P (11) 245*f*.
Kuzenkova, M. A. See Kislyi, P. S.
Kuzenkova, M. A., and Kislyi, P. S. Sintering of TiN in N (8) 186*h*.
Kuzin, V. I. See Sadkovskii, E. P.
Kuz'menko, G. S. See Nemilov, S. V.
Kuz'min, I. A. See Buslaev, Yu. A.
Kuz'mina, I. P., Lobachev, A. N., Vinokurov, V. M., Nizamutdinov, N. M., and Volkova, L. A. Isomorphism of the Zn-Mn ions in Na_2ZnGeO_4 crystals (8) 183*d*.
Kuznetsov, S. I. See Kraus, I. P.
Kuznetsov, V. G. See Morozov, A. I. ; Palkina, K. K. ; Tananaev, I. V.
Kuznetsov, V. G., Kanishcheva, A. S., and Salov, A. V. X-ray diffraction study of the system Na_2S-Sb_2S_3 (9) 216*b*.
Kuznetsov, V. G., Popova, Z. V., and Seifer, G. B. X-ray study of the ferrocyanides of Cu, Co, Ni, and trivalent Fe and the mixed ferrocyanide of Cu and K (1) 29*h*; X-ray study of mixed ferrocyanides of Cs with Mg and Ca (2) 56*d*; X-ray study of mixed ferrocyanides of Cs with trivalent Fe (2) 56*e*; X-ray diffraction study of mixed ferrocyanides of Cs and trivalent La and Ce (5) 116*f*.
Kuznetsov, V. G., Tananaev, I. V., and Yakovleva, R. T. X-ray study of simple and mixed ferrocyanides of Pr with alkali metals (2) 56*e*.
Kuznetsova, G. N., Tregubova, T. M., and Aleskovskii, V. B. Products of the reaction of GeO_2 with metal ions studied by an ir spectroscopic method: I. Ir spectra of GeO_2 in aqueous solutions (4) 92*j*.
Kuznetsova, I. G. See Belkov, V. M. ; Sadkovskii, E. P.
Kuznetsova, I. P. See Kukina, L. A.
Kuznetsova, L. K. See Solomin, N. V.
Kuznetsova, L. V. See Ovechkin, E. K.
Kuznetsova, O. V. See Gnesin, G. G.
Kwan, Clarence C. Y., Griffiths, C. H., and Eastwood, H. K. Transport and structural properties of VO_2 films (10) 240*c*.
Kyi, U. Aung See Brusset, Henry
Kylberg, Kerstin See Brandstrom, Arne E.
Kyle, Nanse R. Crystal growth tube, P (3) 69*d*.
Kyle, T. R., and Zydzik, G. J. Automated crystal puller (8) 176*j*.
Kyri, Hans Structure of silicate glasses (10) 221*e*.

La Belle, Harold E., Jr., and Little, William T. Crystal $[Al_2O_3]$ growing apparatus, P (2) 43*a*.
La Ginestra, A., Jacono, M. Lo, and Porta, P. Preparation, characterization, and thermal behavior of some Li Al oxides: Li_3AlO_3 and Li_5AlO_4 (7) 162*f*.
La Grouw, Coenraad M., and Gie, Ong Tjing Glass having a high coeff. of absorption for ir radiation comprising ferrous oxide, P (2) 38*h*.
La, S. Y., Bartram, R. H., and Cox, R. T. F^+ center in reactor-irradiated Al_2O_3 (11) 258*h*.
LaBarge, Robert G., Evani, Syamalarao, and Hanson, Alden W. Cleaning composition [organic] for glass and reflective surfaces, P (3) 63*c*.
LaBelle, Harold E., Jr., and Cronan, Charles J. Apparatus for growing crystalline bodies from the melt, P (1) 16*h*.
Laberge, N. L., Vasilescu, V. V., Montrose, C. J., and Macedo, P. B. Equilibrium compressibilities and density fluctuations in K_2O-SiO_2 glasses (11) 244*f*.
Labrov, I. S. See Skobochkin, V. E.
Labutina, L. V., Matveeva, T. S., Pavlushkin, N. M., and Artamonova, M. V. Luminescence as a method of studying structural conversions in glasses (1) 8*a*.
Labutina, L. V., Pavlushkin, N. M., and Artamonova, M. V. Correlations of composition and structure of glasses with the state of their luminescence centers (1) 5*d*.
Lacam, A., Peyronneau, J., Engel, L. J., and Lombos, B. A. Pressure-induced phase transitions in Hg chalcogenides (10) 238*d*.
Lacheny, P. Drying behavior of various plasters (2) 32*g*.
Lacklison, D. E., Ralph, H. I., and Scott, G. B. Faraday rotation of Bi Ca V Fe garnet (9) 210*a*.
LaCombe, J. L., and Irwin, J. C. Temp. dependence of the optical phonon line widths and frequencies in ZnSe and ZnTe (7) 163*j*.
Lado, Ernest A. Method of producing refractory material, P (9) 197*b*.
Ladokhin, S. V., and Khan, B. Kh. Mechanism of reaction of solid oxides with silicate melts (1) 26*a*.
LaDue, A. W. Survey of stones in bottles and correction of surface refractory cord problem (7) 145*j*; Improving glass container strength (8) 167*i*. See Stadler, Leo E.
LaDue, A. W., and Parikh, P. H. How to improve glassmelting time (2) 36*a*.
Laermer, Lothar, and Schenk, Robert J. Packaging structure having cooling means for a multiplicity of hermetic modules for integrated circuit chips, P (3) 70*c*.
Lafferty, William J. See Roelofs, Henry M.
Lagendijk, A., Morel, R. J., Glasbeek, M., and Van Voorst, J. D. W. ESR of Cr^{3+} in Cr-doped $SrTiO_3$ single crystals (10) 235*h*.
Lagowski, J. J. Modern Inorganic Chemistry, B (5) 117*i*.
Lagrange, Maurice See Debergh, Philippe
Lagutova, R. P. See Il'yasov, I. I.
Laha, S. N., and Das, A. R. Isothermal grain growth and sintering in pure ThO_2 and ThO_2-CaO compositions (2) 46*j*.
Lahiri, D. See Datta, R. K.
Lahiri, Syamal K. See Anacker, Wilhelm
Lai, David Y. F. See Borg, Richard J.
Lailach, Guenter, Gerisch, Gottfried, Trenczek, Gerhard, and Braendle, Karl Production of mixed oxides containing Al_2O_3, P (8) 179*b*.
Laird, Grant, and Deuison, Don E. Quality control is people (9) 203*f*.
Lakatos, Eduard See Koberstein, Edgar
Lakatos, T., Johansson, L. G., and Simmingskoeld, B. Viscosity-temp. relations in the glass system SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO in the composition range of technical glasses (1) 9*g*; Viscosity-temp. relations in the glass system SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO in the composition range of technical glasses—correction (8) 169*i*.
Lakeeva, Z. N. See Volchenkova, Z. S.
Laker, Abraham Method of making a semiconductor device, P (9) 201*f*.
Lakin, J. R. See Eason, M. D.
Lakshmi, G. See Srinivasan, T. P.
Lakshminarayanan, K., and Rajamohan, P. Low cost electronic temp. controller for certain industrial applications (5) 104*h*.
Lal, H. B. See Chandra, S.
Lamb, David R. See Steigman, Peter E.
Lambach, Rolf See Schweinfurth, Hans
Lambdin, Foraker, Jr., and Randles, William W. Method for mfg. fibrous carbonaceous composites having near isotropic properties, P (6) 128*c*.
Lambe, John See Jaklevic, Robert C.
Lambert, Arthur H. Apparatus for trimming electrical resistors, P (1) 16*i*.
Lambert, M. See Denoyer, F. ; Fontana, M. P. ; Quittet, A. M.
Lambert, Nicole La Seube—evidence of the art of glass in southern France at the end of the Middle Ages (7) 141*f*.
Lambert-Andron, B., Berodias, G., and Babot, D. Magnetic structures of the compositions MFe_2Se_4 (M = Ti, V, Cr, (Fe), Co, Ni) (6) 137*h*.
Lambrecht, Richard A. System for molding electronic components, P (10) 229*a*.
Lamer, P. Determination of cross sections of horizontally perforated bricks for floors and walls: I, II (3) 64*h*.
Lamki, A. M. See McDonald, I. R.
Lamm, Christian See Herzog, Guenther
Lamorte, Michael F. Method of making semiconductor devices [GaAs lasers], P (2) 44*b*. See Caplan, Sandor
Lampathakis, Kyriakose See Seelbach, Walter C.
Lamykin, E. V. See Fabrichnyi, P. B.
Lan, Tran Thach See Pointu, Pierre
Lancaster, M. C. Ac electrical properties of evaporated cerous fluoride films (3) 66*f*.
Land, Cecil E. See Haertling, Gene H.
Land, Cecil E., and Smith, Willis D. Ferroelectric ceramic plate electro-optical light scattering device and method, P (2) 43*h*.
Landingham, Richard L. Method [vacuum] for forming metal-filled ceramics of near theoretical density, P (6) 128*d*.
Landmark, Kenneth L., and Ashley, Allan J. Modular abrasive wheel assembly, P (2) 31*e*.
Landolt, George R. See Argauer, Robert J.
Landolt, M. See Griessen, R.
Landorf, R. W. See Levinstein, H. J.
Landorf, R. W., and Licht, S. J. Sputtered MnO_2 as counterelectrodes in thin-film capacitors (6) 129*h*.
Landthaler, Anton Heating installation for heating particulate raw materials, P (5) 105*g*.
Landy, Richard A., and Brezny, Bohuslav Pore-size distribution in pitch-impregnated magnesite brick (10) 223*j*.
Lane, Marvin K. Retarded gypsum plaster for use in long-set aggregate mortar applications, P (7) 143*e*.
Lang, Hio Yu See Quezel, G.
Lang, James I. Electrodynamic particle separator, P (3) 71*f*.
Lang, Stewart M. See Birner, Richard A.
Lang, William J. High yield bentonites, P (1) 23*f*; Increase in clay responsiveness to wetting, P (2) 50*a*.
Lang, Winfried See Bienert, Klaus
Langdon, Jack L. Semiconductor resistor, P (8) 175*f*.
Langdon, Terence G. Dependence of creep rate on porosity (1) 24*d*.
Lange, F. F. Effect of microstructure on strength of Si_3N_4-SiC composite system (10) 235*h*; Relation between strength, fracture energy, and microstructure of hot-pressed Si_3N_4 (11) 259*d*.
Lange, F. F., and Terwilliger, G. R. Powder vehicle hot-pressing technique (10) 231*j*.
Lange, Joachim Differential-photometric determination of the boric acid content of glasses (10) 220*a*.
Langecker, Erhard Colored and/or printed labels or plates adhered to blow-molded articles, P (8) 169*g*; Blow-molding machines, P (9) 193*h*; Applying labels to blow-molded articles, P (10) 222*d*.
Langer, Horst G. See Karle, Franklin J.
Langer, S. See Baldwin, N. L.
Langman, Richard A., Runk, Robert B., and Butler, Sidney R.

Isothermal grain growth of pressure-sintered PLZT ceramics (10) 226*h*.

Langouche, G. See Helsen, J.

Langston, Perry R., Jr. See Greenstein, Bernard

Lanitz, Wolfgang Mineral composition of ceramic raw materials by phase contrast microscopy (10) 232*e*. See Beyer, Eberhard

Lankard, David R., and Sheets, Herbert D., Jr. Siliceous composition for marking hot metal and method of making and using, P (8) 167*a*.

Lanz, Renato See Cogliati, Guido

Lapiko, N. A. See Semkina, N. V.

Lapin, Vladimir H. See Ivanov, Ivan T.

Lapinsky, George D. See Knowles, Daniel H.

Lapinca, S. J. See Abrahams, S. C.

Lapotyshkin, N. M. See Karklit, A. K.

Lapiev, D. M. See Chikanova, M. K.

Larach, S. See Brandstadter, I. J.

Larin, A. A., and Vlasov, V. G. Electrical properties of U oxycarbides (9) 209*g*.

Larin, A. P., Losev, S. A., and Karmanova, T. S. Operation of mixers at the Chasov-Yar Refractories Combine (1) 12*g*.

Larina, R. A., Bergman, A. G., Kislova, A. I., and Korobka, E. I. Reciprocal system Li,Na||Cl,WO_4 (5) 114*j*; Ternary reciprocal system comprising the tungstates and fluorides of Li and Na (9) 215*e*.

Larionov, Igor N. See Roizin, Natan M.

Larionova, T. S. See Kurbatova, I. I.

Larkin, Melvyn W., and Matta, Richard K. Method of delineating small areas as in microelectronic component fabrication, P (5) 102*i*.

Larry, John R. Influence of surface energies on line resolution in screen printing (1) 16*c*.

Larsen, Edwin M., and Gil-Arnao, Francisco C. Process for separation of Hf from Zr, P (9) 207*e*.

Larsen, P. K., and Voermans, A. B. Origin of the conductivity minimum and the negative magnetoresistance in *n*-type sulfospinels [Ga-doped and undoped $CdCr_2S_4$, $CdCr_2Se_4$] (8) 185*c*.

Larsen, Richard J. See Rodgers, John T.

Larsen, T. L. See Callister, W. D.

Larson, D. R. See Krohn, D. A.

Larson, Jane Hamada legacy (4) 77*j*.

Larson, Sylvia J., Pardoe, G. W. F., and Gebbie, H. A. Use of far ir interferometric spectroscopy for mineral indentification (2) 49*b*.

Larsson, Lars Olof See Kierkegaard, Peder

Lass, James L. See Qurnell, Frank D. ; Smith, Bart A.

Latapie, J. P. Thermal shock theory and its application to tile mfg. (7) 150*e*.

Lathouwers, T. W. See Schipper, D. J.

Latore, Joseph R. See Belt, Roger F.

Laudise, R. A., and Van Uitert, L. G. Materials for magnetic bubbles (11) 249*b*.

Lauenroth, Peter See Costa, Harald ; Handrek, Eberhard

Lauer, R. B. Ir photoluminescence emission band in ZnO (8) 183*d*.

Lauerer, Uta See Woelfle, Rudolf

Laugier, J., and Blum, P. L. Metastable UC-UC_2 diagram (2) 46*d*.

Laugier, J., Blum, P. L., and De Tourseminе, R. Actual structure of USi (8) 175*j*.

Laulicht, I., Bagno, I., and Schlesinger, Y. Temp. dependence of the soft-mode line width of quartz (6) 139*g*.

Launay, Jean Claude See Pouchard, Michel

Launay, Jean Claude, Onillon, Marc, and Pouchard, Michel Gas phase transport of the garnet $Y_3Fe_5O_{12}$ (YIG) by HCl (4) 91*j*.

Launois, H. See Lederer, P. ; Pouget, J. P. ; Villeneuve, G.

Laurenty, Francois Method and apparatus for sorting crystals according to size, P (1) 21*b*.

Laurs, O. Segregation of glaze suspensions during the formation of glaze layers on ceramic bodies (4) 84*e*.

Lavalou, Michel See Papee, Denis

Lavrov, Alexandr S. See Rutes, Viktor S.

Lavrov, I. S. See Bibik, E. E.

Law, Harold B. Method and article for color kinescope screen and mask production, P (8) 170*j*.

Law, Jack M. Method of making high-resolution image-transmitting fiber-optic bundles, P (1) 10*c*.

Law, John M., Strickler, Alfred A., and Von Kaenel, Walter Automatic pin insertion and bonding to a metalized pad on a [ceramic] substrate surface, P (9) 200*i*.

Lawler, Harry A. Reinforced laminated material, P (6) 128*d*.

Lawless, W. N. Three application areas for $SrTiO_3$ glass-ceramics (4) 86*b*.

Lawrence, F. V., Jr., and Young, J. F. Hydration of tricalcium silicate pastes: I, SEM examination of microstructural features (7) 142*e*.

Lawrence, Willis G. Ceramic Science for the Potter, B (3) 76*e*.

Lawrenson, Jack Mfg. of flat glass, P (5) 99*j*. See Loukes, D. G. ; Robinson, Albert S.

Lawrenson, Jack, and Jones, D. Mfg. of flat glass, P (8) 170*f*; Glass mfg., P (9) 194*e*; Glass mfg., P (10) 222*i*.

Lawrenson, Jack, and Morrison, E. Surface treatment of glass with molten materials, P (8) 170*i*.

Lawrenson, Jack, and Silverwood, Frederick W. Mfg. of float glass by applying lateral electromagnetic forces to the edges, P (9) 194*h*.

Lawrie, James Thermal analysis (1) 22*f*; Chromatography—a unique method of analysis (5) 104*f*.

Lawrynowicz, J., and Wojtczak, L. Domain structures in ferromagnets (2) 42*e*.

Lawson, A. C. See Viswanathan, R.

Lawson, Andrew W. See Ryden, William D.

Lawton, Robert G. See Weaver, Cliff V.

Lay, L. A. See Barry, T. I.

Layne, Gilbert S. See Huml, James O.

Layne, Gilbert S., and Huml, James O. Removing metal carbides from furnace systems, P (1) 14*e*.

Lazar, Ferenc Treatment of aluminate digester liquor, P (9) 207*f*.

Lazarev, E. M. See Ivanova, R. S.

Lazarev, V. B. See Berul, S. I. ; Buslaev, Yu. A.

Lazareva, L. S., Ambrozhii, M. N., and Dvornikova, L. M. Thermal stability of the valerates of Ce and Pr (1) 29*e*.

Lazarski, S. See Auleytner, J.

Lazarus, D., Jeffery, R. N., and Weiss, J. D. Relative pressure dependence of Chromel/Alumel and Pt–Pt10Rh thermocouples (10) 233*b*.

Lazenby, Peter G., and Wondergem, Hendrik M. Apparatus for the remote detection of conducting bodies utilizing electromagnetic wave forms exhibiting abrupt discontinuities, P (9) 205*e*.

Lazovskii, V. A., Dovbysh, V. A., and Arbuzov, V. V. Guncreting the sides of kiln cars (1) 12*e*.

Lazukin, V. N. See Bogomolova, L. D.

Lazzari, S. Choosing glass mold materials (10) 219*h*.

Le Brusq, H., and Delmaire, J. P. Electrical properties of nonstoichiometric oxides α-Nb_2O_5, MnO, and CoO at high temps. (11) 257*h*.

Le Dred, R. See Wey, R.

Le Dred, R., Cuisen, P., and Wey, R. Preparation of porous products by acid treatment of an interstratified mica-vermiculite mineral (6) 126*h*.

Le Duc, Jean M. Method of mfg. a semiconductor device consisting of a ternary compound of ZnSiAs on a GaAs substrate, P (1) 18*e*.

Le Flem, G. See Daoudi, A.

Le Flem, Gilles, Bondar, I. A., and Udalov, Yu. P. Three sections in the system CaO-Nd_2O_3-Al_2O_3 (5) 116*h*.

Le Gall, H. See Abulafya, G.

Le Page, Madeleine A., Beau, Raymond, and Duchene, Jacques Porous silica [gel] containing foreign ions and method for preparation, P (3) 73*c*.

Lea, F. M. Testing of pozzolanic cements (11) 242*f*.

Leach, Bruce E., and Ziegenhain, William C. Alumina filtration, P (8) 178*j*.

Leadbetter, A. J., and Litchinsky, D. Vibrational properties of vitreous GeO_2 by inelastic cold neutron scattering (2) 56*b*.

Leader, Charles B. See Smith, Robert H.

Lean, E. G., and Powell, C. G. Nondestructive testing of thin films by harmonic generation of dispersive Rayleigh waves [determining elastic properties] (10) 226*g*.

Leaper, Rodney S. See Cannell, John C.

Learn, Arthur J., Shepherd, William H., and Dellioca, Conrad J. Electromigration-resistant metalization for integrated circuits, structure, and process, P (2) 43*d*.

Leary, David E. See Caroselli, Remus F. ; Marzocchi, Alfred

Leary, Ray D., and Ernest, Lawrence A. Municipal utilization of an industrial waste for phosphorus removal (4) 88*g*.

Leask, M. J. M. See Cooke, Arthur H.

Leatherby, Vincent C. Gas-fired blast-type burner, P (9) 206*c*.

Leaver, N. E., and Mistler, R. E. Gas-fired roller hearth kiln for fast firing high alumina substrates (1) 22*h*.

Leavy, Paul M., Jr. See Wild, Norman R.

Lebed, B. M., and Mosel, V. I. Frequency of relaxation of a Gd sublattice in a Gd Fe garnet (8) 182*a*.

Lebedeva, N. E. See Safonov, V. V.

Lebl, Miroslav See Bohun, Antonin

Leclercq, Robert See Cayphas, Etienne

LeCraw, R. Conway See Tien, P. K.

LeCraw, R. Conway, and Sinha, Krityunjai P. Temp.-dependent microwave absorption in Tb orthoaluminate (7) 163*j*.

Lecrivain, L. See Vouillemet, M.

Lecuire, Jean M. See Evrard, Omer

Lecuit, Paul, and Demilie, Paul Hydromagnesite having a modified morphology and method for preparation, P (7) 149*d*.

Lederer, Edwin H. Semiconductor Pb attachment system including a semiconductor pellet orientation plate, P (4) 87*d*.

Lederer, P. See Pouget, J. P. ; Villeneuve, G.

Lederer, P., Launois, H., Pouget, J. P., Casalot, Andre, and Villeneuve, G. Metal–insulator transition in the $V_{1-x}Nb_xO_2$ system: III. Theoretical discussion (8) 184*g*.

LeDoux, Reynold A., Jr. See Golliher, Waldo R.

Lee, Chong Keun, and Kim, Chul Young Mfg. process of vitrified bonded abrasives (9) 189*d*.

Lee, Eung Sang See Hamano, Kenya

Lee, Hanju See Rosen, Harvey M.

Lee, Hui Soo, Park, Jeong Hyun, and Oh, Jae Hee Ion-exchange study of glass properties (9) 192*i*.

Lee, J. N. See Spooner, S.

Lee, J. N., and Moos, H. W. Magnetic properties of $TbPO_4$, a canted antiferromagnet (9) 212*d*.

Lee, Joon See Lim, Eung Keuk

Lee, Koo Jong, Ahn, Nam Soon, and Shin, Hyun Tack Ca silicate insulation materials (11) 246*i*.

Lee, Leonard S., Uyeda, Yoshio, and Heneghan, Leo F. MgO coatings, P (2) 34*i*.

Lee, S. H. On-state in chalcogenide threshold switches (10) 226*i*.

Lee, S. H., and Henisch, Heinz K. Threshold switching in chalcogenide glass films (10) 221*i*.

Lee, Soo Woo, Shin, Young Jo, and Park, Hee Chan Fritted glazes: I, II (9) 198*a*.

Lee, T. H. See Ahrenkiel, R. K.

Lee, Thomas E., and Frey, Frederick W. Method of improving the grindability of alumina-silica ores, P (8) 179*b*.

Lee, William P., II See Ruleff, Robert L.

Leeds, Donald H. Composite product and method of making, P (5) 100*c*.

Leeds, Maurice A. Handbook of Electronic Materials: Vol. 9, Electronic Properties of Composite Materials, B (10) 240*h*.

Leeds, Michael T. See Wakley, Wilbur T.

Leedy, Nelson J. See Hansen, James H.

Leers, Klaus J., and Roeger, Klaus Application of a new moisture tester for granular mineral building materials (1) 21*e*.

Lees, J. See Pitt, G. D.

Lees, T. P., and Welch, J. J. Homogeneity of a bulk delivery of cement (4) 78*h*.

Lefebvre, Denis Flame retention head assembly, P (9) 206*b*.

Lefelhocz, J. F. See Gager, H. M.

Lefort, H. G. See Wilson, H. H.

Lefrancois, Jacques See Blum, Paul

Legacy, Lloyd W., McAvoy, Thomas R., and Nelson, Leonard E. Abrasive articles [belts], P (1) 1*f*.

Leger, Lucien Surface treatment of glass and similar materials, P (5) 99*i*.

Legg, Louis L. See Kelly, Robert G.

Lehany, Robert F., and Shaklee, Kerry L. Method of determining the presence of stimulated emission or of measuring the net gain in materials for lasers, P (6) 129*j*.

Lehmann, H., and Rauschenfels, E. Pore structure, modulus of elasticity, and frost expansion in relation to the determination of frost resistance of building materials (2) 39*f*; Modulus of elasticity and frost dilatometry for characterizing frost resistance of building materials (9) 204*i*.

Lehmann, H. W. See Harbeke, Guenther

Lehmann, Hans, and Doerr, Henning Effect of water-soluble anionic melamine resin solutions on the properties of concrete mortars (2) 33*b*.

Lehmann, Hans, Mathiak, Heinz, and Thomas, Hans P. Quality of burned limes in shaft kilns (6) 121*e*.

Lehmann, Hans, and Rieke, Klaus Continuous observation of the setting characteristics of builder's plaster by the ultrasonic method (9) 190*b*.

Lehmpfuhl, Gunter See Tanaka, Michiyoshi

Lehovec, Kurt Laser comprising Fresnel optics, P (3) 63*i*.

Lehr, Pierre See Dechamps, Michel

Leibenzeder, Siegfried See Merkel, Hans

Leibler, K., Isupov, V. A., and Bielska-Lewandowska, H. New two- and three-phase ferroelectric-ferromagnetic materials—some problems and results (2) 42*b*.

Leibowitz, Leonard, Chasanov, Martin G., Mishler, Larry W., and Fischer, Donald F. Enthalpy of liquid UO_2 to 3500°K (1) 19*i*.

Leibowitz, Leonard, Fischer, Donald F., and Chasanov, Martin G. Enthalpy of $(U_{0.8}Pu_{0.2})O_{1.97}$ from 2350° to 3000°K (10) 230*e*.

Leibu, J. D. Automation of wet kilns (11) 254*i*.

Leidheiser, Henry, Jr. See Audisio, Sylvain C.

Leipold, Martin H. Method for observing and controlling microcracks in ceramics (11) 253*j*. See Kapadia, C. M.

Leipold, Martin H., and Kapadia, C. M. Effect of anions on hot-pressing of MgO (5) 108*a*.

Leirikh, V. E. See Savvina, Yu. A.

Leisenberg, M. Automatic tunnel kiln operation with reference to firing and control and car movement (4) 89*h*.

Leisenberg, Wolfgang Systems for moisture control during tempering [of clay] in the plants (10) 231*h*.

Leitnaker, J. M. See De Luca, J. P.

Leitnaker, James M., and Spear, Karl E., II Stabilized U or U-Pu nitride fuel, P (4) 88*a*; Stabilized U or U-Pu nitride fuel, P (10) 231*e*.

Leitner, L. See Keller, C.

Leivo, William J. See Tunheim, Jerald A.

Lejeune, Pierre Apparatus for making a continuous sheet by filtration of particles in suspension in a liquid, P (10) 231*i*.

Leliaert, Raymond M. See Colley, Donald G.

Lemaitre, Gerard Method for producing optical elements with aspherical surfaces, P (3) 64*c*.

Lemelson, Jerome H. Method of making a ducted sheet assembly and composite article, P (10) 222*f*.

Lemeshev, V. G. See Balkevich, V. L.

Lemeshko, O. V. See Safonov, V. V.

Lemke, M., and Schilz, W. Microwave integrated circuits on a ferrite substrate (7) 152*c*.

Lemoine, Jacques G. See Flannery, James E.

Leng, Eric R. See Duinker, Hans D.

Lenhard, Myron J. See Hagenbach, Robert J.

Lent, Charles V. See Cochran, Thomas J.

Leonard, A. J., Ratnasamy, P., Declerck, F. D., and Fripiat, J. J. Structure and properties of amorphous silicoaluminas: V, Nature and properties of silicoalumina surfaces (2) 54*i*.

Leonard, Donald A. Remote quantitative analysis of materials [Raman radiation], P (7) 157*g*.

Leonard, R. J., and Herron, R. H. Volume expansion and structural damage in periclase-chrome refractories (1) 14*c*.

Leong, J. T., and Emrick, R. M. Temp. and pressure dependence of the dielectric constant and spontaneous polarization of ferroelectric KNO_3 and $NaNO_2$ (5) 115*h*.

Leonhard, Karl W. See Hartmann, Hans J.

Leonhard, P. G. See Kookootsedes, G. T.

Leonov, A. I. Formation of solid solutions of oxides in the systems ZrO_2-MeO_n (5) 110*a*. See Andreeva, A. B.

Leonov, Gennady M. See Krikorov, Vadim S.

Leonov, V. M. See Grach'yan, A. N.

Leontaritis, Lambis See Hoffmann, Hans

Lepitova, N. P. See Mamykina, L. V.

Lepone, John J. See Kulicke, Frederick W., Jr.

Lepselter, Martin P. See Andrews, John M., Jr.

Lepselter, Martin P., and MacRae, Alfred U. High-resolution shadow masks and their preparation, P (5) 102*e*.

Leroux, A. Improved Andreasen method of particle size measurement—limitations of the method (5) 104*e*.

Lesnykh, D. S. See Belyaev, I. N.

Lesnykh, D. S., Elkhenbaum, I. G., and Chernyakhovskaya, S. A. Phase equilibria in alkali metal metaborate systems (1) 26*j*.

Lesneff, H. Influence of water on the domain structure of epitaxy films of GdIG and YIG (10) 226*g*.

Lesneff, H., Vittoria, C., Braginski, A., and Oeffinger, T. R. Influence of substrate on the in-plane ferromagnetic spectrum of epitaxial YIG films (6) 128*i*.

Lester, William C., Nuccio, Carlo, and Ward, Ernest S. Elongated electrode and target arrangement for an rf sputtering apparatus and method of sputtering, P (4) 86*a*.

Leurs, A. See Henrion, P. N.

Leusden, C. O. P. Effect of the setting on the flow of gases and the quality of the ware in tunnel kilns (2) 49*g*; Temp. distribution in tunnel kilns with different types of settings (4) 90*a*; Importance of tunnel kiln setting for firing quality and kiln size (10) 223*d*.

Leute, V., and Kalb, A. Influence of phase-boundary reactions on diffusion during double conversions in solid state (3) 75*c*.

Leuze, Rex E. See Lloyd, Milton H.

Levchenko, Yu. V. See Bernshtein, R. S.

Levelut, A. See Boiteux, Michel ; Joffrin, Jacques

Levesque, Charles J. See Spielberg, David H.

Levin, Ernest M. See Schneider, Samuel J.

Levin, Ernest M., Benedict, Joseph T., Sciarello, James P., and Monsour, S. System K_2SO_4-Cs_2SO_4 (9) 215*g*.

Levin, Solomon I. See Alexandrov, Albert I.

Levina, V. S. See Pavlushkin, N. M.

Levina, V. S., Pavlushkin, N. M., and Sarkisov, P. D. Use of fuel ashes and slags in the production of glass and glass-ceramics (1) 9*f*.

Levina, V. S., Potashnikova, T. P., Pavlushkin, N. M., and Sarkisov, P. D. Effect of heat treatment on crystallization of glasses of the system SiO_2-CaO-MgO-Al_2O_3-Fe_2O_3 (8) 167*c*.

Levine, B. See Gazza, G. E.

Levine, David J. High-temp. metallic diffusion coating, P (6) 122*e*.

Levine, Herman S. See Nelson, Lloyd Spencer

Levinson, Lionel M., and Shtrikman, Shmuel Entropy change of spin reorientation phase transitions [in $TbFeO_3$, $YbFeO_3$, and α-Fe_2O_3] (7) 160*g*.

Levinstein, H. J. See Wolfe, R.

Levinstein, H. J., Licht, S. J., Landorf, R. W., and Blank, S. L. Growth of high-quality garnet thin films from supercooled melts (10) 226*b*.

Levinstein, Hyman J. See Bobeck, Andrew H.

Levintovich, E. V. See Degtyareva, E. V.

Levy, A. See Almog, A. ; Green, Mino

Levy, Francis, and Wachter, Peter Compressibilities of the Eu chalcogenides (7) 159*j*.

Levy, G. M. See Andrews, E. H.

Levy, Newton, Jr. Process for the preparation of Pb-containing piezoelectric powders, P (4) 87*a*.

Levy, Newton, Jr., Wirth, David G., Jr., and Rettew, Richard R. Doped alumina powder, P (7) 158*i*.

Lewanowicz, S. See Dobierzewska-Mozrzymas, E.

Lewey, Sonia See Peppard, Donald F.

Lewins, J. See El-Shamy, T. M.

Lewis, Albert D. Method of opening ampoules in a noncontaminating manner, P (6) 125*j*.

Lewis, Arthur E. See Cohen, Jerry J.

Lewis, Clifford J. New concept for scrubbing gases (11) 255*b*.

Lewis, Daniel W. Fluorescent lamp having TiO_2-doped glass envelope with transparent buffer film of TiO_2, P (11) 245*c*.

Lewis, M. F., and Patterson, E. Assessment of tourmaline as an acoustic-surface-wave-delay medium (11) 256*i*.

Lewis, Thomas W., II See Nell, David J.

Li, Pei-Ching, and Tsang, Paul J. Glass vapor deposition on surfaces of semiconductor elements, P (4) 86*c*.

Li, Tingye, and Marcatili, Enrique A. J. Research on optical fiber transmission (11) 245*c*.

Liang, Shen-Fu See Bailey, James E.

Libershtein, I. L. See Donis, V. K.

Librant, Zdzislaw See Pampuch, Roman

Lichstein, Bernard M., and Woolf, Cyril Process for the preparation of ammonium bifluoride from ammonium fluoride, P (3) 73*e*.

Licht, S. J. See Landorf, R. W. ; Levinstein, H. J.

Lichtenstein, Werner S. SiO_2-treated acicular alkali metal titanates, P (10) 229*d*.

Lichtner, B., and Hundt, J. Porosity measurements on cement mortars and concretes (4) 79*d*.

Licis, M. S. See Brixner, L. H.

Lidin, R. A. See Sarkisov, E. S.

Lieb, Albert, and Niehuus, Hans C. Multidiode camera tube with fiber-optics faceplate and channel multiplier, P (1) 18*d*.

Lieber, W. Effect of inorganic admixtures on the setting and hardening of portland cement (7) 142*h*.

Lieber, W., and Richartz, W. Effect of triethanolamine, sugar, and boric acids on the setting and hardening of cements (10) 218*a*.

Lieberman, Morton L. Method of making photochromic films on glass substrates, P (1) 10*c*.

Lieberman, Stuart I. Matched ultrasonic delay line with solderable transducer electrodes, P (1) 17*f*.

Liebert, Richard B., and Conklin, Thomas H. Method of depositing Hf-Ta nitride layer by reactive sputtering, P (7) 153*i*.

Liebertz, J. Formation and fields of existence of the two Na-β-Al_2O_3 phases (9) 210*f*.

Liebowitz, Harold (Editor) Fracture—An Advanced Treatise: Vol. 7, Fracture of Nonmetals and Composites, B (1) 30*e*.

Liederbach, William H. Method of mfg. thick-film hybrid integrated circuits, P (5) 102*c*.

Liehn, Walther Self-carburization of natural gas flames with primary air addition. Results with tank and pot furnaces (1) 8*b*.

Liepert, Reinhold Photoflash lamp, P (9) 194*f*. See Kaufmann, Peter

Lifshits, A. E. See Buslovich, N. M.

Lightowlers, Edward C. See Williams, A. W. S.

Likholetov, Nikolai I. See Krikorov, Vadim S.

Liles, K. J., Brown, J. W., and Sullivan, G. V. Continuous heavy liquid concentration of high-clay potash ores (7) 158*f*.

Liley, P. E. See Ho, C. Y.

Lillebuen, Bjoern See Berge, Bjoern

Lim, Eung Keuk, and Lee, Joon Behavior of oxides of Fe in reducing atm (9) 197*i*.

Lim, Mahn Jick Vapor transport method for growing crystals [GaP], P (6) 130*h*.

Lim, T. C. See Kraut, E. A.

Limar, T. F., Kisel, N. G., Cherednichenko, I. F., and Savos'kina, A. I. Ca tetratitanate (9) 208*d*.

Limbough, Pol J. Method of mfg. miniaturized electric circuits, P (3) 69*g*.

Limburg, G. Material preparation plant for the pottery or brick industry which provides a body of controlled plasticity [water content] (4) 84*g*.

Liminga, Rune See Tellgren, Roland

Lin, I. J., and Niedzwiedz, S. Kinetics of the massicot—litharge transformation during comminution (3) 75*i*.

Lin, Kuang-Hui Process for decontamination of neutron-irradiated Be, P (6) 132*a*.

Lin, Ruey-Yuan See Economy, J.

Linares, C. See Rossat-Mignod, J.

Lincoln, Milan L. Semiconductor device fabrication apparatus, P (1) 19*d*.

Lincoln, R. C. See Ruoff, Arthur L.

Lind, C. J. See Hem, J. D.

Lind, Erwin See Busch, Walter

Lind, Roger S. Method of sealing ceramic to nonmetallic using In alloy seal, P (11) 250*h*.

Lindberg, Arne R. Suspended particle light reflection measurement method and apparatus, P (3) 72*i*.

Lindeberg, G. K. See Taylor, Allen L.

Lindemer, Terrence B. Kinetics of the UO_2-C-N_2 reaction at 1700°C (1) 20*c*.

Lindemer, Terrence B., and Bradley, Ronnie A. Method for reducing the O in certain actinide oxides to less than stoichiometric levels, P (6) 131*j*; Kinetic models for the synthesis of $(U,Pu)O_{2-y}$ by H-reduction and carbothermic techniques (10) 230*h*.

Lindholm, R. C., and Dean, D. A. Ultrathin sections in carbonate petrology—a valuable tool (9) 205*c*.

Lindqvist, Oliver, and Moret, Jacques Crystal structure of Te_2O_5 (2) 51*f*.

Lindsley, D. H. See Turnock, A. C.

Lindstrom, R. E. See Bauer, D. J.

Lindvall, N. E. L. Mfg. of bricks, P (9) 195*f*.

Lines, M. E. Nature of the ferroelectric-paraelectric phase transition in Li tantalate (9) 212*h*.

Lingl, Hans, Jr. Machine for unloading and blending layered stacks of bricks or similar articles, P (6) 126*h*; Method and apparatus for the production of green bricks, P (8) 171*e*.

Linkson, P. B. Device for measuring crushing strength of granular materials (11) 253*g*.

Linnett, J. W. See Dobson, D. C.

Linnett, J. W., and Rahman, M. M. Moessbauer studies of Fe^{2+} ions in $Ni_xFe_{3-x}O_4$ (8) 184*d*.

Linnik, E. V. See Belyaev, E. K.

Lins, Stanley J., and Nelson, Charles J. Method for sputter depositing dielectric materials, P (2) 44*f*.

Linse, Diethelm Apparatus for determining the triaxial stress-strain behavior of concrete and preliminary experimental results (11) 241*g*.

Linton, Richard H. See DeSimone, Roy R.

Linton, Robert W. See Miller, James R. ; Sams, Robert H.

Lions, Noel Device for remote positioning of thermocouples in a nuclear reactor, P (6) 131*i*.

Lipatov, Yu. S. See Fainerman, A. E.

Lippincott, E. R. See Miller, P. J.

Lishanskii, B. A. Effect of cements on rheological properties of vibro-transported concrete mixture (9) 190*f*.

Litchinsky, D. See Leadbetter, A. J.

Little, V. I. See Allingham, C. O. ; Andreou, D.

Little, William T. See La Belle, Harold E., Jr.

Littlechild, James E. See Gillies, George M.

Littlefield, Edgar Local reduction Cu reds (4) 78*a*.

Litton, Cole W. See Wherrett, B. S.

Litty, Thomas P., Moss, Ellsworth R., and Rice, Edward J. Hybrid transistor, P (5) 102*f*.

Litvin, B. N., Filipenko, O. S., Pobednimskaya, E. A., and Belov, N. V. Phase formation in the system Na_2O-BaO-SiO_2-H_2O at 450°C (10) 238*i*.

Litvinov, Yu. G. See Il'yasov, I. I.

Litvinova, T. I. See Nikitin, B. M.

Litvinova, Z. S. See Ved, E. I.

Liu, Lin-gun, Bassett, William A., and Liu, Maria S. High-pressure polymorph of Tm—an X-ray diffraction study (10) 236*a*.

Liu, Maria S. See Liu, Lin-gun

Liu, S. T., Heaps, J. D., and Tufte, O. N. Pyroelectric properties of the La-doped ferroelectric PLZT ceramics (4) 85*g*.

Livanova, L. D. See Abdulsabirov, R. Yu.

Livingston, Vaughn E., Jr. Geology and mineral resources of King County, Washington (6) 134*g*.

Livingston, W. A. See Cankaya, K.

Llinares, C. See Paparoditis, C.

Lloyd, Milton H., Tallent, Othar K., and Leuze, Rex E. Solvent extraction process for producing low-nitrate and large-crystal-size PuO_2 sols, P (5) 103*j*.

Lobachev, A. N. See Kuz'mina, I. P. ; Popolitov, V. I.

Lobkov, E. U. See Opalovskii, A. A.

Locardi, B., Gottardi, V., and Zamboni, A. Ion exchange reactions with molten salts in borosilicate glasses (8) 168*a*.

Locher, F. W. Setting and early strength of cement (7) 143*e*.

Locher, F. W., Sprung, S., and Opitz, D. Reactions associated with kiln gases—cyclic processes of volatile substances, coatings, and removal of rings (6) 121*e*.

Lochmann, H. O., and Schillo, H. Raw meal homogenization by means of a process computer (9) 191*h*.

Locker, D. R. See Meese, J. M.

Lockwood, Don L. See Hand, John W.

Lockwood, George C. See Naber, Charles T.

Lockwood, Harry F., and Ettenberg, Michael Method of depositing an epitaxial semiconductor layer from the liquid phase, P (10) 227*i*.

Loeber, Hans First syndicate price list of the German glass industry (glass tariff 1735–37) (10) 220*b*.

Loecsei, B. P. Effect of contract reactions in checkerwork of regenerator chambers (4) 83*h*; Effect of grinding on the reaction between kaolinite and AlF_3: I, Effect of grinding on the mineralizing effect of AlF_3 (4) 83*i*.

Loefgren, Percy Crystal structures of $Rb_2Cr_3O_{10}$ and $Rb_2Cr_4O_{13}$ (2) 51*i*.

Loehman, R. E. See Rao, C. N. R.

Loewenstein, Klaus L., Eisenberg, Earnold J., and Warshaw, Saul Apparatus for producing glass fibers, P (4) 81*e*.

Logacheva, N. S. See Krasotin, K. A.

Loginova, M. V. See Andreev, Yu. V.

Logue, James A. TV bulb with improved strength, P (7) 147*f*.

Loh, Jack C., and Lu, Chih-Shun Solid-state sensor, P (11) 251*c*.

Lohmeyer, S. Effect of detergents on porcelain, glass, and Ag surfaces (9) 191*j*.

Loitiere, Alain See Bourgoin, Gerard

Lokhova, G. G. See Kalinin, D. V.

Lomakina, G. A., and Vodakov, Yu. A. Electrical conductivity anisotropy in SiC polytypes (8) 181*e*.

Lomakina, T. P. See D'yakova, A. P.

Lombard, L. See Vaugoyeau, H.

Lombos, B. A. See Lacam, A.

Lommel, James M. See Chen, Arthur C. M. ; Rodbell, Donald S.

London, Arnold Photocurrent cross talk isolation, P (3) 70*d*.

London, Gilbert J. See Tsai, Stephen W.

Long, Ernest L. See Frederiksen, Thomas M.

Long, George E., III See Brown, Malcolm G., Jr.

Long, James A. See Bates, David J.

Long, Martin L., Jr. See Branovich, Louis E.

Long, Robert E., Jr. See Gump, J. R.

Longfellow, Jack Sawing alumina substrates with a CO_2 laser (7) 152*j*.

Longman, Millard D. See Coulter, Wallace H.

Longo, Frank N. Now flame-spray away wear problems as never before (6) 132*b*.

Longo, J. M., and Raccah, P. M. Structure of La_2CuO_4 and $LaSrVO_4$ (10) 239*b*.

Longo, V. See Roitti, S.

Look, D. C. See Benedict, Robert P.

Lootens, William F., and Flowers, Joseph K. Semiconductor device with low impedance bond, P (4) 87*c*.

Looymans, Wilhelmus P. J. See Snethorst, Adrianus C. J. M.

Lopato, L. M., Lugin, L. I., and Shevchenko, A. V. Phase relations in systems of MgO with oxidized rare-earth elements of the Ce subgroup (5) 113*b*.

Lopato, L. M., and Shevchenko, A. V. Reaction of EuO with the sesquioxides of the rare earth elements (1) 27*e*.

Lorenc, S. See Kempa, C.

Lorenz, Hermann See Schulle, Wolfgang

Lorenz, Walter C. See Johnson, Robert C.

Lorenzelli, R. See Dean, G.

Lorimer, G. W., and Champness, P. E. Combined electron microscopy and analysis of an orthopyroxene (8) 179*j*.

Lorthioir, Gerard L. See Barberon, Michel

Lortholary, P., Gourrat, P., Tetard, D., and Billy, M. Si-O-N system: II, Corrosion of Si_2N_2O powder in O at >1100°C (8) 186*e*.

Losev, S. A. See Larin, A. P.

Loseva, G. V. See Vlasov, A. Ya.

Losey, Harold D. See Kerstetter, Donald R.

Loshak, M. G., Kabanovskii, L. N., and Fridman, V. M. Influence of diamond grinding on carbide strength (11) 241*e*.

Loshkarev, B. A., and Sycheva, N. A. Kinetics of Ni titanate formation (1) 25*i*.

Lotgering, F. K., and Van der Steen, G. H. A. M. Crystal structure and magnetic properties of $Cu_4Mn_2Te_4$ (8) 180*h*; Ferromagnetic $Cu_{1+y}Cr_2Te_4$ and $CuAg_yCr_2Te_4$ with metal-excess spinel structure (9) 210*d*.

Lotgering, Frederik K. Magnetic interaction between Fe^{3+} and Ni^{2+} ions occupying octahedral sites in oxyspinels (9) 212*c*. See van Stapele, Reurp P.

Loubser, J. H. N. See Balona, L. A. de S.

Louderback, Anthony W., and Zook, Morris A., Jr. Method of applying a multilayer antireflection coating to a substrate, P (3) 69*d*.

Loudette, J. See Noblanc, J. P.

Loughran, James See Kurzweil, Karel

Loughridge, Frederick A. Press seal for lamp having fused SiO_2 envelope, P (10) 222*f*.

Loughridge, Frederick A., and Finch, William A. Furnace for mfg. of striation-free quartz tubing, P (6) 125*c*.

Louise, Jean See Couillaud, Jean P.

Louisnathan, S. John See Gibbs, G. V.

Louisnathan, S. John, and Gibbs, G. V. Effect of tetrahedral angles on Si—O bond overlap populations for isolated tetrahedra (5) 108*i*; Variation of Si–O distances in olivines, soda-melilite, and Na metasilicate as predicted by semiempirical molecular orbital calculations (5) 116*d*.

Loukes, D. G., Robinson, Albert S., and Lawrenson, Jack Production of hollow glass articles, P (11) 245*j*.

Loup, J. P., and Anthony, A. M. Relation between macroscopic thermodynamic quantities and the thermodynamic parameters of defect formation in nonstoichiometric ZrO_2 (8) 185*i*.

Lovasz, Jozsef Necessity and possibilities of capacity increase of the CERA pneumatic cement conveyor equipment (10) 218*a*.

Love, Roy E., and Westwig, Ralph A. Photochromic fiber optic plate, P (5) 99*e*.

Lovell, G. H. B., Perels, D. R., and Britz, E. J. Preparation of the monophosphides and monochalcogenides of U and Th by the volatile metal process (2) 46*g*.

Lovetskaya, G. A. See Fedorov, P. I.

Low, George M. Phototransistor, P (5) 102*f*.

Low, M. J. D. See Ruttenberg, F. E.

Low, Norman M. P. See Blair, G. R.

Low, William W. See Morgan, Thomas R.

Lowe, L. F. See Comer, J. J.

Lowe, Peter R. CRT [fiber optics] display apparatus with extended tube life, P (2) 43*h*.

Lowery, N. See Gray, Thomas J.

Lowndes, Robert P. Influence of lattice anharmonicity on the longitudinal optic modes of cubic ionic solids (6) 136*e*.

Lowry, Robert A., Jr., and Smith, Billy E. Method of forming ohmic contact for [Si] semiconducting devices, P (2) 44*j*.

Lu, Chih-Shun Thickness sensor for sputtering systems utilizing magnetic deflection of electrons for thermal protection, P (7) 155*a*. See Loh, Jack C.

Luan, Chanh Chi See Zelikman, A. N.

Lubart, Eneil D. See Agusta, Benjamin

Lubatti, Eugenio, and Pappalardo, Salvatore Production of BN, P (7) 149*a*.

Lubey, Josef Apparatus for testing the high-temp. compressive strength of basic refractories (6) 126*i*.

Lubowitz, Hyman R., and Vaughan, Robert W. Boron reinforced polyimide composites, P (2) 40*a*.

Lucas, Arthur C. Thermoluminescent radiation detector, P (9) 202*e*.

Lucas, John W. (Editor) Fundamentals of Spacecraft Thermal Design, B (2) 57*a*.

Lucas, Joseph Mfg. of semiconductor devices, P (9) 201*b*; Semiconductor rectifying apparatus, P (9) 202*g*; Flame tubes, P (10) 224*h*; Semiconductor devices, P (11) 251*g*.

Luckey, George W., and Sherwood, Charles F. Preparation of rare-earth-activated oxysulfide phosphors, P (3) 70*f*.

Lucovsky, G. See Onstott, J. ; White, R. M.

Ludemann, C. A. See Saltmarsh, M. J.

Ludwig, U. Setting and hardening of cements (1) 3*g*. See Krogbeumker, G.

Ludwigson, D. C. Test for strength retention in enameling-steel sheets (5) 97*a*.

Luethi, B. See Gorodetsky, G. ; Kino, Y.

Lugin, L. I. See Lopato, L. M.

Luginin, A. N. See Luginina, I. G.

Luginina, I. G., Luginin, A. N., Klassen, V. K., and Shaposhnikova, M. A. Reduction atm. in furnaces and its effects (2) 49*f*.

Luginina, I. G., Luginin, A. N., and Polyakov, G. P. Causes of rapid setting of high-alkali cements (2) 32*f*.

Lugscheider, Walter, and Maier, Richard Method of producing superconductive cavity resonators particularly for particle separators, P (1) 18*i*.

Luhman, T. S. See Curzon, A. E.

Luisi, Billie Potworks—A First Book of Clay, B (7) 164*i*.

Lukacs, Ileana, and Strunievici, Constanta Ceramic colors containing Cd sulfoselenide pigments (2) 50*b*.

Lukacs, J. M. See Rita, R. A.

Lukashenko, E. E., and Revtova, G. A. DTA study of the system Ca,Mg,Ba||F (2) 52*i*.

Lukashevich, A. S. Rapid lining of a rotary kiln at the Magnezit Factory (USSR) (1) 12*j*.

Lukaszek, Theodore J. Crystal plating monitoring system, P (9) 200*a*. See Guttwein, Gunter K.

Lukatskaya, L. A., Butt, Yu. M., and Timashev, V. V. Hydration rates of minerals (1) 3*b*.

Luke, T. E. See Cummins, S. E.

Luker, John P. See Hiatt, John C.

Lukin, E. S. See Andrianov, N. T. ; Borovkova, L. B. ; Poluboyarinov, D. N. ; Sysoev, E. P.

Lukomskaya, Z. T. See Dmitrevskii, G. E.

Lukyanov, I. A. See Bartenev, Georgi M.

Lukyanova, O. I., and Vasileva, N. G. Strengthening process in coagulation gels of Ca hydrosilicates (11) 242*d*.

Lumsden, Alexander D. [Vibrating] screen, P (6) 132*d*.

Lundin, Robert S. See Cielaszyk, Edward F.

Lunenok-Burmakina, V. A., and Kupril, V. Z. Thermal decomposition and structure of Mg, Zn and Cd peroxides (7) 163*e*.

Lunn, Gerald K. Diffused resistor, P (2) 43*c*.

Lunquist, Richard E., and Kerr, William J. Thick-film feedthrough capacitor, P (10) 229*b*.

Lustig, Claude D. See Freyheit, Paul J.

Luther-Davies, B., Davies, Philip H., Cound, Vivienne M., and Hulme, Kenneth F. Signs of the electrooptic coeffs. for Li tantalate (11) 259*d*.

Lutsyk, V. I. See Mokhosoev, M. V.

Lutz, G. J., Boreni, R. J., Maddock, R. S., and Wing, J. (Editors) Activation analysis: a bibliography through 1971 (3) 71*i*.

Lutz, Gerhard See Mosch, Willi

Luzhnaya, N. P. See Khvorostenko, A. S. ; Stepenkov, E. I.

Luzhnaya, N. P., Finkel'shtein, Ya. G., and Berul, S. I. Telluroantimonites of the alkali metals (1) 28*h*.

Lyakhovich, I. A., and Alekseev, S. N. Mechanism of protective action of anticorrosion coatings on reinforcement steel for concrete (2) 33*b*.

Lyamov, V. E. See Mamatova, T. A.

Lyasin, V. F. Relation between viscosity and structure of quartz glass (5) 98*j*.

Lyass, Abram M., Snulova, Lidia D., Borsuk, Pavel A., Tsyruleva, Anna I., and Teplyakov, Sergei D. Method of preparing a liquid mixture for the production of foundry cores and molds, P (7) 149*g*.

Lykiema, J. See Breeuwsma, A.

Lykova, L. N. See Kovba, L. M.

Lykova, L. N., and Kovba, L. M. X-ray study of some double oxides of Ta and rare-earth elements (5) 116*g*.

Lynch, D. W. See Cardona, Manuel

Lynch, J. F., and Bradt, R. C. Work of fracture of BeO (6) 140*c*.

Lynch, John F. Composite ceramic articles, P (7) 150*d*.

Lynch, R. W. See Edwards, Leon R. ; Morosin, B.

Lynd, Langtry E., and Moklebust, Olav Process for continuously leaching titaniferous materials, P (6) 134*g*.

Lynes, Dennis J. Two-terminal npn-pnp transistor memory cell, P (5) 103*b*.

Lyons, Sanford C. Method and apparatus for classifying fine-particle materials, P (8) 179*b*.

Lyons, Vincent J. See Blakeslee, A. Eugene

Lysaght, John Electrolytic treatment process, P (11) 252*g*.

Lysakov, V. S. See Balitskii, V. S.

Lysher, Wayne M. Apparatus for producing microspheres, P (8) 177*b*. See Allen, Robert D.

Lyu, S. L. See Ahrenkiel, R. K.

Lyubimtseva, I. Ya. See Smirnov, M. V.

Lyubin, V. M. See Kolomiets, B. T.

Lyutikov, R. A. See Andrievskii, R. A. ; Savin, V. I.

Maat, Hendrik J., and Berg, Andre L. Process for the preparation of catalysts containing crystalline aluminosilicate zeolites, P (5) 106*a*.

MacCragh, Adolfo P., Patil, Arvind S., and Ashby, George E. Process for preparing tungsten-silica cermets, P (5) 100*j*.

MacCrone, R. K. See Scott, W. W.

Macdonald, B. P., Schaffer, P. C., and Cummerow, R. L. High-temp. furnace—3000°F in five minutes (9) 205*i*.

MacDonald, J. O. S. Progress in drying: I–II (11) 255*d*.

Macdonald, James W. Emission control in frit processing (5) 96*i*.

MacDonald, Ronald F. Apparatus for molding and firing dental porcelain, P (3) 66*b*.

MacDowell, John F. See Duke, David A.

Macedo, P. B. See Higgins, T. J. ; Laberge, N. L. ; Provenzano, V. ; Schnaus, U. E. ; Schroeder, J. ; Simmons, Joseph H.

Macedo, P. B., Moynihan, C. T., and Bose, R. Role of ionic diffusion in polarization in vitreous ionic conductors (8) 168*d*.

MacEwan, J. R., and Meadowcroft, R. R. Annealing of damage in U_3Si—electrical resistivity studies (7) 155*f*.

Mach, Lumir See Chvalovsky, Vaclav

Mach, Otto, and Hrebicek, Milan Dependence of electric resistance of various glasses on temp. and tension in above-room-temp. regions (1) 5*j*.

Machida, Michihide See Nakashima, Kunisuke

Machida, Yasuhiko See Tanaka, Kazunobu

Machiels, A. J. G. Production of lightweight aggregates from clay (11) 246*d*.

Machii, Tetsuo See Suenaga, Masanobu

Machova, Helena See Chvalovsky, Vaclav

Maciaszek, M. See Auleytner, J.

MacKay, Stanley See Theodosopoulos, James

Mackenzie, J. D. See Dunn, B. ; Sakka, Sumio

Mackenzie, R. C. Differential Thermal Analysis: Vol. 2, Applications, B (5) 117*h*.

MacLachlan, Donald F. A. Potentiometer, P (6) 130*a*.

MacLachlan, Donald, Jr. See Westwood, A. R. C.

MacMillan, Robert T., and Jackson, Jesse, Jr. Method for producing solutions of high alumina concentration by alkaline extraction of Al-containing oil shale, P (2) 50*b*.

MacPherson, Herbert G. See Bettis, Edward S.

MacRae, Alfred U. See Dalton, John V. ; Lepselter, Martin P.

MacVicar, Margaret L. A., Freake, Stuart M., and Adkins, Clement J. Electrode-C-electrode junctions, P (8) 174*e*.

Maczenski, Zdzislaw See Grochowski, Christian

Madar, Roland See Barberon, Michel

Madden, John, and Bye-Jorgensen, Hans J. Crushing machines for glass articles, P (11) 245*b*.

Maddock, R. S. See Lutz, G. J.

Madgett, P. A., and Edwards, B. S. Simple diffractometer heating stage: Appendix—jig for cutting glass slips used in X-ray diffractometry of clays (8) 177*i*.

Madjid, A. Hamid See Anderson, W. F.

Maeda, Hiroshi, and Morimoto, Ichiro Annealing behavior of induced anisotropy in electrodeposited polycrystalline Ni films (5) 106*i*.

Maeda, Hisao, Sakuma, Takashi, and Kobayashi, Keisuke Driving technique for thin-film memory elements, P (3) 69*f*.

Maeda, Isamu Continuous-moving-layer-type adsorption device, P (6) 134*a*.

Maeda, Kazuo, and Sasaki, Yasuo Method of mfg. semiconductor device with multilayer wiring structure, P (9) 201*g*.

Maekawa, Shigeru See Morigaki, Kazuo

Maekawa, Shizuya Measures adopted for reduction of wear of 25-ton arc furnace walls at hot spots (1) 12*b*; Nonmetallic inclusions in steel originated from the products of the reaction between molten steel—molten slag and refractories (1) 12*f*.

Maenhout-Van der Vorst, W. See Arijs, E.

Maffeo, B., Herve, A., Rius, G., Santier, C., and Picard, R. ENDOR measurements of the V_1 center in irradiated BeO (9) 210*b*.

Magari, Saburo See Kawabuchi, Katsuhiro

Magarill, S. A., Klevtsova, R. F., and Bakakin, V. V. Crystal structure of $Li_2W_2O_7$ (8) 180*g*.

Mager, Guenther W. See Brauweiler, Wilhelm

Magnan, Regis M. A. Synthetic wollastonite and its application in wall tile mfg. (1) 15*b*; Hydration of silicates, P (6) 121*g*.

Magneli, Arne See Asbrink, Gudrun

Magner, James E. See Basque, Max G.

Mah, George See Wright, Robert J.

Mahe, Rene See Brusset, Henry

Maheaux, Leo W. See Ashar, Kanu G.

Mahenc, Jean See Routie, Rene

Maienthal, E. June Determination of Fe, Ti, and Ni in Apollo 14 samples by cathode ray polarography (5) 104*i*.

Maier, A. A. See Balashov, V. A. ; Borovkova, L. B. ; Dmitruk, L. N.

Maier, A. A., Baisshov, V. A., and Provotorov, M. V. Thermal stability of normal tungstates and molybdates of In and Sc (9) 215*h*.

Maier, Franz See Gappa, Guenther

Maier, Gerhard, and Henes, Siegfried Incandescent lamp with regenerative cycle, P (8) 170*d*.

Maier, Richard See Lugscheider, Walter

Maillot, Armand L. See Sloane, Ivan H.

Maines, R. G. See Bucher, E.

Maire, J. Carbon and graphite—new types of carbon products (4) 82*j*.

Maita, John P. See Eibschuetz, Marcu

Maiya, P. S. Surface diffusion, surface free energy, and grain-boundary free energy of UO_2 (6) 131*d*.

Majdic, A. See Routschka, G.

Majer, Janos See Balazs, Gyorgy

Majima, Azusa See Kimura, Takashi

Majima, Mituhiro See Murase, Shigeo

Majumdar, A. J. See Speakman, K.

Majumdar, C. K. Stress relaxation function of glass (9) 193*d*.

Makarov, E. F. See Vinogradov, I. A.

Makarov, I. A. See Ryazanova, M. Ya.

Makarov, I. A., and Bulavin, I. A. Synthesis of corundum ceramics with a given volumetric electrical resistance (1) 28*a*.

Makarov, N. I. See Altaeva, S. N.

Makarov, V. A., Fotiev, A. A., and Serebryakova, L. N. Phase composition and phase diagram of the system V_2O_5-ZnO (7) 161*h*.

Makarova, T. A. See Korytkova, E. N.

Makarova, T. S. See Krasotin, K. A.

Makashev, S. D. See Volkonskii, B. V.

Makatun, V. N. See Pechkovskii, V. V.

Maki, Iwao Nature of the prismatic dark interstitial material in portland cement clinker (9) 191*b*.

Maki, Michiyoshi Method for mfg. semiconductor devices, P (7) 154*c*.

Makimoto, Tsugio Method of mfg. an integrated circuit having a transistor isolated by the collector region, P (9) 201*f*. See Okabe, Takahiro

Makino, Hiroshi, Nakamura, Susumu, Okada, Takashi, and Matsumi, Koichi Method for producing orthoferrite single crystals, P (11) 250*g*.

Makino, Yoshimi, Higuchi, Shigetaka, Kamiya, Iwao, and Mazuya, Yoshikazu Co ferrite magnetic recording tape, P (3) 69*c*.

Makita, Yunosuke, and Kobayashi, Koichi Galvanomagnetic effect in TlBr (6) 136*j*.

Maklachkov, A. G. See Ippolitov, E. G.

Maksimova, S. I. See Morozov, A. I.

Maksoud, M. Abdel See Hussein, A. T.

Maksutov, Rafkhat, Asfandiyarov, Khalim A., Pashin, Vasily F., Gubarev, Yakov F., Sadykov, Rifgat S., Akhunov, Albert M., Vakhitov, Gadel G., Graifer, Valery I., Zyalyaev, Vagiz M., Kostrjukov, Gennady V., and Efanov, Boris F. Process for coating the internal surface of metal pipes with glass, P (8) 166*j*.

Mal, M. Kumar, and Tarkan, Stuart E. TiC hard-facing steel-base composition, P (7) 149*f*.

Malang, Siegfried Nuclear reactor fuel element, P (2) 47*d*.

Maldonado, J. R., and Anderson, L. K. Ferrite scores in new use—stores, erases, alters images (7) 151*a*.

Maldonado, J. R., and Meitzler, A. H. Ferroelectric domain switching in rhombohedral-phase PLZT ceramics (4) 85*f*.

Maldonado, Juan R. Optical transmission system including strain-biased electrooptic ceramic devices, P (3) 70*c*.

Malevanii, A. I. See Dorofeyev, Yu. G.

Maley, James J. Method for preparing a conductive coating

[$SnCl_2$] on a glass surface, P (5) 99*b*.

Malhotra, S. K. See Chopra, S. K.

Malik, W. U., Srivastava, S. K., and Gupta, Devendra Interaction of cationic surfactants with clay minerals (8) 182*i*.

Malinin, N. I. Flow of a viscoelastic mass in a spherical rotational viscometer (11) 253*i*.

Malinin, Yu. S. See Khnykin, Yu. F. ; Timashev, V. V.

Malissa, H. See Obst, K. H.

Mallon, Joseph R., Jr. See Kurtz, Anthony D.

Mallory, James D. See Heaton, Richard A.

Malm, D. L. See Menth, A.

Malmendier, Joseph W. See Dumbaugh, William H., Jr.

Malofeeva, E. P. See Kuvakin, M. A.

Malova, N. S. See Fedorov, P. I.

Malozemoff, A. P. See Gehring, G. A. ; Gehring, K. A.

Malozemoff, Alex P. Optical spectrum and magnetic properties of $TmFeO_3$ in the single-ion model (5) 113*a*. See Cape, John A.

Malozemoff, Alex P., and White, Robert L. Optical spectra of even-electron rare-earth ions in the orthoferrites [$TmFeO_3$, $HoFeO_3$] (7) 152*f*.

Malozhon, L. I., Butt, Yu. M., and Timashev, V. V. Effect of gypsum on crystallization of belite and properties of cement with low saturation coeff. (1) 2*d*.

Malozhon, L. I., Butt, Yu. M., Timashev, V. V., and Zhitnikova, T. A. Properties of cements prepared from Cr-containing clinkers (8) 166*e*.

Mal'tsev, V. T. See Bukhalova, G. A. ; Gasanaliev, A. M. ; Manakov, V. M.

Mal'tsev, V. T., Bukhalova, G. A., and Manakov, V. M. Phase diagram of the system PbO-$PbSiO_3$-$PbCrO_4$ (10) 238*g*.

Malyutin, S. A., Samplavskaya, K. K., and Karapet'yants, M. Kh. Polymorphic modifications of TeO_2 (5) 113*i*; Systems $MgTeO_3$-TeO_2 and $SrTeO_3$-TeO_2 (5) 115*f*; Synthesis of Sr tellurites and behavior of $SrTeO_3.H_2O$ during heating in an inert atm (5) 115*i*.

Mamaladze, R. A. See Khizanishvili, I. G.

Mamatova, T. A., Fokina, L. A., and Lyamov, V. E. Effect of domain structure on elastic wave propagation in $LiNbO_3$ (8) 180*i*.

Mammel, Richard From pipe to pot (4) 77*g*.

Mamykina, L. V., Lepitova, N. P., Skripko, Gely F., and Burman, L. L. Sintered Al bond wheels for greater glass grinding efficiency (8) 165*d*.

Manabe, A., Ikuta, Y., Mitsuishi, A., Komiya, H., and Ibuki, S. Ir absorption and Raman scattering due to localized vibrational mode of Be in Zn-chalcogenides (9) 211*h*.

Manabe, Seiichiro See Kushihashi, Akira

Manaka, Makoto See Muta, Akinori

Manakov, V. M. See Bukhalova, G. A. ; Mal'tsev, V. T.

Manakov, V. M., Bukhalova, G. A., and Mal'tsev, V. T. System PbO-$PbSiO_3$-$PbSO_4$ (9) 215*g*.

Manara, A. See Antoci, S.

Manasevit, H. M., and Thorsen, A. C. Heteroepitaxial GaAs on Al_2O_3—the formation and electrical properties of Zn- and Cd-doped films (8) 173*g*.

Mandal, N. K. See Arora, B. R.

Mandel, J. See Wachtman, J. B., Jr.

Mandorf, Victor, Jr., and Montgomery, Lionel C. High-purity hot-pressed BN, P (9) 197*a*.

Mandrykin, Yu. I. See Grach'yan, A. N.

Maness, Dale D. Method for the preparation of faujasite-type zeolites, P (2) 50*b*.

Manfre, G. Two-dimensional analysis of temp. profile in continuous glass fiber spinning (3) 63*f*. See Galante, F.

Manghnani, M. H. See Ferraro, J. R.

Manghnani, M. H., Fisher, E. S., and Brower, W. S., Jr. Temp. dependence of the elastic constants of single-crystal rutile between 4° and 583°K (8) 187*e*.

Mangum, B. W. See Colwell, J. H.

Manhart, S. Memory switching in SiO films with Ag and Co electrodes (10) 226*f*.

Manhes, Bernard See Renard, Michel

Maniero, Daniel A. See Hirayama, Chikara

Manifold, Richard W. Gas burner especially useful for glazing glassware, P (5) 99*e*.

Mann, A. W., and Bevan, D. J. M. Intermediate fluorite-related phases in the Y_2O_3-YF_3 system—examples of one-dimensional ordered intergrowth (4) 92*d*.

Mann, Helmut Process for making semiconductor devices, P (9) 201*h*.

Mann, Larry L. Apparatus for lining rotary kilns, P (9) 206*a*.

Mann, Richard S. See Moyle, Kenneth J.

Mann, Wolfgang Rationalization in the firing range in the domestic and hotel porcelain industry (10) 225*b*.

Manning, Charles R., Jr. See Bhat, Vasanth K.

Manning, Harold E. Mn ferrite oxidative dehydrogenation catalysts, P (11) 256*b*.

Manning, P. G. Effect of second-nearest-neighbor interaction on Mn^{3+} absorption in pink and black tourmalines (6) 136*a*; Optical absorption spectra of Fe^{3+} in octahedral and tetrahedral sites in natural garnets (6) 138*d*.

Manning, P. G., and Townsend, Michael G. Effect of next-nearest-neighbor interaction on oscillator strengths in garnets (11) 257*e*.

Mannoni, Michel See Routie, Rene

Manoharan, L. C., and Krishnan, S. Automatic static testing of digital integrated circuits (5) 104*e*.

Manokhin, Anatoly I. See Rutes, Viktor S.

Manor, Philip C., Shoemaker, Clara Brink, and Shoemaker, David P. Crystal structure of the X phase (Mn,Co,Si) (9) 209*a*.

Manring, W. H. Discussion of effect of furnace atm on the melting-fining rate of soda-lime glasses (7) 144*f*.

Manring, W. H., and Bauer, W. C. Batch preparation process—past, present, and future (10) 231*f*.

Manshausen, Theo See Weigel, Horst

Mansmann, Manfred, Winter, Gerhard, Pampus, Gottfried, Schnoering, Hildegard, and Schoen, Nikolaus Process for the production of C fibers, P (7) 149*d*.

Manson, J. A. See Hasselman, D. P. H.

Mansur, Fred E. See Francel, Josef

Mante, A. J. H. Coupled modes in the phonon spectra of $SrTiO_3$ and $KTaO_3$ (7) 159*j*.

Manthey, Kurt See Braun, Klaus

Manukhina, L. M. See Kichkina, E. S.

Manus, Donald J. See Hoffman, Joe G.

Manzo, Jose See Angeleri, Frederico

Mapother, Thomas C., and Wilson, Richard L. Semiconductor gate-controlled *pnpn* switch, P (2) 45*e*.

Mar, Raymond W. Anomalous behavior of Sb-doped SnO_2 (3) 73*j*; Conditions for formation of ErB_6 (6) 135*i*.

Marcatili, Enrique A. J. Air-clad optical-fiber wave guide, P (5) 98*j*. See Kaiser, P. ; Li, Tingye

Marchand, Georges See Clech, Albert

Marchese, B. See Mascolo, G.

Marchetti, M., Julienne, P. S., and Krauss, M. Vibrational and electronic oscillator strengths of LiO (5) 116*e*.

Marcon, J. P., Pesme, O., and de Franco, M. Preparation and crystal structure of Na_3UO_4 (4) 92*i*.

Marcus, H. L., and Fine, M. E. Grain-boundary segregation in MgO-doped Al_2O_3 (1) 25*j*.

Marcus, Robert B. See Chang, Chuan Chung

Mareeva, Z. G. See Dmitruk, L. N.

Marek, Alois Semiconductor structure incorporating tunnel diodes located in the path of the main current flow, P (10) 229*b*.

Marek, B. C. See Visnapuu, A.

Marek, C. R. Supplemental aggregates for construction (3) 73*e*.

Marenich, S. S. See Smolyaninov, N. P.

Marezio, M., Dernier, P. D., Chenavas, J., and Joubert, J. C. High-pressure synthesis and crystal structure of $NaMn_7O_{12}$ (6) 136*e*.

Marezio, M., McWhan, D. B., Dernier, P. D., and Remeika, Joseph P. Structural aspects of the metal–insulator transitions in Ti_4O_7 (8) 186*f*.

Margave, John L., Bautista, Renato G., Ficalora, Peter J., and Badachhape, Ramachandra B. Chemical method for producing diamonds and fluorinated diamonds, P (5) 95*f*.

Margeson, John H. See McKee, Herbert C.

Margittai, Thomas Sequential drying system, P (9) 206*c*.

Margrie, Victor Glaze calculators (2) 31*h*.

Margulis, E. V., Remizov, Yu. S., Kopylov, N. I., Ben'yash, E. Ya., and Chufarov, G. I. Thermal decomposition of $PbCO_3$ (7) 163*d*.

Margulis, T. N. See Carter, R. L.

Marhanka, John E. See Pearson, Alan

Mariacher, Hans See Kieffer, Richard

Marian, Tatiana Variation of the glass melt composition (5) 98*d*.

Marin, Glenn R. Reinforced C bodies [brake disks], P (5) 101*a*.

Marin, J. F. See Contamin, P.

Marinace, J. C. Experimental fabrication of one-dimensional GaAs laser arrays (7) 151*i*.

Marinek, W. See Kalabinski, B.

Marinelli, Donald P. Method and apparatus for depositing epitaxial semiconductive layers from the liquid phase, P (1) 17*g*.

Maringer, Robert, and Cordelle, Claude Installation for mfg. ceramic bathroom pieces, P (7) 150*d*.

Marinkovic, V. See Prodan, A.

Marino, Amadee, D., and Ask, Clifford W., Sr. Method for cladding polygonal cross-section laser, P (7) 147*f*.

Marinov, M. See Simeonov, K.

Marinov, M. R., Boncheva-Chakirova, V., and Radenkova-Janeva, M. Phase equilibria in the $Na_2O.4B_2O_3$-$Li_2O.SiO_2$ system (1) 26*a*.

Maris, Humphrey J. See Blinick, Joseph S.

Marita, Yoshiharu See Katsumata, Takuma

Markelova, N. I. See Velikodnyi, Yu. A.

Markestad, S. A. Proposal for a reliable method of determining the strength properties of a cement without the use of standard sand (10) 218*c*.

Markham, A. J. See Bonfield, W.

Markov, V. A. See Kovalev, N. N.

Markovskii, L. Ya., Pesina, E. Ya., and Omel'chenko, Yu. A. Thermogravimetric study of the reactions of La and Y oxides with NH_4F (5) 116*f*.

Marley, James A., Jr. See Hou, Shou-Ling

Marlowe, Mickey O. See Hill, Howard W.

Marotta, Ralph Process for preparing silica aquasols, P (5) 106*a*.

Marples, J. A. C. X-ray study of the structures of UN, UP, US, and USe at cryogenic temps. (5) 116*h*.

Marquetou, Yves See Ayrault, Bernard

Marr, Colin A. See Crossland, William A.

Marr, Harold E., III Mathematical smoothing of digitized X-ray spectra (1) 21*i*.

Marrello, V. See Ottaviani, G.

Marriott, James G. Method of repairing electrically conducting frit circuits, P (3) 64*d*.

Marshall, D. J. See Taylor, M. J.

Marshall, Harry L. See Frey, James O.

Marshall, Marc See Runciman, W. Alan

Marshall, R. J. See Wyatt, K. J.

Marshall, Robert W. Excess air firing cuts cycle, saves dollars (9) 205*j*.

Marshall, Robert W., and Reed, R. J. Guard against fuel failure (9) 205*j*.

Marshman, H. T. See Harper, N. C.

Marshman, J. H. See Harper, N. C.

Martin, D. M. See Cashion, J. D. ; Cooke, Arthur H.

Martin, Donald L., Jr. See Griffin, Judson R.

Martin, Douglas Leonard, and Snowdon, Robert L. Automatic data acquisition system for calorimetry—specific heat of α-Al_2O_3 between 300 and 470 K (11) 256*j*.

Martin, F. W. Is a scanning ion microscope feasible? (4) 89*b*.

Martin, Heinz See Mosch, Willi

Martin, J. J. See Whiteman, A. E.

Martin, Jack, and Gorecki, Joseph S. Compact single-ended incandescent lamp having improved filament mount assembly, P (3) 63*d*.

Martin, James A. History of Missouri's brick industry (6) 126*f*.

Martin, Mary See Shutt, T. C.

Martin, Melvin M. See Knight, Rodney W.

Martin, R. J. See Tien, P. K.

Martin, Stuart W. See Jones, Claude K.

Martin, T. See Ahrenkiel, R. K.

Martin, T. W. See Carnall, E., Jr.

Martin, Thomas Patrick Interaction of finite NaCl crystals with ir radiation (6) 136*f*.

Martin, William R. See Knight, Rodney W.

Martinez, J. See Anderson, W. F.

Martini, I. P. See Ostler, John

Martinsons, Aleksandrs Method of regenerating spinel-surfaced electrodes, P (4) 80*d*.

Martirosyan, V. O. See Bershov, L. V.

Martorana, D. See Amato, I.

Martynova, L. G. See Dmitrevskii, G. E.

Martyny, William C., Miller, Victor W., and Olwert, Ronald J. Fluorescent lamps having coated inleads, P (4) 81*a*.

Marucchi, J., Jouille, A. M., and Zutterman, F. Switching effect with memory of As_2Se_5—oscillations and self-destruction of the samples (6) 139*c*.

Marui, Shigeo See Yabumoto, Tadaichi

Maruno, Shigeo See Noda, Mikio

Maruno, Shigeo, Noda, Mikio, Kondo, Yusuke, and Yamada, Toshio Electrical properties of As_2S_3-Ag glasses (3) 61*j*.

Maruyama, Eiichi See Asai, Shojiro

Maruyama, Syunsuke See Ueoka, Hisayoshi

Marzocchi, Alfred Glass fiber-reinforced elastomers, P (3) 63*g*; Coated glass fiber strands, P (5) 99*c*; Glass-fiber-reinforced elastomers, P (8) 170*a*.

Marzocchi, Alfred, and Janetos, Nicholas S. Glass fiber bundle comprising an elastomer-compatible impregnant and a thickening agent, P (3) 63*g*.

Marzocchi, Alfred, and Leary, David E. Glass-fiber-reinforced elastomers, P (7) 147*a*.

Masaryk, Joseph S., and Fulrath, Richard M. Characterization of short time in gaseous diffusion analyses (7) 159*i*.

Mascolo, G. Hydration products of synthetic glasses similar to blast-furnace slags (7) 142*f*.

Mascolo, G., Marchese, B., Frigione, G., and Sersale, R. Influence of polymorphism and stabilizing ions on the strength of alite (5) 110*i*.

Mashkov, S. A. See Atabaeva, E. Ya.

Masbovets, V. P., Penkina, N. V., and Puchkov, L. V. Calculation of saturated vapor pressure over NaOH and Na aluminate solutions at 25°–350°C (1) 24*d*.

Masbovets, V. P., Penkina, N. V., Puchkov, L. V., and Kurochkina, V. V. Pressure of saturated vapor over solutions of the system K_2O-Al_2O_3-H_2O at 25°–350°C (1) 26*j*.

Maskall, K. A. Electrocoating (6) 122*b*.

Maskell, Roy See Kloba, Anthony

Maslankiewicz, W. See Gutowski, R.

Maslennikova, G. N. See Surkov, M. E.

Maslennikova, M. G. See Aleksandrova, G. N.

Mason, Daniel W. Capacitor with high-*K* dielectric materials, P (7) 153*b*.

Mason, Daniel W., and Nester, Henry H. Dielectric materials, P (4) 81*h*; Resistor compositions for microcircuitry, P (6) 130*b*.

Mason, David M. See Reid, Jack M.

Mason, Donald R. See Davidson, Jimmy L.

Mason, George W. See Peppard, Donald F.

Mason, George W., Bollmeier, Allen F., Jr., and Peppard, Donald F. Separation of Am and Cm, P (10) 234*h*.

Mason, Warren P. Fifty years of ferroelectricity (11) 249*h*.

Masood, Irshad See Dave, N. G.

Massa, Donald P. Electroacoustic transducers of the mass loaded vibratile piston type, P (9) 200*c*.

Massa, Frank Pressure gradient transducer, P (5) 102*g*.

Masselink, Aanegien, Bakker, Marianne A., and Visser, Bauke Crystal support for a semiconductor crystal, P (4) 86*h*.

Massenet, O. See Capiomont, Y.

Massett, Franklin L. Specimen drying apparatus, P (8) 178*a*.

Massidda, Luigi See Collepardi, Mario

Masso, Jon D., She, C. Y., and Edwards, David Franklin Effects of inherent electric and anisotropic forces on Raman spectra in α-quartz (6) 136*b*.

Masson, Maurice, and Warlop, Raymond Microwave thickness-measuring device utilizing two resonant cavities on either side of the test piece, P (9) 205*d*.

Massoune, Joachim, Kreutz, Rolf, and Friedrich, Heinz Method for recovering U and UF_6, P (7) 155*j*.

Massoth, F. E. See McIlvried, H. G.

Masters, Burton J. See Joshi, Madhukar L.

Masterson, Stewart G. Dense-phase conveying—pro and con (9) 230*f*.

Masuda, Hideaki See Chiba, Hiroyuki

Masuda, Isao See Izumitani, Tetsuro

Masuda, Mitsuru Fluorescent display tubes, P (3) 63*f*.

Masuda, Yoshika See Kontani, Masaaki

Masui, H. Luminescent Tm centers in ZnSe crystals doped with Tm and Li (8) 183*j*.

Masumi, Taizo See Kajita, Koji

Masumoto, K., Kiyosawa, T., and Nakatani, I. Effect of thermal treatment in S atm on the magnetic properties of ferromagnetic semiconductor $CdCr_2S_4$ single crystals (8) 173*c*.

Masuno, Kunio, Murakami, Toshiaki, and Waku, Shigeru Dielectric ceramics with boundary-layer structure for hf application (4) 85*b*.

Masuya, Yoshikazu See Makino, Yoshimi

Masuyama, Takeshi See Matsuoka, Michio

Masuyama, Takeshi, Matsuoka, Michio, and Nishi, Tsuyoshi Nonlinear resistor and nonlinear resistor composition, P (1) 18*f*; Nonlinear resistors of bulk type, P (7) 154*i*.

Masuyama, Toshio See Yajima, Seishi

Matchen, Ben, and Robertson, David B_4C ballistic armor modified with Cr and/or B, P (8) 171*j*; B_4C ballistic armor modified with CaB_6, Ti, and/or Mn, P (8) 172*a*.

Matchen, Ben, Robertson, David, and Scott, John J. Modified with Cu, P (8) 172*a*.

Matej, Jiri Effect of mechanical stress on the dissolving of glass in HF (11) 243*j*.

Matej, Jiri, and Hulinsky, Vaclav Effect of grinding and polishing on the electron probe analysis of glass (1) 6*d*.

Matej, Jiri, and Truhlarova, Marie Boundary layers in quartz glass corrosion by simple glasses: I, Crystalline products and the corrosion mechanism (1) 5*h*.

Matejka, Guy See Fouassier, Claude

Matevosian, Elena P. See Rutes, Viktor S.

Mathai, K. John See Patel, A. R.

Mathers, James E. See Mehalchick, Emil J.

Mathers, James E., Mikus, Felix F., and Yale, Ramon L. Method for producing Eu-activated Y vanadate phosphor, P (10) 228*d*.

Mathers, James E., and Yale, Ramon L. Rare earth oxide phosphors, P (5) 102*i*.

Matheson, Wilfrid G. W halogen lamp with W mesh deflector, P (6) 126*b*.

Mathews, James R. See Dalton, John V.

Mathews, R. K. See Benson, L. V.

Mathewson, Wilfred F. See Wright, Archibald N.

Mathiak, Heinz See Lehmann, Hans

Mathur, P. C. See Srivastava, G. P.

Mathur, V. N. S. See Khoda, R.

Matino, Haruhiro Method for mfg. a semiconductor device, P (5) 102*c*.

Matkin, D. I., Munro, W., and Valentine, T. M. Fabrication of α-alumina by reactive hot-pressing (2) 52*i*.

Matkovich, Vlado I. See Economy, James

Matmuller, R. See Delcoigne, A.

Matousschek, F. Formation of lumps in cement (9) 190*b*.

Matrosova, V. A. See Bergman, A. G.

Matsoyan, B. D. See Morozov, V. N.

Matsubara, Shobei, Asano, Kiyoshi, Ito, Akio, and Nishimura, Yukio Whiteware shaping by roller machine (10) 225*e*.

Matsuda, A., and Kikuchi, Makoto Photosynthesis of As_2S_3 crystal from As-As_2S_3 [crystalline] mixture (9) 213*f*.

Matsuda, A., Okushi, H., Saito, Mitsuyoshi, Kikuchi, Makoto, and Hirai, Y. Polarity-dependent transport of Cu atoms in CdSe single crystal under electric field (9) 213*j*.

Matsumi, Koichi See Makino, Hiroshi

Matsumoto, Heihachi See Shiosaki, Tadashi

Matsumoto, Hironaga See Yabumoto, Tadaichi

Matsumoto, Seiji See Sato, Masamichi

Matsumura, Isamu See Niwa, Shohei

Matsumura, Tatsuo See Nameishi, Naoyuki

Matsunaga, Kenji See Tanifuji, Shinya

Matsunaga, Kichinosuke Measure adopted at Kokura Steel Works for prolonging life of converter lining (1) 12*b*; Service test of dry-pressed stopper sleeve (1) 13*h*.

Matsuo, Akira See Kakehi, Toshihiro ; Yoshida, Hideo

Matsuo, Hideto Relation between electrical resistivity and thermal conductivity of reactor-grade graphite irradiated with neutrons at 300°–400°C (10) 230*f*; Thermal annealing effects on electrical resistivity of reactor-grade graphite irradiated with neutrons at 250°C and 350°C (10) 231*b*. See Iwata, Tadao

Matsuo, Masataka See Ohba, Hiroshi

Matsuo, Terumoto See Kishimoto, Shoichi

Matsuo, Yoshihiro, Sasaki, Hiromu, and Hayakawa, Shigeru Ceramic dielectric material comprising Ba-Na-Nb titanate, P (4) 86*g*; Ceramic dielectric materials of perovskite Ba-Pb Na niobate, P (5) 101*j*.

Matsuoka, Hideaki See Yamada, Tunehiko

Matsuoka, Michio See Masuyama, Takeshi

Matsuoka, Michio, Masuyama, Takeshi, and Iida, Yoshio Voltage-dependent resistors of the surface barrier type, P (1) 19*e*; U-modified ZnO voltage variable resistor, P (2) 45*j*.

Matsushita, Shigeo See Kimura, Masakazu ; Tsuya, Hideki

Matsushita, Takeshi Negative impedance semiconductor device with multiple stable regions, P (4) 86*i*.

Matsushita, Tetsuhiko See Okuda, Masahiro

Matsushita, Tetsuhiko, Yamagami, Teiichi, and Okuda, Masahiro Electrical properties of Ge-Se-In system (3) 74*d*; Switching phenomena in Ge-Se-In system (6) 139*e*; Polarized memory effect observed on Se-SnO_2 system (7) 152*g*.

Matsushita, Toru, Sekiya, Tadashi, and Yamai, Iwao Formation of Sb-doped stannic oxide films from organometallic compounds by thermal decomposition (3) 75*d*.

Matsushita, Toru, and Yamai, Iwao Effects of oxide additives on sintering of Sb_2O_3-doped SnO_2 ceramics (10) 235*j*.

Matsuura, Takashi, and Chikano, Mitsuo Glass color filter for use under daylight color fluorescent light, P (4) 81*b*; Glass color filters for use under white and warm white fluorescent lights, P (5) 99*e*.

Matsuyama, George See Petersen, Arne J.

Matsuyama, Kihachiro See Takayanagi, Kenjiro

Matsuyama, Shigeru See Kishida, Tohru

Matsuzaki, Y. See Tsuboi, T.

Matta, Richard K. See Larkin, Melvyn W.

Mattheiss, Leonard F. Crystal-field effects in the tight-binding approximation—ReO_3 and perovskite structures (8) 180*e*.

Mattimoe, Paul T. See Alexander, Harold M.

Mattis, James J. See Byler, William H.

Mattox, Douglas M. Photographing and interpreting lab-scale glass melt inhomogeneities (1) 8*a*.

Matulewicz, Leonard A. Apparatus for producing a stream feeder, P (10) 222*c*.

Matveev, German M., and Agarkov, Anatoly S. Thermodynamic analysis of the formation of ternary compounds in the system Na_2O-CaO-SiO_2 by means of solid-state reactions (10) 239*j*.

Matveeva, T. S. See Labutina, L. V.

Matzke, Hj., and Politis, C. Self-diffusion of U in UC_2 (9) 203*a*.

Mauck, Michael S. CRT for producing variable-sized displays, P (5) 99*b*.

Maurer, Robert D. Economic optical wave-guide fiber, P (9) 194*b*. See Keck, Donald B.

Maurin, A. F. See Rutman, D. S.

Mauro, R., and Wang, Wen-Chung Acoustoelectric interactions in piezoelectric semiconductors (6) 135*b*.

Mavor, J. W., Jr. Evaluating materials for the deep ocean by simulation (1) 21*j*.

Mavrodineanu, R. Accurate spectrophotometer for measuring the transmittance of solid and liquid samples (4) 88*h*.

Mavroudis, Mavroudis Use of analog model in the determination of temp. gradient in a multilayer [furnace] wall thermally stressed on both sides (6) 133*a*.

Max, Erhard, and Rogalla, Dietrich Method for making magnetic thin-film heads with magnetic anisotropy, P (5) 102*b*.

Maxfield, E. Blair See Cooper, Laurence C.

Maxim, I. V., and Apostol, D. Coatings for vitroceramic nuclear fuel: II, Coatings based on aluminosilicates (10) 229*j*; Coatings for vitroceramic nuclear fuel: III, Influence of irradiation on the specific vol and viscosity of Al silicate glazes (10) 230*a*.

May, Arno See Kaes, Hans Herbert

May, W. Phase decomposition and grain growth in (W,Ti) C-Co alloys (6) 138*f*.

Mayadas, Ashok F. See Cuomo, Jerome J.

Maydell-Ondrusz, E. See Auleytner, J.

Mayer, Gerald C. Automatic batch weigher, P (1) 21*c*.

Mayer, J. W. See Ottaviani, G.

Mayer, Paul Modern safety precautions in the ceramic industry—possibilities and problems (2) 56*g*; Concept of the work on accident prevention carried out by technical supervisory service of the trade cooperative association of the ceramic and glass industries (2) 56*h*.

Mayers, Joseph B., and Kmonk, Stanley Fuel assembly for a nuclear reactor using Zr-alloy-clad fuel rods, P (6) 131*i*.

Mayhew, Anthony J., and Cheale, Leonard F. Apparatus for the mfg. of printed circuits, P (9) 200*h*.

Mayhugh, Michael R., and Christy, Robert W. V_3 band in LiF (8) 188*a*.

Maynard, R. See de Combarieu, A.

Maynell, C. A., and Saunders, G. A. Ultrasonic loss in Na borosilicate glasses (9) 193*j*.

Mayo, Kenneth E., and Fitzgerald, Joseph J. Isotopic thermal power source, P (4) 87*g*.

Mayo, Marvin J. Apparatus for controlled lapping of optical surfaces to correct deviations from desired contours, P (9) 193*e*.

Mazaki, Hiromasa See Nagatomo, Tsuneto

Mazdiyasni, K. S. See Brown, L. M.

Mazdiyasni, K. S., and Brown, L. M. Synthesis of Nb_2O_5-doped $BaTiO_3$ with improved electrical properties (1) 16*d*; Synthesis and mechanical properties of stoichiometric Al silicate (mullite) (1) 27*i*.

Mazepova, V. I., Samplavskaya, K. K., Karapet'yants, M. Kh., and Grachev, V. I. Phase diagram of the system K_2TeO_3-TeO_2 (1) 26*g*.

Mazo, E. E., and Kotel'nikova, G. D. Vitrification and properties of glasses in the system SiO_2-Al_2O_3-MgO-B_2O_3-TiO_2-Li_2O (7) 146*f*.

Mazoh, Marvin Modern materials for controlling machine noise (6) 124*c*.

Mazur, Robert G. Method for determining excess carrier lifetime in semiconductor devices, P (2) 44*h*.

Mazurin, O. V. See Shvaiko-Shvaikovskaya, T. P.

Mazurin, O. V., Roskova, G. P., and Gluyev, V. P. Properties of phase-separated soda-silica glasses as a means of investigation of their structure (2) 37*i*.

McAdams, Arthur C., Jr. See Hurley, Thomas P.

McAdams, Arthur C., Jr., and Tomaselli, Vincent A. Monolithic capacitor having corner internal electrode terminations, P (10) 228*f*.

McAdie, H. G., Garn, Paul D., and Menis, Oscar Standard Reference Materials: Selection of DTA Temp. Standards Through a Cooperative Study [SRM 758, 759, 760], B (2) 58*h*.

McAllister, John H. Apparatus for making [fiber optic] light pipes, P (3) 63*j*.

McAvoy, Thomas R. See Legacy, Lloyd W.

McCafferty, E., and Zettlemoyer, A. C. Absorption of water vapor on α-Fe_2O_3 (2) 50*j*.

McCaldin, J. O. See Ottaviani, G.

McCallister, Robert H. See Yurd, Richard A.

McCambridge, T. H. See Strasser, J.

McCampbell, Carroll B., Jr. See Cutchen, John Thomas ; Haertling, Gene H.

McCann, Joseph A. Integrated semiconductor rectifiers and processes for their fabrication, P (4) 86*d*; Microwave diode with low capacitance package, P (8) 175*f*.

McCarthy, Gregory J., and Fischer, Rose D. System Eu-Fe-O—compound formation and its implications for systematic crystal chemistry (1) 28*c*.

McCarthy, Gregory J., Fischer, Rose D., and Sanzgiri, J. Crystal chemistry and subsolidus phase relations in the system Eu-W-O (2) 51*b*.

McCarthy, James F. See Tisdale, Norman F., Jr.

McCartney, J. H. See Pitt, G. D.

McCauley, James W., Newnham, R. E., and Gibbs, G. V. Crystal structure analysis of synthetic fluorophlogopite (8) 180*g*.

McCawley, Frank X., Wyche, Charlie, and Schlain, David Electrodeposition of metallic boride coatings, P (2) 34*h*.

McClain, R. S. See Rule, A. R.

McClincy, Richard J., Downing, James H., and Wilson, Benjamin J. Process for the production of elemental Si, P (3) 73*f*.

McClure, Benjamin T. See Johnson, Robert G.

McClure, Charles A. Reinforced abrasive wheels, P (6) 119*f*.

McCollum, William A. See Darnell, Alfred J.

McConnaughey, Paul W. See Strange, John P.

McConnell, John F. See Pecoraro, George A.

McCormick, Michael R. See Cullen, William F.

McCown, William E. See Dunipace, Donald W.

McCoy, J. C., and Steele, James W. C fiber structure and method of forming, P (2) 40*b*.

McCoy, John J. Apparatus for producing UO_2 powder, P (9) 203*b*.

McCrary, Leon E. See Carpenter, James F.

McCreight, Louis R. See Henry, Edward C.

McCune, Ray F., and Porter, Richard C. Concrete hardening method and composition, P (3) 60*c*.

McCurdy, K. G., and Stein, H. N. Suspension hydration of C_2S at constant pH: I, Variation of particle size and C_3S content (9) 191*a*.

McDaniel, Carl V., Baker, Richard W., and Rundell, Clark A. Catalytic cracking with catalyst of high-activity zeolite stabilized by cation and thermal stabilization, P (1) 23*c*.

McDermott, Bernard A. See Clark, James H.

McDonald, Bruce A. GaAs integrated circuit, P (4) 86*b*.

McDonald, I. R., Lamki, A. M., and Delaney, C. F. G. Electron emission from alkali halides under soft X-ray bombardment (11) 257*i*.

McDonald, William J. Abrasive article and method of fabrication, P (2) 31*d*.

McDonough, Thomas B. Photoflash lamp, P (9) 194*f*. See Shaffer, John W.

McDougal, John A., and Schwartzwalder, Karl Armor, P (3) 66*b*.

McDowell, Philip R. See Budai, Robert E.

McDowell, S. D., and Wyllie, Peter J. Experimental studies of igneous rock series—the Kungnat syenite complex of southwest Greenland (1) 25*f*.

McEvoy, James E. See Alexander, Warner ; Flank, William H.

McFadden, Charles A. See Remmey, G. Bickley

McFegan, William See Hart, Frederick H.

McGee, Charles F. See Zettlemoyer, James E.

McGee, T. D. See Huang, R. J.

McGinnis, Michael 20 years experience with porcelain on Al (7) 143*h*.

McGrath, John W. Diagnostic and repair system for semiconductors, P (2) 43*b*.

McGregor, J. D. See Berger, R. L.

McHargue, C. J. See Yust, C. S.

Mchedlov-Petrosyan, Otar P. See Kogan, Naum P.

Mchedlov-Petrosyan, Otar P., and Chernyavskii, V. L. Thermodynamic studies of the system $3CaO.Al_2O_3$-$CaO.2H_2O$-H_2O at 253° to 373°K (10) 240*a*.

Mchedlov-Petrosyan, Otar P., Kogan, N. P., and Shchetkina, T. Yu. EPR study of clinker formation (2) 33*e*.

Mchedlov-Petrosyan, Otar P., Kuryachaya, Valentina A., Ol'ginskii, Alexander G., and Chernyavskii, V. L. Effect of acid media containing sulfate and of increased temps. on the physical-chemical properties of cement materials (10) 217*h*.

McIlvried, H. G., and Massoth, F. E. Effect of particle size distribution on gas-solid reaction kinetics for spherical particles (9) 209*a*.

McIntosh, Charles M. See Hoogendoorn, Helen M.

McIntyre, Robert J., and Springings, Howard C. Quadrant photodiode, P (5) 102*h*.

McKee, Herbert C., Childers, Ralph E., Saenz, Oscar, Jr., Stanley, Thomas W., and Margeson, John H. Collaborative testing of methods to measure air pollutants: I, The high-volume method for suspended particulate matter (1) 21*g*.

McKee, John A. See Joo, Louis A.

McKenna, C. D., Garrone, A. F., and Teichmann, N. N. Advantages of natural gas firing for flat glass tanks (1) 5*b*.

McKimm, Robert W. See Sulcs, Juris

McKinley, Robert Alumina ceramic makes economical wire

draw die (7) 149*h*.

McKinney, Ira D. See Haertling, Gene H.

McKinney, K. R., and Smith, H. L. Method of studying subcritical cracking of opaque materials (2) 48*j*.

McKinney, Karl R. Relation of fracture mechanics to mirror surfaces of fractured brittle materials (6) 138*f*.

McKinney, W. A. See Rosenbaum, J. B.

McKulla, George W., Jr. Refractory data availability—useful or useless? (9) 196*g*.

McLachlan, Wilbur D. See Plumlee, Ralph H.

McLaren, Malcolm G. See Ott, W. R. ; Russak, Michael A.

McLean, Arthur F. Ceramics in automotive gas turbines (7) 148*c*.

McMahon, Maurice T., Jr. Testing of metalization networks on insulative substrates supporting semiconductor chips, P (10) 229*a*.

McManus, James W. Miniaturized ferrimagnetic circulator for microwaves, P (9) 201*a*.

McMaster, Harold A. Apparatus for conveying glass sheets through adjacent bending and tempering stations, P (2) 38*e*; Apparatus for conveying glass sheets through adjacent bending and tempering stations, P (5) 98*j*; Apparatus for conveying glass sheets through adjacent bending and tempering stations, P (7) 146*h*.

McMillan, P. W. See Harper, H. ; Hulls, K. ; James, P. F.

McMunn, Bert D. See Jones, John F.

McMurdie, Howard F. See Swanson, Howard E.

McMurray, Nolan D., and Tumey, Morris J. Zr diffusion barrier in Ti-Si carbide composite materials, P (6) 128*d*.

McMurtry, David H. Optical system for optical fiber bundle scanning apparatus, P (5) 99*e*.

McNaughton, D., and Hughes, H. Guniting blast furnace stack linings (11) 247*b*.

McNeilly, Clyde E., and Chikalla, Thomas D. Determination of O/M ratios for U, Pu, and (U, Pu) mixed oxides (1) 19*i*.

McNicol, B. D. See Pott, G. T.

McNulty, Robert H. Common beverage bottles—their production, use, and forms in 17th and 18th century Netherlands: II (7) 141*h*.

McPherson, R. See Aghan, R. L. ; Cutter, I. A. ; Gani, M. S. J.

McPhun, M. K. See Mehmet, K.

McRae, Russell C., and Stuart, William R. High-intensity arc lamp, P (8) 174*j*.

McReynolds, James C., and Adams, William E. Glassware dimpling, P (3) 63*h*.

McStrack, Darrel D. See Burrage, Lawrence M.

McTaggart, George D. See Confer, James O.

McWhan, D. B. See Marezio, M.

McWhorter, William C., and Dykes, Norman L. Method and composition for preparing graphite products, P (4) 87*g*.

McWilliams, Donald A. Method of and apparatus for regulating the resistance of film resistors, P (2) 44*g*.

Meadowcroft, R. R. See MacEwan, J. R.

Meadows, Frank W. See Bradshaw, Arthur

Meadows, Geoffrey W., and Yates, Paul C. Preparation of binary borides, carbides, and silicides, P (1) 14*c*.

Meadows, Paul L. See Delmonte, John

Meads, R. E. See Glasser, F. P.

Mecham, William J. See Miller, William E.

Medici, M. Natural gas firing in glass furnaces (4) 90*c*.

Medler, Albert Method of forming a construction member of glass fiber elements, P (4) 81*g*.

Medvedev, Andrei P. See Krikorov, Vadim S.

Medvedev, S. A., and Klevkov, Yu. V. Growth of CdTe crystals from the vapor phase by vacuum sublimation method (7) 161*d*.

Medvedeva, Z. S. See Tarasevich, S. A.

Mee, Jack E., Besser, Paul J., Pulliam, George R., Heinz, David M., and Elkins, Perry E. Method for producing bubble domains in magnetic [garnet] film-substrate structures, P (8) 175*b*; Method for producing bubble domains in magnetic film-substrate structures, P (10) 228*d*.

Meek, R. L., and Braun, R. H. Devitrification of steam-grown SiO_2 films (9) 199*g*.

Meek, Ronald L. Diffusion coeff. for O in vitreous SiO_2 (7) 160*h*.

Meese, J. M., and Locker, D. R. O displacement energy in ZnO (9) 213*a*.

Meester, E. P. J. See Wanmaker, W. L.

Megaw, H. D. See Ahtee, M.

Megles, John E. See Dumbaugh, William H., Jr.

Megowen, W. J. Method of agglomerating, P (7) 156*c*.

Mehal, Edward W. See Haisty, Robert W.

Mehalchick, Emil J., Mathers, James E., and Ferri, John L. S-modified Y_2O_3 phosphor, P (7) 155*c*.

Mehendru, P. C. Effects of heat treatment and background divalent cation impurity on the growth of *F* centers in highly pure KCl crystals (6) 136*a*; Influence of plastic deformation on the growth of *F* centers in highly pure KCl crystals (11) 258*a*.

Mehmet, K., and McPhun, M. K. Microwave relaxation phenomenon in electron-beam-evaporated films of SiO (5) 101*i*.

Mehran, F., and Scott, Bruce A. EPR of $LiNbO_3:Fe^{3+}$ (9) 209*h*.

Mehta, Hemu Pneumatic handling of materials produced (2) 45*a*.

Mehta, P. K. Effect of lime on hydration of pastes containing gypsum and Ca aluminates or Ca sulfoaluminate (7) 142*i*; Mechanism of expansion associated with ettringite formation (7) 142*j*.

Mehta, R. R. See Chapman, D. W.

Meier, Juergen See Eidner, Dieter

Meier zu Koecker, Heinz, and Roy, Dhirendra Chandra Effect of S in the furnace atm of the glass melt: III, Time dependence of SO_3 absorption (1) 6*f*.

Meigh, Edward Story of the Glass Bottle, B (5) 118*g*.

Meijer, F., and Bootsma, G. A. Chemical behavior of clean Si and Ge surfaces (7) 159*i*.

Meijer, Paul H. E. Crystal field parameters in Tm garnets (5) 107*b*.

Meinert, Norbert See Broemer, Heinz

Meinke, W. Wayne, and Taylor, John K. (Editors) Analytical Chemistry: Key to Progress on National Problems, B (3) 76*d*.

Meister, Rudolf Use of O in the heating of glass tank furnaces (1) 9*f*.

Meitzler, A. H. See Maldonado, J. R.

Meitzler, A. H., and O'Bryan, H. M., Jr. Ferroelastic behavior of PLZT ceramics when subjected to large tensile strains (10) 226*a*.

Mejdahl, V. Progress in thermoluminescence dating at Riso (2) 31*h*.

Melamed, Nathan T. See Roland, George W.

Mel'chakova, L. V. See Topor, N. D.

Melching, William H. See Ammerman, Harry L.

Melekh, B. T. See Sapozhnikov, Yu. L.

Melezoglu, Cevdet Method of making a magnetic recording medium, P (3) 69*f*.

Melhuish, W. H. Absolute spectrofluorometry (5) 104*d*.

Mells, G. Automatic checking of weigh-belt feeders by means of a computer (7) 156*a*.

Meliva, M. A., Paviushkin, N. M., and Sarkisov, P. D. Production of glasses and glass-ceramic materials based on wastes from concentration plants of nonferrous metallurgy in the Armenian SSR (8) 168*a*.

Mellors, Geoffrey W. Solid ionic conductors, P (1) 19*b*.

Mellors, Geoffrey W., and Senderoff, Seymour Electrodeposition of ZrB_2, P (5) 100*d*.

Melngailis, Ivars See Dimmock, John O.

Melnichak, M. E., and Kleppa, O. J. Interionic distances in the liquid alkali halides (4) 92*c*.

Mel'nichenko, T. N., Mikhal'ko, I. P., Semak, D. G., Turyanitsa, I. D., and Chepur, D. V. Physical properties of As glasses of the system $A^{V}B^{VI}C^{VII}$ (7) 145*g*.

Mel'nikov, F. I. Using computing methods for determining the compositions of refractory concretes (1) 14*b*.

Mel'nikov, F. I., and Zhdanova, N. P. Heat-resistant concretes from rapid-hardening cements (10) 218*g*.

Mel'nikov, N. N. See Dudareva, A. G.

Melnikov, Valery V. See Domrachev, Georgy A.

Melton, Charles E., Salotti, Charles A., and Giardini, A. A. Observation of N, H_2O, CO_2, methane, and Ar as impurities in natural diamonds (3) 59*d*.

Melvanin, Frank W. See Craigen, William J. S.

Men, Hoang Cong Effect of electrolytes on setting and structural-mechanical properties of tricalcium aluminate paste (9) 190*g*.

Mendel, H. See Koster, A. S.

Mendel, J. E. Ceramics make nuclear wastes safe (9) 202*j*.

Mendheim, J. Latest technical developments in the construction of tunnel kilns (6) 133*j*.

Menis, Oscar See Burke, R. W. ; McAdie, H. G.

Menth, A., Von Neida, A. R., Shick, L. K., and Malm, D. L. Magnetic properties of Cu-doped $ZnCr_2Se_4$ (8) 183*d*.

Menyuk, N., Dwight, K., and Pierce, J. W. $NaYF_4$:Yb,Er—an efficient upconversion phosphor (10) 237*d*.

Meraz, Daniel, Jr. Method of making a steel, graphite, and phenolic asbestos laminate, P (7) 149*f*.

Mercade, Venancio V. Purification of clay by selective flocculation, P (2) 50*f*.

Meret, Nicolae, and Ionescu, Nicolae New items of equipment for the protection of individual workers in the glass industry (11) 244*b*.

Meriani, S. Polymorphism of $BaFe_2O_4$ (9) 213*j*.

Meriaudeau, P. See Che, M. ; Gravelle, P. C.

Meric, J. P. Continuous measurement of particle size by diffraction of a laser beam (5) 104*g*.

Merkel, Hans, and Leibenzeder, Siegfried Method of producing highly pure particularly Si-free GaAs, P (1) 18*g*.

Merriam, Asaph U. See Veltri, Richard D.

Merrick, Woodrow W. See Norris, Clarence G.

Merrill, C. C., and Couch, D. E. Separation of Nb, Ta, Ti, and Zr from Ti chlorination residues (1) 23*g*.

Merrill, L. See Decker, D. L.

Merrill, Russell B., and Wyllie, Peter J. Absorption of Fe by Pt capsules in high-pressure rock-melting experiments, P (8) 179*e*.

Merrow, J. K. See Ziniker, W. M.

Mertzweiller, Joseph K., and Cull, Neville L. High-activity zeolite catalysts and their preparation, P (1) 23*e*.

Merzhanov, Alexandr G., Shkiro, Valentin M., and Borovinskaya, Inna P. Method of producing refractory carbides, borides, silicides, sulfides, and nitrides of metals of groups IV, V, and VI of the periodic system, P (8) 172*g*.

Mescheryakov, Yu. A. See Fedorenko, Anatoly S.

Mesre, Moses See Wires, E. Stanley

Messier, Donald R., and Wong, Philip Kinetics of nitridation of Si powder compacts (10) 237*d*.

Messier, Donald R., Wong, Philip, and Ingram, A. E. Effect of O impurities on the nitridation of high-purity Si (4) 91*d*.

Messis, Y. See Bind, J. M.

Messner, Dieter See Busch, Walter

Mesters, J. Enci sampler (7) 157*c*.

Mestnik, B. See Ogorelec, Z.

Metcalfe, A., and Wilcock, R. J. Elastic constants calculated from adsorptive length change data on kaolinite rods (8) 181*c*.

Metlin, Yu. G. See Tret'yakov, Yu. D.

Mets, Edwin J. Process for simultaneously gettering, passivating, and locating a junction within an Si crystal, P (2) 45*j*.

Metushevskii, A. S. See Vlasov, A. S.

Metushevskii, A. S., Vlasov, A. S., and Gavrik, G. G. Ceramic from MgO and whiskers (9) 195*g*.

Metzger, Louis G. Low-height ceramic capacitor for printed circuit board mounting, P (3) 69*c*.

Metzler, J. See Eichhorn, F.

Meuleman, Johannes Method and apparatus for a semiconductor radiation detector, P (10) 227*h*.

Meuleman, Johannes, and Aussant, Michel Radiation detector [Ge-Li], P (2) 45*j*.

Meulemans, Charles C. E. See Boekkooi, Anton

Meuller, J. I. See Ziniker, W. M.

Meunier, Georges See Andersson, Sten

Meunier, Georges, Darriet, Jacques, and Galy, Jean $TeVO_4$ polymorphism: I, Synthesis and crystalline structure of α-$TeVO_4$ (2) 55*f*; $TeVO_4$ polymorphism: II, Crystalline structure and structural relations of β-$TeVO_4$ (6) 139*c*.

Mevelle, G. See Govindaraju, K.

Meyer, Edward Glass frit-ceramic powder composition, P (4) 81*c*.

Meyer, Horst See Myers, Samuel M.

Meyer, L. See Albrecht, J.

Meyer, R. Chemical aspects of sintering (7) 156*a*.

Meyer, Robert J., Johnson, Carl E., and Crouthamel, Carl E. Method for detecting and locating failed Na-bonded fuel elements, P (10) 231*b*.

Meyers, Chr. Raw material preparation in the glass industry (11) 244*j*.

Meylan, Charles D. See Varnum, Gordon D.

Mezey, Frank G. J. High-temp. variable capacitor, P (1) 17*j*.

Michael, Harold J. Cermet protective coating, P (4) 80*c*; Method of coating metal, P (11) 243*d*.

Michalek, Z. See Pospisil, J.

Michalik, Edmund R. Method of liquid quenching of glass sheets, P (4) 81*h*. See Dahlberg, John R.

Michalko, Edward Low-density alumina spheres of improved strength at high temp., P (5) 105*i*.

Michel, Andre See Padel, Liliane

Michel, C. See Moreau, J. M.

Michel, D. Defect ordering phenomena in some single crystals of refractory materials based on Al_2O_3 and ZrO_2 (4) 91*i*.

Michel, Jacques See Semichon, Alain

Micheletti, Frank B. See Norris, Peter E.

Michell, Adolph L. See Eddy, David S.

Middelhoek, Joris L., and Snudo, Joseph W. Electric filament [miniature] lamp with improved filament-supporting means, P (9) 194*b*.

Middelhoek, Servaas Process for the preparation of V carbide, P (6) 128*a*; Process for the preparation of V (carbo) nitride, P (10) 224*f*.

Middleton, B. K. See Darby, M. I.

Mieda, Tutomu See Urano, Teruo

Mielenz, K. D. Physical parameters in high-accuracy spectrophotometry (4) 89*g*.

Migima, Y. Measures for prolonging life of converter body (7) 148*j*.

Migima, Y., and Tani, Tetsuro Test results on 80-ton arc furnace suspended roof constructed entirely of basic bricks (7) 148*f*.

Migitaka, Masatoshi, Takahashi, Susumu, Sato, Hitoshi, Nakashima, Hisao, Asai, Shojiro, and Ono, Yuichi Semiconductor device, P (9) 202*b*.

Mihalik, Peter See Czamanske, Gerald K.

Mikami, Itsuo, Hirano, Mikio, and Kamoshita, Genichi Mechanism of magnetization reversal of rare-earth [Er,Y,Tm] orthoferrite single crystals (11) 249*c*.

Mikhail, R. Sh. See Razouk, Rashad I.

Mikhail, R. Sh., and Abo-El-Enein, S. A. Water and N adsorption on hardened cement pastes: I, Development of surface in low-porosity pastes (11) 242*j*.

Mikhail, R. Sh., Nashed, Sh., and Khalil, A. M. Heats of immersion of pure and doped MgO in cyclohexane—effects of micropores (2) 53*i*.

Mikhailenko, N. Yu. See Sil'vestrovich, S. I.

Mikhailov, K. V., and Buzhevich, G. A. Use of ashes and slags of thermal power stations for plain and reinforced concrete structures (9) 191*d*.

Mikhailov, L. A. See Buslovich, N. M.

Mikhailov, N. V. See Bykov, V. M.

Mikhailov, V. N., Orlova, G. M., and Doinikov, L. I. Crystallization of glasses of the system As-Se-I (2) 35*d*.

Mikhailova, A. V. See Balkevich, V. L.

Mikhailova, K. A., Karyakin, L. I., and Safronova, I. P. Stability of refractories in F-containing ANF-6 slag (1) 13*a*.

Mikhal'ko, I. P. See Mel'nichenko, T. N.

Mikhalkovich, L. N. See Bergman, A. G.

Mikheev, V. N., Brovikov, V. N., and Gordeev, S. Ya. Effect of an Na_2O impurity on the dielectric properties of alumina (7) 150*j*.

Mikheeva, V. I. See Arkhipov, S. M. ; Zapol'skii, S. V.

Mikoda, Masanari See Wada, Mitsuo

Mikulyak, Robert M. Method of regrowing crystals of CdS for scintillation counters, P (7) 154*f*.

Mikus, Felix F. See Mathers, James E.

Milard, Roland, and Hubert, Charles Microwave phase-shift devices of the O-π type, P (10) 228*e*.

Milberg, M. E., O'Keefe, J. G., Verhelst, R. A., and Hooper, Henry O. Boron coordination in Na borosilicate glasses (1) 5*f*.

Milch, Alfred, and Singer, Barry Resistive sea for camera tube

employing Si target with array of diodes, P (11) 251*e*.

Milek, J. T., and Neuberger, M. Handbook of Electronic Materials: Vol. 8, Linear Electrooptic Modular [Modulator] Materials, B (9) 216*e*.

Milek, John T. Handbook of Electronic Materials: Vol. 6, Silicon Nitride for Microelectronic Applications, Part 2, Applications and Devices, B (1) 30*j*.

Miles, Donald E. Rotary apparatus for treating colemanite ore, P (5) 106*a*.

Mill, B. V. See Ronniger, G.

Mill, B. V., and Ronniger, G. Unusual coordination numbers of the ions in the garnet structure (8) 187*g*.

Mill, Patrick J. See Fosker, Alan P.

Milledge, H. J. See Vance, E. R.

Miller, A. See Keneman, S. A.

Miller, A. D. See Sarkar, S. K.

Miller, Alan R. Possibility for error in limestone calcination (9) 191*f*.

Miller, Alfred H. See Roetter, Robert P.

Miller, Brian S. See Caldwell, Larry V.

Miller, Chester Predicting non-Newtonian flow behavior in ducts of unusual cross section (2) 48*a*.

Miller, D. W., and Glower, Donald D. Properties of oxygen-depleted ceramic $Pb(Zr_{0.65}Ti_{0.35})O_3 + 1$ wt% Nb_2O_5 surface layers (4) 85*f*.

Miller, David C. See Brandle, Charles D., Jr.

Miller, David J. See Wiewiorowski, Tadeusz K.

Miller, Emery P. Deposition method, P (2) 34*h*.

Miller, Emery P., and Probst, Richard O. Method of electrostatically depositing particles onto the trailing edge of a substrate, P (1) 17*h*.

Miller, Everett R. See Davis, Carlton J., Sr.

Miller, Forbes M. See Bredzs, Nikolajs

Miller, G. R. See Yamada, Hisao

Miller, Gabriel L. Method and apparatus for analyzing semiconductors, P (8) 174*e*.

Miller, J. E. See Weber, M. J.

Miller, James R., Pierce, Richard H., Linton, Robert W., and Wills, John H. Silica, P (5) 106*a*.

Miller, John J., and Rychlewski, Thaddeus V. Method of forming a CRT screen, P (2) 39*b*.

Miller, Norbert D. Magnetic-reed temp. switches (11) 249*a*.

Miller, P. J., Khanna, R. K., and Lippincott, E. R. Coupled molybdate and tungstate vibrations (8) 180*c*; Effects of anisotropy on the ir reflection bands of biaxial $MgMoO_4$ (10) 235*h*.

Miller, Paul See Erdman, William C.

Miller, R. C., Abrahams, S. C., Barns, R. L., Bernstein, J. L., Nordland, W. A., and Turner, E. H. Absolute signs of the second harmonic generation, electrooptic, and piezoelectric coeffs. of CuCl and ZnS (9) 207*f*.

Miller, R. P. See Barry, T. I.

Miller, Robert L. See DeVries, Adrian J.

Miller, Roger A., and Colburn, Steven C. Low-expansion multiband-transmitting glass, P (10) 222*a*.

Miller, S. E. See Kaiser, P.

Miller, Stewart E. Low threshold stripe geometry injection laser, P (2) 44*d*.

Miller, Victor W. See Martyny, William C.

Miller, William A. See Sleggs, Alton C.

Miller, William E., and Mecham, William J. Method for detecting and monitoring a fuel element failure in a nuclear reactor, P (9) 203*a*.

Milligard, Lars O. A., and Sjolin, Ulf P. T. Method of detecting defects of material surfaces, P (11) 245*f*.

Milligan, G. C., and Brown, G. L. Mechanical preparation of thin sections (10) 232*e*.

Millis, Walter T. Electron discharge device, P (6) 129*d*.

Mills, Alfred L., and Hartley, Kenneth Processing of irradiated nuclear fuel, P (5) 103*h*.

Mills, Carroll B., and Brasier, Robert I. Compact and safe nuclear reactor, P (1) 20*e*.

Mills, Harry N., and Roll, Henry E. Method of feeding glass batch, P (7) 147*g*.

Mills, J. J., and Sievert, J. L. Stress relaxation modulus of a commercial glass (11) 245*f*.

Mills, John J. Nonstoichiometric defects in sapphire (5) 112*c*; Comment on "Temp. variation in distribution of relaxation times in aluminosilicate glasses" (11) 243*h*.

Mills, Norman T. See Halley, James W.

Mills, R. H. See Smith, R. H.

Milosz, J. See Gutowski, R.

Mil'shenko, R. S. See Bernshtein, R. S.

Milyukov, E. M. Structural characteristics of Na borate glasses (6) 124*j*.

Minakov, A. G. See Pavlushkin, N. M.

Minakov, A. G., Min'ko, N. I., Gollus, T. E., and Pavlova, V. N. Nature of a dark film on the surface of a white slag glass-ceramic (7) 145*e*.

Minakov, A. G., and Pavlova, V. N. Chemical nonuniformity of slag glasses and glass-ceramics (7) 144*c*.

Minakov, Anatoly G. See Bogrets, German N.

Minami, Shigeo See Zenitani, Fukuo

Minato, Osamu See Suzuki, Masakuni

Minden, Henry T. Comparison of liquid phase epitaxy and chemical vapor epitaxy of III-V compound semiconductors (10) 225*i*.

Mineev, V. N. See Novitskii, E. Z.

Minematsu, K. See Miyatani, K. ; Takahashi, T.

Ming, P. See Green, Mino

Ming-Chong, Luong See Arima, Hideo

Min'ko, N. I. See Minakov, A. G. ; Pavlushkin, N. M.

Min'kov, D. B. See Krasotin, K. A.

Min'kova, E. B. See Sadkovskii, E. P.

Minnick, William J. Slagging in basic steelmaking process, P (8) 172*e*.

Minnier, Henry V. See Frey, James O.

Minowa, Osamu See Miyamoto, Hiroshi

Miny, J. C. See Vouillemet, M.

Mirak'yan, M. M. See Pirogov, A. A.

Miraldi, Floro D. Scintillation crystal structure comprising a series of rectangular wafers forming a bar, P (7) 154*f*.

Mirishli, F. A. See Kizhaev, S. A.

Mironov, K. E., Vasil'eva, I. G., Vasil'ev, Ya. V., and Mironov, Yu. I. Extent of homogeneity region of the GdP phase (7) 160*i*.

Mironov, Yu. I. See Mironov, K. E.

Mirova, T. V. See Perminov, A. A.

Mirsch, John W. Color picture tube beam covergence apparatus [ceramic ferrite], P (2) 43*j*.

Mirsky, A. Pressure-responsive device for initiating a signal when a pressure drops below and/or rises above predetermined minimum or maximum values respectively, P (11) 254*f*.

Miryasov, N. Z. See Ivannikov, V. L.

Misawa, Yutaka, Ogawa, Takuzo, and Yagi, Hideyuki Semiconductor device having a composite film as a passivating film, P (10) 228*i*.

Mischin, Georg W. See Sassedatelew, Igor B.

Misell, D. L., and Sheppard, R. J. Application of deconvolution techniques to dielectric data (10) 225*i*.

Mishel, V. E. See Pevzner, B. Z. ; Vargin, V. V.

Mishler, Larry W. See Leibowitz, Leonard

Mistler, R. E. See Leaver, N. E.

Mitcham, Michael S., and Pregnall, Richard A. Apparatus and method for attenuating mineral fibers, P (8) 169*a*.

Mitchell, A., and Joshi, S. Density of melts in the system $CaF_2 + CaO$ and $CaF_2 + Al_2O_3$ (7) 160*b*.

Mitchell, Angelo M. Automatic tube-transfer fire-polishing apparatus and method, P (4) 81*e*.

Mitchell, Arthur C. See Johnson, Quintin

Mitchell, Carl R. See Entine, Gerald

Mitchell, Dean L. See Taylor, P. Craig

Mitchell, Dean L., Taylor, P. Craig, and Bishop, Stephen G. Free carrier optical absorption in vitreous $Tl_2SeAs_2Te_3$ (9) 210*i*.

Mitchell, Francis M., III Clay-graphite spout, P (11) 247*f*.

Mitchell, J. See Belohoubek, E.

Mitchell, Martha J., and Munir, Zuhair A. Sublimation of IIB-VIA compounds: III, Equilibrium and free surface pressures and enthalpies of sublimation of red Hg sulfide (cinnabar) (8) 186*i*.

Mitchell, Robert W. Color comparator, P (11) 254*b*.

Mitin, B. S., and Nagibin, Yu. A. Properties of molten TiO_2 (7) 162*g*.

Mitkevich, Grigory I. See Bogrets, German N.

Mitkina, G. D. See Safronov, G. M.

Mitori, Yukio See Yamanouchi, Akira

Mitra, N. K., Das, D., Bhaumic, P. K., and Kayal, P. B. Swelling behavior of kaolinite clay in the presence of electrolytes and polyelectrolytes (7) 150*e*.

Mitra, N. K., Mukherjee, M., Mukherjee, T., Mukherjee, J., and Das, D. Bentonite polyelectrolyte interaction (7) 149*i*.

Mitra, R. C., and Bhattacharyya, S. N. All-glass static equilibrium still (3) 60*i*.

Mitrikov, M. See Koenig, Udo

Mitrofanov, Yu. F. See Abdulsabirov, R. Yu.

Mitsuda, T. Paragenesis of 11 A tobermorite and poorly crystalline hydrated $MgSiO_3$ (7) 143*b*.

Mitsuhashi, T., and Fujiki, Y. Phase transformation of monoclinic ZrO_2 single crystals (10) 238*a*.

Mitsuhashi, Takefumi See Noguchi, Masayasu

Mitsui, Hiromitsu See Fujita, Kinji

Mitsui, Shigeru Semiconductor negative resistance device, P (7) 155*a*; Selective liquid growth process, P (10) 228*g*.

Mitsui, T. See Hinazumi, H.

Mitsuishi, A. See Manabe, A.

Mitsuno, Hideo Process for producing a ribbonlike glass, P (9) 194*h*.

Mityurev, V. K. See Boltovets, N. S.

Miura, Mitsugi Apparatus for the removal of filter cake by liquid injection, P (1) 21*c*.

Miura, Satoshi See Nishiyama, Shigeru

Miura, Takashi See Fukuda, Masataro

Miwa, Hirosi See Asada, Toshio

Miwa, Ichiro See Tauchi, Shoji

Miyagawa, Saburo, Hirano, Shinichi, and Somiya, Shigeyuki Effects of B_2O_3 on properties of sintered MgO body (7) 148*h*; Phase relations in the system MgO-B_2O_3 and effects of boric oxide on grain growth of MgO (7) 162*b*.

Miyagawa, Soji, and Ato, Yasuro Studies of channeling in KCl with low-energy H atoms (11) 259*f*.

Miyagawa, Takashi See Yukota, Yoshiyuki

Miyahara, Yoshikazu Impurity effects on the transition temp. of magnetite (6) 136*d*.

Miyai, Yukio See Mizuno, Hiroyuki ; Teramoto, Iwao

Miyake, Kazuo P. See Iguchi, Yasuo

Miyako, Yoshihito ENDOR experiment on rutile with Co^{2+} ions (6) 136*f*.

Miyamoto, Hiroshi, Isojima, Tsuyoshi, and Minowa, Osamu Method for printing electrical circuits on substrates, P (2) 44*e*.

Miyamoto, Norimasa See Akeyama, Kenji

Miyashiro, Shoichi, Shirozu, Shuuji, and Tsuji, Shigeo Image pickup tube semiconductor target support structure, P (2) 44*a*.

Miyashita, Tadashi See Murakami, Toshiaki

Miyata, Yoshihiko Method of mfg. color picture tubes, P (1) 10*d*.

Miyata, Yoshihiko, and Katoh, Noritada Implosion-proof CRT, P (8) 170*d*.

Miyatake, Kazumi, Araya, Tsuneo, and Ochi, Toshiyuki Test results on high-alumina castable refractories used in roof of arc furnace (1) 13*g*.

Miyatake, Kazumi, Furumi, Koichi, and Ono, Noriaki Tests on tar-impregnated direct-bond MgO bricks after service in mixer with reference to extent of deformation and corrosion (7) 148*h*.

Miyatake, Kazumi, Kaida, Takao, and Shintani, Tsuneo Trial production of high-silica materials for slinger process and use test results (9) 197*a*.

Miyatake, Kazumi, Ueda, Masao, and Yanase, Junichi Characteristics of various types of Al_2O_3-SiO_2 bricks for sliding nozzle (1) 11*g*.

Miyatake, Shigehiro See Shiosaki, Tadashi

Miyatani, K. See Takahashi, T.

Miyatani, K., Minematsu, K., Wada, Y., Okamoto, F., Kato, K., and Baltzer, P. K. Magnetic and electrical properties of $CuCr_2Se_{4-x}Br_x$ and $CuCr_2Se_{4-x}Cl_x$ (5) 111*j*.

Miyazaki, Kazuhide See Kobayashi, Shigehiko

Miyazawa, Shintaro See Sugii, Kiyomasa

Mize, Jack P. Method of passivating semiconductors, P (1) 10*e*.

Mizouchi, N., and Cooper, A. R. Relaxation of volume and index of refraction in pressure-compacted B_2O_3 glass (7) 145*i*.

Mizukusa, Shin See Nakashima, Kunisuke

Mizukusa, Shin, Hasegawa, Kanemitsu, Higuchi, Katsuji, Usuda, Haruichi, Taguchi, Akira, Hata, Takayoshi, Kozuka, Takeshi, Sawamoto, Hiroshi, Yamamoto, Tetsuo, Ota, Eiichi, Hayashi, Hiroshi, Yoshida, Masaie, and Nakayama, Noboru Generation of high pressure and high temp. with tetrahedral anvil apparatus (9) 203*g*.

Mizukusa, Shin, Kokiso, Shiro, Hasegawa, Kanemitsu, Higuchi, Katsuji, Usuda, Haruichi, Taguchi, Akira, Kubo, Katsushi, Nakashima, Kunisuke, and Nakayama, Noboru Performance test of hexahedral anvil apparatus [to 600 tons] (7) 156*d*.

Mizuno, H. See Tanaka, Kazunobu

Mizuno, H., Tanaka, Kazunobu, and Kikuchi, Makoto Photodiffusion and thermal diffusion of metals [Ag,Cu] into As_2S_3 glass (11) 244*e*.

Mizuno, Hideaki See Takayanagi, Kenjiro

Mizuno, Hideo, Kimura, Sadao, Akutsu, Hidezo, Yamazaki, Haruo, Okamoto, Takio, Wataral, Yoshiaki, and Baba, Shoichi High-pressure metal-vapor discharge tube, P (6) 129*f*.

Mizuno, Hiroyuki, Nakashima, Shinichi, and Miyai, Yukio Solid state microwave oscillating device, P (2) 45*g*.

Mizusawa, Shigeru See Shinoda, Kiyonori

Mizushima, Koichi, Tanaka, Mitsuaki, and Iida, Shuichi Energy levels of Fe group impurities in TiO_2 (7) 160*f*.

Mizzoni, Mary Spiann See Schultz, Peter C.

Moavenzadeh, F. See Naaman, A. E.

Mocellin, A., and Kingery, W. D. Microstructural changes during heat treatment of sintered Al_2O_3 (7) 161*e*.

Mochalov, K. N. See Sidorova, E. E.

Mochel, Ellen L. Strengthened glass article, P (11) 246*a*.

Mochida, Isao See Kato, Akio

Mochizuki, Shosuke See Kawai, Naoto

Mochizuki, Shosuke, and Kawai, Naoto Lattice vibrational spectra of vitreous SiO_2 densified by pressure (9) 211*g*.

Mochniak, J., and Wrzesinska, A. Photoluminescence of anodic ZrO_2 layers (3) 68*d*.

Mock, John A. Impact testing—where do we go from here? (4) 89*a*; Handsome porcelain enamel takes indoor and outdoor abuse (5) 96*d*; Importance of color in product design (11) 260*a*.

Mod, William A., and Caldwell, Donald L. Glass mfg. from prereacted batch and composition, P (8) 170*b*.

Moehring, H. Which considerations are important in the evaluation of boiler and storage tank enamels? (1) 4*f*.

Moeller, C. W. See Chamberland, B. L.

Moerman, J. See Harvey, P. J.

Moesker, Gerard See Rudolph, Joannes G.

Mohamed, A. A. See Abdel Aziz, N. E.

Mohan, Kshitij, Schaefer, A. Russell, and Zalewski, Edward F. Stability and temp. characteristics of some Si and Se photodetectors (10) 227*b*.

Mohn, Heinrich Optical elements, P (8) 170*e*.

Mohon, Windell N. See Rodeman, Alfred H.

Mohr, Arthur W. Pressing problems not unique (9) 203*e*.

Mohr, R. See Schroeder, J.

Mokhosoev, M. V. See Alekseev, F. P. ; Butukhanov, V. L.

Mokhosoev, M. V., Get'man, E. I., and Rozhdestvenskii, E. Yu. Reaction of $CaMoO_4$ with double molybdates of Nd and alkali metals (5) 114*f*.

Mokhosoev, M. V., Kokot, I. F., Lutsyk, V. I., and Kononenko, I. S. Reaction of double molybdates of La and an alkali metal with alkali metal molybdates in melts (1) 27*d*.

Mokhova, M. I. See Satalkin, A. V.

Moklebust, Olav See Lynd, Langtry E.

Mokronosov, V. S. See Tskhai, V. A.

Moldan, K. See Steinkuhl, J.

Moline, Robert A. Integrated circuits with ion-implanted chan stops, P (8) 174*a*. See Dalton, John V.

Molines, Joseph L. Laser—new tool for machining ceramics (9) 203*i*.

Moll, John L. See Komiya, Yoshio

Mollwo, E. See Hecht, H.

Molnar, B. K., and Rice, Roy W. Strength anisotropy in Pb zirconate titanate transducer rings (7) 152*c*.

Molnar, Laszlo Exhibition of ceramic tableware (1) 1*h*.

Molochko, V. A. See Fedorov, P. I. ; Kurdyumov, G. M.

Molony, B. See Ridge, M. J.

Moltzan, Herbert J. Production of very high purity metal oxide articles, P (2) 50*f*.

Mon, J. P. Raman diffusion spectrum of SrO (8) 185*g*.

Monchamp, Roch R., Weber, Marvin J., and Bass, Michael Laser with monocrystalline $YAlO_3$:Nd^{3+} active medium, P (6) 129*h*.

Mondegarian, R. See Suchow, L.

Monforte, F. F. See Strasser, J.

Monfroy, Henri See Galves, Jean P.

Monk, B. A. Gas burners, P (7) 158*c*.

Monks, Joseph R. See Grubb, Everett F.

Monnier, R. See Verdan, M.

Monroe, Raymond, Jr. See Owens, James

Monsour, S. See Levin, Ernest M.

Montaner, A. See Galtier, M.

Montano, P. A. See Biran, A.

Monteil, E. See Paparoditis, C.

Monteiro de Barros, Manuel J. Method for the construction of brick walls, P (2) 39*i*.

Montet, G. L. See Myers, G. E.

Montgomery, Allen M. See Gurganus, Thomas B.

Montgomery, Lionel C. BN-containing vessel having a surface coating of Zr-Si, P (7) 149*b*; BN-base evaporation vessel having a surface coating of Ti-Si thereon, P (8) 172*a*. See Mandorf, Victor, Jr.

Montierth, Max R. Low-expansion glass-ceramic cementing method, P (5) 99*i*. See Beall, George H.

Montone, Anthony W. See Bean, Samuel L.

Montrose, C. J. See Laberge, N. L. ; Schroeder, J.

Mooney, John B. Impregnated porous photoconductive device and method of mfg., P (10) 222*a*.

Moore, A. W., and Singer, L. S. ESR in C-doped BN (3) 74*f*.

Moore, Arthur H. Wafer spreader, P (5) 103*b*.

Moore, Claude A., and Heer, William F. Loading of fuel rods, P (9) 203*d*.

Moore, D. W., and Day, D. E. Reply to "Comment on 'Temp. variation in distribution of relaxation times in aluminosilicate glasses'," (11) 243*h*.

Moore, Earl P., Jr. Stable positively charged alumina-coated silica sols and their preparation by post-neutralization, P (6) 134*i*; Stable positively charged Al_2O_3-coated SiO_2 sols, P (10) 234*i*; Refractory laminate based on negative sols or silicates and basic Al salts; based on negative sols or silicates and polymeric lattices containing cationic surfactants; based on positive sols and monofunctional organic acids and salts; based on positive sols and organic or inorganic bases; based on positive sols and polyfunctional organic and inorganic acids and salts; based on positive sols and polymer lattices containing anionic surfactants, P (11) 248*a*. See Beyer, James N.

Moore, Paul Brian, and Araki, Takaharu Atomic arrangement of merwinite, $Ca_3Mg(SiO_4)_2$, an unusual dense-packed structure of geophysical interest (3) 74*b*.

Moore, Raymond K. See White, William B.

Moore, Raymond K., and White, William B. Electronic spectra of transition metal ions in silicate garnets (3) 74*h*.

Moore, W. S., and Al-Sharbati, T. M. Thermal detection of EPR of impurities in MgO (11) 259*e*.

Moore, William S. See Bates, Colin A.

Moorthy, V. K. See Prasad, Ram ; Rao, S. V. K.

Moos, H. W. See Lee, J. N. ; Spooner, S.

Morag, Sh. See Reisfeld, Renata

Moran, P. R. See Podgorsak, Ervin B.

Morawiec, H. See Babinski, W.

Morch, Charles W., Jr. Industrial [multifuel] burner, P (1) 22*i*.

Mordovin, O. A. See Timofeeva, N. I.

Moreau, J. M., Michel, C., Gerson, Robert, and James, William J. Ferroelectric $BiFeO_3$ X-ray and neutron diffraction study (5) 109*j*.

Moreau, Jean P. A., and Schuler, Georges Crystal-controlled oscillators [MOS], P (11) 250*c*.

Morel, P. A. See Walker, David G.

Morel, R. J. See Lagendijk, A.

Morelock, Charles R. Filament coating apparatus including Hg contact heating means, P (9) 200*f*.

Moreno, E. C. See Avnimelech, Y.

Moret, Jacques See Lindqvist, Oliver

Morey, G. W. See Rowe, J. J.

Morgan, C. S. Comment on "Activated sintering of ThO_2 and ThO_2-Y_2O_3 with NiO" (8) 180*a*.

Morgan, Cyril A., Arber, Scott G., and Young, Oswald W. J. Process for purification of refractory metal nitrides, P (6) 128*b*.

Morgan, D. R. See Ward, M. A.

Morgan, David W. Chemically resistant aluminophosphate glasses, P (10) 222*f*. See Hares, George B.

Morgan, Donald G. See Buus, Harold W.

Morgan, Ian H. Junction FET and method of fabrication, P (7) 153*e*.

Morgan, R. Microstructure of plasma-anodized Al_2O_3 films (6) 129*c*.

Morgan, Thomas R., Low, William W., Wanner, Christian A., and Bruen, Charles P. Process for the mfg. of chrome chemicals, P (5) 106*a*.

Morgenstern, D. Bonded fibrous sheet material, P (7) 146*j*.

Morgenthaler, F. R. See Hu, H. L.

Mori, Hideo, and Garcia, Joseph M. Thin-film polarization rotation microwave reflectors, P (9) 202*f*.

Mori, Shigejiro Autoclaved lightweight concrete—Durox (5) 95*i*.

Morigaki, Kazuo See Harada, Toshiaki

Morigaki, Kazuo, and Maekawa, Shigeru ESR studies of interacting donor clusters in P-doped Si (6) 136*c*.

Morikawa, Hideki See Oh, Ki Dong

Morimoto, Ichiro See Maeda, Hiroshi

Morimoto, J. See Kubota, Takehiro

Morimoto, Yasukichi See Niwa, Shohei

Morioka, Koichi See Omori, Shigemi

Morisaki, Hiroshi Measurement of effective cross section of a pinch channel in an InSb plasma (6) 137*a*; Quantitative analysis of the pinch effect in *n*-type InSb (6) 138*c*.

Morita, Akira See Soma, Toshinobu

Morita, Akira, Soma, Toshinobu, and Takeda, Tadashi Perturbation theory of covalent crystals: I, Calculation of cohesive energy and compressibility (10) 238*e*.

Moritto, Nobuyuki, Suetaka, Wataru, and Shimodaira, Saburo Mechanism of the Rebinder effects in MgO immersed in N,N-dimethylformamide and/or dimethylsulfoxide (6) 137*c*.

Moriya, Yoshiro, Tokunaga, Shinobu, and Kawai, Teruo Growth rate of Ag halide liquid particles in an alkali aluminoborosilicate glass (7) 144*f*.

Moriyoshi, Yusuke See Komatsu, Wazo

Morlevat, J. P. See Vaugoyeau, H.

Moroney, William J. Low-barrier-height GaAs microwave Schottky diodes using Au-Ge alloy, P (5) 102*h*.

Morosin, B., and Lynch, R. W. Structure studies on Al_2TiO_5 at room temp. and at 600°C (10) 239*c*.

Moroz, E. M. See Shestakova, N. A.

Moroz, I. Kh. See Solov'eva, T. V.

Moroz, William J., Anderson, Gerald W., and Withstandley, Victor D. Portable dust analyzer, P (10) 233*d*.

Morozov, A. I. See Morozov, I. S.

Morozov, A. I., Kuznetsov, V. G., and Maksimova, S. I. Tetrachloroaluminate and dichloroxyaluminate of Li (7) 163*c*.

Morozov, I. S. See Babievskaya, I. Z. ; Chatova, V. L. ; Thien, Phan Ngok

Morozov, I. S., Chatova, V. L., and Morozov, A. I. Preparation of dichlorooxyaluminates of alkali elements (5) 114*a*.

Morozov, S. P., Zhukdybina, G. M., Eliseev, A. A., Slovyanskikh, V. K., and Ellert, G. V. Morphology and symmetry of U_3S_5 crystals (7) 161*f*.

Morozov, V. N., Tikhomirov, G. P., Kartseva, L. A., and Matsoyan, B. D. Study of crystallization of Pb-Ge glasses by ir spectroscopy and electron microscopy (6) 125*b*.

Morozova, A. P. See Smolyaninov, N. P.

Morris, Bernard L., Russo, P., and Wold, Aaron Magnetic properties of ACr_2Se_4 (A = Fe, Co, Ni) and $NiCr_2S_4$ (4) 92*e*.

Morris, Marlene C. See Swanson, Howard E.

Morris, Martin, and Henry, George R. Nonaqueous lubricant-binder system for refractory ramming mixes, P (8) 172*b*.

Morris, William G. Electrical properties of ZnO-Bi_2O_3 ceramics (8) 173*f*.

Morrish, Allan H. See Coey, J. M. D.

Morrison, Andrew D. See Cullen, Glenn W.

Morrison, E. See Lawrenson, Jack

Morrison, Richard J., and Ross, Sidney D. Silica surface treatment, P (1) 19*a*.

Morrissey, William J. Glass for coating semiconductors and semiconductors coated therewith, P (11) 250*g*.

Morrow, B. A., and Devi, A. Infrared studies of reactions on oxide surfaces: I, BF_3 on SiO_2 (2) 53*j*.

Mortimer, D. A. See Hodkin, E. N.

Morton, Henry C. Method of producing friction facings, P (5) 99*d*.

Morton, Jack A. See Hughes, Harry E., Jr.

Moruga, L. G. See Palkina, K. K.

Mosch, Willi, Lutz, Gerhard, Putter, Lothar, Waldkotter, Erich, and Martin, Heinz Semiconductor component and method of production, P (2) 45*c*.

Moschovidis, Zissis See Bazant, Zdenek P.

Mosekilde, E. Trapping effects and acoustoelectric current saturation in ZnO single crystals (8) 187*e*.

Mosel, V. I. See Lebed, B. M.

Mosely, Graham H. See Carlson, Heinz F.

Moser, F. See Ahrenkiel, R. K. ; Carnall, E., Jr.

Moser, M. Investigation of the phase boundary between fused alumina grains and the bond in ceramically bonded grinding wheels (9) 189*e*.

Moser, Wilhelm See Dillenburg, Helmut

Moser, Wolf See Howie, R. Alan

Moskalev, V. V. See Petrov, M. P.

Moss, Ellsworth R. See Litty, Thomas P.

Moss, James R., Roe, Richard F., Coubrough, Lawrence E., and Buck, Robert W. Ceramic electrical resistor roll for copying machine, P (2) 43*h*.

Moss, John P. See Belt, Roger F.

Moss, S. C. See Feinleib, J. ; Shaw, M. P.

Motegi, Hiroshi X-ray study of the surface layer on $BaTiO_3$ single crystal (5) 116*h*.

Motek, Herbert, and Jobkes, Jakob Method of operating an impact comminutor, P (6) 132*c*.

Motojima, Kenji, Sakurai, Hiroshi, Onishi, Hiroshi, Sasaki, Yasuichi, Koike, Mitsuru, and Ueno, Kaoru Method of decontaminating heavy water cooled and moderated reactor, P (9) 203*d*.

Mott, N. F. Conduction in glassy and liquid semiconductors (2) 42*c*.

Moulin, Michel Process for epitaxially growing semiconductor crystals, P (6) 130*a*.

Moulton, W. G. See Hubble, F. F.

Mountvala, A. J. Surface properties of bioceramic vascular prostheses (7) 150*e*; Development of magnetic ferrites (9) 199*f*.

Mountvala, A. J., and Freiman, Stephen W. Semiconducting glasses promise low cost electronics (7) 145*c*.

Mourey, J. F. See Teng, M. K.

Mousna, F. See Bonfante, M.

Moyle, Kenneth J., and Mann, Richard S. Semiconductor device packaging, P (4) 87*c*.

Moynihan, C. T. See Higgins, T. J. ; Macedo, P. B. ; Provenzano, V. ; Schnaus, U. E.

Mozrzymas, J. See Dobierzewska-Mozrzymas, E.

Mozzi, R. L., and Howe, D. W. Determination of a crystal's surface orientation using an X-ray diffractometer and a laser (11) 253*d*.

Mrakovics, Paine Optimum particle size distribution of raw meals and cements (2) 33*f*.

Mt. Pleasant, Edison P., III Hot-pressing a refractory article of complex shape in a mold of simple shape, P (6) 128*a*.

Muckelroy, William L. Method for handling beam-lead and odd-shaped semiconductor devices, P (8) 174*h*; Method for sintering thick-film oxidizable silk-screened circuitry, P (8) 175*d*.

Mueller, A. See Diemann, E.

Mueller, G., and Helbig, R. Diffusion of Cu in ZnO single crystals (5) 108*e*.

Mueller, Gerd Function of mixed oxide nucleating agents in glass-ceramics of the high-quartz solid solution type (I) 7*j*; Influence of composition on the density of high quartz solid solution glass-ceramics and their initial glasses (3) 61*g*.

Mueller, I. See Buchenau, U.

Mueller, J. I. See Sarkar, S. K.

Mueller, K. A. See Stoneham, A. M.

Mueller, K. A., Berlinger, W., Capizzi, M., and Graeniche r, Heini Monodomain Sr titanate (7) 152*e*.

Mueller, K. A., Von Waldkirch, Th., Berlinger, W., and Faughnan, B. W. Photochromic Fe^{5+} ($3d^3$) in $SrTiO_3$—evidence from paramagnetic resonance (9) 213*d*.

Mueller, Martin Design and efficiency of mixing beds (10) 231*g*.

Muench, Ursula See Herzog, Guenther

Mugishima, H. See Inagaki, M.

Muhler, Joseph C. Process for producing a dental cement and product produced thereby, P (10) 225*f*.

Mukai, Kunihiko See Inoue, Touru

Mukaibo, Takashi See Murabayashi, Masayuki ; **Takahashi, Yoichi** ; Yamawaki, Michio

Mukaseev, A. A. See Gribkov, V. N.

Mukerji, J. Absorption spectra of Ru in borosilicate, phosphate, and aluminoborophosphate glasses (6) 122*f*.

Mukherjee, A. D. See Kjekshus, A.

Mukherjee, J. See Mitra, N. K.

Mukherjee, M. See Mitra, N. K.

Mukherjee, T. See Mitra, N. K.

Mulaskey, Bernard F. Hydrodesulfurization of naphtha with a group VIII metal component combined with synthetic layered crystalline aluminosilicate, P (10) 234*f*.

Mulder, Cornelius See Schmitz, Albert

Mulder, Elzo See Toussaint, Robert

Mulfinger, Hans-Otto Behavior of bubbles in glass melts (1) 5*d*.

Mulfinger, Hans-Otto, Dietzel, Adolf, and Fernandez Navarro, Jose Maria Physical solubility of He, Ne, and N in glass melts (2) 37*g*.

Mullen, M. E. See Kino, Y.

Muller, W. F. See Coe, R. S.

Mullin, John W. See Garside, John

Mumenthaler, Thomas See Iberg, Rolf

Mumme, W. G. See Grey, I. E.

Munakata, C. Improvement of the β-conductive method of measuring electric field intensity in semiconductors by a pulsed electron beam (3) 75*j*.

Munechberg, W. See Obst, K. H.

Mungaard, Hans Method of attaching an electrode to a semiconductor element, P (10) 227*i*.

Mungee, A. D. See Sahu, K. C.

Munger, Donald W., and Weighart, Frederick G. Ultrasonic inspection apparatus, P (1) 22*f*.

Munir, Zuhair A. See Mitchell, Martha J.

Munro, W. See Matkin, D. I.

Munson, Ronald A. Properties of natural zeolites (10) 238*e*.

Murabayashi, Masayuki See Takahashi, Yoichi

Murabayashi, Masayuki, Takahashi, Yoichi, and Mukaibo, Takashi High-temp. heat capacity of US by laser flash method (8) 176*c*.

Murai, Toru See Tada, Kunio

Murai, Tsuyoshi, and Toi, Tatsuo Vapor growth device, P (2) 46*a*.

Murakami, Hisashi, and Aida, Bunichiro Deflection of brick arch in hot air duct of blast furnace—trial calculation and some considerations (1) 11*e*.

Murakami, Toshiaki See Masuno, Kunio

Murakami, Toshiaki, Miyashita, Tadashi, Nakahara, Motohiro, and Sekine, Eiji Effect of rare-earth ions on electrical conductivity of $BaTiO_3$ ceramics (7) 151*a*.

Murakami, Toshiaki, Nakahara, Motohiro, Miyashita, Tadashi, and Ueda, Shohei Electrical conduction of rare-earth-doped $BaTiO_3$ single crystals (7) 151*b*.

Murakami, Yoshio See Yasuda, Nobuaki

Murakami, Yotaro See Osamura, Kozo

Murakami, Yukio See Akiba, Fumimasa

Muramoto, Michiya See Henderson, James R.

Muraoka, Hisashi, Tsutsumi, Hiroshi, Ohashi, Taizo, Sumitomo, Yasusuke, and Yasui, Toshiko Method for mfg. a semiconductor integrated circuit isolated by dielectric material, P (11) 250*e*.

Murarka, S. P. See Elo, R. B.

Murarka, S. P., and Swalin, Richard A. Cation self-diffusion

in BaO (5) 106*g*; Cation self-diffusion in SrO (5) 106*i*.

Murase, Shigeo, and Majima, Mitsuhiro Liquid fuel burner, P (9) 206*a*.

Murase, Takeo See Muto, Tadashi

Murashko, N. V. See Vlasov, A. Ya.

Murat, M. Thermal evolution of type 4A synthetic zeolites—effect of composition heterogeneities on the appearance of exothermic peaks at 800°–1000°C (7) 163*f*.

Murata, Yorihiro Densification and wear resistance of HfN-ZrB_2 compositions (5) 100*c*.

Murdoch, Andrew M. Ultrasonic surface roughness indicator, P (1) 22*f*.

Murphy, Bernard T., and Panousis, Peter T. Method of fabricating semiconductor integrated circuits using deposited doped oxides as a source of dopant impurities, P (8) 174*g*.

Murphy, Joseph Laser and fluorescent crystalline materials, P (7) 153*e*. See Wagner, G. R.

Murphy, Nigel M. S. See Beale, Julian R. A.

Murr, Lawrence Eugene Grain growth kinetics in Er oxide films—comments (9) 211*a*.

Murray, Lawrence A. Method of making complementary IGFETs, P (2) 44*a*.

Murray, M. J., and Tauber, E. Application of drying theory to design of dryers for the heavy clay industry (6) 133*i*.

Murthy, A. R. Vasudeva See Rao, M. Subba

Murthy, M. K. See Fairweather, M. J. ; Topping, J. A.

Murthy, N. S. S. See Begum, R. J.

Murty, M. V. Ramana, Sastry, B. R., Parthasaradhi, K., and Ramamurty, S. Shell-wise photoelectric cross sections (7) 145*d*.

Murty-Gutta, R. K. See Perkowitz, S.

Musikas, Claude See Coupat, Bernard

Musschoot, Albert, and Kraus, Richard B. Vibratory conveyor, P (5) 104*h*.

Muta, Akinori, Hayakawa, Yukio, and Maeaka, Makoto Low-pressure sintering of BN using low-thermal-expansion static sintering molds, P (7) 149*d*.

Muta, Akinori, Toda, Gyozo, Noro, Takanobu, and Yamazaki, Chieko Use of Y_2O_3-MgO mixtures to produce high transparent sintered-alumina bodies, P (5) 101*d*.

Muto, Katsutoshi See Tada, Kunio

Muto, Kazuki Propylene polymer composition containing glass fibers, P (11) 245*j*.

Muto, Tadashi, Tsuboya, T., Yokosawa, Naoki, and Murase, Takeo Property change of the UO_2 crystallite in a sol-gel process (1) 20*c*.

Myakishev, K. G. See Rodionov, Yu. I.

Myakisheva, N. A. See Ignatova, T. S.

Myers, Charles F., and Platter, Sandford Heat-treating process for semiconductor fabrication, P (7) 153*a*.

Myers, Clyde B. Highly siliceous solid Na silicate, P (1) 23*f*; Highly siliceous alkali metal silicates, P (5) 105*i*.

Myers, G. E., and Montet, G. L. Light-induced oxidation of $NbSe_2$ single crystals (5) 111*b*.

Myers, J. R., and Obrecht, M. F. Performance and selection of materials for potable hot water service (8) 166*d*.

Myers, Samuel M., Meyer, Horst, and Remelka, Joseph P. Longitudinal relaxation of ^{57}Fe nuclei in Yb-doped YIG (5) 111*c*.

Myhre, Kjell E., and Harrison, A. Michael Methods and devices for enclosing electrical components, P (10) 228*e*.

Mykityuk, V. I. See Solomko, A. A.

Myler, Kay L. See Gibson, James O.

Myshenkova, I. P. See Timofeeva, L. K.

Naaman, A. E., Argon, A. S., and Mouvenzadeh, F. Fracture model for fiber-reinforced cementitious materials (11) 242*e*.

Naarding, Cornelis J. Experiences with natural gas fired glass tank furnaces for container glass in Holland (1) 7*f*.

Naber, Charles T., and Lockwood, George C. Semiconductor memory device, P (6) 130*d*.

Nabeta, Y. See Yano, T.

Nadachowski, F., and Kiehski, A. Hydration decay of CaO refractories (9) 196*f*.

Nadar, K. G. Electronic chopper (7) 157*b*.

Nadeau, John S. Very high pressure hot pressing of SiC (4) 84*b*.

Nadgornyi, E. M. See Val'kovskii, S. N.

Naessens, G. See Duvigneaud, P. H.

Nafziger, Ralph H. High-temp. activity-composition relations of equilibrium spinels, olivines, and pyroxenes in the system Mg-Fe-O-SiO_2 (10) 236*b*.

Nagae, Yasuyuki Method and apparatus for automatically detecting defects and irregularities in glass sheet, P (9) 194*i*.

Nagae, Yasuyuki, and Yamashita, Nobuyuki Automatic glass ribbon cutting process and apparatus, P (3) 63*b*.

Nagai, B. See Onoda, T.

Nagai, Kazutoshi See Yasuda, Hiroshi

Nagai, Yoshiro See Nishiyama, Shigeru

Nagao, Ishihiro Refractories for continuous casting (5) 100*g*.

Nagarekawa, Osamu See Izumitani, Tetsuro

Nagasawa, Koichi See Yamamoto, Naoichi

Nagasawa, Koichi, Bando, Yoshichika, and Takada, Toshio Growth and electrical properties of V_nO_{2n-1} ($n=3,4,...,8$) single crystals (3) 75*e*.

Nagasawa, Masahiro, and Watanabe, Hiroyuki Thin-film nonrectifying negative resistance device, P (1) 19*c*.

Nagase, Kaneomi See Nitta, Tsuneharu

Nagashima, Hiroyuki, and Abe, Hidetaro ESR of Cu-Mn dilute alloys studied in thin films (10) 235*h*.

Nagashiro, Waichi See Okabe, Tadao

Nagata, Hitoshi See Niwa, Shohei

Nagata, Kazukiyo, Tazuke, Yuichi, and Tsushima, Kunio Short range order effect on the magnetic anisotropy in a Heisenberg linear chain antiferromagnet $CsMnCl_3.2H_2O$ (7) 162*d*.

Nagata, Kunihiro See Okazaki, Kiyoshi

Nagata, Minoru See Okabe, Takahiro

Nagata, Takashi See Ikegama, Seiji ; Nakajima, Yasuo

Nagata, Takashi, and Nakajima, Yasuo Piezoelectric ceramic resonator with asymmetrically rough edge, P (6) 130*i*.

Nagatomo, Tsuneto, Mazaki, Hiromasa, and Shimizu, Sakae Study of the geometrical stability of a multianvil high-pressure device by gamma rays (4) 88*d*.

Nagels, P. See Callaerts, R.

Nagibin, Yu. A. See Mitin, B. S.

Nagle, D. See Roscoe, C.

Nagornyi, A. P. See Gadzhi, E. N.

Naguib, H. M., and Kelly, R. Increase in the electrical conductivity of MoO_3 and V_2O_5 following ion bombardment: I, Bombardment-enhanced conductivity (8) 182*a*.

Nagura, Nagao See Kawamoto, Yoji

Nagy, D. L., and Dezsi, I. Anomalous temp. dependence of the Moessbauer line width of $FeCO_3$ (siderite) (9) 207*g*.

Naidich, Yu. V. Contact Phenomena in Metal Melts, B (1) 30*a*.

Naiki, Toshio, Ninomiya, Masayuki, and Ihara, Masayoshi Epitaxial growth of TaC (5) 109*d*.

Nailen, James C. Electric motor utilizing a ferrite stator of low coerciveness, ferrite rotor of high coerciveness, and photoelectric commutation, P (4) 86*i*.

Naito, Fumio, Kudo, Toshiyuki, and Kubosaki, Masanobu Piezoelectric ceramic compositions, P (2) 45*d*.

Naito, Itsusaku See Iwase, Keizo

Naito, Keiji See Ishii, Tamotsu

Naito, Ryuichi See Sugai, Mikio

Naito, Yoshiyuki Microwave-absorbing wall element [ferrite plate], P (7) 154*g*. See Suetake, Kunihiro

Naka, Shigeharu See Inagaki, M. ; Suwa, Yoshiko

Nakada, Akira, and Torizuka, Yoshiharu Determination of the deformations in ^{24}Mg and ^{28}Si nuclei from electron scattering (5) 107*j*.

Nakada, Ichiroh See Akaba, Ryoichi

Nakade, Yoshiharu See Inoue, Masataka

Nakagawa, Hideyuki, Itoh, Minoru, and Nakai, Yoshio Absorption and luminescence of $(Br')_2$ centers in NaCl:Br (6) 134*j*.

Nakagawa, Isamu See Wada, Masamichi

Nakagawa, K., and Izumitani, Tetsuro Effect of a third component on the immiscibility of binary glass (1) 6*h*.

Nakagawa, Masayoshi, Hirai, Toshihiro, Suzuki, Yuji, Kimura, Ryozaburo, and Okahara, Masamichi Liquid fuel combustion device, P (9) 206*b*.

Nakagawa, T. See Harada, S.

Nakahara, Motohiro See Murakami, Toshiaki

Nakahira, Mitsuoki See Ishii, M. ; Kimizuka, Noboru

Nakai, Jun, and Hirahara, Eiji Critical phenomena in antiferromagnetic and paramagnetic resonances near the Neel temp. in Eu telluride single crystal (9) 208*g*.

Nakai, Yoshio See Nakagawa, Hideyuki

Nakai, Yutaka See Okuda, Kiichi

Nakajima, Koichi See Isogai, Akio

Nakajima, Yasuo See Nagata, Takashi

Nakajima, Yasuo, Nagata, Takashi, Hagiwara, Kiyokazu, and Sasaki, Reiichi Piezoelectric ceramic resonator, P (10) 228*i*.

Nakajima, Yoji See Furuya, Masaaki

Nakajima, Yoji, and Tanaka, Tatsuo Solution of batch grinding equation (4) 88*c*.

Nakamura, Kiichi Nonlinear excitation of acoustoelectric fluctuations (6) 137*i*.

Nakamura, Masahiko, Nakazawa, Yasuro, and Okuda, Susumu Densification in hot-pressing of orientated glass filaments (8) 167*g*.

Nakamura, Masahiko, and Okuda, Susumu Contact electric resistance of metal particles dispersed in matrices (10) 225*i*.

Nakamura, Masakatsu, Yonezawa, Toshio, Kato, Taketoshi, Watanabe, Masaharu, and Akatsuka, Minoru Semiconductor device, P (3) 70*a*.

Nakamura, Masashi, Yamazaki, Junichiro, Kamo, Takeshi, and Akiba, Shin Method of mfg. thin-film integrated circuits, P (8) 175*a*.

Nakamura, Noboru High-pressure mercury vapor halide lamp having a refractory metal cylindrical auxiliary electrode, P (5) 99*h*.

Nakamura, Shigeaki See Kohashi, Tadao

Nakamura, Shigeaki, Nakamura, Tadao, and Kohashi, Tadao Method of mfg. a photoconductive powder, P (3) 69*h*.

Nakamura, Susumu See Makino, Hiroshi

Nakamura, Tadao See Kohashi, Tadao ; Nakamura, Shigeaki

Nakamura, Terutaro, Kondo, Toru, and Kumada, Akio Observation of phase boundaries between ferro- and para-electric phases in $Gd_2(MoO_4)_3$ crystals (9) 213*e*.

Nakamura, Tokunori See Fukumoto, Kenichi

Nakamura, Yoshimi See Yoshino, Takachika

Nakamura, Zenkichi See Sakai, Yoshio

Nakanishi, Hisao, and Imanishi, Wataru Spot-knocking method for electronic tubes, P (9) 195*a*.

Nakano, Goro See Uchiumi, Tatsuro

Nakano, Mitsuko See Kimizuka, Noboru ; Yamaguchi, Goro

Nakanuma, Sho See Wada, Toshio

Nakanuma, Sho, Tsujide, Tohru, and Wada, Toshio IGFE semiconductor device having narrow channel and method of fabricating, P (1) 17*a*.

Nakanuma, Sho, and Wada, Toshio Monolithic integrated circuit device and method of mfg., P (2) 44*h*.

Nakashima, Hiroshi See Shibuno, Masao

Nakashima, Hisao See Migitaka, Masatoshi

Nakashima, Kunisuke See Mizukusa, Shin

Nakashima, Kunisuke, Machida, Michihide, Mizukusa, Shin, Taguchi, Akira, and Nakayama, Noboru Hall effect measurement by cube-type high-pressure apparatus (9) 204*g*.

Nakashima, Shinichi See Mizuno, Hiroyuki ; Teramoto, Iwao

Nakashima, Shinichi, Inoue, Morio, and Iwasa, Hitoo Method of making Ge semiconductor device, P (8) 174*i*.

Nakata, Josuke Light-activated thyristor, P (2) 44*c*.

Nakata, Koreaki, and Iida, Yoshio Method of making an electrical capacitor, P (1) 18*b*.

Nakatani, I. See Masumoto, K.

Nakayama, Noboru See Mizukusa, Shin ; Nakashima, Kunisuke

Nakayama, Satoshi, and Kashiwabara, Minoru Laser machining of thin films: I, Irradiation characteristics of a focused Q-switched YAG laser beam (10) 226*j*.

Nakayama, Satoshi, Saito, Yasunao, and Takamoto, Kiichi Laser machining of thin films: II, Threshold power density required for machining and material properties (10) 226*b*.

Nakayama, T. See Kokado, H.

Nakazawa, Yasuro See Nakamura, Masahiko

Nakhaev, P. E. See Emel'yanov, V. A.

Nakovnik, N. I. Relation of mean atomic volume and atom-ion packing to sequence of mineral formation (7) 162*c*.

Nalepka, Raymond Method and preform for reshaping glass tubing, P (5) 99*b*.

Nalimov, S. P. See Todes, O. M.

Nall, Thomas J. Thermionic electron emitter containing Th-C_2, ThO_2, and ZrC, P (3) 70*f*.

Nameishi, N. See Onoda, T.

Nameishi, Naoyuki Mineralogical studies on corrosion by slag of magnesia-calcia refractories used in lining of basic oxygen steelmaking furnace: II, Investigation of mineralogical composition of degenerate refractories by microscopy, X-ray diffraction, and EPMA (3) 65*h*; III, Quantitative analysis of solid solution contents of minor components migrated into dicalcium silicate and dicalcium ferrite by synthesized slag and comprehensive considerations of the reaction of MgO-CaO refractories and molten slag (3) 65*j*.

Nameishi, Naoyuki, Matsumura, Tatsuo, and Okamoto, Shoji Relation of micropore distribution in fired MgO brick to combustion rate of permeating tar (1) 13*c*.

Nameishi, Naoyuki, Yoshino, Hajime, and Uto, Shigetoshi Zircon-pyrophyllite unfired refractory bricks and method of mfg., P (11) 248*a*.

Namikata, Takeshi, and Esashi, Shinji Etch configuration and the sign of Z axis of Pb molybdate single crystals (3) 74*j*.

Namikawa, Hiroshi See Arai, Kazuo

Nanamatsu, Satoshi See Kimura, Masakazu

Nanamatsu, Satoshi, Doi, Kikuo, and Takahashi, Masao Piezoelectric, elastic, and dielectric properties of $LiGaO_2$ (3) 68*h*.

Nanamatsu, Satoshi, Kimura, Masakazu, and Doi, Kikuo Sr niobate electrooptic modulator, P (10) 229*g*.

Nanba, Yasutoshi See Kakehi, Toshihiro

Nancarrow, John, Jones, Paul V., and Clark, Peter S. Hot topping an ingot mold by adhesively bonding slabs to the mold wall, P (11) 247*h*.

Nandi, D. N. Refractories for steel plants (8) 171*f*. See Banerjee, J. C.

Napoli, Louis S., and Hughes, John J. Method of making semiconductor devices, P (6) 130*c*.

Napolitano, Albert Some experiments on the stirring of viscous liquids (8) 177*j*. See Simmons, Joseph H.

Naraoka, Kiyotake, Sano, Hisumi, and Itoh, Yokichi Contact members for Si semiconductor devices, P (10) 227*h*.

Narasimhamurty, T. S. See Rao, K. Veerabhadra

Narasimhan, K. S. See Sastri, S. R. S.

Narayan, J., and Washburn, J. Direct observation of pipe diffusion in MgO (9) 209*f*.

Narayana, P. A. See Srivastava, J. P.

Naray-Szabo, Istvan Use of the diffractometer in quantitative phase determination (11) 254*h*.

Naredi, R. Effect of the circulating load on classifier efficiency and mill performance in cement grinding (6) 120*h*.

Narken, Bernt See Greenstein, Bernard

Naruse, Yohsuke, Ashiya, Ryosuke, Nii, Takehiko, and Fuse, Yuzo CRT having shadow mask apertures aligned along curved horizontal and vertical lines, P (1) 16*j*.

Naruse, Yohsuke, Utsunomiya, Kimitake, and Fuse, Yuzo Shadow mask having apertures at intersections of barrel-shaped and pincushion-shaped lines, P (7) 155*a*.

Nash, Michael T. Beam lead plating process, P (2) 43*g*.

Nashed, Sh. See Mikhail, R. Sh.

Nassau, Kurt See Henry, Charles H. ; Keve, E. T.

Nasu, Yoshio See Anzai, Noboru

Natarajan, M. See Rao, C. N. R.

Natsume, Yuhei, and Kamimura, Hiroshi Magnetic F' center in chalcogenide spinel-type ferromagnetic semiconductors (9) 199*e*.

Naumann, G. Decreasing the firing temp. of hard porcelain from 1390° to 1300°C by use of mineralizers (9) 197*j*.

Naumenko, V. M. See Gredescul, V. M.

Naumenko, V. Ya. Preparation of carbides of the IV-V groups transition metals in their homogeneity regions (8) 171*e*. See Samsonov, G. V.

Naumov, Mikhail G. See Alexandrov, Albert I.

Nauta, Constant J. Apparatus for treating [mixing] substances, P (10) 231*j*.

Nava, F. See Canali, C.

Navazio, G. See Raccanelli, A.

Navinsek, Boris Epitaxial growth of UO_2 thin films produced by cathode sputtering (8) 176*b*.

Navrotsky, A. Discussion of "Equilibrium cation distribution in $NiAl_2O_4$, $CuAl_2O_4$, and $ZnAl_2O_4$ spinels" (4) 91*c*; Thermodynamic relations among olivine, spinel, and phenacite structures in silicates and germanates: I, Volume relations and the systems NiO-MgO-GeO_2 and CoO-MgO-GeO_2 (6) 139*g*; II, Systems NiO-ZnO-GeO_2 and CoO-ZnO-GeO_2 (6) 139*h*.

Navrotsky, A., and Kleppa, O. J. Estimate of enthalpies of formation and fusion of cordierite (5) 109*h*.

Neale, Ronald G. Combination film deposited switch unit and integrated circuits, P (2) 43*j*.

Neary, Charles A. Semiconductor handling apparatus, P (8) 175*e*.

Neate, B. W. See Elwell, D.

Nechaev, Yu. A., and Kamyshov, V. M. Solubility of O in Hf nitride (2) 54*a*.

Nedeljkovic, A. I., and Cook, R. L. Ce oxide in porcelain enamels (6) 122*a*.

Nedel'ko, E. G. See Andrianov, N. T.

Nedoluha, Alfred Selection rules for anharmonic interactions of nearest neighbors in crystals with the Zn blende or diamond structure (6) 138*f*.

Nedopil, Erich, Krohe, Wilfried, and Wittmann, Karl Method of burning molded C bodies in round downdraft kilns, P (10) 224*c*.

Needham, Robert L. Radiant heater, P (1) 10*e*.

Nefedov, V. I., Urusov, V. S., and Kakhana, M. M. X-ray photoelectron study of the chemical bonds in Na, Mg, Al, and Si minerals (11) 259*i*.

Neff, Gordon W., Sambucetti, Carlos J., and Tomko, John E. Process and apparatus for measuring pH, P (1) 22*e*.

Negas, Taki System $Ba_{1-x}Sr_xMnO_{3-z}$ (6) 139*e*.

Negra, John S., and Warshaw, Abe Process and catalyst for treating combustion exhaust gas, P (2) 50*d*.

Negran, T. J. See Peterson, G. E.

Nehring, V. W., and Jones, J. T. Flexural creep of surface-treated sapphire rods (2) 53*a*.

Nelson, G. F. Nucleation process in the metastable region in an Na_2O-SiO_2 glass (1) 8*j*; Phase separation in glass and glass-ceramic systems (2) 37*e*. See Weaver, E. A.

Nelson, John M. S. See Thomas, Albert W.

Nelmark, Lawrence A. Fuel pin for a liquid-metal-cooled fast breeder nuclear reactor, P (10) 231*a*.

Neltzel, Joseph C., and Strandberg, Robert C. System for sensing variations in the dielectric constant of a flow of material, P (9) 205*f*.

Nekam, Lajosne Ceramic artware, mfg. in the Pecs Pottery Works (1) 1*h*.

Nekrasov, K. D. Technology of refractory concrete, refractory concrete structures, and their application (11) 247*b*.

Nekrasov, K. D., and Aleksandrova, G. N. Characteristics of refractory alumina silicate concretes with a phosphate binding (11) 246*j*.

Nekrasov, K. D., and Zhdanova, N. P. Quick-hardening portland cement as binder in refractory concrete (11) 242*c*.

Nelidov, V. A. Continuous automatic control of cement grinding fineness (2) 32*j*.

Nell, David J., and Lewis, Thomas W., II Nozzles for continuous casting, P (2) 40*h*.

Nelson, C. M. See Chen, Y.

Nelson, Charles J. See Lins, Stanley J.

Nelson, F. W. See Sullivan, J. D.

Nelson, Forrest W., and Beer, Leon N. Electrocoating of porcelain enamels—status report (5) 96*h*.

Nelson, Herbert Method of making light-emitting diode, P (3) 69*f*.

Nelson, John E., and Guerguerian, Rhual L. [Autogenous] grinding mills, P (10) 231*j*.

Nelson, Leonard E. See Legacy, Lloyd W.

Nelson, Lloyd A. Glass jar handling system [depalletizing], P (7) 147*b*.

Nelson, Lloyd S. Co_2 laser enhances study of materials (9) 204*k*.

Nelson, Lloyd S., and Richardson, Norman L. Formation of thin rods of pyrolytic C by heating with a focused CO_2 laser (1) 25*i*.

Nelson, Lloyd Spencer, Levine, Herman S., Rosner, Daniel E., and Kurzius, Shelby C. Combustion of Zr droplets in O/rare gas mixtures (8) 180*a*.

Nelson, Michael A., Patrick, Robert F., and Wehrenberg, Thomas M. Burned basic refractory and batch therefor, P (8) 172*b*; Burned basic refractory and batch therefor, P (11) 247*e*.

Nelson, R. L., and Hale, J. W. Electronic spectra of the surfaces of alkaline earth oxides (2) 52*e*.

Nelson, Richard P. See Slagle, Otis D.

Nelson, Terence J. See Geusic, Joseph E.

Nelson, William T. See Billings, William G.

Nemec, Lubomir See Zluticky, Jiri

Nemeth, Bela J. Cermet product and method and apparatus for the mfg. thereof, P (2) 40*b*.

Nemeth, Jozsef See Sandor, Miklos

Nemilov, S. V., Kuz'menko, G. S., and Osmanov, E. O. Viscosity and elastic properties of glass semiconductors in the systems $CdGeAs_2$-$CdAs_2$ and $CdGeAs_2$-$CdGeP_2$ (4) 86*r*.

Nepereny, Harold A., and Reich, John P. Air pollution control apparatus [bag-type], P (2) 48*d*.

Neri, Dino See Gerontopoulos, Panayotis

Nesbitt, H. Wayne See Bricker, Owen P.

Neshpor, V. S. See Oskotskii, V. S.

Neshpor, V. S., and Samsonov, G. V. Electrical-physical properties and nature of chemical bond in compounds of Be with B and C (5) 109*c*.

Nesmeyanov, A. N. See Fabrichnyi, P. B.

Nester, Henry H. See Mason, Daniel W.

Nesterenko, V. I. See Izmailzade, I. G.

Nesterenko, V. I., and Izmailzade, I. G. X-ray diffraction and dielectric studies of the system $Li(Ta_xSb_{1-x})O_3$ (8) 188*a*.

Nesterov, A. A. See Belyaev, I. N.

Nesteruk, E. How to color hot glass (6) 123*f*.

Nestik, S. V., Butt, Yu. M., Timashev, V. V., and Kholodnyi, A. G. Characteristics of microstructure of single crystal C_3S at different stages of hardening (9) 189*g*.

Nestik, S. V., Butt, Yu. M., Timashev, V. V., and Usherov-Marshak, A. V. Hydration processes in C_3S paste and the effect on them of dispersion of the original powder (9) 190*d*.

Nestler, Wolfgang Method for the production of dispenser cathode for electronic discharge vessels, P (1) 18*j*.

Neuberger, M. Handbook of Electronic Materials: Vol. 7, III-V Ternary Semiconducting Compounds—Data Tables, B (2) 57*g*. See Milek, J. T.

Neubert, Eckart See Dietrich, Manfred

Neudorfer, M. L., and Yee, S. Acoustoelectric aftercurrents in photoconducting CdS (7) 150*f*.

Neuffer, Wilfried K. Calendering doctor blade-cast ceramic [Al_2O_3] sheets to control anisotropic firing shrinkage, P (7) 150*c*.

Neugebauer, Constantine A. See Burgess, James F.

Neumann, Gerhard M. Halogen incandescent lamp, P (8) 170*c*.

Neumann, Leopold See Gordon, Bernard M.

Neumann, Walter Quality improvement of bricks (2) 39*g*.

Neuroth, Norbert See Faulstich, Marga

Neusser, M. Contactless control system for plant control and monitoring in the cement industry (10) 217*h*.

Nevskii, O. B., Rumyantsev, Yu. V., Vigdorovich, E. N., and D'yachkova, N. N. Preparation of high-purity Se (4) 90*h*.

Newby, Kenneth R., and Turner, Dennis R. Method of metalizing devices, P (2) 44*c*.

Newcombe, George M. See Jordan, John E.

Newkirk, H. W. See Jerphagnon, J.

Newkirk, John B. See Birks, L. S.

Newman, Richard L. Reply to "Comment on 'Prediction of thermal-shock resistance during heating at very high rates'" (5) 104*g*.

Newman, Vance W. Apparatus for lining [cylindrical] kilns, P (9) 206*a*.

Newnham, R. E. See Armstrong, R. A. ; Eysel, W. ; McCauley, James W.

Newton, R. G. See Aspinall, A.

Ng, Won K., and Woodbury, E. J. Simultaneous generation of the 2nd, 3rd, and 4th harmonics of 1.06 μm radiation in $Ba_2NaNb_5O_{15}$, $LiNbO_3$, and $LiIO_3$ crystals (10) 239*e*.

Nguyen-Van-Dang See Capiomont, Y.

Nhiep, Nguyen Dat See Delembre, Andre E.

Nichiporenko, S. P. See Ovcharenko, F. D.

Nicholas, Merle E. Relative humidity sensor, P (3) 72*h*.

Nicholas, Michael G. See Hodkin, E. N.

Nichols, K. H. See Scott, B. A.

Nicholson, D. G. See Kjekshus, A.

Nickel, Ernst G., Severin, Hans P., and Frye, Helmut Vacuum induction melting furnaces, P (4) 84*d*.

Nickel, Hubertus See Boettcher, Alfred ; Hamesch, M.

Nicol, M. See Ebisuzaki, Y.

Nicolai, Van O. Light polarizing prism of zircon, P (2) 44*c*.

Nicolaou, M. C. See Touloukian, Y. S.

Nicolas, Michel, and Alison, Jacques Method for making dry reed switches, P (11) 245*f*.

Nicoletti, M. See Gottardi, V.

Niedner, Peter K., and Diez, Gerhard H. Process and device for the treatment [spray drying] of material, P (2) 48*c*.

Niedzwiedz, S. See Lin, I. J.

Niehuus, Hans C. See Lieb, Albert

Niemeroff, Isadore (Editor) Precision Measurement and Calibration—Colorimetry. NBS Spec. Publ. 300, Vol. 9, B (2) 57*j*.

Niems, Lee H. Apparatus for cooling particles, P (8) 166*f*.

Nienart, Louis F. Novel hot-pressed refractory articles and preparation thereof, P (3) 65*h*.

Nienhuis, Rijkent J., and van den Hurk, Theodorus H. J. Semiconductor device [transistor], P (10) 228*h*.

Nier, Johannes Semiconductor device and method of assembling, P (5) 120*j*; Method of assembling transistors, P (7) 153*i*.

Niffka, H. Automatic plate mfg. on a high-capacity production line (2) 41*a*.

Nigavekar, A. S. See Bhide, V. G.

Nigro, J. C., Tiemann, T. D., and Prasky, Charles Kinetics of CO reduction of hematite to magnetite and the effect of silica (6) 136*h*.

Nihei, I. See Watanabe, H.

Nihira, Takeshi See Iwata, Tadao

Nii, Takehiko See Naruse, Yohsuke

Niizeki, Nobukazu See Iwasaki, Hiroshi

Nikandrova, G. A., and Orlova, G. M. Microheterogeneous glasses in the system As-Se-Tl (2) 37*f*.

Nikitin, A. E. See Savin, V. D.

Nikitin, B. M., Litvinova, T. I., Raichenko, T. F., and Voronov, V. A. Reaction of Al and Si with MgF_2 (10) 238*h*.

Nikitin, B. M., and Pyatnitsa, N. V. Statistical prediction of the melting temp. and composition of the eutectics in binary F-containing systems (5) 114*g*.

Nikitin, V. V. See Bershtein, V. A.

Nikitina, G. V., Romanenko, V. N., and Ishutinova, L. N. Energies of mixing in systems of Ge and Si with groups III and V elements (5) 109*a*.

Nikitina, Z. K. See Belova, V. I.

Nikitine, S. See Daunois, A. ; Deiss, J. L.

Nikitopoulos, Robert A. See Weiss, Robert O.

Nikolaeva, V. M. See Sil'vestrovich, S. I.

Nikolina, G. P., Petrovskaya, M. L., and Khalliev, V. D. Fluoroberyllate glasses of the system BeF_2-KF-AlF_3-YF_3 (6) 123*g*.

Nikol'skaya, G. F. See Stepenkov, E. I.

Nikulin, V. Kh. See Postnikov, V. S.

Nikushkin, E. G., Rashkovskaya, N. B., Taganov, I. N., and Romankov, P. G. Preparation of granules of a given size during dehydration of KCl solutions in a gushing layer (4) 79*f*.

Nilsson, Leif B. Machine for handling sheet glass, P (1) 10*a*; Machines for packing sheet glass with interleaving means, P (3) 63*i*.

Nimk Blok, C. J. J., and Jongetjes, H. New E-glass fiber fleeces (4) 80*h*.

Ninomiya, Akira See Nishikawa, Takuitsu

Ninomiya, Kiyoshi See Chiku, Takewo

Ninomiya, Masayuki See Naiki, Toshio

Ninomiya, Toshiyuki Theory of dislocation motion in a crystal: I, General and application to one-dimensional lattice (11) 259*c*.

Nisbet, John L., and Woodall, Hubert C., Jr. Method of forming glass fabric suitable for casts and bandages, P (1) 10*b*.

Nisel'son, L. A., Ivanova, R. V., Alekseeva, N. N., and Kalashnik, O. N. Liquid-vapor equilibrium in the system PCl_3-$AsCl_3$-$GaCl_3$ (2) 53*b*.

Nisel'son, L. A., Ustyugov, G. P., Taraskin, V. V., and Titov, A. A. Hydrodynamics and mass transfer during high-temp. fractionation of Se in columns with perforated plates (4) 90*e*.

Nishi, Tsuyoshi See Masuyama, Takeshi

Nishida, K., and Kira, K. On-line analyzer for raw mix preparation—digital computer and X-ray fluorescence apparatus for raw meal control (7) 143*b*.

Nishida, Masamitsu, and Ouchi, Hirumu Piezoelectric ceramic compositions, P (8) 175*g*.

Nishihara, Hironori, Tsuda, Toshinobu, Hirai, Akira, and Shinjo, Teruya NMR of ^{53}Cr in ferromagnetic CrO_2 (5) 112*c*.

Nishikawa, Hideo See Imatake, Tadami

Nishikawa, Satoru See Kotera, Noboru

Nishikawa, Takeo Method of producing SiC articles having thin layer construction, P (8) 172*a*.

Nishikawa, Takuitsu, Ninomiya, Akira, and Sakai, Kango Method for controlling deposit of coating material in electrostatic coating, P (8) 177*a*.

Nishikawa, Yasuo See Yamaguchi, Goro

Nishimatsu, Shigeru See Tokuyama, Takashi

Nishimatsu, Shigeru, and Tokuyama, Takashi Semiconductor device and a method of making, P (8) 175*d*.

Nishimoto, Kazuyuki See Wada, Mitsuo

Nishimoto, Tatsuya See Osada, Mitsuo

Nishimura, Katsuyuki See Kabashima, Shigeharu

Nishimura, Takeo Method of producing thin film integrated circuits, P (2) 44*e*.

Nishimura, Yukio See Matsubara, Shohei

Nishino, Kosuke See Nishizawa, Masahiro

Nishiwaki, Minoru Life of 320-ton mixer (torpedo) car and its prolongation by keeping it in proper repair through spraying and hand coating (1) 12*a*; Present state of steel production using the L. D. converter (7) 148*c*.

Nishiyama, Shigeru, Kusano, Hiroshi, Nagai, Yoshiro, and Miura, Satoshi Composite tube and method of producing it using the filament winding process, P (4) 81*g*.

Nishiyama, Tetsuji See Kobayashi, Taneo

Nishizawa, Masahiro, Wakabayashi, Masashi, and Nishino, Kosuke Method of making color phosphor screen of color picture tube, P (4) 86*g*.

Nishizuka, Hiroshi See Sakamoto, Yuzaburo

Nissen, W. I. See Rosenbaum, J. B.

Nitta, Tsunehiro, Taki, Hironitsu, and Nagase, Kaneomi Dielectric ceramic composition comprising Pb-La titanate solid solution, P (8) 174*d*.

Nitti, D. J. See Berrin, L. ; Johnson, D. W., Jr.

Niwa, Kenji See Oku, Tsurumi

Niwa, Kichizo See Sato, Seichi

Niwa, Shohei Development and future prospect of refractories for ingot making (1) 11*f*.

Niwa, Shohei, Matsumura, Isamu, and Takahashi, Shoichi Comparison of characteristics of stopper heads (for tundish for continuous casting) made respectively of zircon, high-alumina, chamotte, and graphite materials for trial use and test results (1) 11*h*.

Niwa, Shohei, Oki, Kazuo, Hayashi, Masaaki, and Morimoto, Yunkichi Device for continuous liquefaction of siliceous material, P (1) 9*c*.

Niwa, Shohei, Oki, Kazuo, Nagata, Hitoshi, Ishii, Sakae, and Kurihara, Isuji Submerged nozzle for continuous casting: IV, Development of alumina-graphite immersion nozzle by rubber press forming and use test results obtained (1) 13*e*.

Niwa, Shohei, Tabuchi, Takeshi, Hayashi, Yasuhige, and Izuiya, Atsuhiso Effect of flux and porosity on hot creep characteristic of high-alumina bricks, and interrelation between creep resistance and spalling resistance (9) 196*c*.

Nizamutdinov, N. M. See Kuz'mina, I. P.

Nizov, A. P. See Chernov, R. V.

Nizovkin, G. A. See Gorshkov, A. M.

Nobbs, J. McK., and Gillespie, Frank C. Properties [electrical, optical, structural] of thin films of ZnO prepared by a chemical spray method (5) 101*e*.

Noblanc, J. P., Loudette, J., Duraffourg, G., and Robertson, D. S. Visible cathodoluminescence of $AgGaS_2$, a I-III-VI_2 chalcopyrite compound (10) 240*a*.

Noble, Joseph V. Trick Greek vases (4) 78*b*.

Nobuhara, Keiichi See Iwaca, Uichi
Noda, Juichi See Kasai, Toshio
Noda, Juichi, Kasai, Toshio, and Ida, Ichiro Devices for preparing oriented crystal surfaces by lapping (10) 225*h*.
Noda, Mikio See Maruno, Shigeo
Noda, Mikio, Maruno, Shigeo, and Yamada, Toshio Switching phenomena in glasses of the system $Ge_{30}Se_{70-x}Te_x$ (5) 98*a*.
Noguchi, Masayasu, Chiba, Toshinobu, Mitsuhashi, Takefumi, and Tsuda, Nobuo Temp. dependence of positron lifetime spectra in Al_2O_3, KI, Si, and GaAs single crystals (9) 215*c*.
Noguchi, Masayasu, Mitsuhashi, Takefumi, Chiba, Toshinobu, Tanaka, Takaho, and Tsuda, Nobuo Positron lifetimes in oxides (6) 138*i*.
Noguchi, Seizo See Inoue, Touru
Nohara, Akira See Saito, Toshitaro
Nohara, Akira, and Imura, Toru Hydraulic-type tensile device for transmission electron microscopy (3) 72*d*.
Noll, Hans Flow cell for spectroscopic analysis of density gradients, P (8) 178*a*.
Nomaguchi, Tamotsu, Tabata, Norikazu, and Ito, Toshio Combustion apparatus for mixing fuel and air in divided portions, P (1) 22*j*.
Nomura, Shoichiro See Arima, Hideo
Nomura, Shoichiro, and Arima, Hideo Dielectric and piezoelectric properties in the ternary system Pb-$(Zn_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ (3) 74*j*.
Nomura, Takateru See Ohba, Hiroshi ; Sugita, Kiyoshi
Nootbout, Arend J. Preparation of metal oxide grains, P (8) 176*h*.
Nordland, W. A. See Miller, R. C.
Nordland, W. A., and Van Uitert, L. G. Anomalies in the dielectric constant of the $Pr_{1-x}Nd_xAlO_3$ system (4) 90*i*.
Nordmo, F. See Thonstad, J.
Nordt, Egon See Bienert, Klaus
Noren, Saul Laminated ceramic hf semiconductor package [BeO base], P (11) 250*i*.
Normington, Peter J. C. Schottky diode clipper device, P (10) 228*g*.
Noro, Takanobu See Muta, Akinori
Norris, Clarence G., and Merrick, Woodrow W. Method of applying a metal plate to a refractory brick, P (2) 40*e*.
Norris, Colin Alan See Clark, Colin Douglas
Norris, Leon F. See Kushnir, Bud W.
Norris, Peter E. See Pankove, Jacques I.
Norris, Peter E., and Micheletti, Frank B. Method of making an MOS transistor including a gate insulator layer of Al_2O_3 and the article so produced, P (9) 201*e*.
North, J. C. See Wolfe, R.
North, James C., and Prunieux, Bernard R. FETs and methods for making, P (2) 43*i*.
Northrop, David A. See Johnson, Ralph T., Jr.
Norton, Frederick H. Apparatus for making faceplates, P (8) 169*a*.
Norwood, T. E., and Fry, J. L. Energy bands of VO (8) 181*b*.
Nosch, Edwin See Arndt, Heinz H.
Nosochenko, Oleg V. See Rutes, Viktor S.
Notelteirs, Victor R. See T'jampens, Germain R.
Notelteirs, Victor R., and Janssen, Eduard J. P. Electric incandescent lamp comprising an internal fuse, P (6) 125*b*; Support for the filament body of a tubular lamp, P (9) 195*b*.
Notis, M. R. See Pruett, H. D.
Nouailles, Noel See Croset, Michel
Nova, Ilona Use of radiation burners in the firing of domestic porcelain (10) 233*j*.
Novak, Jaroslav, and Vrestalova, Marie Determination of dissolution heat of $3CaO.SiO_2$ (1) 2*c*.
Novak, Josef See Dobiasova, Ludmila
Novak, L. Far-ir surface-activated band-mode absorption in Sr oxide crystalline powder (9) 210*b*.
Novak, Pavel Cooperative Jahn-Teller effect in spinel and perovskite systems (4) 91*d*.
Novak, Ya. See Rosa, I.
Novikov, Albert P. See Vereschagin, Leonid F.
Novikov, S. N. See Bershtein, V. A.
Novikova, A. N. See Stepenkov, E. I.
Novitskii, E. Z., Kleshchevnikov, O. A., Mineev, V. N., and Ivanov, A. G. Depolarization of $BaTiO_3$, $PbTiO_3$, and $LiNbO_3$ ferroelectric crystals by shock waves (8) 180*b*.
Novoselov, G. P. See Ustinov, O. A.
Novoselov, S. K. See Novoselova, N. A.
Novoselova, A. V. See Finogenova, V. K. ; Korenev, Yu. M.
Novoselova, N. A., Novoselov, S. K., and Baidakov, L. A. Thermal properties of vitreous As sulfides (4) 81*c*.
Novotny, Josef, Spurny, Zdenek, and Binova, M. Exoelectron emission from activated $CaSO_4$ phosphors (4) 91*h*.
Nowik, I. See Almog, A. ; Bauminger, E. R.
Nowotny, J., and Wagner, J. B., Jr. Reequilibration kinetics for undoped and Li-doped single crystal Ni oxide (8) 185*h*.
Nozaki, Tadashi See Akiba, Fumimasa
Nozik, Arthur J., Tribit, Samuel, and Williams, Ferd E. White SiC sosoloids, P (7) 159*c*.
Nuccio, Carlo See Lester, William C.
Nunoshita, Masahiro, and Arai, Hirotsugu Energy-band gap and density of Si-As-Te amorphous semiconductors (9) 210*c*; Energy-band gap in Si-As-Te amorphous semiconductors (9) 210*d*.
Nurbekov, T. D. See Verner, V. F.
Nurmagambetov, Kh. N., and Shcherban, S. A. Infrared spectroscopic study of the mechanism of fluoride additives during sintering of alumina-containing charges (2) 33*j*.
Nusimovici, Michel, Balkanski, Minko, and Birman, Joseph L. Vibrations of a mass defect in CdS (6) 140*c*; Lattice dynamics of wurtzite: II, CdS (10) 237*f*.
Nuttall, Roy Semiconductor devices, P (4) 87*d*.
Nyberg, Birgit Crystal structure of $ZnSO_3.2.5H_2O$ (2) 51*i*. See Kierkegaard, Peder
Nye, John D. Process for grinding particulate solids, P (2) 48*d*.
Nygaardas, Y. Temp. dependence of reactions in a cement kiln and the influence of kiln speed (11) 255*f*.
Nyitray, Istvan See Sandor, Miklos
Nystroem, L. Simplified control algorithm for cement kilns, based on the charge temp. in the calcining zone (10) 218*h*.
Nyul, Paul Angled array semiconductor light sources, P (1) 16*g*.

Oakes, James A. Geometry for a *pnp* Si transistor with overlay contacts, P (2) 44*a*.
Obara, Katsuji Automatic apparatus for packaging powdered material with uniform bag weight and dust-free operation, P (4) 88*f*.
Obara, Richard A. See Tomozawa, Minoru
Obata, Shuichi See Oda, Fujio
Obenauf, R. H., Hsu, C. J., and Palmer, H. B. Mechanism of production of electronically excited BaO in the reaction of Ba vapor with O_2 (10) 237*a*.
Oberai, A. S. See Antipov, Igor ; Ghosh, H. N.
Obermayer, H. A., Dachs, H., and Schroecke, H. Coexistence of two magnetic phases in mixed crystals $(Fe,Mn)WO_4$ (9) 208*h*.
Obrecht, M. F. See Myers, J. R.
O'Bryan, H. M., Jr. Phase relations in $(Pb,La)Zr_{0.65}Ti_{0.35}O_3$ (8) 173*c*. See Fraser, David B. ; Meitzler, A. H.
Obst, K. H., Munechberg, W., and Malissa, H. Electron Probe Microanalysis in the Investigation of Basic Refractory Materials, B (2) 57*e*.
Obst, M., and Simon, I. Use of raw material from the Chlumcany deposit (2) 50*e*.
Ochi, Toshiyuki See Miyatake, Kazumi
Ochiai, Tsunemi See Kumai, Hiroshi
Ochiai, Tsunemi, and Fujiwara, Shigeru Suggestions on conditioning of furnace—problems in operation of furnace with refractory body (1) 22*i*.
O'Connell, R. J. See Spetzler, H.
O'Conor, Eugene F., and Eppler, Richard A. Semicrystalline glazes for low expansion whiteware bodies (4) 84*f*.
Oda, Fujio, and Obata, Shuichi Semiconductor stress transducer, P (1) 19*f*.
Odajima, Akira See Kumazaki, Kenji
O'Dell, K. D., and Hensley, Eugene B. Decomposition pressure, congruent melting point, and electrical resistivity of CeN (3) 74*d*.
Oden, Laurance L., Sumner, D. H., and Howe, J., Jr. Recovering rutile from Ti-enriched high-Fe smelter slag (9) 206*j*.
Odler, Ivan Specific surface of set portland cement (4) 79*c*. See Brunauer, Stephen ; Yudenfreund, Marvin
Odler, Ivan, Hagymassy, Julius, Jr., Bodor, Edward E., Yudenfreund, Marvin, and Brunauer, Stephen Hardened portland cement pastes of low porosity: IV, Surface area and pore structure (6) 120*j*.
Odler, Ivan, Yudenfreund, Marvin, Skalny, Jan, and Brunauer, Stephen Hardened portland cement pastes of low porosity: III, Degree of hydration. Expansion of paste. Total porosity (6) 120*i*.
Odom, Clyde H., and Kunselman, Maurice H. Apparatus for leaching core material from sheared segments of clad nuclear fuel pins, P (8) 176*f*.
Odom, I. Edgar Clay and shale resources of Peoria and Tazewell counties, Illinois (6) 134*d*.
O'Donnell, Cedric F., and Pulliam, George R. Magnetic bubble domain system, P (5) 102*h*.
O'Donoghue, Thomas S. Basic relation of cleaners and drawing compounds to porcelain enameling (4) 79*j*; Removal of carbonaceous soils from welded steel prior to porcelain enameling (5) 96*i*.
Oeffinger, T. R. See Lessoff, H.
Oesterritter, William M. Interpretation method for use in X-ray diffraction and X-ray fluorescence analysis, P (1) 22*d*.
Ofer, S. See Almog, A. ; Bauminger, E. R.
Ogawa, T. See Ohba, Hiroshi ; Tsuboi, T.
Ogawa, Takenobu See Yasuda, Nobuaki
Ogawa, Takuzo See Misawa, Yutaka ; Ohuchi, Hirobumi ; Tsukuda, Kiyoshi
Ogawa, Takuzo, and Iimura, Masao Light-sensitive thyristor, P (6) 129*h*.
Ogirima, Masahiko See Aoki, Masaharu ; Kasano, Hiroyuki
Ogirima, Masahiko, Kusumoto, Hazime, and Shinoda, Toshimitu Method for producing injection-type light-emitting semiconductor devices having an epitaxial layer of N-doped GaP, P (1) 18*h*.
Ogita, Nobuyo Amorphous fluorophosphate optical glass free of yellow coloring and process for producing, P (10) 222*a*.
Ogle, Pearl R., Jr. Method of purifying U hexafluoride by reduction to lower U fluorides, P (2) 47*c*.
Ogorelec, Z. See Celustka, B. ; Ceric, V.
Ogorelec, Z., Mestnik, B., and Turkovic, J. Metal-nonmetal transition in the $Cu_{2-x}Ag_xSe$ system (10) 237*b*.
Ogorodnikov, V. V. Theory of diffusion in heterogeneous solids (8) 187*g*.
Ogorodnova-Zakharova, N. V. See Savin, V. D.
Ogren, John R. See Blumenthal, Jack L.
Oguri, Shigeo See Kawamura, Junichi
Ogurtsov, S. V. See Savin, V. D.
Ogushi, Tetsuya, and Shibuya, Yoshio Flux flow in types I and II superconducting films (6) 136*h*.
Oh, Jae Hee See Lee, Hui Soo
Oh, Ki Dong, and Kim, Keun Joong Wando pyrophyllite (9) 216*b*.
Oh, Ki Dong, Morikawa, Hideki, Iwai, Shinichi, and Aoki, Hideki Hydrothermal growth of magnesite single crystals (8) 182*i*.
Ohara, Kengo See Toda, Masumi
O'Hara, Mark J. Method of preparing a catalyst for the hydrorefining of residual oils, P (11) 256*b*.
Ohashi, Taizo See Muraoka, Hisashi
Ohba, Hiroshi, and Hiragushi, Keisuke Trends in construction of refractory furnace body as revealed in the literature (1) 13*j*.
Ohba, Hiroshi, Hiragushi, Keisuke, and Kitamura, Tomoyasu Thermal expansion and stress caused by heating brickworks—thermal behavior of refractory construction: I (1) 13*h*; Thermal stress exerted on brick lining of blast pipe through heating (9) 196*j*.
Ohba, Hiroshi, Hiragushi, Keisuke, and Ogawa, T. Development of refractories for high temp. blast stoves (4) 83*d*.
Ohba, Hiroshi, Sugita, Kiyoshi, and Fukuoka, Hiromi Crystallization and its effect on property changes in fused silica refractories during heating: II, Influence of preheating condition on thermal shock resistance (3) 65*a*; Physical and chemical properties of imported sand for ladle before and after use test (9) 196*a*.
Ohba, Hiroshi, Sugita, Kiyoshi, Nomura, Takateru, and Shimada, Kohei Changes in properties of stamped bed of arc furnace left idle for a long period after construction (1) 11*g*.
Ohba, Hiroshi, Sugita, Kiyoshi, and Shimada, Kohei Literature on vibration casting methods for construction of electric furnace, and results obtained at Shin Nippon Steel Corp. (9) 196*i*.
Ohba, Hiroshi, Sugita, Kiyoshi, Shimada, Kohei, and Matsuo, Masataka Evaluation of quality of bricks for converter by measuring modulus of rupture at high temp. and determination of critical testing temp. (7) 148*i*.
Ohba, Jun Time and effort saved by use of blocks made from plastic refractories for repair of soaking pits (7) 148*i*. See Isomura, Kiyoshi
Ohba, Jun, and Kitagawa, Tadayoshi Outline of automatic stamping rammer for pig iron trough and results obtained (9) 196*j*.
Obeda, Hidetoshi See Sasaki, Akio
Ohlberg, S. M., and Golob, Helen R. Undulating structure in complex silicate glasses (7) 146*e*.
Ohlinger, Manfred See Hartmann, Hans J.
Ohmachi, Yoshiro, and Igo, Takeo Laser-induced refractive-index change in As-S-Ge glasses (10) 220*i*.
Ohnemueller, W. Testing of masonry mortars for mortar group II with due regard to highly hydraulic limes (11) 242*e*.
Ohno, Tomeji See Tsubouchi, Norio
O'Horo, M. P., Frisillo, A. L., and White, W. B. Lattice vibrations of $MgAl_2O_4$ spinel (8) 183*g*.
Ohosaka, Syuichi See Seki, Hisashi
Ohsato, Nobuyoshi Process and apparatus for the preparation of surface-modified glass ribbon, P (10) 223*a*.
Ohsato, Nobuyoshi, and Akashi, Naotomo Float process for mfg. of glass ribbon, P (6) 125*c*.
Ohta, Hironori Migration of K^+ ion-exchanged layer under the reverse electric field (6) 124*a*; Strength and fracture behavior of ion-exchanged glass (8) 168*j*.
Ohta, Kazuyuki See Sada, Tomohiko
Ohta, Shonosuke See Takano, Shuzo
Ohta, Yasuo See Tsuneta, Asahide
Ohtsuka, Atsushi Research on Sc-Cr spinel pigments containing Co^{2+} and Ni^{2+} ions (10) 225*a*.
Ohtsuki, Osamu See Shinohara, Koji
Ohuchi, Hirobumi, Kurihara, Yasutoshi, Ura, Mitsuru, and Ogawa, Takuzo Semiconductor photoelectric transducer, P (10) 229*b*.
Oikawa, Mitsuru CRT screen having contiguous, overlapping color areas, P (10) 227*g*. See Okabe, Tadao
Oishi, Yasumichi See Ando, Ken
Okabe, Tadao, Oikawa, Mitsuru, Tanaka, Makoto, and Nagashiro, Waichi Method of mfg. color picture tube, P (3) 64*b*.
Okabe, Takahiro, Nagata, Minoru, and Makimoto, Tsugio Method for fabricating semiconductor LSI circuit devices, P (4) 86*f*.
Okada, Takashi See Makino, Hiroshi
Okada, Yasumasa See Sugi, Michio ; Tanaka, Kazunobu
Okagaki, Hirosi, Arai, Yoji, Tomita, Sadami, and Hosoya, Akira Glow discharge tube for atomic light-absorption analysis, P (8) 170*b*.
Okahara, Masamichi See Nakagawa, Masayoshi
Okamoto, F. See Miyatani, K.
Okamoto, Kenichi Energy spectrum of the piezoelectric polaron (5) 109*b*.
Okamoto, Shoji See Nameishi, Naoyuki
Okamoto, Takio See Mizuno, Hideo
Okamura, Kunio See Yamada, Tunehiko
Okazaki, A., and Kawaminami, M. Lattice constant of $SrTiO_3$ at low temps. (9) 211*f*.
Okazaki, K. See Toda, K.
Okazaki, Kiyoshi, and Nagata, Kunihiro Effect of grain size and porosity on electrical and optical properties of PLZT ceramics (3) 66*h*.
O'Keefe, J. G. See Milberg, M. E.
O'Keeffe, M., and Ribble, T. J. Interdiffusion and solubility limits of Cr_2O_3 in the rutile phase of TiO_2 (1) 25*e*.
O'Keeffe, Michael, and Valigi, Mario Electrical properties and defect structure of pure and Cr-doped MnO (4) 91*f*.
O'Keeffe, Terence W. Masked photocathode, P (1) 17*e*.
Okhremchuk, L. N. See Gnesin, G. G.
Oki, Kazuo See Niwa, Shohei
Okinaka, Hideyuki See Asbrink, Gudrun ; Kachi, Sukeji

Oktay, Sevgin, and Schmeckenbecher, Arnold F. Method for forming heat sinks on semiconductor device chips, P (4) 86*f*.
Oku, Tsurumi, Suzuki, Akio, Tawara, Nobuyoshi, and Niwa, Kenji Process for producing alumina, P (6) 134*h*.
Okubo, Masuta See Takahashi, Osamu
Okuda, Kiichi, and Nakai, Yutaka Magnetic anisotropy of Au-Cr alloys (6) 137*e*.
Okuda, Masahiro See Matsushita, Tatsuhiko
Okuda, Masahiro, Matsushita, Tatsuhiko, Yamagami, Teiichi, and Yamamoto, Koichi Voltage effect on amorphous optical memory chalcogenide films (11) 249*i*.
Okuda, Masanao See Kobayashi, Seihin
Okuda, Shigeru See Toda, Masumi
Okuda, Shogo See Kataoka, Toshihiko
Okuda, Susumu See Inoue, Keikichi ; Nakamura, Masahiko
Okuma, Kiwamu, and Abe, Takeo Burner apparatus and method for mfg. glass wool, P (7) 146*a*.
Okusawa, Kazuhiro See Aoki, Kumao ; Kawamura, Junichi
Okushi, H. See Matsuda, A.
Olbricht, R. See Gelsdorf, G.
Olcott, Eugene L. Composite materials, P (5) 100*j*; Pyrolytic graphite-SiC microcomposites, P (9) 197*e*.
Oldenburg, Jerk G., and Rosenberg, Allan Y. T. Burner monitor apparatus, P (9) 206*b*.
Oldham, James R. See Brown, Lloyd H.
Olds, G. C. E. See Kell, R. C.
Olech, J. See Ujma, Z.
Olechna, D. J. Directional dispersion of extraordinary optical phonons in uniaxial crystals [α-quartz, $CaMoO_4$, $CaWO_4$, α-Al_2O_3, MgF_2, ZnF_2] (5) 108*h*.
Oleinik, G. S. See Gnesin, G. G.
Oleinik, V. T. See Yam, V. M.
Oleinikov, N. N. See Tret'yakov, Yu. D.
Ol'ginskii, Alexander G. See Mchedlov-Petrosyan, Otar P.
Olich, Jack M. See Herron, Rand E.
Oliver, Andrew, Jr. Glass lagynoi (6) 119*j*.
Oliver, E. M., and Rahn, H. N. Effects of residual elements in decarburized enameling steel on etching and Ni deposition (4) 80*a*.
Oliver, Lloyd R. Abrading wheel, P (10) 217*e*.
Olivero, Carlo F. Combination toilet and urinal, P (9) 198*i*.
Olivier, James P. See Sennett, Paul S.
Olkiewicz, K. See Dargel, L.
Ollivier, G., and Buisson, G. Effect of chemical preparation on the magnetic structure of Ca_2MnO_4 (5) 108*b*; Two-dimensional magnetic order in Ca_2MnO_4 (8) 187*f*.
Olmstead, John A. IGFET with variable gain, P (10) 227*f*.
Olschewski, Karl H. See Grimm, Werner
Olsen, Harold W. Liquid movement through kaolinite under hydraulic, electric, and osmotic gradients (6) 136*j*.
Olsen, Larry C., Seeman, Stephen E., Griffin, Bobby L., and Ambrose, Charles J. Nuclear battery, P (4) 87*i*.
Olsen, U. Improved surface finish with "shop floor" balanced grinding wheels (5) 95*g*.
Olson, Albert W., Gungle, Warren Calvin, and Waymouth, John F. Arc discharge tube with surrounding starting coil, P (10) 222*e*.
Olson, James F. Rotary samplers, P (1) 21*c*.
Olson, Norman K. Rapid technique for estimating tonnage of mineral resources (6) 133*d*.
Olstowski, Franciszek Oxidation-resistant graphite composition, P (6) 134*g*.
Olwert, Ronald J. See Martyny, William C.
Olympia, Frederick D. See Clishem, Thomas A.
Omel'chenko, Yu. A. See Markovskii, L. Ya.
Omori, Shigemi, Iriya, Teruhiro, Hiramatsu, Keago, and Morioka, Koichi Determination of thermal conductivity of solids by steady heat flow method using linear heater: I (9) 204*j*.
Ondik, Helen M. See Donnay, J. D. H.
O'Neill, William M. See Dosch, Robert G.
Onillon, Marc See Launay, Jean Claude
Onishi, Hiroshi See Motojima, Kenji
Onishi, Toshiyasu Change of material and shape of bricks for stopper sleeve for D. H. degassing vessel to prevent bricks from cracking, and service test results obtained (1) 11*f*.
Ono, Akishige See Kanaya, Koichi
Ono, Isao Process for continuously annealing a fused cast refractory body, P (7) 147*c*.
Ono, Noriaki Quality deterioration of basic bricks due . to alkali action (9) 196*c*. See Miyatake, Kazumi
Ono, Takuro Cause and simulative test of deterioration of basic brick in glass tank furnace checkers (9) 195*i*.
Ono, Terumasa See Yamaoka, Shinobu
Ono, Yoshihiro See Kato, Akio
Ono, Yuichi See Migitaka, Masatoshi
Onoda, T., Namekshi, N., Nagai, B., and Inoue, A. Selection of refractory linings for blast stoves (4) 83*i*.
Onstott, J., and Lucovsky, G. Directional dispersion of extraordinary optical phonons in α-quartz in the frequency domain 380—640 cm^{-1} (5) 108*g*.
Onuma, Yoshiaru See Koyama, Tsuneo
Ooka, K. See Dunn, B.
Oouchi, Teruo See Takahashi, Nagashige
Opalovskii, A. A., Fedorov, V. E., and Lobkov, E. U. Reaction of the selenides of Mo, W, and Re with gaseous bromine (5) 114*h*.
Optiz, D. See Locher, F. W.
Oravitz, James L., Jr. See Dahlberg, John R.
Orchowski, A. A. Demand sparks expansion of Basic's metalizing facility (9) 199*f*.
Orcutt, Franklin D. See Boyer, Charles B.
Ord, J. L. See Ho, F. C.
Ordan'yan, S. S., and Drozdetskaya, G. V. High-temp. strength of TiC and ZrC specimens prepared by different techniques (8) 171*h*.
O'Reilly, James J. See Barkley, John R.
O'Reilly, W. See Hoye, G. S.
Orekhova, V. P. See Sevast'yanov, B. K.
Organovskii, Nauum A. See Rogachev, Boris V.
Orkin, Stanley S., and Whitfield, Alan A. Ceramic bearing, P (5) 100*j*.
Orlandini, Kent A. Selective ion exchange for the isolation of certain alkaline earths [Sr and Ba], P (3) 73*g*.
Orlova, E. M. See Bogdanova, G. S.
Orlova, G. M. See Mikhailov, V. N. ; Nikandrova, G. A.
Orlovskaya, Galina Ya. See Fedorkov, Albert P.
Ormerod, E. C. See Brown, G.
Ormesher, E. R., and Yates, J. A. Mfg. of flat glass, P (10) 222*b*.
Ormesher, Edward R. See Robinson, Albert S.
Ormiston, Thomas J., and Whittemore, O. J., Jr. Sintering of silica fiber compacts (5) 100*h*.
Orobchenko, V. I. See Ovcharenko, F. D.
Orr, W. N. See Fowler, G. A.
Orr, William H. See Cuthbert, John D.
Orris, Edward C. Cathode sputtering electrode assembly, P (5) 101*j*.
Orth, Edward D., and Kessel, Alvan A. Semiconductor pressure transducer structure, P (2) 45*f*.
Orth, Edward D., and Yerman, Alexander J. Semiconductor strain gage pressure transducer, P (2) 45*e*; Si diaphragm pressure sensor having improved configuration of integral strain gage elements, P (2) 45*f*.
Osada, Mitsuo, Kumon, Osamu, and Nishimoto, Tatsuya Ferroelectric and piezoelectric composition, P (9) 200*e*.
Osaka, Akiyoshi See Goto, Yasumasa
Osaka, S. See Takahashi, T.
Osakeyhtioe, A. Ahlstroem Methods of coating, P (10) 232*a*.
Osamura, Kozo, Inoue, Jun, and Murakami, Yotaro Experiments and calculation of the Ga-GaAs-GaP ternary phase diagram (9) 210*j*.
Osborne, John F., and Pille, Hans J. Method of causing adherence of glass to Au, P (8) 170*a*; Method of adhering W to glass and for providing a W-Au interconnect layer, P (8) 174*d*.
Osburn, C. M., and Vest, R. W. Defect structure and electrical properties of NiO: I, High temp. (5) 107*g*; II, Temps. below equilibration (5) 107*h*; Electrical properties of NiO grain boundaries (5) 109*d*.
Oshima, Keichi See Ishii, Tamotsu
Oshima, Yoshitane Problems with refractory furnace body from viewpoint of furnace construction: I, Plastic refractories (1) 12*h*.
Oskotskii, V. S., Popov, V. V., Smirnov, I. A., Tamarin, P. V., and Neshpor, V. S. Thermal conductivity of pyrolytic B nitride (8) 187*i*.
Osmanov, E. O. See Boltovets, N. S. ; Nemilov, S. V.
Osokin, A. P. See Vasil'eva, N. F.
Ostapenko, G. T. Inhibition of the dissolution of quartz crystals and their possible growth in the presence of kyanite in concentrated HCl solutions at high temp. and pressure (10) 237*b*.
Ostapenko, G. T., and Arapova, M. A. Solubility of kyanite, corundum, quartz, and amorphous silica in HCl solutions at 285°C and 450 bars (10) 239*i*.
Ostermayer, F. W., Jr. See Pinnow, D. A.
Ostler, John, and Martini, I. P. Instant peels using polyester resin (9) 204*i*.
Ostolski, Marian J. Electrically conductive mass, P (7) 153*f*.
Ostrikova, N. V. Thermal analysis of the system $GaCl_3$-$AlCl_3$-CsCl (1) 29*b*; Thermal analysis of the system $GaCl_3$-Fe-Cl_3-NaCl (1) 29*c*.
Ostrovskaya, T. V., and Amirova, S. A. Chemical transformations of the tetrafluoroborates of Mg, Ca, Sr, Zn, and Cd during heating (1) 24*g*.
Ostrovskii, P. I. See Sandulova, A. V.
Oswald, Fred Grinding wheel [WC] for floor grinding machine, P (10) 217*e*.
Ota, Eiichi See Mizukusa, Shin
Otaka, Yoshihisa See Sato, Shozo
Otani, Sugio Heat treatment of molten carbonaceous material prior to its conversion to C fibers and other shapes, P (6) 128*a*.
Otani, Takeo See Kimura, Morihiro ; Tani, Tetsuro
Oteo Mazo, Jose Luis See Aleixandre Ferrandis, Vicente
Otnes, K. See Riste, T.
Otnes, K., Riste, T., Shirane, G., and Feder, J. Temp. dependence of the soft mode in $SrTiO_3$ above the 105°K transition (9) 215*d*.
Otsuie, Tsuneuni See Kumai, Hiroshi
Otsuka, Kenju, and Kimura, Tatsuya Higher-order mode-locking and separation of mode-locked states in an Nd^{3+}:YAG laser (3) 75*h*.
Otsuka, Takehiko Relations between technical innovation and refractories in iron and steel industry (1) 13*c*.
Ott, H. R. See Griessen, R.
Ott, Reuben C. Process for the preparation of globular Na bisulfate, P (1) 23*j*.
Ott, Robert E. Refractory particulates, P (8) 172*c*.
Ott, W. R. See Ganzala, Gary W.
Ott, W. R., McLaren, Malcolm G., and Harsell, W. B. Thermal analysis of Pb glass batch (8) 169*d*.
Ottaviani, G. See Canali, C.
Ottaviani, G., Sigurd, D., Marrello, V., McCaldin, J. O., and Mayer, J. W. Crystal growth of Si and Ge in metal films (11) 249*d*.
Ottenheym, Adrian See Kurczyk, Heinz G.
Otto, Friedrich Comminutor-mixer, P (10) 234*i*.
Otto, P. See Schwiete, H. E.
Ouchi, Hirumu See Nishida, Masamitsu
Ouchi, Koji, Horie, Michio, and Honda, Hidemasa C-glass composite and mfg. method, P (10) 224*g*.
Ouensanga, A., Vermesse, C., and Dode, M. Contribution to the thermodynamic study of the system Zr-O-C at high temp. (9) 208*d*.
Oulton, Richard J. Heating and bending of glass sheets during vertical conveyance, P (1) 9*h*.
Outsen, Arthur C., Jr. Power unit for plate glass handling apparatus, P (9) 194*g*.
Ovcharenko, F. D., Orobchenko, V. I., Kruglitskii, N. N., Nichiporenko, S. P., and Pechenaya, L. N. Effect of magnetic treatment on structure formation and deformation processes in clay dispersions (11) 257*d*.
Ovcharov, I. V. See Pchelyakov, K. A.
Ovcharuk, A. N. See Piontkovskii, O. D.
Ovchinnikov, L. F. See Gorshkov, A. M.
Ovchinnikov, V. V. See Bogdanova, G. S.
Ovechkin, E. K., Shevtsova, L. N., Voitsekhovskii, A. E., and Kuznetsova, L. V. Phase diagram of the system Na_2CO_3-Na_2S (7) 161*j*.
Overhoff, Dietrich Process for the production of C and graphite fibers, P (7) 149*d*.
Overman, Kenneth T. See Knowles, Daniel H.
Ovshinsky, Stanford R. Switchable current-controlling device with inactive material dispersed in the active semiconductor material, P (5) 103*c*. See Feinleib, J.
Owen, Arthur J., Visser, Reier, and van Laar, Jacobus Metallurgical furnace lining and method of production, P (4) 84*a*.
Owens, James, Pinkham, Robert, and Monroe, Raymond, Jr. Product demands set and met (11) 249*g*.
Owens, John M., and Heinz, David M. Magnetic bubble domain system, P (2) 44*e*.
Ownby, P. D. See Jong, B. W.
Oxenham, John K. Measuring the beam landing characteristic of a shadow-mask CRT, P (7) 153*g*.
Oy, Parkano Apparatus for grading a mixture of finely divided solid materials, P (11) 252*f*.
Oyama, Takeji See Kobayashi, Hiroo
Oyama, Yoichi Solid solution in the ternary system Si_3N_4-Al_2O_3-Ga_2O_3 (5) 114*e*; Solid solution in the ternary system Si_3N_4-AlN-Al_2O_3 (8) 186*h*.
Oyama, Yoichi, and Kamigaito, Osami Hot-pressing of Si_3N_4-Al_2O_3 (10) 236*f*.
Ozeki, T. See Inagaki, M.

Pace, Eugene L. See Sharp, Robert R.
Packard, James R. See Campbell, Donald A. ; Tait, William C.
Pacovskii, V. See Knap, M.
Padawer, Gerald M. Li nuclear microprobe, P (4) 87*g*.
Padel, Liliane, Poix, Paul, and Michel, Andre Preparation and crystallographic study of the system $Ba_2(UMg)O_6$-$Ba_2(U_{2/3}Fe_{4/3})O_6$ (5) 114*a*.
Padgett, C. See Evans, A. G.
Paetsch, D. Efficient control of raw materials (9) 206*h*.
Paff, R. J. See Yim, W. M.
Page, Larry J., and Hygh, Earl H. Calculation of energy bands in alkali halides (6) 135*g*.
Page, Robert B., and Cartwright, Thomas W. Metal-halide discharge lamps, P (5) 99*a*.
Paine, Thomas O. Method of forming transparent films of ZnO, P (2) 44*j*.
Paja, A. See Stobiecki, T.
Paksweer, Serge Secondary electron multipliers with single-layer cermet coatings, P (9) 202*b*.
Pal, B. P. See Chakravarti, A. K.
Paletto, Raimondo, and Cossuta, Giuseppe Module for integrated circuits and method of making, P (1) 18*c*.
Palkina, K. K., Kuznetsov, V. G., Dzhurinskii, B. F., and Moruga, L. G. X-ray diffraction data and space groups of the mixed borates $Pr_2Sr_3(BO_3)_4$, $Gd_2Sr_3(BO_3)_4$, $La_2Ba_3(BO_3)_4$, and $La_2Sr_3(BO_3)_4$ (9) 216*a*.
Palma, G. E., and Gagosz, R. M. Optical absorption in fused silica during irradiation—radiation annealing of the *C*-band (3) 62*f*.
Palmenberg, Edward C. Contour-abrasion means and method, P (1) 1*f*.
Palmer, Gerald G. See Kim, Chang Soo
Palmer, H. B. See Obenauf, R. H.
Palmer, Myron D. Process for etching Si_3N_4, P (4) 87*a*.
Paluch, Edmund, Gawlicki, Marek, and Biernacka-Zydek, Krystyna Suitability of chemical methods for determining unbound Ca hydroxide in lime-sand products (10) 218*j*.
Palumbo, Henry J. Compressed asbestos sheet packing products and method, P (3) 65*e*.
Pammer, Erich, and Folkmann, Eduard Si_3N_4 coating on quartz walls for diffusion and oxidation reactors, P (10) 223*b*.
Pampuch, Roman Ir spectroscopic study of the kaolinite—metakaolin reaction (3) 75*e*; Topotactic thermal decomposition reactions of hydroxides and hydrous layer-lattice silicates (4) 94*d*.
Pampuch, Roman, and Gallus-Olender, Joanna Determination of stretching force constants of $P_3O_{10}^{5-}$ anion using ir spectra (4) 91*a*.
Pampuch, Roman, Kawalska, Marta, and Ptak, Wieslaw Thermal dissociation of hydroxyl groups in 1:1 layer-lattice silicates (4) 94*b*.
Pampuch, Roman, Piekarczyk, Jan W., and Librant, Zdzislaw Hydrothermal reaction: kaolinite-pyrophyllite (2) 53*i*.

Pampuch, Roman, and Ptak, Wieslaw Vibrational spectra and structure of laminar silicates of 1:1 type: II, Octahedral layer (2) 56*b*.

Pampuch, Roman, Ptak, Wieslaw, and Stuus, Wieslaw Spectrophotometric study of kaolinite dehydroxylation in the presence of nascent O (2) 54*b*.

Pampuch, Roman, and Wal, Witold Thermal decomposition of montmorillonite (4) 93*f*.

Pampus, Gottfried See Mansmann, Manfred

Panakh-Zade, S. A., Plyushchev, V. E., and Varfolomeev, M. B. Reaction of Ga oxide with the odixes of Ni, Co, Cu, Zn, and Cd (1) 27*e*.

Panaselkin, Yu. V., and Stepanyan, R. G. Radiowave level gages (2) 48*i*.

Panasenko, N. M. See Belyaev, E. K.

Pandey, H. D. See Tripathi, V. K.

Panek, Zdenek Phase equilibria in the picrochromite-dicalcium silicate system (11) 242*a*.

Panina, N. S. See Butt, Yu. M.

Panish, Morton B. See Ilegems, Marc

Pankey, Titus, Jr. See Davey, John E.

Pankove, Jacques I., and Norris, Peter E. Electroluminescent semiconductor device for generating uv radiation, P (10) 227*a*.

Pankratov, V. I., Kolosovskaya, V. M., and Sheludko, V. P. Rapid-hardening slag portland cement for mfg. of precast concrete units (11) 242*c*.

Pankratova, V. S. See Guzman, I. Ya.

Panlener, R. J. See Blumenthal, Robert N.

Panousis, Peter T. See Murphy, Bernard T.

Panousis, Peter T., and Waggener, Herbert A. Etching Si_3N_4, P (5) 102*c*.

Panson, Armand J., and Ruka, Roswell J. Homogeneous precipitation of alkaline-earth metal halophosphate phosphors, P (3) 69*j*.

Pantulu, P. V., and Sudarshan, E. Magnetic symmetry and transport properties of crystals (11) 258*h*.

Panzarino, Joseph N. See Howell, Robert G.

Paoia, Carl R. See Bergh, Arpad A.

Paoletti, Charles, and Terrasse, Gilles Glass containers for aerosols and method and apparatus for making, P (6) 125*c*.

Paoletti, G. F. Possible use of Shelyubskii's method for determining homogeneity in glass: I (4) 80*j*; Possible use of Shelyubskii's method for determining homogeneities in glass: II (10) 221*d*.

Paoli, Thomas L., and Ripper, Jose E. Optical coupling of adjacent stripe contact geometry semiconductor lasers, P (2) 45*a*; Mode locking in semiconductor lasers, P (3) 69*j*; Dynamic FM control of the transverse modes of self-pulsing semiconductor laser, P (7) 153*e*.

Paorici, C. See Canali, C.

Papakin, Kh. M. See Bron, V. A.

Paparoditis, C. See Ferre, J. ; Suryanarayanan, R.

Paparoditis, C., Suryanarayanan, R., Llinares, C., Monteil, E., and Bordure, G. Transport properties of Eu oxide thin films (9) 215*j*.

Papeashvili, Sh. See Timashev, V. V.

Papee, Denis, and Lavalou, Michel High-porous activated alumina and method, P (2) 42*b*.

Paperno, I. M. See Politov, N. G.

Papetti, Stelvio Polymeric amino Al borohydride and method of preparing, P (3) 73*c*.

Papke, Keith G. Erionite and other associated zeolites in Nevada (6) 134*g*.

Paplauskas, A. B. See Ryabov, V. A. ; Semenov, N. I.

Pappalardo, Salvatore See Lubatti, Eugenio

Paquet, Volker See Geffcken, Walter

Paradis, H. James Teaching to throw—the hand-guiding technique (4) 78*a*.

Pardoe, G. W. F. See Larson, Sylvia J.

Parekh, P. C. Uniformity of P emitter concentration for shallow diffused transistors (9) 200*d*.

Paretzkin, Boris See Swanson, Howard E.

Parfenenkov, V. N. See Grebenshchikov, R. G.

Parikh, P. H. See LaDue, A. W.

Paris, Jacques M. See Paris, Rene A.

Paris, Rene A., Thibaudon, Dominique, Roubin, Marc P., and Paris, Jacques M. Method for preparing mutual dispersions of carbides and metals or alloys and novel products thereof, P (8) 172*f*.

Pariseau, W. G. See Fowkes, R. S.

Pariseau, W. G., and Fowkes, R. S. Bin hopper engineering and bulk materials flow—a state-of-the-art report on empirical and theoretical analyses (2) 47*i*.

Park, Hee Chan See Chi, Ung Up ; Lee, Sou Woo

Park, Jeong Hyun See Lee, Hui Soo

Park, Keum Churl, and Ko, Young Shin Dicalcium silicate refractories (9) 196*a*.

Park, Kwang Ja See Park, Soon Ja

Park, Kyu C. See Anacker, Wilhelm

Park, Soon Ja Effect of oxide flux on electrical characteristics of a forsterite body (11) 257*e*.

Park, Soon Ja, and Park, Kwang Ja Mfg. of hf insulator ceramics: II, Forsterite porcelain using domestic quartz (9) 199*f*.

Park, Y. S. See Yu, Phil Won

Park, Yong Wan Phase separation of borosilicate glass by addition of P_2O_5 (9) 192*e*.

Parke, S., and Webb, R. S. Fluorescence of Cu in glass (8) 167*f*; Optical properties of Tl, Pb, and Bi in oxide glasses (8) 168*j*.

Parke, Sydney Effect of temp. on the fluorescence of divalent Mn in glasses (5) 97*c*. See Sandoe, J. N.

Parker, H. S. See Roth, R. S.

Parker, Leslie P. See Freeze, Paul D.

Parker, Sidney G., Pinnell, Jack E., and Swink, Larry N. Epitaxial ZnSe on GaAs and Ge by HBr transport (5) 101*f*.

Parker, Vivian B. Enthalpies of formation of BeO(*c*) and BeF_2(*c*) (9) 210*e*. See Schumm, R. H.

Parker, W. G. See Glasser, F. P.

Parkinson, Dean B., and Brown, Arthur G. Method of coating glass containers and the like, P (5) 99*a*.

Parkinson, R. T. See Fowkes, A. J.

Parkman, Malcolm F. Sealed high-pressure arc lamp and socket therefor, P (5) 99*h*.

Parks, Charles F. Electroconductive glaze and method for preparation, P (2) 42*a*.

Parks, George A. Free energies of formation and aqueous solubilities of Al hydroxides and oxide hydroxides at 25°C (2) 53*a*.

Parks, Howard L. Electrical circuit packaging structure and method of fabrication, P (3) 69*f*.

Parks, John M. Li-containing welding electrode, P (10) 219*d*.

Parks, Keith W. Preheating of dry aggregate for C electrodes, P (1) 14*b*.

Parlee, Norman A. See Anderson, R. N.

Parmelee, Cullen W. Ceramic Glazes, B (6) 140*f*.

Paro, Josephus See Dekker, Cornelis

Parratt, Noel J. See Cannell, John C.

Parris, Joseph N. Pressure molding of glass articles, P (7) 147*c*.

Parrot, Jean M. See Classen, Franz

Parry, R. J., and Higham, G. A. Glass compositions, P (9) 194*d*.

Parshad, R. See Yadav, A. S.

Parsons, Basil I. See Shaw, Geoffrey T.

Parsons, P. G. Inexpensive scale expansion for ion selective electrodes (7) 144*i*.

Parthasaradhi, K. See Murty, M. V. Ramana

Partlow, William D. See Hopkins, Richard H.

Parts, Leo P. See Binning, Robert C.

Paschal, Forrest A., Stuart, Gerald L., and Paschal, Forrest A., II Apparatus for stacking uncured brick, P (2) 39*h*.

Paschal, Forrest A., II See Paschal, Forrest A.

Pascu, Doina See Tibad, Antal

Pascual, Jean-Francois New DTA measuring head (6) 132*i*.

Pashin, Vasily F. See Maksutov, Rafkhat

Pashkov, Yu. P. See Piontkovskii, O. D.

Pask, Joseph A. Chemical reactions and adherence at glass-metal interfaces (5) 96*e*. See Brennan, John J. ; Hoge, Carl E. ; Raju, Abbaraju P. ; Sugita, Tadaaki

Pasquion, Jean Y. See Clech, Albert

Pasternak, L. B. See Sevast'yanov, B. K.

Pasteur, G. A. Optical determination of OH in B_2O_3 glass (11) 244*d*.

Pasto, A. E., and Condrate, R. A., Sr. Raman spectrum of $PbZrO_3$ (9) 214*i*.

Patch, Susan Petrology and stratigraphy of the epitaph dolomite (Permian) in the Tombstone Hills, Cochise County, Arizona (9) 206*i*.

Patel, A. R., and Desai, C. C. Kinetics of the etching of dislocations in doped CaF_2 single crystals (1) 25*h*.

Patel, A. R., and Mathai, K. John Etch hillocks on C faces of α-SiC (3) 74*j*.

Patel, Ambalal R., and Raju, K. S. Radiation damage in gypsum (4) 93*a*.

Patel, Chandra K. N. See Ippen, Erich P.

Patil, Arvind S. See MacCragh, Adolfo P.

Patil, Arvind S., and Ashby, George E. Method for the preparation of alumina Ag composites, P (2) 42*a*.

Patil, S. G. Optoelectronic properties of Cu-doped CdS (3) 67*j*.

Patki, B. A. See Bhide, V. G.

Patona, Ferenc See Tamas, Ferenc

Patrick, Lyle See Choyke, Wolfgang J.

Patrick, Lyle, and Choyke, Wolfgang J. Localized vibrational modes of a persistent defect in ion-implanted SiC (8) 183*h*; Static dielectric constant of SiC (8) 186*e*.

Patrick, Robert F. See Nelson, Michael A.

Patten, Dan H., Jr. Apparatus for forming and handling roof tiles, P (11) 252*f*.

Patterson, E. See Lewis, M. F.

Patterson, M. M. Abrasive machining—ten times faster than milling (7) 141*d*.

Patton, Harold Utilizing the electro gas dynamic principle in the spraying of porcelain frit (5) 97*b*.

Patzak, Ingeborg Quantitative X-ray spectrographic determination of quartz, cristobalite, tridymite, and glass in silica bricks (6) 133*a*.

Paul, A. Co as a color indicator in glass (3) 60*j*; Uv absorption of Bi(III) in Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glasses (6) 125*g*. See Edwards, R. J.

Paul, Claude, and Cheron, Henri MgO supports for catalysts in hydrocarbon reforming, P (3) 73*f*.

Paul, R., and Keller, C. Phase relations in the systems UO_2-$UO_{2.67}$-ThO_2 and UO_{2+x}-NpO_2 (10) 230*b*.

Paulik, Ferenc See Heide, K. ; Paulik, Jeno

Paulik, J. See Heide, K.

Paulik, Jeno, and Paulik, Ferenc Sample holder for selective thermoanalytical tests, P (5) 105*d*.

Paulin, R. See Coussot, Gerard

Paulsen, J. B. See Thonstad, J.

Paulus, Max See Hamelin, Andre

Pause, Kurt, and Buzga, Heinrich Method and apparatus for separating water from a mixture of granular material and water, P (8) 177*g*.

Pauthenet, Rene See Claverie, Jean

Pavelescu, L., and Pavelescu, Maria Some allanites and monazites from the South Carpathians (Romania) (11) 256*d*.

Pavelescu, Maria See Pavelescu, L.

Pavlov, V. S. See Postnikov, V. S.

Pavlov, V. T. See Donis, V. K.

Pavlova, I. S. See Pavlushkin, N. M.

Pavlova, V. N. See Minakov, A. G.

Pavlushkin, N. M. Polycrystalline materials based on glass (1) 8*b*; Synthesis of glass-ceramics in the system SrO-Al_2O_3-SiO_2-TiO_2 (9) 193*e*. See Boldyrev, R. A. ; Burovtseva, G. N. ; Galakhova, G. S. ; Kalitin, P. P. ; Khalikova, S. I. ; Khomutova, M. I. ; Labutina, L. V. ; Levina, V. S. ; Meliva, M. A. ; Pekarskaya, A. V. ; Serebryannikov, L. P. ; Sil'vestrovich, S. I. ; Skopina, L. V. ; Smirnov, V. G. ; Vardanyan, S. M. ; Verner, V. F.

Pavlushkin, N. M., Gurevich, Ts. N., Roginskaya, Yu. E., and Skopina, L. V. Slag glass-ceramics of pyroxene composition with different ratios of Fe_2O_3/MgO (8) 168*h*.

Pavlushkin, N. M., and Khodakovskaya, R. Ya. Liquidation during crystallization of glass in the system MgO-Al_2O_3-SiO_2-TiO_2 (7) 144*j*.

Pavlushkin, N. M., Minakov, A. G., Min'ko, N. I., Sarkisov, P. D., and Golius, T. E. Crystallization of glass from a melt in production of white slag glass-ceramic (9) 192*e*.

Pavlushkin, N. M., Minakov, A. G., Sarkisov, P. D., and Golius, T. E. Crystallization and viscosity properties of glasses in the system SiO_2-Al_2O_3-CaO-Na_2O (8) 167*f*.

Pavlushkin, N. M., and Pavlova, I. S. Optical properties of glass with Ni oxide coating (9) 192*d*.

Pavlushkin, N. M., Sarkisov, P. D., and Gurevich, B. M. Effect of F on the viscosity of a series of slag glasses in the system Na_2O-CaO-Al_2O_3-SiO_2 (1) 6*c*.

Pavlushkin, N. M., Sarkisov, P. D., and Levina, V. S. Viscosity and crystallization capability of Fe-containing glasses (9) 193*a*.

Pavlushkin, N. M., Zhuravlev, A. K., Egorova, L. S., and Zhabotinskii, V. A. Properties of ferroglass-ceramics based on a Pb-Ba niobate compound (7) 145*h*.

Pawel, R. E., Pemsler, J. P., and Evans, C. A., Jr. Impurity distributions in anodic films on Ta (6) 128*j*.

Pawelek, Z. See Babinski, W.

Payne, Joseph A. See Harding, Maynard C.

Pchelyakov, K. A., Ovcharov, I. V., and Zhulin, V. M. Use of liquid fuel in regenerative glass furnaces (2) 49*g*.

Peacor, D. R. See Foit, Franklin F., Jr.

Peake, Harold See Bradshaw, Arthur

Pearch, Max W. Furnace, P (9) 206*b*.

Pearlman, D. See Ahrenkiel, R. K. ; Carnall, E., Jr.

Pearne, Florentin J., Pearne, Frank S., and Robson, Frederick G. Inflatable grippers for brickmaking machines or the like, P (6) 126*h*.

Pearne, Frank S. See Pearne, Florentin J.

Pearson, A. David, and French, William G. Low-loss glass fibers for optical transmission (11) 244*i*.

Pearson, Alan, and Marhanka, John E. Producing sintered Al_2O_3 fibers from an Al_2O_3 slip of very high solids content, P (3) 66*d*.

Pebler, Alfred H. See Yannopoulos, Lymperios N.

Peche, Gerhard See Bahr, Alex

Pechenaya, L. N. See Ovcharenko, F. D.

Pechin, William H., Bradley, Ronnie A., and Sease, John D. Nuclear fuel having minimum-gas-release properties, P (1) 20*g*.

Pechkovskii, V. V. See Pinaev, G. F.

Pechkovskii, V. V., and Makatun, V. N. Synthesis and some properties of Cu pyroselenite (1) 28*a*.

Peck, Alvin W. Clarifying ammonium phosphate solutions using attapulgite and bentonite, P (2) 50*g*.

Pecoraro, George A., McConnell, John F., and Knavish, Leonard A. Method for making float glass, P (9) 194*b*.

Pecoraro, Raymond P. See Bardell, Paul H., Jr. ; Castrucci, Paul P.

Pedi, Mario J. Slicer having automatic materials feed, P (9) 202*a*.

Pedrick, A. P. TV using colors produced by light ray scan of prismatic surfaces on screens of glass or other suitable materials, P (10) 223*a*.

Pedrotti, F. L. See Hengehold, R. L.

Peek, Hermanus L. See Eversteijn, Franciscus C.

Peek, Theodorus H. See Bouwhuis, Gijsbertus

Peeling, John E. New technique for color control and stabilization in TiO_2 opacified cover-coat enamels (5) 96*f*; Process for generating vesicular material having porous, sorptive surface structure with metallurgical Si addition, P (11) 243*e*.

Pefferman, William C. Treatment of $TiCl_4$ dryer residue, P (10) 234*j*.

Peggs, I. D. See Jones, B. F.

Pekarskaya, A. V., Pavlushkin, N. M., and Artamonova, M. V. Spectral study of glasses colored with Bi sulfoselenides (1) 8*i*.

Pekovskii, B. I. See Pokholok, K. V.

Pelissier, Jean H. See Galmiche, Philippe M.

Pelletier, Frank P. Technique for the fabrication of discrete RC structure, P (6) 130*g*.

Peloschek, Hans P. See Ritzen, Johannes M. J.

Pelton, Dean E. Process for preparing phosphors, P (1) 19*a*.

Pelzl, J. See Courths, R.

Pemsler, J. P. See Pawel, R. E.

Penberthy, Larry Recent history of electric melting of glass: I–II (11) 244*j*.

Penkina, N. V. See Mashovets, V. P.

Pennell, Ronald C. See Hays, Robert G.

Penney, T. See Kasuya, Tadao ; Shafer, M. W.

Penno, Edward, Penno, Mary, and Wright, Athol C. Composition for waterproofing concrete and aggregate and improving bonding and strength of aggregate, P (7) 143*d*.

Penno, Mary See Penno, Edward

Pennak, Richard W. Ca addition to ThO_2, P (11) 251*i*.

Penton, Jack I. See Swann, Richard C. G.

Penty, R. A. See Hasselman, D. P. H.

Penty, R. A., and Hasselman, D. P. H. Creep kinetics of high-purity ultrafine-grain polycrystalline mullite (2) 51*a*.

Penty, R. A., Hasselman, D. P. H., and Spriggs, R. M. Pressure sintering kinetics of fine grained mullite by the change in pressure and temp. technique (11) 247*h*.

Penzkofer, A., and Kaiser, W. Nonlinear loss in Nd-doped laser glass (10) 220*i*.

Peover, M. E. See Dietz, R.

Pepino, George T., and Priceman, Seymour Method of making electric heating elements, P (11) 250*b*.

Peppard, Donald F. See Mason, George W.

Peppard, Donald F., Mason, George W., Bollmeier, Allen F., Jr., and Lewey, Sonia Extraction of U from an aqueous solution, P (10) 231*e*.

Peppler, Richard B., and Rosskopf, Philip A. Cement compositions and the preparation thereof, P (7) 143*b*.

Pepplinkhouse, H. J. See Tauber, E.

Pepy, G. See Bonfante, M.

Pere, Jean F. See Bourgoin, Gerard

Pereis, D. R. See Lovell, G. H. B.

Perelyaev, V. A. See Alyamovskii, S. I.

Perepelitsin, V. A. See Rutman, D. S.

Perepelitsyn, V. A. See Rutman, D. S.

Peresie, Robert J. See Binning, Robert C.

Perez-Rosales, C. New method for determining sphericity (6) 132*j*.

Perl, J. B. Surface chemistry of $AlPO_4$, a mixed oxide of Al and P (2) 55*c*.

Perigo, Leon A., and Jordan, John A. Wear-resistant assembly, P (11) 248*i*.

Perin, Patrick Two exceptional glasses found in the Merovingian cemetery of Mezieres (7) 141*g*.

Perkins, George D., and Colbert, John R. Piezoelectric transducer [$LiNbO_3$], P (9) 201*f*.

Perkins, R. See Knights, Clive F.

Perkowitz, S., Murty-Gutta, R. K., and Garrison, A. K. Far-ir absorption in ZnO (9) 210*a*.

Permikina, N. M. See Ignatova, T. S.

Perminov, A. A., Mirova, T. V., and Popel, S. I. Effect of MoO_3 on the surface properties of molten silicates (2) 52*a*.

Pernet, Michel Weir-like body extending from below into a body of moving molten glass, P (2) 39*e*.

Pernet, Michel, Elmaich, David, and Joubert, Jean C. Magnetic structure of $FeBO_3$ (7) 161*c*.

Pernot, F. Parasitic absorption bands in chalcogenide glasses (3) 62*h*.

Perri, Peter R. See Anderson, Albin R.

Perrin, J. S. Effect of irradiation on creep of UO_2-PuO_2 (10) 230*d*.

Perrin, Michel See Boucher, Bernard

Perron, James S. See Anderson, John R. ; Fassler, Michael H.

Perrot, Paul N. Glass over the last 25 years—an appraisal (1) 7*d*.

Perrotta, A. J., and Young, J. E., Jr. Rutile-type crystalline solutions in the system $MgTa_2O_6$-$AlTaO_4$ (9) 214*e*.

Perry, Alfred M. See Bettis, Edward S.

Perry, Anthony J. See Beutler, Hans ; Phillips, K.

Perry, Edward A., Jr., and Hower, John Late-stage dehydration in deeply buried pelitic sediments (3) 75*j*.

Perry, William C., Puttock, Eugene F., and Schreiber, Ronald S. Agglomeration of phosphor materials prior to calcination to eliminate calcining in receptacles, P (3) 68*h*.

Persky, George See Bartelink, Dirk J.

Persson, John A. Joining of prebaked [C] electrodes, P (3) 65*f*.

Pertlik, F. Crystal structure of $Fe_2Te_4O_{11}$ (9) 208*j*.

Pesina, E. Ya. See Markovskii, L. Ya.

Pesme, O. See Marcon, J. P.

Pestre, Jacques See Voelskow, Peter

Peter, Klaus Decorative effects on glass surfaces (1) 5*h*.

Petermann, Karl See Fratzscher, R.

Peternel, Jacob R. Method and apparatus for controlling temp. of conveyed glass sheets, P (10) 222*b*.

Peters, Frank A. See Barrett, Paul J.

Peters, Gerardus J. A. Semiconductor device having a closed conductive rubber ring clamped around all electric conductors, P (7) 154*i*.

Peters, Homer D. F. Liquid flow proportioning system for metering into a glass batch, P (3) 63*i*.

Peters, T. E., and Baglio, J. A. Luminescence and structural properties of thiogallate phosphors: I, Ce^{3+}- and Eu^{2+}-activated phosphors (9) 212*b*.

Peters, Thomas E. Flying-spot scanner having screen of Sr thiogallate coactivated by trivalent Ce and divalent Pb, P (10) 222*g*.

Peters, Tjerk See Iberg, Rolf

Peters, W. See Hempel, S.

Peters, Walter B. See Barnett, Irvin

Petersen, Arne J., and Matsuyama, George Method of making solid-state glass electrode, P (6) 125*j*.

Peterson, Carl L. High-pressure electric discharge lamp, P (4) 81*d*.

Peterson, Carl L., and Webb, Edward A. Harness for supporting high-pressure electric discharge tube in outer envelope and lamp formed thereby, P (5) 99*g*.

Peterson, Edward C. See Blatchford, John K.

Peterson, G. E., Glass, A. M., Carnevale, A., and Bridenbaugh, P. M. Control of laser damage in $LiNbO_3$ (6) 135*j*.

Peterson, G. E., Glass, A. M., and Negran, T. J. Control of the susceptibility of $LiNbO_3$ to laser-induced refractive index changes (10) 235*e*.

Peterson, G. E., and Kurkjian, C. R. Resolution of ^{47}Ti and ^{49}Ti hyperfine lines in glass [$30CaO.69B_2O_3.1TiO_2$] (9) 193*b*.

Peterson, John M. See Hall, William C.

Peterson, N. L. See Chen, W. K.

Peterson, Orrin M. See Hardy, Paul W.

Petho, Szilveszter Evaluation of classification processes (10) 231*h*.

Petit, George S., and Kienberger, Charles A. Method for preparing stable actinide peroxide sols, P (2) 47*b*.

Petit, Georges Silo discharge control, P (7) 156*h*.

Petitjean, Marc, and Rollet, Georges Purification of $NaAlO_2$ solutions, P (8) 179*c*.

Petkovic, J. See Vlajic, M.

Petrakiev, A. See Dimitrov, J.

Petrakovskii, G. A. See Sablina, K. A.

Petranin, N. P. See Galkin, N. P.

Petrich, Georg, and Kasuya, Tadao First-order phase transition in EuSe (8) 181*i*.

Petro, James See Rively, Clair M.

Petrov, K. I., Voronskaya, G. N., Plyushchev, V. E., and Varfolomeev, M. B. Study of the perrhenates of Zr and Hf by vibrational spectroscopy (2) 55*a*.

Petrov, M. P., Kizhaev, S. A., and Smolenskii, G. A. Electron resonance spectrum of the magnetically ordered crystal $GaFeO_3$ in the presence of an external electric field (7) 160*c*.

Petrov, M. P., Moskalev, V. V., and Smolenskii, G. A. Stimulated ferromagnetism and the effects of short-range magnetic ordering in $RbNiF_3$ (7) 152*c*.

Petrov, Vladimir K. See Rutes, Viktor S.

Petrov, Yu. F., and Pyrkov, V. P. Obtaining heteromorphic highly stable pigments based on spinels and garnets (2) 41*j*.

Petrova, E. M. See Slepcov, V. M.

Petrova, E. V. See Karklit, A. K.

Petrova, M. A., Bondar, I. A., and Domanskii, A. I. Physicochemical study of the system La_2O_3-GeO_2 (9) 213*f*.

Petrova, M. D. See Yam, V. M.

Petrovic, Jan Formation of phases in (CaO + MgO)/SiO_2 = 0.5 and 0.8 under hydrothermal conditions at 180°C (1) 25*h*.

Petrovskaya, M. L. See Nikolina, G. P.

Petrykina, R. Ya. See Samsonov, G. V.

Pettifer, R. F., Pitt, G. D., Thomas, D., and Vyas, M. K. R. Preparation and electronic properties of ceramic $(V_{1-x}Cr_x)_2O_3$ (5) 114*b*.

Petukhov, E. P. See Vlasov, A. Ya.

Petzelt, J. New type of far-ir soft mode in ferroelectric Gd molybdate (9) 213*c*.

Petzi, F. Improved high-temp. kilns for sintering electronic ceramic bodies (4) 90*a*.

Petzi, Fritz, and Baumann, Helmut Electrical ceiling heating in tunnel kilns, P (10) 234*b*.

Petzold, Armin See Wolf, Friedrich

Pevzner, B. Z., Dzhavukitsyan, S. G., and Mishel, V. E. Acid-resistant glass-crystalline coatings (2) 35*c*.

Peyches, Ivan What's glass? (1) 9*i*.

Peyroneau, J. See Lacam, A.

Peysson, J. Fusion-dissolution-recrystallization (2) 53*d*.

Pezerat, H. See Vallet, M.

Pezzoli, Silvestro See Vargiu, Silvio

Pfaff, P. High-temp. rapid-firing colors for porcelain (9) 198*c*.

Pfeffer, Jack R. See Smith, Irving N.

Pfeifer, Jerome L. Holographic correlation offers new possibilities for acoustical NDT (6) 132*g*.

Pfender, Emil Method of preparing metal oxides [TiO_2] with arc gas heaters, P (3) 73*b*.

Pharo, Wellington B. See Glendinning, William B.

Phelps, Brian See Blake, Paul D.

Philbrook, W. O. See Sharma, Sudhir K.

Philipp, H. R. Optical properties of noncrystalline Si, SiO, SiO_x, and SiO_2 (5) 113*a*.

Philipps, Thomas E. Method for producing a nonwoven reinforcement structure, P (6) 126*a*.

Phillippi, John F. Classifier for fine solids, P (7) 156*h*.

Phillips, Colin R. See Hercules, Aubrey S.

Phillips, J. C. See Skalny, Jan

Phillips, K., Perry, Anthony J., Hollox, G. E., De Lamotte, Emmanuel, Hintermann, H. E., and Gass, H. Mechanical properties of C fibers coated with TiC (1) 12*c*.

Phillips, Michael W., and Ribbe, Paul H. Structures of monoclinic K-rich feldspars (8) 186*h*.

Phillips, Michael W., Ribbe, Paul H., and Gibbs, G. V. Tetrahedral bond length variations in anorthite (10) 239*h*.

Phillips, Richard A. See Battle, James

Phillips, Samuel D. Apparatus for transfer of particulate material in glassmelters, P (11) 245*a*.

Philofsky, Elliott M. See Black, James R. ; Hall, Edward L.

Picard, R. See Maffeo, B.

Piccolo, Luigi See Calcagno, Benedetto

Piche, E. W., and Rubin, G. A. Effect of pressure on the dielectric strength of sapphire (1) 15*j*.

Pickar, Kenneth A. See Dalton, John V.

Pickard, J. Bending of glass sheets, P (11) 245*a*.

Pickering, Alan H. Electron discharge tubes, P (4) 81*j*.

Pidgeon, Carl R., Feinleib, Julius, and Reed, Thomas Binnington Polarization-modulated magnetoreflectance in EuSe and EuTe (8) 185*c*.

Pieczyk, Bernhard P. Apparatus for and method of orienting crystal wafers, P (6) 133*e*.

Piekarczyk, Jan W. See Pampuch, Roman

Piepenburg, Robert Raku Pottery, B (2) 58*g*.

Pieper, G., Eysel, W., and Hahn, Th. Solid solubility and polymorphism in the system Sr_2SiO_4-Sr_2GeO_4-Ba_2GeO_4-Ba_2SiO_4 (1) 27*b*.

Pieper, Helmut Method and furnace for the electric melting of glass, P (10) 222*e*.

Pieper, Klaus, and Hage, Dietrich Capacity of masonry to change shape (4) 82*d*.

Pieper, Klaus, and Trautsch, Walter Thrust tests on walls (4) 82*f*.

Piepho, Robert R. Pulverizing apparatus, P (8) 179*c*.

Pierce, J. W. See Menyuk, N.

Pierce, R. D. See Robbins, M.

Pierce, R. R. Engineering brick-lined process vessels (4) 83*a*.

Pierce, Richard H. Finely divided alkali metal silicate glass, P (9) 194*c*. See Miller, James R.

Pierce, W. E. Evaluation of direct-on adherence (5) 96*j*.

Pieri, Giovanni, Ducato, Aldo, Held, Llewellyn J., and Bedetti, Gianfranco Process for producing pigment-quality TiO_2, P (7) 159*a*.

Pierzchala, H. Linear deformation of standard cement mortars containing aqueous polyvinyl acetate emulsion additives (3) 59*h*.

Piggott, M. R. See Prabriputaloong, K.

Pihlajavaara, S. E. See Reijonen, H.

Pike, Roscoe A. Process for regenerating surface activity in oxidatively treated graphite fibers, P (3) 65*i*.

Pilat, Michael J. Source test cascade impactor, P (3) 72*h*.

Pilkey, Orrin H. See Blackwelder, Patricia Lurie

Pilkington, Alistair Glass offers a great future (6) 123*a*.

Pilkington, James C. See Andrews, Brian

Pille, Hans J. See Osborne, John F.

Piltch, Martin See Cassedy, Edward S., Jr.

Piltz, G. Technical drying properties of raw materials for brick and tile making (10) 223*e*: Connection between the nature of clay and frost resistance (11) 246*e*.

Pilyankevich, A. N. See Gnesin, G. G.

Pinaev, G. F., Pechkovskii, V. V., and Vinogradov, L. M. Solubility of ZnO and CdO in melts based on the chlorides of Zn and Cd (5) 114*e*.

Pincus, Alexis G. Recycling high on glass horizon (2) 38*b*.

Pinkham, Robert See Owens, James

Pinnell, Jack E. See Parker, Sidney G.

Pinnow, D. A. See Rich, T. C. ; Van Uitert, L. G.

Pinnow, D. A., Rich, T. C., Ostermayer, F. W., Jr., and DiDomenico, Mauro, Jr. Fundamental optical attenuation limits in the liquid and glassy state with application to fiber optical waveguide materials (10) 220*c*.

Pinnow, Douglas A., and Van Uitert, L. G. Display system, P (1) 17*c*.

Pinto, H., Shachar, G., and Shaked, H. Sublattice magnetization in $YbFeO_3$ and $YFeO_3$ as obtained by neutron diffraction and its relation to the hyperfine field (7) 162*h*.

Pinto, H., and Shaked, H. Long wavelength neutron diffraction study of the magnetic structures of $PrFeO_3$ and $NdFeO_3$ (9) 211*i*.

Pinto, Jane P. See Galasso, Francis S.

Pinto, R., and Ramanathan, K. V. Electric field-induced memory switching in thin films of the chalcogenide system Ge-As-Se (10) 225*j*.

Piontkovskii, O. D., Grinberg, L. Ya., Pashkov, Yu. P., Ovcharuk, A. N., and Khitrik, S. I. Skin in the bath of a ferroalloy furnace melting low-P Mn slag continuously (1) 13*j*.

Pirgon, O., Wostenholm, G. H., and Yates, B. Thermal expansion at elevated temps.: IV, C-fiber composites (10) 224*e*.

Pirk, Hans, Ploeger, Fritz, and Vietzke, Horst Apparatus for the homogenization and mixing of nuclear fuels, P (10) 231*d*.

Pirk, Hans, and Tillessen, Ulrich Apparatus for handling UF_6 at elevated pressure, P (5) 103*i*.

Pirogov, A. A., Mirak'yan, M. M., and Primachenko, V. V. Using commercial alumina to obtain low-shrinkage bodies with delayed sintering and insulating refractories based on them (1) 14*c*.

Pirooz, Perry P. Glass-ceramic having a reflective surface and process for making, P (10) 222*h*.

Piryutko, M. M. See Sitnikova, A. Ya.

Pisarev, R. V., Ferre, J., Duran, J., and Badoz, J. Stress-induced and magnetic linear dichroism in the cubic antiferromagnet $KNiF_3$ (9) 215*d*.

Pishchik, V. V. See Bagdasarov, Kh. S.

Pistorius, C. W. F. T. See Richter, P. W.

Pitak, N. V., Ansimova, T. A., and Entin, V. G. Mullite-alumina refractories for lining C-producing reactors (1) 12*e*.

Pitak, N. V., and Antonov, S. A. Effect of oxidizing-reducing atms on the failure of mullite-corundum refractories at high temps. (1) 11*j*.

Pitha, John J. Porous ceramic insulating material and method of making employing wax, P (2) 42*a*.

Pitt, G. D. See Pettifer, R. F.

Pitt, G. D., McCartney, J. H., Lees, J., and Wright, D. A. Electrical and phase properties of Hg_3Te_3-In_2Te_3 alloys at high pressures (5) 108*j*.

Pitt, Larry L., and Starbuck, James W. Haloapatite phosphors in the form of spherical particles and method of making, P (4) 86*c*.

Pittman, Edward D. Diagenesis of quartz in sandstones as revealed by scanning electron microscopy (6) 135*f*.

Pittman, Forrest, Stevens, W. E., and Porteous, W. R. Water jetting applied to industrial cleaning (5) 104*c*.

Pitts, Sam H., Jr. Pu dissolution and Pu alkoxide product, P (6) 132*a*.

Pivinskii, Yu. E. Kinetics of dry-milling of fused quartz (1)

20*f*.

Pixley, Robert C. Buffing wheel and method of making, P (8) 165*e*.

Planten, James M. Method of molding articles and reclaiming the foundry sand used, P (9) 197*a*.

Platskis, Nicolaos S., Gatos, Harry C., and Witt, August F. Method of preparing electrically and optically active ous and polycrystalline materials [ampoule melt], P (1) 10*e*.

Platt, R. G., and Edgar, A. D. System nepheline-diopside-sanidine and its significance to the genesis of melilite- and olivine-bearing alkaline rocks (1) 28*j*.

Platter, Sandford See Myers, Charles F.

Platts, Dennis R. See Kirchner, Henry P.

Platzoder, Karl See Reuschel, Konrad

Plavnik, G. M. See Shchurov, A. F.

Plenkiewicz, P. See Zdanowicz, W.

Pletyushkin, A. A., and Sultanova, T. N. Stability of alpha and beta SiC in acids (1) 27*c*.

Ploeger, Fritz See Pirk, Hans

Plooster, Myron N. Melt-grown alumina crystals and process therefor, P (5) 101*c*.

Plotnikov, K. A., Krasil'nikova, A. A., El'khones, N. M., and Stepanov, A. I. Reaction of GeS_2 with the chlorides and oxychlorides of Fe (5) 114*f*.

Pluempe, H. See Bogenschuetz, A. F.

Plumat, E. Twenty-five years of glass research (1) 9*d*.

Plumb, Harmon H. See Cataland, George ; Riddle, John L.

Plumier, R. Neutron diffraction determination of the antiferromagnetic structure of garnet, $Ca_3Fe_2Ge_3O_{12}$; $Ca_3Mn_2Ge_3O_{12}$; $Mn_3Al_2Ge_3O_{12}$ (9) 212*i*.

Plumlee, Ralph H., and McLachlan, Wilbur D. Sample preparation for ferroelectric switching measurements (11) 254*b*.

Plummer, William T. Smoothly granulated optical surface and method for making, P (6) 126*a*.

Plyushchev, V. E. See Panakh-Zade, S. A. ; Petrov, K. I. ; Savel'eva, M. V. ; Spiridonov, F. M.

Plyushkin, S. A. See Vinogradova, M. G.

Pobednimskaya, E. A. See Litvin, B. N.

Poch, W. See Wirsching, F.

Podchernyaeva, I. A. See Gnesin, G. G.

Podgorsak, Ervin B., and Moran, P. R. Radiation dosimetry by a new solid-state effect (7) 157*f*.

Podmore, Dennis See Bradshaw, Arthur

Poeschmann, H. Inductive electrical firing of enamel and rectification of faulty ware (1) 4*f*; Inductive enameling and repairing of the enamel surface (6) 122*c*.

Poetke, W. See Jeschar, R.

Pogge, Hans B. See Ing, David W. ; Kemlage, Bernard M.

Pogosyan, A. S. See Kislyi, P. S.

Pointu, Pierre, and Lan, Tran Thach Method and apparatus for gas phase ion interchange in solids, P (8) 170*h*.

Poirier, Arthur L. Microstrip circulator wherein related microstrip patterns are disposed on opposing surfaces of dielectric substrate, P (9) 201*j*.

Poirier, Jean Paul High-temp. creep of single crystalline NaCl: I, Creep-controll, Investigation of the creep substructure lling mechanism (5) 110*j*.

Poirier, Raymond Logic circuits employing complementary FETs in which the gate is insulated from the substrate, P (5) 102*g*.

Poix, Paul See Bernier, J. C. ; Harari, D. ; Padel, Liliane

Pojur, A. F., Yates, B., and Kelly, B. T. Thermal expansion at elevated temps.: III, A hemispherical laminar composite of pyrolytic graphite, SiC, and its constituents between 300° and 800°K (5) 116*c*.

Pokhodnya, Igor K., and Golovko, Vladimir N. Flux-cored tubular electrode for gas-shielded electric-arc welding, P (9) 191*j*.

Pokhodnya, Igor K., Golovko, Vladimir N., and Supiel, Alexandr M. Flux-cored electrode, P (9) 191*j*.

Pokholok, K. V., Pekovskii, B. I., Babeshkin, A. M., Gapeev, A. K., and Komissarova, L. N. Moessbauer effect study of $MnFe_{2-x}Sc_xO_4$ (9) 212*f*.

Pokrovskaya, V. N., Butt, Yu. M., and Kolbasov, V. M. Composition and role of liquid phase during hardening of portland cement and its components (1) 2*g*; Composition of liquid phase during hydration of tricalcium silicate (9) 190*b*.

Pokrovskaya, V. N., Butt, Yu. M., Kolbasov, V. M., and Dobrounravova, L. A. Change of liquid phase composition during hydration of cement under various temp. conditions and in the presence of $CaCl_2$ additive (1) 2*g*.

Pokrzywnicki, S. See Ferre, J.

Pokusa, Jozefa Silica varieties and behavior of Polish silica raw materials after firing at high temp. (4) 93*f*.

Polak, F. Molecular sieves—reactions in aluminosilicate hydrogel obtained during zeolite synthesis (4) 92*a*.

Polanco, J. I. See Roberts, G. G.

Poletti, Joseph W. See Cronkhite, Paul W.

Polezhaev, Yu. M. See Chukhlantsev, V. G.

Polikarpova, E. M., and Dombrovskaya, N. S. Solubility in the systems Li_2CrO_4-LiOH-H_2O and LiBr-Li_2CrO_4-H_2O at 40° (2) 54*a*.

Polinski, Paul W. Stability of thick-film resistors under high electromagnetic stress (9) 196*i*.

Polishchuk, A. V., Shorina, L. I., and Polishchuk, G. A. Ferrite coatings on porcelain and their physical properties (7) 151*j*.

Polishchuk, G. A. See Polishchuk, A. V.

Politis, C. UC-W system (2) 47*d*. See Matzke, Hj.

Politov, N. G., Gabustashvili, M. V., and Paperno, I. M. Debye-Hueckel cloud formations around fresh dislocations in LiF crystals (8) 180*a*.

Pollack, Solomon R. See Curry, Joseph J.

Pollard, H. F. See French, I. E.

Pollard, Lin D. See Weaver, Charles E.

Pollitzer, Ernest L. See Hayes, John C.

Polonskii, Yu. A. See Afanas'ev, Yu. V.

Polozova, I. E., Bondarenko, T. A., Zonshain, E. M., and Garipov, V. F. Effect of growth orientation on density of dislocations in Ge single crystals (5) 108*e*.

Pols, Albert C. See Feenstra, Robijn

Pol'shchikova, Z. Ya., and Trunov, V. K. X-ray data for some double tungstates and molybdates of K (1) 29*g*; X-ray study of the double tungstates α-$KLn(WO_4)_2$ (Ln = Eu, Yb) (1) 29*h*.

Pol'skii, Yu. E. See Abdulsabirov, R. Yu.

Polubotonova, L. P. See Sadkovskii, E. P.

Poluboyarinov, D. N. Construction materials for use at high temps. (1) 11*i*. See Andrianov, N. T. ; Belkov, V. M. ; Borovkova, L. B. ; Demidenko, L. M. ; Polyak, B. I. ; Popova, L. N. ; Sadkovskii, E. P. ; Semiletova, M. V. ; Sysoev, E. P. ; Vorob'ev, V. K.

Poluboyarinov, D. N., Lukin, E. S., and Sysoev, E. P. Creep and long-term strength of aluminomagnesia spinel ceramics (1) 11*d*.

Polurotova, T. F. See Vorob'eva, O. V.

Polyak, B. I., Poluboyarinov, D. N., Balkevich, V. L., and Sidorova, V. D. Recrystallization during sintering of SiC (1) 27*h*.

Polyakov, Evgeny V. See Vereschagin, Leonid F.

Polyakov, G. P. See Luginina, I. G.

Polye, William R. Temp. compensator for capacitive pressure transducers, P (5) 103*a*.

Polzer, W. L. See Hem, J. D.

Pomeroy, C. D. See Brown, J. H. ; Spooner, D. C.

Ponthoreau, Marcel M., and Rozen, Claude Y. M. High-intensity burner for combustible [propane] gas, P (6) 134*b*.

Poole, A. B., and Finch, L. R. Use of trace chemical composition to correlate British postmedieval pottery with European kiln site materials (2) 31*j*.

Poole, David M. See Hodkin, E. N.

Poole, James P., Snyder, Herbert C., and Boschini, Mark A. Method of strengthening glass and increasing the scratch resistance of the surface thereof, P (10) 222*h*.

Pope, M. I. See Judd, M. D.

Popel, S. I. See Perminov, A. A.

Pop,Elvira Scientific production organization in glassworks by application of modern mathematical methods (7) 145*a*; Mathematical models used in the economic activity of glassworks (7) 145*b*.

Popil'skii, R. Ya. See Baranova, T. F. ; Popova, L. N. ; Smirnov, V. A.

Popil'skii, R. Ya., and Smirnov, V. A. High temp. ceramics from Sc oxide (1) 12*f*.

Popolitov, V. I., and Lobachev, A. N. Kinetics and structural aspects of growth of bismuthine single crystals under hydrothermal conditions (8) 183*e*.

Popov, N. P. See Bukhvostov, A. P.

Popov, V. V. See Oskotskii, V. S.

Popova, L. N., Demidenko, L. M., Poluboyarinov, D. N., Popil'skii, R. Ya., and Bakunov, V. S. Electrolytic decomposition of solid solutions based on ZrO_2 (1) 25*b*.

Popova, L. N., and Popil'skii, R. Ya. Phase relations and some properties of Zr ceramics in the system ZrO_2-Yb_2O_3 (1) 26*f*.

Popova, N. P. See Topil'skii, G. V.

Popova, S. B. See Atabaeva, E. Ya.

Popova, Z. V. See Kuznetsov, V. G.

Popovic, S., and Tudja, M. Comments on "Cubic UOS" (10) 230*b*.

Popovkin, B. A. See Finogenova, V. K.

Popp, R. K., and Gilbert, M. C. Stability of acmite-jadeite pyroxenes at low pressure (2) 54*e*.

Poppi, M. Muffle kiln for the firing of ceramic ware, P (7) 158*b*.

Popplewell, James M. See Pryor, Michael J.

Porai-Koshits, E. A. See Andreev, N. S.

Porai-Koshits, E. A., Averjanov, V. I., Golubkov, V. V., and Titov, A. P. Determination of tie lines by direct structural methods (3) 61*e*.

Porreca, F. See Bernini, U.

Porta, P. See La Ginestra, A.

Porteous, W. R. See Pittman, Forrest

Porter, Richard C. See McCune, Ray F.

Portier, Josik See Claverie, Jean

Portnoi, K. I., and Gribkov, V. N. Growth of AlN whiskers during the nitriding of Al (8) 182*c*.

Porto, S. P. S. See Barbosa, G. A. ; Chaves, A.

Pospisil, J., and Michalek, Z. Burning of highly hydraulic lime with shaft preheater and shaft cooler (11) 241*h*.

Pospisil, Z. See Pospisilova, B.

Pospisilova, B., and Pospisil, Z. Alkali and chloride cycles in kilns equipped with Prerov shaft heat exchanger (1) 2*a*.

Posse, E. A. See Goldberg, Y. A.

Post, Ben Laboratory hints for crystallographers (9) 204*i*.

Postnikov, V. S., Baloshov, Yu. S., Chernyshov, A. V., Udovenko, N. G., and Nikulin, V. Kh. Temp. dependence of modulus of shear and attenuation of ultrasound in silicate glasses (6) 125*e*.

Postnikov, V. S., Pavlov, V. S., and Turkov, S. K. Internal friction in ferroelectrics due to interaction of domain boundaries and point defects [Pb zirconate-titanates] (5) 111*f*.

Postupack, Dennis S. Transparent electroconductive window and electroconductive solder therefor, P (9) 202*g*.

Potanina, N. A. See Isakova, R. A.

Potashnikova, T. P. See Levina, V. S.

Potemski, R. M. See Scott, B. A.

Potopowicz, J. R. See Singh, S.

Potschowik, G. Ja., Termettschikow, M. K., and Stoljarowa, E. A. Rapid ultrasonic method for strength testing of ceramic building materials (10) 223*f*.

Pott, G. T., and McNicol, B. D. Spectroscopic study of the coordination and valence of Fe and Mn ions in and on the surface of aluminas and silicas (2) 54*c*.

Potter, P. E. U-Pu-C-O systems—systems U-C-O and Pu-C-O and the quaternary system U-Pu-C-O (10) 240*c*.

Potter, Ralph M. See Jaffe, Mary S.

Potter, Robert L. See Chase, John D.

Pouchard, Michel See Carpy, Alain ; Launay, Jean Claude

Pouchard, Michel, and Launay, Jean Claude Characterization of single-crystal V_2O_3 produced by vapor phase transport (5) 107*a*.

Pouget, J. P. See Lederer, P. ; Villeneuve, G.

Pouget, J. P., Lederer, P., Schreiber, D. S., Launois, H., Wohlleben, D., Casalot, Andre, and Villeneuve, G. Metal–insulator transition in the $V_{1-x}Nb_xO_2$ system: II, Magnetic properties (8) 184*e*.

Poulin, C. See Aitcin, P. C.

Poulsen, Stephen D., Jr. Break seal, P (7) 146*a*.

Pound, G. M. Selected values of evaporation and condensation coeff. for simple substances (8) 186*c*.

Pouzanoff, J. Variation in composition of Mn-Zn ferrites during sintering (7) 152*h*.

Powell, C. G. See Lean, E. G.

Powell, D. G. Semiconducting glazes for high voltage insulators (10) 225*c*.

Powell, Howard E., Smith, Lawrence L., and Cochran, Andrew A. Recovery of phosphates and metals from waste phosphate sludge by solvent extraction (1) 23*f*.

Powell, R. W. See Ho, C. Y. ; Touloukian, Y. S.

Powell, Richard J., and Spicer, William E. Optical properties of NiO and CoO (8) 185*a*.

Powell, Robert L. See Sparks, Larry L.

Powell, T. E. Granulation in the fertilizer industry (11) 252*d*.

Powell, W. J. A. See Fynn, G. W.

Powers, Whitney S., Jr. Glass container crack detector, P (1) 9*f*.

Poynton, Bertram G., Rich, Terry J., and Sainsbury, Jeffrey J. Bottle inspection apparatus, P (8) 169*d*.

Pozdnyakov, P. G., and Androsova, V. G. Piezoelectric quartz-crystal unit, P (8) 175*g*.

Prabriputaloong, K., and Piggott, M. R. Reduction of SiO_2 by molten Al (5) 114*j*; Thin-film studies of the reduction of SiO_2 by Al (5) 116*g*.

Prakash, B. See Gupta, R. C.

Prandl, W. Magnetic structure and space group of the garnet $Ca_3Cr_2(GeO_4)_3$; $Ca_3Fe_2(GeO_4)_3$ (9) 212*f*.

Prasad, G. E. See Rao, S. V. K.

Prasad, P. M. See Jain, S. K.

Prasad, Ram, and Moorthy, V. K. Influence of conditions of preparation on the properties of Ni-Zn ferrite (1) 16*b*.

Prasad, Rameshwar See Sinha, Devendra Prasad

Prasad, V. C. S., and Subbarao, E. C. Mechanical switching of 60° domain walls in ferroelectric $KNbO_3$ single crystals (9) 212*b*; Deformation studies on $BaTiO_3$ single crystals (11) 257*h*.

Prasky, Charles See Nigro, J. C.

Pratt, Ronald G., Willis, William, and Singleton, John S. Electromechanical filters comprising input-output interdigital electrodes having differing amplitude and frequency characteristics, P (1) 17*e*.

Predali, Jean-Jacques, and Berube, Yves Quantitative analysis of dolomite and magnesite by ir spectrophotometry (11) 259*c*.

Pregnall, Richard A. See Mitcham, Michael S.

Preh, W. Film resistor element, P (8) 174*i*.

Prentice, Winslow W. Low-loss electrical-conductive coating and bonding materials including magnetic particles for mixing, P (6) 129*h*.

Presser, Adolph Semiconductor carrier for microwave applications, P (10) 228*g*.

Pressley, Robert J. See Burke, William J.

Preston, F. W. Post-instantaneous creep of long-loaded glass specimens (11) 244*g*.

Preston, Jerome A., and Davis, Carlton J., Sr. Material for bonding resins to glass fibers and composites made therefrom, P (3) 63*j*.

Pretzer, W. R. See Cankaya, K.

Preuss, Hans J. See Broemer, Heinz

Prewitt, C. T. See Sleight, A. W.

Prewitt, Charles T. X-ray diffraction study of $Gd_2(MoO_4)_3$ (8) 188*b*.

Pribylov, K. P. See Berg, L. G. ; Sidorova, E. E.

Price, D. M. See Harding, B. C.

Price, N. F. See Challis, L. J.

Price, Paul B. See Fleischer, Robert L.

Price, W. L. V. Extension of Van der Pauw's theorem for measuring specific resistivity of disks of arbitrary shape to anisotropic media (3) 72*c*.

Price, William E., and Dullabaun, Paul W. Ceramic pipe coupling device, P (7) 146*b*.

Priceman, Seymour See Pepino, George T.

Priebe, Frank K. Monolithic coupled crystal resonator filter having cross impedance adjusting means, P (1) 18*c*.

Priest, G. L. See Priest, H. F.

Priest, H. F., Burns, F. C., Priest, G. L., and Skaar, E. C. O content of α-Si_3N_4 (8) 185*e*.

Prikhna, Alexei I. See Bakul, Valentin N.

Prikhna, Alexei I., Shul'zhenko, Alexandr A., and Katsal, Margarita Ya. Method of preparing synthetic diamonds, P (10) 217*f*.

Prikhod'ko, V. P. See Zavrazhnyi, A. I.

Prill, Arnold L., and Tarkan, Stuart E. Powder metallurgy

sintered corrosion- and heat-resistant age-hardenable Ni-Cr refractory carbide alloy, P (5) 100*h*; Powder-metallurgy sintered corrosion- and wear-resistant high-Cr refractory carbide alloy, P (6) 128*d*.

Primachenko, V. V. See Pirogov, A. A. ; Shakhnovich, I. G.

Prince, Kenneth, and Saunders, Alan C. A. Nuclear reactor fuel pins, P (8) 176*h*.

Prins, J. F. Single diamond particle interaction on Al_2O_3 (5) 95*e*.

Prislan, Georges Process for the mfg. of flat glass, P (1) 10*d*.

Pritchard, A. M. See Vinogradov, I. A.

Probst, Richard O. See Miller, Emery P.

Prochaska, F. Body preparation works of the Kannenbaeckerland increases its capacity (4) 82*c*.

Proctor, Stephen G. Rare earth removal from Am oxide, P (7) 159*c*.

Prodan, A., Marinkovic, V., and Prosek, M. Metal–semiconductor transition in $Mo_xV_{1-x}O_2$ crystals (9) 212*d*.

Prod'homme, L., and Calvo de Fernandez, M. L. Light scattering study of vitreous SiO_2 irradiated by neutrons (10) 220*b*.

Proffit, U. Process computer in cement mfg. (9) 191*f*.

Prohofsky, E. W. See Purdom, R. C.

Pronko, P. P., and Kelly, R. Diffusion of ion-implanted ^{85}Kr in KCl including the effects of channeling, radiation damage, and divalent doping (8) 180*e*.

Prosek, M. See Prodan, A.

Prosen, Edward J. See Kilday, Marthada V.

Prosen, Edward J., and Kilday, Marthada V. Adiabatic solution calorimeter and measurements of a standard reaction for solution calorimetry (9) 204*f*.

Prosser, Duane N., and Sawdey, Norman J. Porcelain enameling of steel, P (8) 166*j*.

Prosvirnina, N. A. See Tret'yakov, Yu. D.

Protsyshin, Boris N. See Dyskin, Ernest M.

Provenzano, Joseph C., and Govednik, Richard E. Apparatus with labyrinth heat exchanger for the sputtering deposition of thin films, P (11) 249*j*.

Provenzano, V., Boesch, L. P., Volterra, V., Moynihan, C. T., and Macedo, P. B. Electrical relaxation in $Na_2O.3SiO_2$ glass—corrections (3) 61*b*.

Provotorov, M. V. See Maier, A. A.

Pruden, L. H. See Korda, E. J.

Pruett, George R. Scanning ir radiation sensor, P (7) 154*f*.

Pruett, H. D., Hughes, D. L., and Notis, M. R. Effects of annealing on luminescent properties of (Zn,O)-doped GaP (8) 173*c*.

Pruniaux, Bernard R. See North, James C.

Pryor, Arthur W. See Elcombe, M. M.

Pryor, Michael J., and Popplewell, James M. Glass or ceramic-to-metal seals, P (8) 169*j*.

Pryor, Wayne A. Permeability-porosity patterns and variations in some Holocene sand bodies (9) 206*i*.

Prytkov, Alexandr A. See Fedorenko, Anatoly S.

Przybyszewski, John S., and Shalteau, Richard K. Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias, P (8) 174*e*.

Pshestanchik, V. R. See Gukov, O. Ya.

Ptak, Wieslaw Interpretation of chrysotile ir spectrum (2) 53*a*.

See Pampuch, Roman

Puchkov, L. V. See Mashovets, V. P.

Pulliam, George R. See Mee, Jack E. ; O'Donnell, Cedric F.

Punmia, B. C., and Singh, Alam Compressive and tensile strength of soil cement (2) 32*i*.

Purdom, R. C., and Prohofsky, E. W. Ultrasonic attenuation in quartz at low temps. (8) 187*f*.

Purusova, T. N., and Guzman, I. Ya. Effect of form of silica on the synthesis and properties of Si oxynitride ceramics (1) 24*h*.

Putrya, E. V. See Sadkovskii, E. P.

Putter, Lothar See Mosch, Willi

Putterlik, Jan Method and arrangement for drying dispersions by atomizing, P (10) 232*c*.

Puttock, Eugene F. See Perry, William C.

P'yachev, V. A., and P'yacheva, G. E. Properties of concretes from SiO_2 portland cements (9) 191*g*.

P'yacheva, G. E. See P'yachev, V. A.

Pyatnitsa, N. V. See Nikitin, B. M.

Pye, Donald G. Alumina-coated CrO_2, P (1) 16*f*; Method of coating CrO_2 with alumina, P (9) 198*i*.

Pye, L. D., and Knox, J. S. Extended glass-transition range (4) 80*h*.

Pyrkov, V. P. See Petrov, Yu. F.

Pytlinski, A. See Badyoczek, G.

Pytte, Erling Model for ferroelectric $Gd_2(MoO_4)_3$ (8) 184*a*.

See Feder, Jens

Quattrochi, A. See Ferraro, J. R.

Quezel, G., Ballestracci, R., and Rossat-Mignod, J. Magnetic properties of rare-earth oxysulfides (4) 92*f*.

Quezel, G., Rossat-Mignod, J., and Lang, Ho Yu Magnetic properties of oxyselenides of Gd, Tb, Dy, Ho, Er, Tm and the magnetic structure of Ho_2O_2Se and Yb_2O_2Se (9) 212*c*.

Quezel-Ambrunaz, S., and Bertaut, E. Felix Magnetic structure of TbO_2 (9) 212*g*.

Quimby, Ian M. G. (Editor) Ceramics in America, B (11) 260*c*.

Quincy, Roger B., Jr. See Sturm, Bernard J.

Quinn, John A. See Anderson, John L.

Quinn, John D. See Roetter, Robert P.

Quinn, R. K. See Johnson, Ralph T., Jr.

Quinn, Richard E. Apparatus for etching of thin layers of material by ion bombardment, P (4) 86*e*.

Quinson, J. F., Escoubes, M., and Blanc, R. Energy profile of adsorption of water at 25°C on singly charged montmorillonites (K^+, Na^+, H^+, Ca^{2+}) (6) 136*f*.

Quirk, Virgil P., and Titlar, James M. Flame-sprayed ferrite powder X-ray radiation shield, P (7) 146*g*.

Quittet, A. M., and Lambert, M. Temp. dependence of the Raman cross section and light absorption in cubic $BaTiO_3$ (11) 249*h*.

Quraell, Frank D., Ikemoto, Robert N., and Lass, James L. Fuel bundle with removable rods, P (10) 231*a*.

Raago, Rein Fluorescent symbol display tube having plural cathodes and/or vacuum anode insulation, P (1) 9*e*.

Rabe, P. See Haensel, Ruprecht

Rabinovich, E. M. Solder glasses and glass-crystalline cements (7) 145*e*.

Rabinovich, M. A. See Bluvshtein, M. N.

Raccah, P. M. See Longo, J. M.

Raccanelli, A., and Favuzzi, G. Effects of Co deposition on sheets to be direct-enameled (2) 34*g*.

Raccanelli, A., Navazio, G., and Scorzon, L. Causes of variation in plasticity of clays due to dry spraying process (2) 49*j*.

Rachor, Lothar, and Hackstein, Karl G. Fuel element for high-temp. reactor, P (9) 203*c*.

Rackus, John J., Skillbeck, John P., and Szkudlapski, Alfons H. Process for supporting and nonuniformly treating articles, P (1) 19*a*.

Raczkowski, Jozef, Kraj, Lucja, and Stryczek, Stanislaw Use of Gigtar polyacrylamide for lowering filtration in oil well cement slurries (2) 34*b*.

Raczkowski, Jozef, Stryczek, Stanislaw, and Wilk, S. Effect of mixing dynamics on parameters of cement slurry and hardened cement (10) 217*h*.

Radenkova-Janeva, M. See Marinov, M. R.

Radford, C. J. See Bryant, F. J.

Radhakrishnan, T. P. See Subramanian, K. S.

Radjy, Fariborz, and Hansen, Torben C. Fracture of hardened cement and concrete (11) 242*c*.

Radjy, Fariborz, and Richards, Cedric W. Effect of curing and heat treatment history on the dynamic mechanical response and the pore structure of hardened cement paste (7) 142*g*.

Radjy, Fariborz, Sellevold, Erik J., and Richards, Cedric W. Effect of freezing on the dynamic mechanical response of hardened cement paste down to −60°C (4) 78*i*.

Radmer, Raymond J. See De Fabritis, Raymond P.

Rado, George T. Magnetoelectric studies of critical behavior in the Ising-like antiferromagnetic $DyPO_4$ (7) 152*b*.

Raeburn, George D. See Taterzynski, Sylvester R.

Raeuber, Armin See Dischler, Bernhard ; Schneider, Juergen

Raevskii, Georgy V. See Dyskin, Ernest M.

Raevskii, Georgy V., Biletskii, Semen M., and Burmenko, Eduard Yu. Supporting device for rotary furnaces, P (5) 105*g*.

Raffai, Jozsef Experiences with cast refractories in the Orosháza Glass Works kilns (3) 65*h*.

Ragai, Jehane See Razouk, Rashad I.

Ragland, Frank R., Jr. Method of assembling and mounting an aperture mask in a mask-panel assembly of a CRT using a full surface spacer, P (2) 39*a*.

Ragozina, N. M. See Shakhova, N. A.

Rahman, M. L. See Dobson, D. C.

Rahman, M. M. See Linnett, J. W.

Rahn, H. N. See Oliver, E. M.

Raichenko, T. F. See Nikitin, B. M.

Rainone, Nicholas J., and De Caro, Aristide R. Halogen-cycle incandescent lamp having an improved filament mount assembly, P (9) 194*f*.

Rairden, John R., III Refractory metal/refractory metal nitride resistor films by cathode sputtering, P (5) 102*i*.

Raj, P., and Kulshreshtha, S. K. Moessbauer studies of the Li ferrite-aluminate system (4) 92*j*.

Rajamohan, P. See Lakshminarayanan, K.

Raju, Abbaraju P., Aksay, Ilhan A., and Pask, Joseph A. Permeation of silicates in MgO and forsterite compacts (4) 83*h*.

Raju, K. S. See Patel, Ambalal R.

Rakhimbekova, Kh. M. See Tananaev, I. V.

Rakova, T. A. See Zhukovskii, V. M.

Rall, Dieter L. See Hornbaker, David R.

Ralph, H. I. See Lacklison, D. E.

Ralph, J. E. Cathodoluminescence of Er^{3+} in YGaG and YAG (4) 91*a*.

Ralph, J. E., and Townsend, Michael G. Fluorescence and absorption spectra of Ni^{2+} in MgO (11) 258*i*.

Ram, Michael J. Process for the production of a continuous length of graphitic fibrous material, P (7) 149*e*.

Ramachandran, V., and Srinivasan, R. Generalized Grueneisen parameters of elastic waves in calcite [$CaCO_3$] and its thermal expansion (8) 182*a*.

Ramachandran, V. S. Action of triethanolamine on the hydration of tricalcium aluminate (7) 141*i*; Influence of triethanolamine on the hydration characteristics of tricalcium silicate (9) 211*g*.

Ramakrishnan, E. S. Free energy of formation of IrO_2 by the solid electrolyte galvanic cell method (9) 210*i*.

Ramamurty, S. See Murty, M. V. Ramana

Ramanathan, K. V. See Pinto, R.

Ramanathan, S. Lime garnets from Manalur, South Arcot district, Tamil Nadu [India] (7) 158*i*.

Ramankulov, M. R. See Suleimenov, A. T.

Rambousek, Vladimir See Fator, Jaroslav

Ramdas, Anant K. See Solin, Stuart A.

Ramesam, K. See Banerjee, J. C.

Ramm, Eric J. See Reeve, Keith D.

Ramonda, G. See Gianoglio, C.

Ramqvist, Lars H. Cemented [tungsten] carbide compositions and process for producing, P (5) 100*j*; Method of enlarging the particle size of transition metal powder and carbides thereof, P (10) 224*d*.

Ranadive, D. K. See Tan, Y. T.

Ranallo, Henry U. See Wiltshire, Arthur J.

Randall, Lyman J., and Seward, Thomas P., III Thermally darkening photochromic glass, P (9) 195*c*.

Randles, William W. See Lambdin, Foraker, Jr.

Randolph, George J. J., Jr. Mfg. piezoresistive bars, P (1) 17*e*.

Ranganath, G. S. Optics of polycrystalline minerals (7) 161*h*.

Ranieri, A., and Bocchini, M. High temp. mechanical tests and petrographic examination of basic magnesite-chrome refractories (2) 40*c*.

Rankel, Lillian A. Si semiconductor device processing, P (11) 251*a*.

Ranken, William A. See Weaver, Cliff V.

Ranon, Uri See Zuleeg, Rainer

Rao, A. S., and Chakinder, A. C. D. Plastic flow during hot-pressing (1) 26*h*.

Rao, A. V. Ramana, and Tare, V. B. Determination of some thermodynamic properties of Fe_2O_3 by an emf method (7) 157*a*; Electronic conduction in calcia-stabilized ZrO_2 between 1000°–1400°C (9) 209*j*; Free energy of formation of Bi_2O_3 (9) 210*i*.

Rao, B. V. Raja, Samson, S. J., and Simoes, L. Solid state pH meter (5) 105*e*.

Rao, C. N. R., and Natarajan, M. Crystal structure transformations in binary halides (2) 51*h*.

Rao, C. N. R., Natarajan, M., Rao, G. V. S., and Lochman, R. E. Phase transitions and conductivity anomalies in solid solutions of VO_2 with TiO_2, NbO_2, and MoO_2 (5) 113*d*.

Rao, C. V. S. Kameswara See Swamy, R. N.

Rao, D. Bhogeswara Equilibrium pressure of Li tetrafluoroaluminate over solid AlF_3 plus solid Li cryolite (8) 181*d*.

Rao, G. V. S. See Rao, C. N. R.

Rao, G. V. S., Wanklyn, Barbara M., and Rao, N. R. Electrical transport in rare earth ortho-chromites, -manganites, and -ferrites (5) 109*f*.

Rao, K. Veerabhadra, and Narasimhamurty, T. S. Photoelastic constants of CaF_2 and BaF_2 (4) 92*h*.

Rao, Kompella Visweswara See Agrawal, M. D.

Rao, M. Subba Quantitative estimation of the fraction of calcite present in a binary mixture of calcite and vaterite (7) 162*g*.

Rao, M. Subba, and Murthy, A. R. Vasudeva Rapid method for the quantitative analysis of binary mixtures of calcite and aragonite (7) 157*g*.

Rao, Madasudhana Analysis of hydraulic conveyance of granular materials in vertical pipes (2) 47*g*.

Rao, N. R. See Rao, G. V. S.

Rao, Narsing G. See Hyde, Garrett R.

Rao, Ramesh P. Process for making silicate foams from alkali metal silicates, P (10) 234*g*. See Gladney, Kurt P.

Rao, S. V. K., Agnihotri, P. K., Anandan, N. S., Prasad, G. E., and Moorthy, V. K. Electrical conductivity of refired sintered UO_2 pellets (3) 71*c*.

Rao, T. Seshagiri See Revathi, B.

Rao, Velliyur N. P. See Druin, Melvin L.

Rao, Vemulapalli D., and Telang, Yeshwant P. Rubbing seal for high-temp. ceramics, P (10) 219*e*.

Rapaille, Jean R. See Yperman, Jean M. B. G.

Rapoport, Eliezer See Clark, James B.

Rapp, Charles F. Low-expansion aluminosilicate glass compositions comprising a pentavalent metal oxide, P (6) 125*g*.

Rapp, J. E. Thermal expansion coeff.-crystallinity relations in Li_2O-Al_2O_3-SiO_2 glass ceramics (7) 146*d*.

Rapsch, S. Mathematical models for concrete aggregate-producing plants (3) 59*i*.

Rasch, Rudolf Combustion chamber linings for special refuse incinerator installations (10) 223*h*.

Rasemann, Winfried See Eidner, Dieter

Rash, Charles D. Throw tall, throw wide (4) 78*b*.

Rashid, M. S., and Wirkus, C. D. Development of carbide coatings for graphite filaments (1) 4*d*.

Rashkovskaya, N. B. See Nikushin, E. G.

Rasmussen, O. B. Extruded sheet materials, P (11) 252*h*.

Rasquin, John R., and Estes, Marvin F. Process for making diamonds, P (5) 95*g*.

Rastoin, Blaise B. Conveyor device for pulverized, granular, fibrous, or fluid products, P (4) 88*f*.

Rath, R., and Guse, W. Absolute determination of surface area with the Blaine air permeability tester (7) 156*i*.

Rathbun, Robert R. Brazing method [ceramic die], P (9) 203*j*.

Ratliff, Earl T., and Renaut, Paul W. Reed switch having contacts plated with a thin Ag layer, P (1) 19*c*.

Ratnam, V. V. See Banerjee, H. D.

Ratnasamy, P. See Leonard, A. J.

Rau, Eric See Ilardi, Joseph M.

Rauch, H. W., Sr. Graphite fiber—another wonder material (9) 196*f*.

Raunio, G., and Rolandson, S. Lattice dynamics of NaCl, KCl, RbCl, and RbF (8) 183*g*.

Rausch, John J. See Van Thyne, Ray J.

Rauschenfels, E. See Lehmann, H.

Ravaglioli, A., and Vecchi, G. Outline of drying procedures in the ceramic industry and main drying features of raw materials and ceramic bodies (2) 49*e*.

Ravasz, Csaba See Duma, Gyorgy

Ravez, Jean, Budin, Jean-Pierre, and Hagenmuller, Paul Crystallographic, dielectric, and nonlinear optical properties of the $ABCNb_5O_{15}$ phases (A = Ca,Sr,Ba; B = Ca,Sr,Ba; C = Na,K) with the tetragonal bronze-like structure (2) 52*a*.

Rawat, R. S. See Chatterji, A. K.

Rawson, C. B. Low cost aids in a pottery (2) 41*f*.
Ray, Dipak K. See Borg, M.
Ray, Jack C. See Sanderford, Freeman M.
Ray, Satyabrata Study of ordering in high-quartz solid solutions by substitutions affecting superlattice reflections (2) 38*j*.
Razin, Anatoly A. See Belkin, Nikolai V.
Razouk, Rashad I., Mikhail, R. Sh., and Ragai, Jehane Surface properties of calcined MgO—effect of presence of water vapor on surface areas and pore sizes (8) 186*i*.
Razumovskaya, Irina V. See Bartenev, Georgi M.
Razzano, John S., and Smith, Alfred H. Process for treating reinforcing silica filler, P (2) 50*e*.
Rea, J. R., Bless, P. W., and Kostiner, E. Crystal structure of $CuVO_3$(I), a distorted ilmenite-type derivative (4) 91*e*.
Read, M. H. See Swisher, J. H.
Reade, Richard F. Glass-ceramic articles containing strontia-, yttria-, lanthana-, and/or tantala-bearing crystal species, P (8) 169*j*.
Reau, Jean Maurice See Fouassier, Claude
Rebinder, P. A. See Barboi, V. M. ; Shishkovskii, G. K.
Reboul, Jean P. See Galves, Jean P.
Recaseens, J. See Hoff, G.
Recasens, Joseph, and Gardiol, Maurice Diffusion phenomenon at the interface between glass and electrocast AZS refractories (10) 223*j*.
Rechberger, Franz F. Method of packaging grinding wheels, P (7) 141*e*.
Rechenberg, W. Rapid determination of fluoride in raw materials, clinkers, and dust in cement mfg. (10) 218*e*; Photometric determination of SiO_2 in cements and raw materials (11) 242*b*.
Record, F. A. Sieving practice and the gyratory screen (11) 252*b*.
Recrosio, Agostino See Cogliati, Guido
Redan, Joseph Diffusion furnace loader, P (6) 134*b*.
Redington, Rowland W., and van Heerden, Pieter J. Method of mfg. semiconductor camera tube targets, P (6) 130*e*.
Red'ko, G. S. See Bernshtein, R. S.
Redman, Michael J. Micaceous tellurites and method of making, P (2) 44*f*; Rare earth tellurite and method of producing, P (7) 154*d*.
Reed, Edwin E. See Hays, Robert G.
Reed, James S. Optical spectra of Cu^{2+} and Ni^{2+} in intermediate aluminate spinels (11) 259*b*.
Reed, James S., and Fulrath, Richard M. Characterization and sintering behavior of Ba and Sr ferrites (5) 101*e*.
Reed, James S., Williams, Ralph J., and Roberts, Thomas J. Microstratified mixing (1) 20*i*.
Reed, R. A. See Bennett, H.
Reed, R. J. Combustion pollution in the glass industry (8) 167*c*; See Marshall, Robert W.
Reed, Robert D. See Goodnight, Hershel ; Zink, John S.
Reed, Thomas Binnington See Fan, J. C. C. ; Hulin, D. ; Pidgeon, Carl R.
Reedy, G. T. See Gabelnick, S. D.
Rees, Huw D. See Hilsum, Cyril
Rees, John M. See Johnston, Robert B.
Reese-Evans, D. B. See Rossiter, M. J.
Reeve, Keith D., and Ramm, Eric J. Fuel element for high-temp. nuclear reactor, P (3) 71*c*.
Regan, M., and Drake, C. F. V phosphate glass threshold switching devices (4) 81*d*.
Regh, Joseph See Doo, Ven Y.
Regnard, J. R. Moessbauer study of ^{57}Fe in doped CaO crystals (9) 212*f*.
Regnier, Jacques See Clech, Albert
Rehkopf, Charles H. See Donofrio, Robert L.
Rehwald, Walther Anomalous ultrasonic attenuation at the 105°K transition in Sr titanate (7) 159*f*; Low-temp. elastic moduli of Sr titanate (7) 161*j*.
Reich, Allen D. See Stanley, Marland L.
Reich, John P. See Nepereny, Harold A.
Reid, A. F., Sabine, T. M., and Wheeler, D. A. Neutron diffraction and other studies of magnetic ordering in phases based on Cr_2O_3, V_2O_3, and TiO_2 (1) 26*c*.
Reid, Alexander M., Harper, David W., and Forber, Albert Method of producing elongated clad glass member, P (8) 170*b*.
Reid, Allen Forrest See Ringwood, Alfred E.
Reid, Jack M., Weil, Sanford A., Mason, David M., and Staats, William R. Illumination burner, P (9) 206*d*.
Reifsnider, K. L., and Kelley, C. E. Effect of surface softening on the tensile strength of mechanically gripped fiber glass rods (2) 35*j*.
Reijnen, P. Technical and fundamental aspects of sintering (7) 156*e*.
Reijonen, H., and Pihlajavaara, S. E. Determination by neutron radiography of the thickness of the carbonated layer of concrete based on changes in water content (2) 32*e*.
Reilly, Michael H. Temp. dependence of the short wavelength transmittance limit of vacuum uv window materials: II, Theoretical, including interpretations for uv spectra of SiO_2, GeO_2, and Al_2O_3 (4) 93*e*.
Reinecking Vernon H. See Staudhammer, Karl P.
Reingardt, T. A. See Chigrai, I. D.
Reingen, Werner Plaster mold compositions, P (11) 243*b*.
Reinhart, F. Abrasives, especially for ceramic products (9) 189*d*.
Reisfeld, R. Inorganic ions in glasses and polycrystalline pellets as fluorescence standard reference materials (5) 104*f*. See Brandstadter, I. J.
Reisfeld, R., and Eckstein, Y. Absorption and emission spectra of Tm^{3+} and Er^{3+} in borate and phosphate glasses (2) 35*a*.
Reisfeld, Renata, and Boehm, L. Energy transfer between Sm and Eu in phosphate glasses (1) 7*c*.
Reisfeld, Renata, Hormodaly, J., and Barnett, Baruch Ce^{3+} as a probe of the crystal field and the nature of the impurity-ligand bond in borate and phosphate glasses (10) 219*g*.
Reisfeld, Renata, and Morag, Sh. Energy transfer for Tl^+ to Gd^{3+} in inorganic glasses [borax and NaH_2PO_4] (10) 220*b*.
Reishakhrit, A. L. See Burkat, T. M.
Reisner, W., and Rothe, M. von Eisenhart Difficulties caused by the storage of granular materials in silos and methods of minimizing them (4) 88*d*.
Rekus, G. G., Belousov, A. I., and Chirkov, M. T. Electromagnetic drive of metering devices for the preparation of glass charge (9) 192*g*.
Remeika, Joseph P. Oxidic crystals and V_2O_5-containing flux growth thereof, P (1) 18*g*. See Barker, Alfred S., Jr. ; Marezio, M. ; Myers, Samuel M. ; Singh, S.
Remennikov, Alexandr I., Vasiliev, Viktor M., and Shiganov, Robert, A. Device for cutting round holes in cylindrical and oval parts and structures, P (10) 232*a*.
Remizov, Yu. S. See Margulis, E. V.
Remmey, G. Bickley, and McFadden, Charles A. Tunnel kiln, P (10) 234*c*.
Remmey, G. Bickley, Jr. Cost analysis—bell-type or tunnel kiln? (9) 205*i*.
Rempes, Paul E., Jr., and Houghton, Le Roy H. Ignition noise suppression center electrode assembly for spark plugs, P (9) 200*h*.
Renard, Michel, Cardinne, Philippe, and Manbes, Bernard Josephson junctions, P (2) 44*c*.
Renault, Nicole, Baffier, Noel, and Huber, M. Cation distribution and crystalline distortion in the Mn spinels $NiCr_xMn_{2-x}O_4$ (2) 51*f*.
Renault, S. Electrical and optical properties of thin films of chalcogenide glasses in the As-Se system (3) 61*j*.
Renaut, Paul W. See Ratliff, Earl T.
Rendon, Daniel See Deverse, Frank T.
Renier, G. See Glicksman, Leon R.
Renzoni, Ruggero See Dolci, Gioacchino ; Gerontopoulos, Panayotis
Reppich, B. Radiation hardening of alkali halides and MgO (9) 214*g*.
Repsher, Robert W. Method of uniformly coating a tubular lamp envelope with phosphor, P (10) 222*h*.
Resnean, Jean C. Process for mfg. microwave capacitors, P (3) 70*h*.
Restarick, Clifford J. See Kelsall, Denis F.
Rettew, Richard R. See Levy, Newton, Jr.
Rettew, Richard R., Wirth, David G., Jr., and Glemza, Rimantas Process for the preparation of fine sized Mg aluminate spinel, P (2) 45*i*.
Retzer, Theodore C., and Kearney, Joseph P. Current-rated short-arc lamp for light projection apparatus, P (3) 63*d*.
Reusche, Ehrhard Safety of buildings against explosion (4) 82*d*.
Reuschel, Konrad See Dietze, Wolfgang ; Keller, Wolfgang
Reuschel, Konrad, Platzoder, Karl, and Kursawe, Helga Device for indiffusing dopants into a semiconductor material, P (2) 43*b*.
Reusser, Raymond E. Breakout protection for crystal growers, P (2) 43*g*.
Reutova, G. A. See Lukashenko, E. E.
Revathi, B., and Rao, T. Seshagiri Temp. dependence of the elastic module of some polycrystalline ferrites (5) 139*f*.
Revcolevschi, A. See Dhalenne, G.
Revesz, A. G. Irradiation effects in SiO_2 polymorphs (9) 211*c*.
Revitz, Martin, and Turene, Francis E. Method of adhering Au to an insulating layer on a semiconductor substrate, P (6) 129*i*.
Revzina, T. V. See Arkhipov, S. M.
Reydellet, J. See Balkanski, Minko
Reye, H. J., and Demharter, G. Crack-formation resistance of ceramic materials and its relation to thermal-shock resistance (4) 88*f*.
Reynolds, G. L., Beere, W. B., and Sawbridge, P. T. Effect of fission products on the ratio of grain-boundary energy to surface energy in irradiated UO_2 (8) 176*a*.
Reynolds, James F. See Rosen, Arye
Reynolds, John M. See Fields, Stanley A.
Reynolds, T. G., and Weld, Aaron Preparation and properties of tetragonal W oxyfluoride bronzes (9) 214*c*.
Rezlescu, Nicolae, and Cucureanu, Elena Cation distribution and Curie temp. in the Cu-Mn-Zn ferrites (5) 106*e*.
Reznik, E. M. See Rode, E. Ya.
Rhee, Chongkook See Hays, Robert G.
Rhee, S. K. Discussion of "Porosity effects in polycrystalline graphite" (1) 24*g*.
Rhoades, Vaughan W. U solution mining process, P (5) 106*b*.
Rhoads, Stanley C. See Stickney, William A.
Rhodes, Daniel Clay and Glazes for the Potter, B (9) 216*d*.
Rhodes, John R. See Furuta, Tomihiko
Rhodes, W. H., and Wuensch, B. J. Relation between precursor and microstructure in MgO (10) 239*a*.
Ribbe, Paul H. See Phillips, Michael W.
Ribble, T. J. See O'Keeffe, M.
Rice, Dennis K. See Koechner, Walter
Rice, Edward J. See Litty, Thomas P.
Rice, George A. See Girard, Roland T.
Rice, Hal H. Heater coil support, P (6) 128*a*.
Rice, Roy W. Machining, surface work hardening, and strength of MgO (11) 258*g*. See Hunt, James G. ; Molnar, B. K.
Rice, Warren A. See Vinton, Clarence S.
Rich, David See Aidlin, Samuel S.
Rich, T. C. See Pinnow, D. A. ; Van Uitert, L. G.
Rich, T. C., and Pinnow, D. A. Total optical attenuation in bulk fused SiO_2 (10) 221*j*.
Rich, Terry J. See Poynton, Bertram G.
Richards, Cedric W. See Radjy, Fariborz
Richards, P. L. See Yang, K. H.
Richards, Robert C. Modernization spells profits for United Glass (7) 145*e*; Euroceramica SA—plant in the wilderness (7) 149*h*.
Richards, Robert C., and Schleyer, Maureen Electronic ferrites and ceramics in Spain (7) 151*c*.
Richardson, Albert S., Jr. Line post insulator with self-restoring hinge means, P (6) 128*f*.
Richardson, D. See Hill, R.
Richardson, Donald A. See Cohen, Sheppard
Richardson, Frederick D., and Rogers, Philip S. Sealing of joints in refractory devices with silicate coating, P (8) 172*e*.
Richardson, Norman L. See Nelson, Lloyd S.
Richartz, W. Effect of storage on cement properties (7) 142*i*. See Lieber, W.
Richarz, Werner, and Schindler, Alfred Mass transport and chemical reaction in polycrystalline oxides (10) 237*j*.
Richerson, David W. Effect of impurities on the high temp. properties of hot-pressed Si_3N_4 (10) 223*i*. See Coppola, J. A.
Richie, Carlton A. Plastic-covered glass container, P (9) 194*g*.
Richman, Paul MOS integrated circuit with substrate containing selectively formed resistivity regions, P (11) 251*a*.
Richmond, J. C., and Hsia, J. J. Standard reference materials—preparation and calibration of standards of spectral specular reflectance (5) 105*e*.
Richter, Dieter See Huelsenberg, Dagmar
Richter, Fred E. Fabricating relatively thick ceramic articles, P (3) 71*f*.
Richter, Kurt, Wehner, Bernd, Wegerer, Goetz, and Thraenert, Peter Continuous X-ray fluorescence analysis by the remote sensing-element, Mansfeld (RMM), for automatic regulation of the SO_3 content in cement grinding (10) 217*i*.
Richter, P. W., and Pistorius, C. W. F. T. Phase diagrams to 40 kbars and crystallographic data for $RbNO_2$ and $CsNO_2$ (2) 54*a*.
Ricke, W. Winning of steatite and talc at the Johanneszeche near Goepfersgruen (Fichtelgebirge, Bavaria) (9) 207*b*.
Riddle, John L. See Furukawa, George T.
Riddle, John L., Furukawa, George T., and Plumb, Harmon H. Pt resistance thermometry (10) 232*f*.
Ridge, M. J., King, G. A., and Molony, B. Reconsideration of a theory of the setting of gypsum plaster (8) 166*f*.
Ridley, B. K. See Harris, J. J.
Riebling, E. F. Influence of pseudo-alkali cations on network depolymerization in mixed-cation germanate glasses (2) 36*g*; Composites of bubble-encapsulated Ag or Au spheres in oxide glasses (6) 122*i*; Depolymerization of GeO_2 and B_2O_3-GeO_2 network glasses by Sb_2O_3 (7) 144*d*.
Rieck, Gerard D. See Koster, A. S.
Riedel, E. Low-maintenance high-capacity filters, with pneumatic cleaning, for the cement industry (10) 218*g*.
Riedel, Hans J. Method of extracting U from seawater, P (7) 159*b*.
Riefstahl, Elizabeth Unique fish-shaped vial in the Brooklyn Museum (6) 119*j*.
Rieger, W. New technological and economic orientation in the brick industry (2) 39*i*.
Riegger, Hal Primitive Pottery, B (2) 58*a*; Reduction of raku glazes (4) 78*b*.
Riek, Raymond F. See Buckley, Francis T.
Rieke, Klaus See Lehmann, Hans
Riesel, Werner See Herzog, Guenther
Rigby, Frank, and Ainscough, John B. Nuclear fuel element containing sintered UO_2 fuel with a fine particulate dispersion of an oxide additive therein and method of making, P (5) 103*g*.
Rigdon, M. A., and Grace, R. E. Electrical charge transport in single-crystal $CaWO_4$ (10) 235*e*.
Rigny, Paul See Soulie, Edgar
Rijnders, Johannes Halogen motorcar lamp, P (9) 194*f*.
Riley, Brian W. See Andrews, Brian
Riley, Donald R. See Emon, Donald E.
Riley, Neil R. See Borg, Richard J.
Rindner, Wilhelm, Iannini, Americo, and Garfein, Andre Semiconductor transducer device, P (1) 19*f*.
Rindone, Guy E. See Greco, Edgar J. ; Sproull, James F. ; Taylor, T. D.
Ringwood, A. E. See Green, D. H.
Ringwood, Alfred E., and Reid, Allen Forrest Olivine-spinel transformation in $MgMnGeO_4$, $FeMnGeO_4$, and $CoMnGeO_4$ (5) 112*f*.
Ripley, Robert L. See Hard, Robert A.
Ripper, Jose E. See Dyment, John C. ; Paoli, Thomas L.
Risbud, Subhash Estimation from DTA traces of the activation energy of crystallization of glassy $CdGeAs_2$ (9) 192*h*.
Risen, W. M., Jr. See Exarhos, G. J.
Riste, T. See Otnes, K.
Riste, T., Samuelsen, E. J., Otnes, K., and Feder, J. Critical behavior of $SrTiO_3$ near the 105°K phase transition (9) 208*g*.
Ristic, M. M. See Boskovic, S. B. ; Delic, D.
Rita, R. A., Bergeron, Clifton G., and Lukacs, J. M. Enthalpy of fusion of Pb_2SiO_4 (2) 52*i*.
Ritcey, Gordon M. See Craigen, William J. S.
Ritchie, D., and White, D. Mechanism of direct-on enameling of steel (1) 4*h*.

Ritchie, Frederick S. See Seeley, John S.

Ritchie, I. G., and Sprungmann, K. W. First report on dislocation damping in a single crystal of MgO (9) 210*e*.

Ritter, George F., Jr. Producing bent tempered glass sheets, P (9) 194*h*.

Ritter, George F., Jr., and King, Roger P. Textured conveyor roll [annealing] and method of finishing, P (7) 147*g*.

Ritter, J. E., Jr. Stress corrosion susceptibility of polymeric-coated soda-lime glass (8) 169*b*.

Rittler, Hermann L. See Beall, George H. ; Chyung, Chi Kwun

Ritze, Willy Optical glasses comprising AlF_3 having a varying partial dispersion, P (6) 126*b*. See Faulstich, Marga

Ritzen, Johannes M. J., and Peloschek, Hans P. Method of mfg. magnet cores and magnet cores mfg. by the method, P (4) 86*h*.

Rius, G. See Maffeo, B.

Rively, Clair M., and Petro, James Method for sculpturing an indicia or decorative design in the surface of an article with a beam of corpuscular energy, P (2) 39*d*; Method and apparatus for mfg. beaded filament-coil components for electric lamps, P (8) 170*i*.

Riviere, D., and Willem, M. Device for measuring the dielectric strength in air of insulating disks of small diameter (3) 72*a*.

Rizzi, Joseph D., and Fagan, Lloyd D. Double junction read only memory and process of mfg., P (9) 200*c*.

Roach, W. R., and Balburg, I. Optical induction and detection of fast phase transition in VO_2 (8) 184*j*.

Robb, Ronald R. See Carnot, John J.

Robba, William A., and Conabee, Earl E. Composite C insert for gas-shielded welding torch nozzle, P (2) 40*c*.

Robba, William A., and Klasson, George A. Pyrolytic graphite nozzles and guide tubes for welding torches, P (2) 40*i*.

Robbins, M., Pierce, R. D., and Wolfe, R. Magnetic properties of fluoride substituted orthoferrites (5) 112*b*.

Robbins, Murray, Wertheim, Gunther K., Sherwood, Richard C., and Buchanan, D. N. E. Magnetic properties and site distributions in the system $FeCr_2O_4$-Fe_3O_4 ($Fe^{2+}Cr_{2-x}Fe_x^{3+}O_4$) (5) 112*d*.

Robens, E. See Boehme, G.

Roberson, C. E. See Hem, J. D.

Robert, M., and Barshad, I. Experimental transformation of micas into vermiculites or smectites—properties of transformed smectites (6) 136*g*.

Robert, Michel See Seddoh, Francisco K.

Roberts, Edward S. Kiln seal, P (7) 158*a*.

Roberts, G. G., and Polanco, J. I. Conductivity of the chalcogenide semi-insulator system: As_2S_3-Sb_2S_3 (9) 208*c*.

Roberts, J. T. A., and Voglewede, J. C. Application of deformation maps to the study of in-reactor behavior of oxide fuels (10) 229*h*.

Roberts, J. T. A., and Wrona, B. J. Crack healing in UO_2 (7) 155*j*; Nature of brittle-to-ductile transition in UO_2-20 wt% PuO_2 nuclear fuel (8) 176*e*.

Roberts, John A., and Roberts, Peter R. Fibrous metal filaments, P (2) 40*d*.

Roberts, Lester A. See Bates, David J.

Roberts, Peter R. See Roberts, John A.

Roberts, R. W. See Huggins, R. A.

Roberts, Thomas J. See Reed, James S.

Roberts, W. J. Keep your steel (ecologically) clean (2) 34*i*; Cleaning procedures for porcelain enameling (5) 96*g*.

Robertson, D. A. See Bichard, V. M. ; Cound, Vivienne M.

Robertson, D. S. See Chedzey, H. A. ; Noblanc, J. P.

Robertson, David See Matchen, Ben

Robertson, G. B. See Ferguson, J.

Robertson, Glenn D., Jr. See Curran, Robert E.

Robertson, J. K., and Wyllie, Peter J. Experimental studies on rocks from the Deboullie stock, northern Maine, including melting relations in the water-deficient environment (1) 25*g*.

Robertson, John K. See Audesse, Emery G.

Robie, R. A., and Hemingway, B. S. Calorimeters for heat of solution and low-temp. heat capacity measurements (3) 71*i*.

Robiette, Alfred G. E. Electric arc stabilization in electric arc melting using carbon electrodes, P (5) 100*d*.

Robinder, Ronald C. Method of screening a color picture tube, P (8) 170*b*.

Robinson, Albert S. See Loukes, D. G.

Robinson, Albert S., Lawrenson, Jack, and Ormesher, Edward R. Method for temp. control of ionic electrode, P (1) 10*a*.

Robinson, Charles C. See Snitzer, Elias

Robinson, Charles C., and Fournier, Joseph T. Coordination of Yb^{3+} in phosphate, silicate, and germanate glasses (4) 80*h*.

Robinson, Charles C., Graf, Robert E., Young, Robert W., and Sproul, Merrill F. Method for producing a Faraday rotation glass having a high Verdet constant, P (5) 99*c*.

Robinson, Charles C., Shaw, Robert R., and Fournier, Joseph T. Yb glass laser with an output in the 1024-nm range, P (8) 171*a*.

Robinson, Eugene A., and Shipley, Roy E. Rf microwave amplifier and carrier, P (9) 202*a*.

Robinson, Gary E., and Smith, Floyd O. Kiln chain hanger, P (9) 206*a*.

Robinson, Herbert N. See DeGrazio, Robert P.

Robinson, L. C. See Chen, W. K.

Robinson, M. See Wolfe, R.

Robinson, Preston Electrolytic device and semiconductor oxide electrolyte therefor, P (8) 174*g*.

Robinson, Robert J. See Kun, Zoltan K.

Robinson, Roland D. See Hunter, Richard S.

Robinson, Worden Portable gas-fired art pottery kiln and method, P (11) 255*e*.

Robison, G. Thomas Electrostatic spraying of porcelain enamel on bathtubs (11) 243*c*.

Robson, D., Annabghy, F. Y. I., and Ingram, D. J. E. Electronic properties of polyacrylonitrile-based C fibers (3) 74*g*.

Robson, Frederick G. See Pearne, Florentin J.

Robson, Harry E. Method for preparing a small-pore synthetic zeolite, P (7) 159*b*; Promotion of crystalline zeolite synthesis, P (9) 207*e*.

Robson, M. J., and Davies, M. W. Influence of Fe and Cr on the crystallization of some CaO-Al_2O_3-MgO-SiO_2 glasses (3) 61*h*.

Rocco, William A. See Wentorf, Robert H., Jr.

Roche, William J. Dc fluorescent lamp with improved efficiency, P (5) 99*c*.

Rochet, D. See Guidevaux, J.

Rochet, Jean Method of making incandescent lamp, P (1) 10*c*.

Rodbell, Donald S., and Lommel, James M. Magnetic films having a predetermined coercivity, P (2) 44*e*.

Rode, E. Ya. See Karpov, V. N.

Rode, E. Ya., Ivanova, M. M., Balagina, G. M., and Reznik, E. M. Phase diagrams of systems of the type Na_2WO_4-$R_2(WO_4)_3$ (5) 113*h*.

Rode, E. Ya., Karpov, V. N., and Ivanova, M. M. Effect of rare earth ions on the nature of the phases in the systems Na_2WO_4-$R_2(WO_4)_3$ (R = rare-earth elements) (5) 108*g*.

Rodeman, Alfred H., Breglia, Denis R., and Mohon, Windell N. Understanding holography (7) 157*b*.

Rodenburg, Margaret L. See Binning, Robert C.

Roderick, D. See Gazza, G. E.

Rodgers, John T., Williams, Richard M., and Larsen, Richard J. Process of coating articles with pyrolytic graphite and coated articles made in accordance with the process, P (7) 149*b*.

Rodi, Fritz Process for the production of ferromagnetic CrO_2, P (3) 70*i*.

Rodi, Fritz, and Hund, Franz Ferromagnetic CrO_2, P (7) 153*i*.

Rodionov, Yu. I., Klokman, V. R., and Myakishev, K. G. Solubility of semiconductor compounds $A^{II}B^{VI}$, $A^{IV}B^{VI}$, and $A^{V}B^{VI}$ in halide melts (9) 214*i*.

Rod'kina, N. F. See Kuvakin, M. A.

Roe, Richard F. See Moss, James R.

Roed, G. Accurate determination of free CaO in cement by conductometric titration (10) 217*g*.

Roeder, Erwin Extrusion of glass (7) 144*c*.

Roeder, Manfred Fabrication of integrated microcircuits utilizing dielectric *pn* junction isolation, P (7) 153*h*.

Roeger, Klaus See Leers, Klaus J.

Roelofs, Henry M., and Lafferty, William J. Shell molds, P (5) 101*a*.

Roesch, Berthold See Krohe, Wilfried

Roeschmann, P. YIG filters (7) 152*h*.

Roess, Dieter, and Kiemle, Horst Production of semiconductor modules by a photoresist technique with holographic projection of etching patterns, P (5) 102*h*.

Roessler, D. M., and Albers, W. A., Jr. Ir reflectance of single-crystal tetragonal GeO_2 (3) 75*d*.

Roest, Erling See Haugsten, Kjell

Roetschi, H. See Emmenegger, Franzpeter

Roetter, Robert P., Miller, Alfred H., Quinn, John D., and Crosman, John M., Jr. Apparatus for producing all-glass multiple sheet glazing units, P (7) 146*i*.

Rog, Grzegorz See Deren, Jerzy

Rogachev, Boris V., Organovskii, Naum A., Sedel'nikov, Ertel S., and Charskii, Mikhail M. Apparatus for measuring electrical resistance of rocks by the amplitude method during geophysical mineral prospecting, P (10) 233*a*.

Rogalla, Dietrich See Max, Erhard

Rogers, Cedric G. Method of trimming crystalline photosensor arrays to close tolerances, P (4) 86*i*; InSb ir-ray detector, P (7) 153*c*.

Rogers, Dow A., Jr. Novel micaceous insulation, P (3) 70*c*.

Rogers, Milton See Tsai, Stephen W.

Rogers, P. S. See Keyworth, B.

Rogers, P. S., and Williamson, J. Kinetics of crystal growth in an aluminosilicate glass containing ZnO (3) 62*i*.

Rogers, Philip S. See Richardson, Frederick D.

Rogers, W. Carl See Gieskes, Joris M.

Roggwiller, P., and Kuendig, Walter Moessbauer spectra of superparamagnetic Fe_3O_4 (10) 237*c*.

Roginskaya, Yu. E. See Pavlushkin, N. M.

Rogovoi, Yu. I. See Koval'chenko, M. S.

Rogowoi, M. I., and Konowalow, D. O. Kiln types enabling full automation of heat treatment of large-sized perforated bricks (3) 72*j*.

Rogozkina, T. I. See Butt, Yu. M.

Rohan, George A. Treatment of powdered chalk, P (3) 73*h*.

Rohloff, Robert R. Packaging of semiconductor devices, P (1) 18*h*.

Rohrer, George A. Thin-film ferroelectric device, P (8) 175*h*.

Rohrer, Kenneth L., Griswold, Douglas A., and Davies, David H. Method of mfg. a display screen, P (5) 99*b*.

Rohsenow, Warren M., and Hartnett, James P. (Editors) Handbook of Heat Transfer, B (8) 188*i*.

Roitti, S., and Longo, V. Investigation of phase equilibrium diagrams among oxides by electrical conductivity measurements—application of the method to the system CeO_2-ZrO_2 (5) 111*g*.

Roizin, Natan M., Larionav, Igor N., and Kolesova, Alvina G. Method of alloying a monocrystal of a semiconductor, P (7) 153*h*.

Rokhlenko, D. A. See Sokol, V. A.

Rokni, M. See Wall, L. S.

Rokni, M., Wall, L. S., Amzallag, E., and Chang, T. S. Temp. study of the polariton associated with the 248 cm^{-1} soft mode in $LiNbO_3$ (9) 215*e*.

Rol, P. K. See Braeunlich, P.

Roland, G. W., Gottlieb, M., and Feichtner, J. D. Optoacoustic properties of Tl_3AsS_4 (10) 238*b*.

Roland, George W. Isothermal growth of epitaxial garnets—liquidus relations in a portion of a garnet-flux system (1) 25*g*. See Deis, Daniel W. ; Hopkins, Richard H.

Roland, George W., Hopkins, Richard H., and Melamed, Nathan T. Oxyapatite lasers, P (1) 18*h*.

Rolandson, S. See Raunio, G.

Rolin, M. Preparation and properties of sintered stannic oxide reference electrodes for laboratory studies of molten salt electrolysis (6) 132*j*.

Roll, Henry E. See Mills, Harry N.

Rollet, Georges See Petitjean, Marc

Rolston, John A. Nonslumping glass fiber package, P (8) 170*e*.

Roman, R. J., and Becker, G. W. Batch grinding model (6) 132*f*.

Romanenko, V. N. See Nikitina, G. V.

Romankov, P. G. See Nikushin, E. G. ; Vinogradova, M. G.

Romano, Roberto See Stone, Louis E.

Romans, James B., Sands, Arthur G., and Cowling, Jack E. Fatigue behavior of glass filament-wound epoxy composites in water (1) 7*g*.

Romeo, N., Dallaturca, A., Braglia, R., and Sberveglieri, G. Charge storage in $ZnIn_2S_4$ single crystals (11) 257*a*.

Romick, Thomas A., and Gray, Ralph C. New breakthrough in application of porcelain enamel (2) 34*d*; Experiences with electro gas dynamic spray guns (5) 96*c*.

Romrell, D. M., and Bunnell, L. R. Acoustic emissions let you listen for defects (9) 204*e*.

Ronen, Ram S. Method of making semiconductor device [photoresist], P (10) 228*a*.

Ronniger, G. See Mill, B. V.

Ronniger, G., and Mill, B. V. Vanadates with the defect garnet structure (8) 187*i*.

Root, William E. [Sound] method and system for controlling [continuous] grinding mills, P (1) 21*c*.

Rosa, I., and Novak, Ya. Results of studies in firing binders (2) 34*a*.

Rosa, John Inverter apparatus and method for hf fluorescent lamp operation, P (4) 81*e*.

Rosauer, E. A. See Joshi, R. C.

Roscher, Alfred M. Process and apparatus for dielectric heat drying elastomer-coated glass fibers, P (10) 222*j*.

Roscoe, C., Nagle, D., and Austerman, S. B. Growth of graphite single crystals from Fe-C solutions (2) 53*d*.

Rosebrooks, N. B. See Hartline, S. D.

Rosen, Arye, and Reynolds, James F. Negative resistance semiconductor coupled [TEM] transmission line apparatus, P (7) 154*h*.

Rosen, Fred D. Particle-size measuring apparatus, P (3) 72*g*.

Rosen, Harvey M., and Lee, Hanju Acid-stable molecular sieve products, P (10) 234*h*.

Rosenbauer, Hans G. See Aignesberger, Alois

Rosenbaum, J. B., McKinney, W. A., Beard, H. R., Crocker, Laird, and Nissen, W. I. SO_2 emission control by H_2S reaction in aqueous solution—the citrate system (11) 252*c*.

Rosenberg, Allan Y. T. See Oldenburg, Jerk G.

Rosenberg, E. E. Method of treating wollastonite, P (8) 179*d*.

Rosenberg, M. See Constantin, C.

Rosenberg, Robert Thin film ring lasers, P (10) 229*c*. See Cuomo, Jerome J.

Rosenberg, Robert B. See Solbrig, Charles W.

Rosenblum, B. See Braeunlich, P.

Rosencwaig, A., and Tabor, W. J. Growth-induced magnetic anisotropy in epitaxial garnet films (10) 226*c*.

Rosenzweig, Alfredo Geology and industrial development (2) 56*g*.

Rosevear, Allan F., and Acampora, Ferdinando M. Method of producing a tunnel diode, P (5) 102*d*.

Rosier, L. L. See Calhoun, B. A.

Rosinski, Edward J. See Rubin, Mae K.

Roskova, G. P. See Mazurin, O. V.

Rosner, Daniel E. See Nelson, Lloyd Spencer

Rosolovskii, V. Ya. See Belova, V. I.

Ross, C. Philip, Jr. Materials mixing and sizing can trigger melting defects (7) 145*a*.

Ross, Edward A. See Banyas, John D.

Ross, John R. See George, D'Arcy R.

Ross, Sidney D. See Morrison, Richard J.

Ross, Sidney David Vibrational spectra of Li niobate, Ba Na niobate, and Ba Na tantalate (11) 259*h*.

Ross, Sydney See Sennett, Paul S.

Rossat-Mignod, J. See Quezel, G.

Rossat-Mignod, J., Souillat, J. C., and Linares, C. Action of the crystalline field on the Er^{3+} ion in the rare-earth oxysulfide Er_2O_2S (8) 179*g*.

Rossi, Eugene F. Fuel delivery system for rotary kiln, P (11) 255*b*.

Rossier, D. See Cornet, J.

Rossing, B. R. See Gupta, T. K.

Rossini, Angel R. See Arazi, Salomon Cohen

Rossiter, M. J., Reese-Evans, D. B., and Ellis, S. C. Thermoluminescence in LiF—apparent activation by Mn (3) 68*e*.

Rosskopf, Philip A. See Peppler, Richard B.

Rossmassler, Stephen A. Critical evaluation of data in the physical sciences—status report on the National Standard Reference Data System (6) 132*j*.

Rosswurm, H. See Etzel, K.

Rostworowski, J. A., Horn, M., and Schwerdtfeger, C. F. EPR of substitutional Fe^{3+} in TiO_2 (brookite) (8) 181*b*.

Rosvold, Warren C. Method of making semiconductor diodes, P (10) 228*a*; Semiconductor structure with yieldable bonding pads having flexible links and method, P (10) 229*c*.

Roswell, Arthur E., and Clymer, Gerald K. Thermal fatigue Pb-soldered semiconductor device, P (9) 202*d*.

Roth, Heinz Pyrite efflorescence on the surface of brick bodies (3) 64*g*; Behavior of Fe pyrites in brick earths (11) 246*b*.

Roth, L. M. See Bennett, A. J.

Roth, R. S., Parker, H. S., and Brower, W. S. Crystal chemistry of Li in octahedrally coordinated structures: III, New structure type in the system K_2O-Li_2O-TiO_2 ($K_xLi_xTi_{4-x/2}O_8$) (6) 135*b*.

Rothe, M. von Eisenhart See Reisner, W.

Rothenberg, Polly Enamel inlays in wood; Enameled repousse medallions (4) 77*f*; Brush-on enamel designs (4) 77*h*; Clay cloisonne (4) 77*i*; Hollowed-out animal sculpture (4) 77*j*; Making plaster bats (4) 78*a*; Complete Book of Ceramic Art, B (4) 96*f*.

Rothwell, E. High-temp. furnace fabricated from castable Zr-O_2 (10) 233*i*.

Rotsey, W. B. See Walker, D. G.

Rotsky, Bernard A., and Dunne, Gilbert M., Jr. Modularized electrostatic precipitator, P (2) 48*c*.

Rott, Dennis A. See Hensler, Donald

Rottmann, Hans R. See Khoury, Henri A.

Rotych, N. V. See Grach'yan, A. N.

Rouband, C. See Zielinger, Jean P.

Roubin, Marc P. See Paris, Rene A.

Roubinet, Jean See Bigot, Bernard

Rouse, George V. See Davidson, Jimmy L.

Rouse, J. B., and Jepson, W. B. Determination of quartz in clay materials—a critical comparison of methods (7) 157*a*.

Rousseaux, J. M. Crystal chemistry and vermiculitization of trioctahedral micas (6) 135*b*.

Routbort, J. L. Adiabatic elastic constants of UC (6) 130*j*.

Routbort, J. L., and Voglewede, J. C. Creep of mixed-oxide fuel pellets at high stress (7) 155*f*.

Routie, Rene, Manoni, Michel, and Maheac, Jean Thermoelectric properties and composition of cuprous telluride (5) 101*g*.

Routschka, G., and Majdic, A. Refractory materials for the glass industry as reflected in the literature (9) 192*i*.

Routschka, Gerald See Kienow, Sigismund

Rouvaen, J. M. See Bridoux, E.

Roveda, Riccardo See Borghese, Camillo

Rowcliffe, D. J., and Hollox, G. E. Hardness anisotropy, deformation mechanisms, and brittle-to-ductile transition in carbides (7) 161*e*; Plastic flow and fracture of TaC and HfC at low temps. (7) 162*e*.

Rowden, E. Final report of the joint blue brick air pollution working party (4) 82*f*.

Rowe, J. J., Morey, G. W., and Zen, C. S. Quinary reciprocal salt system Na,K,Mg,Ca\|Cl,SO_4—a review of the literature with new data (6) 138*c*.

Rowe, Russell L. Abrasive throwing wheel distribution system, P (10) 217*d*.

Rowland, Chester A., Jr. See Kjos, David M.

Rowland, M. C. See Allenson, M. B.

Rowland, Michael R. See Whitney, Ian

Rowley, David S., and Ward, Charles E. Diamond drill bits, P (4) 77*e*.

Rowlinson, J. S. Structure and properties of simple liquids and solutions—a review (2) 54*j*.

Roy, Amedee, and Geyman, James M. Dry lubricated materials, members, and systems with BN and graphite, P (11) 247*g*.

Roy, D. M. See Faile, S. P.

Roy, Della M., and Gouda, George R. Porosity-strength relation in cementitious materials with very high strengths (11) 242*b*.

Roy, Dhirendra Chandra See Meier zu Koecker, Heinz

Roy, Rustum See Bhardwaj, M. C. ; Katz, Gerald

Roy, Rustum, Henisch, Heinz K., and White, William B. Methods of stimulating luminescence in phosphors, P (6) 130*g*.

Royak, S. M. See Dovgopol, V. I.

Rozdin, I. A. See Spiridonov, F. M.

Rozdina, N. A. See Kiselev, B. A.

Rozema, Arthur L., Brady, Lynn J., and Barden, Wayne A. High-voltage resistor, P (3) 69*j*.

Rozen, Claude Y. M. See Ponthoreau, Marcel M.

Rozhdestvenskii, E. Yu. See Chernysh, L. F. ; Mokhosoev, M. V.

Rozhnova, G. A., Kosulina, G. I., Grigor'eva, L. F., Khadzhi, I. P., and Gusel'nikov, Yu. V. Structural changes in glass of fluoramphibole composition in the first stages of crystallization (7) 145*g*.

Rubenstein, M. See Wagner, G. R.

Rubin, G. A. See Piche, E. W.

Rubin, Mae K., and Rosinski, Edward J. Synthetic crystalline aluminosilicate, P (2) 50*h*.

Rubinchik, E. A. See Arkhipkin, V. I.

Rubinstein, Harvey See Franklin, Dennis M.

Rubinstein, M., and Forester, D. W. Investigation of the insulating phase of magnetite by NMR and the Moessbauer effect (9) 211*a*.

Rubinstein, Mark Investigation of the metal-insulator transition in Cr- and Al-doped V_2O_3 by NMR (7) 151*j*; Investigation of the metal-insulator transition in V_2O_3 by NMR (8) 183*c*.

Ruckfidge, John See Kocman, Vladimir

Rudashevskii, E. G., Selezner, V. N., and Velikov, L. V. Antiferromagnetic resonance in an ordered state induced by external magnetic field in $FeBO_3$ over the Neel temp. (9) 207*h*.

Rudol, Franciszek Paraffin-stearin mixture with hardening additives for patterns in investment casting (2) 40*e*.

Rudolf, Artur Connection for glass-fiber-reinforced rods, P (1) 9*c*.

Rudolph, Joannes G., and Moesker, Gerard Semiconductor device having pairs of contact areas and associated supply conductor points of attachment in a preferred arrangement, P (4) 87*b*.

Rudy, Erwin Carbide alloys suitable for cutting tools and wear parts, P (1) 14*d*; Method for making castable carbonitride alloys, P (3) 65*g*; Castable carbonitride alloys, P (4) 84*c*; Carbide-metal composites, P (7) 149*b*; Refractory metal alloy bonded [Ti and V] carbides for cutting tool applications, P (7) 149*e*; Carbide alloy [Ti-W-C], P (9) 197*c*.

Rue, Charles V., and Busch, John F. Abrasive cutting-off wheels having metal-coated sides, P (1) 1*f*.

Rueb, F. Modern packing techniques in the ceramic industry (2) 47*i*; Measurement and control of temp. in the ceramic industry (2) 49*i*.

Ruecker, Dieter See Woelfle, Rudolf

Rueckert, H. F. Development of piezoelectric ceramics in Australia (1) 15*h*.

Rueffer, Harold F., and Belardi, Richard J. Semiconductor device with protective glass sealing, P (6) 130*c*.

Ruempler, Karlheinz Wall heat losses of cement firing plants (11) 242*i*.

Ruf, Walter See Kelly, Robert G.

Ruggentaler, P. Production and finishing of large-size, dimensionally coordinated clay wall blocks (10) 223*f*.

Ruggerio, Paul A. Method of making photomasks of the type used in the fabrication of microelectronic circuits, P (6) 130*c*.

Ruhland, W. Automation in the cement industry (9) 189*i*.

Ruis, G., and Herve, A. EPR of Cr^+ in MgO [irradiated with γ rays] (9) 209*h*.

Ruka, Roswell J. See Panson, Armand J.

Rule, A. R., and McClain, R. S. Beneficiation of Idaho kyanite-bearing materials (9) 206*f*.

Ruleff, Robert L., Lee, William P., II, Childress, Jay W., and Knapke, Donald H. Mfg. of printing elements by a photoresist chemical etching system, P (9) 201*a*.

Rumpf, Kurt Rail guided or railless clay extraction and conveying? (2) 48*b*; Occurrence of kaolin clay in the district of Siegen (2) 50*e*; Economical removal of overburden in open-cut clay quarries (3) 73*b*.

Rumyantsev, V. N. See Ganeev, I. G.

Rumyantsev, Yu. V. See Nevskii, O. B.

Runciman, W. Alan, Sengupta, Dipankar, and Gourley, J. Terry Polarized spectra of Fe in silicates: II, Olivine (10) 238*d*.

Runciman, W. Alan, Sengupta, Dipankar, and Marshall, Marc Polarized spectra of Fe in silicates: I, Enstatite (10) 238*d*.

Rundell, Clark A. See McDaniel, Carl V.

Runk, Robert B. See Langman, Richard A.

Ruoff, Arthur L. See Chao, Chang Chih

Ruoff, Arthur L., Lincoln, R. C., and Chen, Y. C. High-pressure calibration with a new absolute-pressure gage (11) 253*j*.

Ruoti, Vincenzo, and Farioli, Felice Preparation of molding compositions containing glass fibers, P (11) 245*h*.

Ruppe, Joseph P., Jr. Oxidation barrier for a C friction disk, P (1) 14*b*.

Ruppin, R. Grueneisen parameters of CaF_2 and BaF_2 from a lattice dynamical shell model (3) 75*h*.

Rupprecht, Charles F., and Wiker, Frank [Plate] glass handling and cutting system, P (10) 222*j*.

Rusher, Robert L. See Beyer, James N.

Rushton, James C. See Cunningham, Cecil R.

Russ, Malcolm J. See Kennedy, David I.

Russak, Michael A., and McLaren, Malcolm G. Development of a semiconducting glaze for high tension porcelain insulation (5) 101*c*.

Russell, J. D. See Ahlrichs, J. L.

Russell, John P. See Hanak, Joseph J.

Russell, Lewis K. See Allison, David F.

Russell, Robert C., and Entler, Richard W. Bottle coating, P (9) 193*h*.

Russell, Robert G. Method and apparatus for production of glass fibers, P (3) 64*a*; Method and apparatus for mfg. continuous filaments, P (9) 194*a*.

Russo, P. See Morris, Bernard L.

Russo, Robert R. Process for forming a conductive coating on a substrate, P (3) 70*g*.

Rust, John B. See Keister, Frank Z.

Rustan, Birger Method for casting of plaster products, P (8) 166*h*.

Rusu, Ecaterina, and de Sabata, Coletta Technical features of ferrites obtained by crystallization of glass from the system Fe_2O_3-BaO-B_2O_3 (7) 145*j*.

Rutes, Viktor S., Petrov, Vladimir K., Terterian, Aram A., Chigrinov, Mikhail G., Ballad, Erik R., Gankin, Vladimir B., Kolpakov, Serafim V., Evteev, Dmitry P., Manokhin, Anatoly I., Klimashin, Petr S., Matevosian, Elena P., Nosochenko, Oleg V., and Lavrov, Alexandr S. Mixture for protecting surface of metal in process of casting, P (1) 14*a*.

Ruth, T. E. See Kookootsedes, G. T.

Rutherford, Malcolm J. Phase relations of aluminous Fe biotites in the system $KAlSi_3O_8$-$KAlSiO_4$-Al_2O_3-Fe-O-H (10) 238*j*.

Rutherford, Robert E., Jr. See Grosso, Patrick F.

Rutman, D. S., Perepelitsyn, V. A., Shchetnikova, I. L., and Kelareva, E. I. High-temp. phase transformations of chromite in vacuum (1) 25*d*.

Rutman, D. S., Taksis, G. A., Perepelitsin, V. A., Maurin, A. F., Toropov, Yu. S., and Ust'yantsev, V. M. Structural changes in resistance heaters based on ZrO_2 (7) 148*e*.

Ruttenberg, F. E., and Low, M. J. D. Reaction of cyanogen with SiO_2 surfaces (6) 138*e*.

Rund, Clayton O. See Birks, L. S.

Ruzek, Josef Comparison of some methods of particle-size determination: I (11) 253*c*.

Ruzicka, Josef Ultradisintegration and agglomeration of minerals such as mica, products therefrom, and apparatus therefor, P (6) 134*i*.

Ryabov, A. N., Kozhina, I. I., and Kozlov, I. L. Effect of conditions of preparing Al_2O_3 on its polymorphic transformations (1) 24*g*.

Ryabov, V. A. See Semenov, N. I.

Ryabov, V. A., and Fedoseyev, D. V. Decorative coated glasses produced by spraying with molten aerosols (1) 5*g*.

Ryabov, V. A., Semenov, N. I., and Paplauskas, A. B. Strengthening of glass by the dynamic hydrothermal method (8) 169*a*.

Ryabova, L. A., Serbinov, I. A., and Darevsky, A. S. Preparation and properties of pyrolysis of V oxide films (6) 138*j*.

Ryan, J. F. See Hisano, K.

Ryan, Ricky Jet men join clay set (1) 1*i*.

Ryazanova, M. Ya., and Makarov, I. A. Increasing the thermal conductivity of corundum ceramic sintered with participation of the liquid phase (9) 211*d*.

Ryazin, V. P. See Khnykin, Yu. F.

Rybakov, V. K., and Trunov, V. K. Double molybdates of heavy alkali and rare-earth elements (5) 108*i*.

Rybakova, T. P. See Trunov, V. K.

Rybarczyk, Frederick Cavity structure, P (8) 169*e*; Noble metal-glass binder compositions and methods of using, P (10) 228*h*.

Rychlewski, Thaddeus V. See Miller, John J.

Ryden, William D., Lawson, Andrew W., and Sartain, Carl C. Electrical transport properties of IrO_2 and RuO_2 (6) 136*b*.

Rydeski, Julian A. One-piece Al electrical contact member for semiconductor devices, P (6) 130*h*.

Ryer, Chester M. See Hagie, Laird T.

Rymashevskii, G. A. See Bukatov, V. G.

Ryskin, A. I. See Dubenskii, K. K.

Ryskin, Ya. I. Structure and ir spectra of acid silicates (6) 138*h*.

Ryzhenko, B. N. See Volosov, A. G.

Rza-Zade, P. F., Abdullaev, G. K., Samedov, F. R., and Zeinalova, Kh. K. System $LiBO_2$-Al_2O_3 (7) 163*b*.

Saalfeld, H., Depmeier, W., and Haehnel, H. Phase composition and the dielectric constants of hot-pressed specimens in the system $MgO.SiO_2$-Al_2O_3 (2) 53*h*.

Sabad, Joseph J. See Denk, Hans H.

Sabbah, Benjamin See Suhami, Albert

Sabine, T. M. Electrical properties of transition metal oxides (1) 15*j*. See Reid, A. F.

Sabine, William See Wilkins, R. W. T.

Sabisky, Edward S. See Anderson, Charles H.

Sablina, K. A., and Petrakovskii, G. A. Magnetically ordered B_2O_3-SiO_2-PbO-Fe_2O_3 glasses (8) 168*d*.

Saccomano, J. M. See Calkins, D. J.

Sachs, Maurice J. See Heaton, Richard A.

Sack, Rolf E. See Grimm, Werner

Sada, Tomohiko, Tsuchiya, Noriyuki, Amamiya, Tameo, Kaneda, Yoko, and Ohta, Kazuyuki Printed circuit board having a thermally insulated resistor, P (4) 86*j*.

Sadagopan, V. See Cuomo, Jerome J. ; Taylor, R. C.

Sadagopan, Varadachari See Kuhn, Lawrence

Sadahiro, Takeshi See Yamaya, Susumu

Saddler, Ivan R. Semiconductor device package with energy-absorbing layer, P (9) 202*d*.

Sadeck, Hamdy See Wiedemeier, Heribert

Sadkovskii, E. P. See Belkov, V. M.

Sadkovskii, E. P., Kuznetsova, I. G., Poluboyarinov, D. N., Kuzin, V. I., and Duderov, Yu. G. Kinetics of nitriding Al in pressed mixtures of BN and Al (1) 25*j*.

Sadkovskii, E. P., Polubatonova, L. P., Min'kova, E. B., Putrya, E. V., Kuznetsova, I. G., and Poluboyarinov, D. N. Casting properties of aqueous suspensions of BN (9) 195*h*.

Sadkovskii, E. P., Yurchenko, E. N., Kuznetsova, I. G., and Poluboyarinov, D. N. Effect of conditions of turbostratic BN synthesis on some of its properties (9) 209*g*.

Sadler, Porter Image pickup tube support structure for semiconductive target, P (7) 153*c*.

Sadler, Thomas H. Dual treatment of asbestos fibers, P (5) 100*d*.

Sadoski, Tadius T., and Johnson, Walter A. Aperture fluorescent lamp having uniform surface brightness, P (6) 125*j*.

Sadykov, Rifgat S. See Maksutov, Rafkhat

Saeki, Masanobu See Kimizuka, Noboru

Saeman, Walter C. Coarse light Na carbonate, P (6) 134*d*.

Saenz, Oscar, Jr. See McKee, Herbert C.

Safonov, A. A. See Gokhshtein, Ya. P.

Safonov, V. V., and Korshunov, B. G. Fusibility in the systems $SeCl_4$-MCl_n [M = Bi(III), Sb(III), Mo(V)] (1) 25*j*.

Safonov, V. V., Lemeshko, O. V., and Korshunov, B. G. Systems MI-TeI_4 (7) 163*h*.

Safonov, V. V., Safonova, V. I., Abramova, E. A., Lebedeva, N. E., Korshunov, B. G., and Stepin, B. D. Reaction of ICl with Rb and Cs chlorides; Reaction of IBr with CsBr (10) 238*i*.

Safonov, V. V., Vasilishcheva, I. V., and Korshunov, B. G. Systems MI_2-TeI_4 (7) 163*i*.

Safonova, V. I. See Safonov, V. V.

Safranek, W. H., and Bennett, R. B. Why not electroclean steel before enameling? (7) 143*i*.

Safronov, G. M., Batog, V. N., Stepanyuk, T. V., and Fedorov,

P. M. Phase diagram of the system Bi_2O_3-ZnO (5) 113*d*.
Safronov, G. M., Speranskaya, E. I., Batog, V. N., Mitkina, G. D., Fedorov, P. M., and Gubina, T. F. Phase diagram of the system Bi oxide-Ga oxide (5) 113*d*.
Safronova, I. P. See Mikhailova, K. A.
Saha, Prasenjit Dislocations in crystal structures (3) 74*a*.
Sahl, K. See Heimke, G.
Sahu, K. C., and Mungee, A. D. Origin and beneficiation of low-grade graphite from Sagtala in Panchmahal district, Gujarat (7) 158*g*.
Sala, Jerry Inverter circuits utilizing minority carrier injection in a semiconductor device, P (3) 69*b*.
Saiki, Kunio See Wada, Nobuhiko
Sainsbury, Jeffrey J. See Poynton, Bertram G.
Saita, Shuji Countermeasures taken to prevent upheaval of arc furnace MgO bed and changes in chemical compositions of steel due to charging high percentage of molten Fe (1) 11*j*.
Saito, Hajime See Hayashi, Shinsuke ; Takusagawa, Nobuo
Saito, Hisatuna Gap controlling device for a cone crusher, P (2) 50*h*.
Saito, Kazuyuki, Ebina, Atsuko, and Takahashi, Tadashi Reflectivity spectra of $Zn_xCd_{1-x}Te$ single crystals (9) 214*a*.
Saito, Mitsuyoshi See Hamada, Akira ; Kikuchi, Makoto ; Kurosu, T. ; Matsuda, A.
Saito, Shigeru See Yoshino, Takachika
Saito, Shinroku, Konno, Teruaki, and Sawaoka, Akira Self-arrangement of TiO_2 particles during sintering (6) 138*g*.
Saito, Shinroku, Kotera, Yoshihide, and Somiya, Shigeyuki Equilibria and Kinetics in Modern Ceramic Processing, B (5) 117*c*.
Saito, Shogo See Arai, Kazuo ; Kadota, Kazuya
Saito, Shozo See Kurosawa, Kou ; Watanabe, Yoshiyuki
Saito, Takeshi Use of lightly burned dolomite and powder lime in mixer (7) 148*j*; Results obtained on lining of molten steel ladle and molten pig iron ladle by slinger process at Fukuyama Steel Plant: I (9) 196*h*.
Saito, Toshitaro, Nohara, Akira, and Hayakawa, Yoshimitsu Cracking of bricks laid in arch form due to rapid heating and cooling—study on strain due to thermal stress occurring in bricks (1) 11*c*.
Saito, Yasunao See Nakayama, Satoshi
Saito, Yuzi See Watanabe, Takeshi
Sakaeda, Osao, and Fujihara, Masamichi Plaster properties of slaked limes obtained from quicklime under varied burning conditions (1) 3*d*.
Sakai, Kango See Nishikawa, Takuitsu
Sakai, Yasuji See Kitajima, Kunio
Sakai, Yoshio, Nakamura, Zenkichi, Takahashi, Katsumasa, and Sasada, Naotoshi Magnetic head with tape contacting guard surface and pole tips of similar ferrite materials, P (4) 86*e*.
Sakaino, Teruo See Kadota, Kazuya
Sakamaki, Kiyoshi See Inabe, Katsuyuki
Sakamoto, Hitoshi See Kotera, Noboru
Sakamoto, Sadao, and Yazaki, Takehito Anomalous electrooptic properties of ferroelectric Sr Ba niobate and their device applications (10) 225*g*.
Sakamoto, Yuzaburo, Nishizuka, Hiroshi, and Kawai, Kakutaro Vibration element for supersonic bonding, P (11) 251*f*.
Sakata, Hironobu Ellipsometric study of the fundamental mechanism of glass polishing (11) 244*d*.
Sakitani, Yoshio Specimen-positioning device for electron microscope, P (10) 233*e*.
Sakiya, D. R. See Smirnov, V. I.
Sakka, Sumio Application of X-ray emission spectroscopy to the study of glass structure (3) 60*j*. See Yamamoto, Tokuji
Sakka, Sumio, and Mackenzie, J. D. Phototropic glasses activated by TlCl (1) 8*b*.
Sakuma, Takashi See Maeda, Hisao
Sakurai, Hiroshi See Motojima, Kenji
Sakurai, Tooshi, Tada, Satoshi, and Kazama, Kazuo Optical lenticular grid for display apparatus, P (10) 222*i*.
Sakuta, Masaaki, and Ishida, Toshimasa Method of mfg. semiconductor elements by liquid phase epitaxial growing method, P (11) 250*d*.
Sakwa, Waclaw, and Szymanski, Jerzy Concentrating and improving bentonites by electrophoresis (2) 50*c*.
Salaneck, W. R. Some fatiguing effects in 8/65/35 PLZT fine-grained ferroelectric ceramic (4) 85*j*.
Saleem, A. Flue gas scrubbing with limestone slurry (1) 21*g*.
Salim, A. See Banerjee, J. C.
Sallavuard, G. See Jacquier, B.
Salmon, J. Technological developments in hollow glass industry since World War II (1) 9*a*.
Salotti, Charles A. Reduction process for removing Fe from spodumene, P (3) 73*g*. See Melton, Charles E.
Salov, A. V. See Berul, S. I. ; Buslaev, Yu. A. ; Kuznetsov, V. G.
Saltich, Jack L. See Gurtler, Richard W.
Saltmarsh, M. J., van der Woude, A., and Ludemann, C. A. Measurement of surface contamination using O-ion—induced X rays (10) 232*j*.
Samanta, Sudarsan C., and Coble, Robert L. Correlation of grain size and density during intermediate-stage sintering of Ag (1) 24*j*.
Samara, George A. Pressure-induced phase transitions in solids—BaF_2 (8) 185*e*.
Sambongi, Takashi See Yamaya, Kazuhiko
Sambucetti, Carlos J. See Neff, Gordon W.
Samedov, F. R. See Rza-Zade, P. F.
Sammis, C. G. Lattice dynamics of MgO, Al_2MgO_4, and Mg_2SiO_4 spinel (1) 25*j*. See Spetzler, H.
Samodaev, Evgeny T., Verchenko, Vasily R., Gorjunov, Vladimir I., Andrikanis, Vladimir K., Ilichev, Valery A., Gavrin, Mikhail G., and Binkou, Georgy A. Installation for setting and gluing facing tiles to backing material, P (1) 15*e*.
Samplavskaya, K. K. See Malyutin, S. A. ; Mazepova, V. I.
Sampson, E. H. See Fleming, S. J.
Sampson, E. H., Fleming, S. J., and Bray, W. Thermoluminescent dating of Colombian pottery in the Yotoco style (2) 31*i*.
Sams, Robert H., Linton, Robert W., and Weldes, Helmut H. Agglomerating alkali metal silicate by tumbling and rolling while heating and cooling, P (1) 23*b*.
Samson, S. J. See Rao, B. V. Raja
Samsonov, G. V. Use of the electron theory in the sintering of ceramic materials (5) 116*c*. See Bozhko, S. A. ; Gnesin, G. G. ; Neshpor, V. S.
Samsonov, G. V., and Bozhko, S. A. Collective recrystallization in loosely poured ZrC powders (8) 179*j*.
Samsonov, G. V., Bozhko, S. A., and Kushtalova, I. P. Plastic deformation of carbides during diamond grinding (11) 247*g*.
Samsonov, G. V., Fomenko, V. S., and Kunitsky, J. A. Thermoelectronic emission of refractory metal borides (10) 240*a*.
Samsonov, G. V., Koval'chenko, M. S., Petrykina, R. Ya., and Naumenko, V. Ya. Hot-pressing of the transition metals and their carbides in their homogeneity regions (8) 171*i*.
Samsonov, G. V., Kuchma, A. Ya., and Timofeeva, I. I. Nature of the homogeneity regions characteristic of compounds of the transition metals with C and N (9) 212*h*.
Samsonov, G. V., Tkachenko, Yu. G., and Dobrovol'skii, A. G. Temp. dependence of the coeff. of friction of B and Si carbides in a vacuum (8) 187*c*.
Samuelsen, E. J. See Riste, T.
San, Aung See Unvala, B. A.
Sanchez, Molses G. See Barrett, Wayne T. ; Triggiani, Leonard V.
Sand, Leonard B. Selective sorption of nonpolar molecules, P (6) 134*h*.
Sandell, Torsten W. Endless flexible abrasive belt having soldered seams and a method for making such seams, P (8) 165*d*.
Sandera, Jiri Microalloy epitaxial varactor, P (1) 18*c*; Method of making a semiconductor device, P (1) 18*d*.
Sandercock, J. R. Acoustic mode anomalies in the Jahn-Teller phase transitions in $DyVO_4$ and $TbVO_4$ (9) 207*h*.
Sanderford, Freeman M., and Ray, Jack C. Surface modified alumina hydrate filler, P (2) 50*g*.
Sanders, D. M., and Hench, L. L. Mechanisms of glass corrosion (8) 168*f*; Environmental effects on glass corrosion kinetics (11) 244*f*; Surface roughness and glass corrosion (11) 245*g*.
Sanders, Wayne W. See Vaillancour, Thomas L.
Sandhu, Jagtar S. See Basi, Jagtar S.
Sanditov, Dungar S. See Bartenev, Georgi M.
Sandmann, Herbert See Dietze, Wolfgang
Sandoe, J. N., Sarkies, P. H., and Parke, Sydney Variations of Er^{3+} cross section for stimulated emission with glass composition (5) 98*e*.
Sandor, Miklos, Nyitray, Istvan, and Nemeth, Jozsef Method of improving refractory bricks, P (1) 14*g*.
Sands, Arthur G. See Romans, James B.
Sandulova, A. V., and Goncharov, A. D. Preparation of semiconductor layers by a melt compression method (7) 152*g*.
Sandulova, A. V., and Ostrovskii, P. I. Equilibrium and mechanism of transport in the systems GaP-I and GaP-Ga-I (5) 109*f*.
Sankova, L. I., Borovkova, M. A., and Goldman, V. M. Spectral analysis of impurities in quartz sand and alumina (2) 49*a*.
Sanner, Richard D. High-Pb-content glass composition for TV neck tubes, P (7) 147*b*.
Sano, Hisumi See Naraoka, Kiyotake ; Tokuyama, Takashi
Sano, T. See Katsura, Masahiro
Sant, B. R. See Karra, V. K.
Santiago, Samuel Diaz Fracture mechanisms of concrete under compressive loads (11) 242*e*.
Santier, C. See Maffeo, B.
Sanzgiri, J. See McCarthy, Gregory J.
Sanzharov, A. S. See Bergman, A. G.
Sanzharova, Z. I. See Bergman, A. G.
Sapozhnikov, Yu. L., Andrushchenko, N. S., Bezrukova, E. A., Titova, A. G., and Melekh, B. T. Physical-chemical study of the system PbF_2-B_2O_3 (9) 213*g*.
Sapozhnikova, E. B. See Borovkova, L. B.
Sapriel, J. Cinnabar (α-HgS), a promising acoustooptical material (10) 235*b*.
Sapukov, I. A. See Isakova, R. A.
Sarasie, Junji, Akiyama, Masahiro, and Tanaka, Tetsuro Epitaxial growth of CdTe by a closed-spaced technique (7) 151*e*.
Sargent, Donald E. See Grosso, Patrick F.
Sari, C. See Bober, M.
Sarian, S. C self-diffusion in disordered V_6C_5 (8) 179*f*.
Sarkar, A. D. Role of clay/clay + water ratio and ramming pressure on the green strength of bentonite-bonded sands (7) 156*d*.
Sarkar, S. K., Miller, A. D., and Mueller, J. I. Solubility of O in ZrC (1) 27*c*.
Sarkies, P. H. See Sandoe, J. N.
Sarkisov, E. S., Lidin, R. A., and Drobot, D. V. System GeS_2-In_2S_3-GeS (5) 115*a*.
Sarkisov, P. D. See Levina, V. S. ; Meliva, M. A. ; Pavlushkin, N. M. ; Smirnov, V. G. ; Vardanyan, S. M.
Sarkisov, V. Kh. See Belabaev, K. G.
Sarkozy, Francis A. See Bystrianyk, Wasyl
Sarma, A. V. S. S. S. R. See Srinath, L. S.
Sarofeen, George M. J. Two-piece lens grinding lap, P (1) 10*f*.
Sartain, Carl C. See Ryden, William D.
Sarver, James F., Jr. See Hummel, Floyd A.
Sasada, Naotoshi See Sakai, Yoshio
Sasaki, Akio, Obeda, Hidetoshi, and Tanaka, Tetsuro Effects of a magnetic field on electron transfer and velocity-field characteristic in GaAs (10) 235*h*.
Sasaki, Hiromu See Matsuo, Yoshihiro
Sasaki, Hirotaro, and Suzuki, Takao Erosion resistance of brick and mortar for ladle lining (9) 196*e*.
Sasaki, Reiichi See Nakajima, Yasuo
Sasaki, Y. See Imai, Hisashi ; Katsura, Masahiro
Sasaki, Yasuichi See Motojima, Kenji
Sasaki, Yasuo See Maeda, Kazuo
Sasaki, Yutaka See Yoshino, Takachika
Sasatani, Harumi See Yamada, Tunehiko
Sasek, Ladislav, and Kasa, Stanislav Method for measuring surface tension of glass melts (1) 8*f*.
Sassedatelew, Igor B., and Mischin, Georg W. Method for determining experimentally the kinetics of heat development in the hydration of cement (10) 218*h*.
Sassone, G. See Buzzi, S.
Sastri, S. R. S., and Narasimhan, K. S. Product-size distribution in grinding (11) 254*b*.
Sastry, B. R. See Murty, M. V. Ramana
Sata, Toshiyuki, and Takahashi, Tatsuo DTA studies of the crystallographic transition in BeO (8) 180*h*.
Satalkin, A. V., Mokhova, M. L., and Zhmodikova, M. S. Ir spectroscopic study of increasing hydration during curing of cement (4) 78*j*.
Satanovskii, Abram L. See Dyskin, Ernest M.
Satarin, Vladimir I. See Kogan, Naum P.
Satiya, R. C. See Kacker, K. P.
Sato, Heihachi See Hasegawa, Taro
Sato, Hitoshi See Migitaka, Masatoshi
Sato, Junzi, and Tanabe, Takako Method of etching insulating films, P (4) 86*f*.
Sato, Masamichi, Matsumoto, Seiji, Honjo, Satoru, and Hayakawa, Yoshihide Electron beam recording materials, P (1) 17*f*.
Sato, Osamu Process for mfg. of foamed porcelainlike shaped articles, P (10) 223*a*.
Sato, Seichi, Yokokawa, Toshio, Kita, Hideaki, and Niwa, Kichizo Thermodynamic activity of Na_2O-B_2O_3 melt. Use of stabilized ZrO_2 as an electrode constituent (8) 169*e*.
Sato, Shozo, Otaka, Yoshihisa, and Takigawa, Yukio Alumina hydrate, θ-alumina, and method for mfg., P (5) 101*d*.
Sato, Yoshio Method for producing the base of a semiconductor device, P (7) 154*d*.
Satori, Gyula Capacitive pressure transducer, P (2) 43*h*.
Satou, Sumio Particular aspects in the history of crystallography (1) 21*j*; Approach to the 230 space groups (9) 195*g*.
Saul, Robert H. Electroluminescent device [GaP], P (1) 17*e*; Electroluminescent device, P (3) 69*g*; Method for the solution growth of more perfect semiconductor crystals, P (8) 175*d*. See Bergh, Arpad A.
Saunders, Alan C. A. See Prince, Kenneth
Saunders, G. A. See Farley, J. M. ; Maynell, C. A.
Saunders, Richard C. Thermoelectric element, P (4) 87*c*.
Savage, David E. Flexibility—first and foremost at Shenango (11) 247*a*; Phil-Mar's pusher kiln—a perfect performer (11) 248*d*.
Savage, J. A. Glass-forming region and DTA survey in the Ge-As-Te memory switching glass system (2) 36*g*.
Savel'ev, V. G. See Kukina, L. A.
Savel'eva, M. V., Shakhno, I. V., Plyushchev, V. E., and Antonova, S. S. Thermal and X-ray analyses of the system $Ln_2(MoO_4)_3$-K_2MoO_4 [Ln = Gd, Dy, Ho, Er, Y] (1) 29*e*.
Saver, M., Erdogan, H., and Cox, C. D. O transport and charge storage in Ca orthovanadate (9) 213*b*.
Savin, Samuel M. See Yund, Richard A.
Savin, V. D., Nikitin, A. E., Ogurtsov, S. V., and Ogorodnova-Zakharova, N. V. Equilibrium in melts of the lower chlorides of Ti with NaCl (2) 52*i*.
Savin, V. I. See Andrievskii, R. A.
Savin, V. I., Andrievskii, R. A., and Lyutikov, R. A. Electrical, magnetic, and galvanomagnetic properties of the transition metal dihydrides ZrH_2-TiH_2, ZrH_2-HfH_2, ZrH_2-NbH (9) 209*d*.
Savinova, I. R. See Trofimov, A. K.
Savitskii, A. V., Ivleva, I. N., and Kosareva, T. M. Magnetic susceptibility of transition metal salts (9) 212*h*.
Savos'kina, A. I. See Limar, T. F.
Savvides, N. See Goldsmid, H. J.
Savvina, Yu. A., Kazanskii, V. M., Leirikh, V. E., and Kazanskii, M. F. Concretes with different kinds of dispersed structures and forms of moisture binding in cement stone (11) 241*i*.
Sawa, H. See Kunugi, M.
Sawaguchi, E. See Dougherty, J. P.
Sawaki, Tsukasa See Kano, Gota
Sawamoto, Hiroshi See Mizukusa, Shin
Sawamura, Mitsuyoshi, and Hibara, Takeshi Apparatus for electrically bonding cemented carbide elements to the teeth of a saw blade, P (6) 119*e*.
Sawaoka, Akira See Saito, Shinroku
Sawbridge, P. T. See Reynolds, G. L.
Sawchuk, Loris G. See Araujo, Roger J.
Sawdey, Norman J. See Prosser, Duane N.
Sawhney, Harbans L. See Sloane, Ivan H.
Sawyer, Edgar W., Jr. Method for processing kaolin clay, P (9) 207*a*.
Saxena, Arjun N. Method of coating selective areas of the surface of a [semiconductor] body, P (1) 17*g*; Schottky barrier diode and method of making, P (2) 45*b*; Schottky barrier diode, P (3) 70*i*.
Say, Donald L. Color CRT, P (9) 193*i*.
Say, Donald L., and Smithgall, Harry E. Method of fabricat-

ing a multibeam electron gun structure, P (1) 10*b*.

Sayetat, F. Crystallographic transitions in $DyVO_4$ and $TbVO_4$ (9) 208*i*. See Bertaut, E. Felix

Sayre, Edward V. Method of protecting and preserving stone objects, P (3) 60*e*.

Sayushkina, E. N. See Kreshkov, A. P.

Sberveglieri, G. See Romeo, N.

Scaglioni, O. See Gottardi, V.

Scammon, Lawrence W., Jr., Grant, Clarence L., and Wilks, Philip H. Processing of silicate ores and product thereof [zircon], P (11) 256*e*.

Scarbrough, Alfred D. 3-D coaxial memory construction and method of making, P (3) 70*h*.

Scardefield, J. E. See Foster, L. M.

Schabert, Hans P. See Klar, Erich

Schachtler, W. D. Facing bricks in America (2) 39*i*.

Schaedlich, Gottfried See Schaffernicht, Klaus

Schaedlich, Helmut, and Schembs, Wolfgang Method of rf sputter etching, P (1) 18*a*; Method for the production of Ge planar transistor, P (1) 18*j*.

Schaefer, A. Russell See Mohan, Kshitij

Schaefer, Howard A. Fresnel aspheric lens, P (10) 222*h*.

Schaefer, Karl, and Hoehne, Artur Apparatus for continuous forming of gypsum bodies, in particular plates, P (9) 191*f*.

Schaefer, Manfred Spark plug especially for rotary piston internal combustion engines, P (6) 128*g*.

Schafer, Conrad B. See Dunipace, Donald W.

Schafer, Karl See Voelskow, Peter

Schaffer, P. C. See Macdonald, B. P.

Schaffernicht, Klaus, and Schaedlich, Gottfried CRT having planar grid accelerator adjacent and on screen side of beam deflectors, P (4) 81*f*.

Schafft, Hugo W. Variable piezoelectric delay line, P (10) 229*d*.

Schagrin, Edward [In glass plants] computer systems—what they are and how they work (3) 62*b*.

Schaible, Milton F. How L-O-F controls water pollution (7) 144*h*.

Schalamon, Wesley A., and Bacon, Roger Process for producing C fibers having a high Young's modulus of elasticity, P (6) 128*a*.

Schaller, David R. Method and apparatus for dispensing [In_3] pellets into lamps, P (8) 170*g*.

Scharfenberger, James A. Improvements in and relating to the coating of articles, P (8) 177*f*.

Scharmann, Arthur See Kaes, Hans Herbert

Scharnhorst, Peter Electrooptical detector, P (10) 227*c*.

Schawlow, Arthur L. See Chang, T. S. ; Wall, L. S.

Schebalin, Sergei Unitary resistor and shunt, P (10) 229*c*.

Scheidecker, Ralph, and Berard, M. F. Interdiffusion in the system CaF_2-SrF_2 (5) 111*e*.

Scheidegger, Ken F. Determination of structural state of calcic plagioclases by an X-ray powder technique (8) 180*c*.

Scheifley, William See Brown, Frederick C.

Schell, E. H. Simple, economical fragility test (2) 48*j*.

Schellenberg, James M. Temp. stabilized composite YIG filter process, P (5) 103*a*.

Schembs, Wolfgang See Schaedlich, Helmut

Schenk, Robert J. See Laermer, Lothar

Schenzel, F. X. Diatomaceous earth-containing mixture for use as a filtering aid or filler, P (9) 204*a*.

Schepler, Kent L., and Schmersal, Larry J. Method and apparatus for inspecting dielectric members [glass containers], P (4) 81*f*.

Schepp, R. C. Worksheet and procedure for percentage finer in combined sieve and hydrometer analysis of soils (3) 72*c*.

Scherf, Gerald F. Apparatus and [inspection] method for measuring the rate of change of thickness of dielectric members, P (5) 105*c*.

Scherff, Hans L. See Hennecke, J. F. A.

Scherpereel, Donald E. Structural observations on continuous cleaning enamel (3) 60*g*.

Schick, Jerome D., and Trivich, Dan Electron trapping in single-crystal cuprous oxide (9) 209*j*.

Schickert, G. Influence of different load application techniques on the lateral strain and fracture of concrete specimens (11) 242*a*.

Schiele, E. See Boelsing, F.

Schiele, E., and Kanert, E. Development of burning procedure in a modern lime plant (10) 217*g*.

Schiele, Eberhart, and Berens, Leo W. Lime—Production, Properties, B (10) 240*i*.

Schierz, Winfried Method for producing semiconductor rectifier arrangements, P (1) 18*i*; Tablet-shaped semiconductor component and process for its mfg., P (7) 155*d*.

Schill, Frantisek Anomalous birefringence in Na borosilicate glasses (6) 122*g*; Possibilities of using calorimetric methods for determining the heat transfer coeff. in the cooling furnace with air circulation (10) 232*g*.

Schiller, Hans P. Method of removing inversion layers from semiconductor bodies of *p*-type conductivity, P (9) 201*i*.

Schilling, H. H. See Justi, E. W.

Schilling, Harald Monolithic Darlington transistors with common collector and separate subcollectors, P (2) 44*g*.

Schillo, H. See Lochmann, H. O.

Schilz, W. See Lemke, M.

Schimmer, Rigobert, Gesing, Horst, and Cordes, Karl H. Semiconductor with multilayer contact, P (3) 70*c*.

Schindler, Alfred See Richarz, Werner

Schink, Norbert Semiconductor element, P (11) 251*g*.

Schinke, David P. See Geusic, Joseph E.

Schinke, David P., and Van Uitert, L. G. Ferroelastic $Tb_2(MoO_4)_3$ and devices incorporating, P (6) 129*d*.

Schinker, Martin See Kerkhof, Frank

Schipper, D. J. See van Doorn, C. Z.

Schipper, D. J., Lathouwers, T. W., and van Doorn, C. Z. Thermal decomposition of sodalites (11) 259*e*.

Schippers, A. B. A., Brandwijk, V., and Gorter, E. W. Derivation and discussion of crystal structures of compounds ABX_3 and A_2BX_6: I, Derivation of the structures (9) 209*e*.

Schirmer, O. F. Trapped-hole centers containing Li in MgO, CaO, and SrO (5) 116*j*.

Schirmer, O. F., and Zwingel, D. Yellow luminescence of ZnO (7) 164*a*.

Schlaak, M., and Weiss, Alarich Knight shift in CdO (7) 161*i*.

Schlain, David See McCawley, Frank X.

Schlapp, W. See Schmidt-Bruecken, H.

Schlatter, Rene Electroflux slags and methods of electroflux remelting, P (7) 149*c*.

Schlegel, Earl S., and Schnable, George L. Negative-ion-type instability in MOS devices (9) 199*h*.

Schlegel, Ernst, and Greiner, Roland Preparation of refractory blocks of sintered lime and their testing (10) 223*j*.

Schlehr, W. Raymond Float glass chamber having thin laminated C bottom, P (5) 99*e*.

Schlesinger, Y. See Laulicht, I.

Schleyer, Maureen Autoramics—latest equipment in electronics, glass, porcelain enamel, and whiteware industries (2) 56*g*. See Richards, Robert C. ; Svec, J. J.

Schlichting, U. See Gobrecht, K. H.

Schlichting, U., and Gobrecht, K. H. Mobility of free carriers in PbSe crystals (8) 184*j*.

Schliekert, Clemens Detection of firing defects in circular and tunnel kilns (4) 89*j*; Prerequisites to systematic firing (4) 90*a*; Mobile test chamber for determining density of setting in tunnel kilns; Typical defects in dryers (10) 233*h*; Dryer regulation and control (10) 233*i*.

Schlinkert, Clemens, and Geiger, N. Control of the heating, firing, and cooling zones (4) 89*i*.

Schloemer, Jo Digging for clay (4) 77*j*.

Schlossberg, H. R. See Hordvik, A.

Schlosser, Peter See Schwind, Eduard

Schlosser, Philip A., and Glower, Donald D. Self-scanned ferroelectric image sensor (4) 85*j*.

Schlueter, H. Reduction of alkali and Cl cycles in the suspension preheater kiln (6) 121*g*.

Schlueter, Juergen Production and sale of prefabricated brick buildings (3) 64*g*.

Schmalzried, H. See Borchardt, G. ; Greskovich, C.

Schmeckenbecher, Arnold F. See Oktay, Sevgin

Schmelz, Carl M. See Kudman, Irwin

Schmersal, Larry J. See Schepler, Kent L.

Schmid, Peter See Klar, Erich

Schmidbauer, Ernst Magnetization and lattice parameters of Ti-substituted Fe-Cr spinels (5) 112*g*; Magnetoresistance anomalies at the Curie point of some Fe-Cr spinels (9) 212*i*. See Creer, K. M.

Schmidt, Ernst Application of flue gases to drying (10) 233*g*. See Einnatz, H. J.

Schmidt, Ernst, and Einnatz, H. J. Effects of cellulose admixture to mortars on the properties of masonry: I, Chemical properties and reduction of efflorescence (7) 142*j*.

Schmidt, Hans E. Thermal conductivity of stoichiometric UO_2 at high temps. (2) 46*j*.

Schmidt, Hans J. See Dietrich, Helmut

Schmidt, Heiner Integrated monolithic semiconductor circuit with controlled crystal temp., P (5) 102*g*.

Schmidt, Henry, Jr. Method and apparatus for controlling filter cake thickness and for compressing a filter cake, P (4) 88*g*.

Schmidt, John G. Fabrication of semiconductor devices, P (8) 174*h*.

Schmidt, K. See Helsen, J.

Schmidt, Paul F. See Erdman, William C.

Schmidt, Wolfgang See Vogel, Werner

Schmidt-Bruecken, H., and Schlapp, W. Damage to ceramics during grinding and its effect on metal-ceramic joins (4) 84*j*.

Schmiedecke, Werner Method for the production of masks in the mfg. of semiconductor components, P (7) 154*e*.

Schminder, Marianne, and Dehne, Gert Determination of characteristic data for oxide ceramics (10) 232*e*.

Schmitt, Felix See Fischer, Werner

Schmitt-Henco, C. Effect of clinker composition on setting and early strength of cement (7) 142*f*.

Schmitz, Albert, Mulder, Cornelius, and Slob, Arie Monolithic integrated circuit with complementary transistors and plural buried layers, P (2) 44*h*.

Schmitz, F., Dean, G., and Halachmy, M. Application of lattice constant measurements for stoichiometry determination in irradiated U-Pu mixed oxide fuels (7) 155*h*.

Schnable, George L. See Schlegel, Earl S.

Schnaus, U. E., Moynihan, C. T., Gammon, R. W., and Macedo, P. B. Relation of the glass transition temp. to vibrational characteristics of network glasses—correction (11) 245*b*.

Schneider, Frederick W. See Anderson, Ronald M.

Schneider, Irwin Information storage using *M* color centers in alkali fluorides, P (7) 153*d*.

Schneider, J. See Dischler, Bernhard

Schneider, Joachim See Jantz, W.

Schneider, Juergen See Herrington, J. R.

Schneider, Juergen, Dischler, Bernhard, and Raeuber, Armin Defects in ZnS/ZnSe mixed crystals: II, Paramagnetic A centers in cubic $ZnS_{1-x}Se_x$ (4) 91*a*.

Schneider, Norris F. See Wires, E. Stanley

Schneider, Robert H., and Schutt, John B. Silicate coatings compositions, P (7) 143*j*.

Schneider, Samuel J., and Levin, Ernest M. Polymorphism of K_2CO_3 (5) 113*j*.

Schnell, Georg See Diebold, Adolf ; Hartmann, Job W.

Schnettler, F. J. See Strasser, J.

Schnoering, Hildegard See Mansmann, Manfred

Schoemaker, Dirk, and Kolopus, James L. EPR optical and absorption studies of the $V_1(Li^+)$ center in KCl:Li^+ (8) 181*i*.

Schoen, M. Flow properties of clay and enamel suspensions (1) 21*f*.

Schoen, Nikolaus See Mansmann, Manfred

Schoenberger, Edward T. Slab construction using a plastic foam core (4) 78*c*.

Schoenemann, Rudolf See Groschopp, Heinz

Schoenemann, Rudolf, Groschopp, Heinz, Germscheid, Hans G., and Heidenbluth, Heinz D. Examination of surfaces for clarification of degreasing and etching problems (5) 96*j*.

Schoenes, J. See Busch, Georg

Schoenlaub, R. A. Problem solving with the dilatometer (9) 205*b*.

Schoeps, Wolfgang, and Beer, Hans Indirectly heated rotary kilns used in the production of ferrite (10) 226*f*.

Scholes, Addison B. Ignition flash control means for [gaseous] bottle treatment, P (1) 9*i*.

Scholes, Geoffrey W., and Jones, Anthony R. Mfg. a plurality of semiconductor device headers, P (1) 17*e*.

Scholes, S., and Wilkinson, F. C. F. Glassy phase separation in Na borosilicate glasses (2) 36*i*.

Scholl, Ronald F., and Bleha, William P., Jr. Method for making a CdS thin-film sustained conductivity device, P (6) 130*b*.

Scholze, H. See Elstner, I.

Schoof, Hans O. See Kieffer, Richard

Schoolar, Richard B. Method of preparation of PbS *pn* junction diodes, P (6) 130*f*.

Schoop, Josef, Fleige, Hans Georg, and Zielinski, Guenter Service life of basic converter linings for the top-blowing O process (10) 224*d*.

Schopper, H. C., Urban, W., and Ebel, H. Temp. dependence of the lattice parameters of some rare-earth compounds with zircon structure (9) 215*a*.

Schorel, Hendrik J. Laminated safety glass and cabin furnished therewith, P (9) 194*g*.

Schossler, Werner, and Heinemann, Otto Rotary kiln precooler construction, P (11) 255*f*.

Schoy, G. SiC and its uses (2) 40*g*.

Schrader, Richard See Schumann, Horst

Schrage, Albert Preparation of C-supported Pd catalysts, P (9) 207*b*.

Schrautz, Joe UF benefits conveyorized batch-type EDP systems (2) 48*c*.

Schreiber, D. S. See Pouget, J. P.

Schreiber, Ronald S. See Perry, William C.

Schreiner, Paul Material [cement clinker] cooler, P (1) 22*j*. See Kayatz, Karl H.

Schroecke, H. See Obermayer, H. A.

Schroeder, J., Mohr, R., Macedo, P. B., and Montrose, C. J. Rayleigh and Brillouin scattering in K_2O-SiO_2 glasses (11) 244*j*.

Schroeder, K. See Gugel, E.

Schroeder, U. See Jeschar, R.

Schuele, Donald See Andeen, Carl

Schueler, C. See Bruesch, P.

Schuermann, W. Fully automatic production of ceramically bonded refractory bricks by hot-air drying (6) 127*e*.

Schuetz, A. New MAK value for silicogenic dust in the ceramic industry (2) 47*j*.

Schuetze, Hans J., and Hennings, Klaus Production of circuit device, P (1) 19*a*.

Schuil, Roelof E. Method of mfg. a luminescent oxysulfide, P (4) 86*h*.

Schuler, Georges See Moreau, Jean P. A.

Schulle, Wolfgang, Lorenz, Hermann, and Hanusa, Wolfgang Comparative studies of preparation of test samples from refractory concrete (10) 217*h*.

Schuller, W. H. W. Method and apparatus for producing filaments from vitreous materials, P (7) 156*c*; Method and apparatus for the production of fine filaments from vitreous materials, P (8) 170*i*.

Schulte, Klaus See Boggum, Paul

Schultz, Fred D., and Fogel, Howard J. Method for dispersing asbestos fibers, P (7) 159*a*.

Schultz, Peter C. Method for producing TiO_2-SiO_2 glasses, P (1) 10*f*. See Keck, Donald B.

Schultz, Peter C., and Mizzoni, Mary Spiann Anionic conductivity in halogen-containing Pb silicate glasses (2) 60*i*.

Schultze, L. E. See Bauer, D. J.

Schulz, H. See Tscherry, V.

Schulz, R. Dynamics of the exit gases from suspension preheaters (11) 255*a*.

Schumacher, G. See Bober, M.

Schumacher, G., and Dorner, S. Theoretical study of the behavior of V alloys as cladding material for (U,Pu)O_2 fuels (1) 20*g*.

Schumacher, Robert L. See Gibson, James O.

Schuman, Leonard J., Brookman, Richard P., and Ertle, Raymond T. Methods for preparation of insulation materials from alumina-silica fibers, P (8) 172*a*.

Schuman, LeRoy J. See DeDiemar, Ronald B.

Schumann, Horst See Herzog, Guenther

Schumann, Horst, Conrad, Norbert, and Schrader, Richard Production of radiographically pure Ca aluminates, Ca ferrites, and Ca silicates (10) 218*b*.

Schumm, R. H., Wagman, D. D., Bailey, S., Evans, W. H., and

Parker, Vivian B. Selected values of chemical thermodynamic properties (10) 239*a*.
Schupp, Lewis J. Photoflash lamp, P (7) 147*c*.
Schurr, George A. Stepped fluid energy mill, P (8) 177*e*.
Schuster, P., Gugel, E., and Hennicke, Hans W. Structure and properties of stoneware: II, Formation and mode of formation of mullite in a stoneware body (9) 198*d*.
Schuster, Uwe, Gagea, Lucia, Gorgan, Ecaterina, and Surdeanu, Liana Development of brown ceramic pigments from the system Fe_2O_3-Cr_2O_3-ZnO (11) 248*e*.
Schutt, John B. See Schneider, Robert H.
Schwab, Heinrich See Janzon, Karl H.
Schwan, R. Air pollution in the heavy clay industry and its prevention by efficient needle felt filters (4) 82*b*.
Schwarte, Juergen See Gappa, Guenther
Schwartz, Bertram GaAs field-effect structure, P (5) 102*d*.
Schwartz, Carl H. Production of molds, P (1) 14*d*.
Schwartz, Newton, and Vratny, Frederick Sputtering technique, P (9) 202*c*.
Schwartzman, Stanley GaAs semiconductor device with improved ohmic electrode, P (1) 17*i*.
Schwartzwalder, Karl See McDougal, John A.
Schwarz, Frieder, and Hilbig, Gerhard Christiansen filter method and density gradient column for determining the homogeneity of glass (10) 219*i*.
Schwarzmann, Matthias See Hartmann, Hans J.
Schweinfurth, Hans, and Lambach, Rolf Device [vibrating trough] for mixing granular and/or pulverized bulk material, P (1) 21*d*.
Schweitzer, John C., and Junak, Edward M. Piezoelectric transducer assembly with phase shifting acoustical ports, P (3) 70*e*.
Schweizer, Albert E. See Chester, Arthur W.
Schwenk, W. See Hildebrand, H.
Schwerdtfeger, C. F. See Horn, Manfred ; Rostworowski, J. A.
Schwiete, H. E., and Otto, P. Influence of granulation temp. and chemical composition of blast furnace slags on the strength of slag cements (1) 3*d*.
Schwind, Eduard, and Schlosser, Peter Method for the continuous separation of Pu from U in the two-phase system by means of electrolytic reduction, P (8) 176*g*.
Schwind, Kurt C. See Cushing, Charles J.
Schwochow, Friedrich, and Heinze, Gerhard Production of synthetic zeolites of faujasite structure, P (7) 159*b*.
Schwochow, Friedrich, Heinze, Gerhard, and Weber, Horst Process for preparation of faujasite-type zeolites, P (1) 23*i*.
Schwuttke, Guenter H. See Brack, Karl ; Hearn, Eric W.
Sciarello, James P. See Levin, Ernest M.
Scola, Daniel A., and Basche, Malcolm Treatment of C fibers, P (7) 149*g*.
Scorzon, L. See Raccanelli, A.
Scott, B. A., Nichols, K. H., Potemski, R. M., and Woodall, J. M. $MgGa_2O_4$ spinel—a substrate for the direct liquid-phase epitaxial growth of (Ga,Al)As (10) 226*d*.
Scott, Bruce A. See Burns, Gerald ; Mehran, F.
Scott, G. B. See Lacklison, D. E.
Scott, James Floyd Raman spectra of GeO_2 (6) 138*e*. See Kiel, A.
Scott, John E. Apparatus for transferring and operating on articles, P (10) 222*d*.
Scott, John J. See Matchen, Ben
Scott, Joseph H., Jr. Semiconductor device fabrication, P (10) 228*h*. See Boleky, Edward J., III
Scott, Myrsyl W., and Kloek, Arvid E. Pn junctions in Hg Cd telluride, P (10) 228*j*.
Scott, W. W., and MacCrone, R. K. Anelastic and dielectric relaxation of excess vibrational modes in silica (6) 135*b*.
Scott, William D. See Achutaramayya, G.
Scotter, D. G. Importance of pores on limiting the spin-wave transit time in polycrystalline ferrites (5) 110*f*.
Seager, Carleton H., and Emin, David High-temp. measurements of the electron Hall mobility in the alkali halides (8) 182*f*.
Seal, Michael Diamond heat sinks—a state-of-the-art review (5) 101*e*; Method and means of making diamond heat sinks and heat sinks obtained by this method, P (7) 154*c*.
Sealy, B. J. See Crocker, A. J.
Searle, T. M., and Bowler, B. Optical study of the excited state of the V^- center in MgO (5) 113*b*.
Sease, John D. See Davis, Francis C. ; Pechin, William H.
Seaton, C. C., and Katz, R. N. Acoustic fatigue in certain ceramic materials (6) 135*b*.
Seavey, M. H. Acoustic resonance in the easy-plane weak ferromagnets α-Fe_2O_3 and $FeBO_3$ (9) 207*i*; Observation of light-induced anisotropy in ferric borate by acoustic resonance (9) 213*d*.
Secrest, Gerald R. See Alcott, Graham J.
Seddoh, Francisco K., and Robert, Michel Use of SEM in the study of micas and their weathering (experimental and natural environment evolution) (11) 259*h*.
Sedel'nikov, Ertel S. See Rogachev, Boris V.
Seebach, H. M. v. Process engineering optimization of cement grinding plants (6) 121*d*.
Seelbach, Walter C., and Lampathakis, Kyriakose Voltage distribution for integrated circuits, P (4) 87*d*.
Seeley, John S., Smith, Stanley D., and Ritchie, Frederick S. Method of making interference filters, P (9) 201*d*.
Seelig, Wolfgang H. See Banse, Karlheinz V. H.
Seeman, Stephen E. See Olsen, Larry C.
Seetharaman, S., and Abraham, K. P. Activity measurements in CoO-MnO solid solutions (9) 207*i*.
Segawa, Hideo See Tsuchiya, Yoshimi
Seger, Guenther See Bol, Jan P.
Seguit, E. R., and Gelb, T. Metastable quartz-type structures formed from kaolinite by solid state reaction (6) 137*c*.
Segre, Joseph P. Electro-optical device for conversion of tangential and radial polarization components to rectangular coordinate components [Li niobate], P (2) 43*f*.
Seguin, M. K. Stability of gaspeite in inert atms and in air (10) 239*a*.
Sehgal, H. K. See Agnihotri, O. P.
Seidel, Harvey D. See Dalton, John V.
Seidel, Joseph See Foster, Karl
Seifer, G. B. See Kuznetsov, V. G. ; Tananaev, I. V.
Seifer, G. B., and Tarasova, Z. A. Nitroprussides of trivalent Fe (7) 161*g*.
Seiter, Hartmut See Dietz, Wolfgang
Seki, Hisashi, Obosaka, Syuichi, Kanda, Motoya, Kawasaki, Yasuhiro, Yamazaki, Hajime, and Fujimoto, Masatomo Passivation of GaAs with Si_3N_4 (3) 68*b*.
Sekine, Eiji See Murakami, Toshiaki
Sekiwa, Tetuo See Toyama, Masaharu
Sekiya, Tadashi See Matsushita, Toru
Seleznev, V. N. See Kozhukhar, A. Yu. ; Rudashevskii, E. G.
Sellevold, Erik J. See Radjy, Fariborz
Selman, Gordon L. See Darling, Alan S.
Selte, Karl, and Kjekshus, Arne Structural and magnetic properties of FeP (2) 54*h*.
Seltzer, M. S. See Clauer, A. H.
Selway, P. R., and Goodwin, A. R. Properties of double heterostructure lasers with very narrow active regions (1) 27*a*.
Semak, D. G. See Mel'nichenko, T. N.
Seman, J. J. See Wang, R. C.
Semenenko, K. N., Chavgun, A. P., and Surov, V. N. Reaction of Na borohydride with borohydrides of K and Li (5) 114*h*.
Semenenko, T. V. See Timofeeva, N. V.
Semenov, I. N. See Belova, V. I.
Semenov, N. I. See Ryabov, V. A.
Semenov, N. I., Paplauskas, A. B., and Ryabov, V. A. Effect of surface microstructure on the strength of glass (8) 167*d*.
Semenova, E. V. See Burovtseva, G. N.
Sementsova, D. V. See Bukhalova, G. A.
Semenyakova, L. V. See Bergman, A. G.
Semichon, Alain, and Michel, Jacques Semiconductor device for producing or amplifying electric oscillations, P (9) 202*d*.
Semiletova, M. V., and Poluboyarinov, D. N. Synthesis and sintering of Ba ferrite during hot-pressing (8) 173*f*; Magnetic properties of hot-pressed Ba ferrite specimens (8) 173*j*.
Semkina, N. V. See Ignatova, T. S.
Semkina, N. V., Evdokimova, Z. U., and Lapiko, N. A. Refractories for obtaining protective gas medium from dissociated ammonia (1) 13*c*.
Semkina, V. A. See Ivannikov, V. L.
Sen, S. P. See Arora, B. R.
Senchenko, L. N. See Boldyrev, V. V.
Senda, M. See Asahara, N.
Senderoff, Seymour See Mellors, Geoffrey W.
Senegas, Jean, and Galy, Jean System $NiNb_2O_6$-NiF_2—transformations of the columbite and trirutile structures (4) 93*e*.
Senft, Stephen P. Method of dosing lamps, P (1) 10*a*.
Senftle, F. E. See Tsang, T.
Sengupta, Dipankar See Runciman, W. Alan
Senna, Mamoru, and Kuno, Hiroshi Effects of preliminary pressing on isothermal transformation of maghemite to hematite (10) 235*b*.
Sennett, Paul S., Olivier, James P., and Ross, Sydney Closed cell clay foam and process for preparing, P (9) 207*d*.
Sepichowska, A. See Sroczynski, R.
Sequin, Carlo H. See Krambeck, Robert H.
Serbinov, I. A. See Ryabova, L. A.
Serb-Serbina, N. N. See Shishkovskii, G. K.
Serdean, Ana See Stoicovici, Eugen
Serdyuk, V. V., and Woods, J. Field-induced changes in the photoconductive properties of CdS (5) 109*j*.
Serebrennikov, A. I. See Balitskii, V. S.
Serebrennikov, V. V. See Belik, N. P.
Serebryakova, L. N. See Makarov, V. A.
Serebryannikov, L. P., Pavlushkin, N. M., and Agarkov, A. S. Synthesis of glasses for coordinated seal with Kovar (8) 169*c*.
Sereda, A. M. See Avdeev, N. Ya.
Sereda, P. J. Significance of microhardness of porous inorganic materials (4) 79*i*.
Sergeeva, E. G. See Vozmilova, L. N.
Sersale, R. See Gottardi, V. ; Mascolo, G.
Sersale, Riccardo, Franco, Enrico, Ajello, Rosario, and Colella, Carmine Process for producing synthetic zeolite, P (3) 73*f*.
Seryl, V. G. See Didkovskaya, O. S.
Sessler, Gerhard M., and West, James E. Fabrication of electret transducer elements using low-energy electron beam, P (5) 102*c*.
Setaka, N. See Kijima, K.
Seto, David K. See Doo, Ven Y.
Sevast'yanov, B. K., Bagdasarov, Kh. S., Pasternak, L. B., Volkov, S. Yu., and Orekhova, V. P. Optical quantum generation of Cr^{3+} ions in YAG (9) 213*h*.
Sevast'yanov, V. G. See Ellert, G. V.
Sevast'yanov, V. G., Ellert, G. V., and Slovyanskikh, V. K. Chemical transfer of the sulfides and selenides of U (9) 208*h*.
Seveque, F. See Bernier, J. C.
Severin, Hans P. See Nickel, Ernst G.
Seward, Thomas P., III See Araujo, Roger J. ; Randall, Lyman J.
Seybolt, Alan U. Cr-containing bodies of improved resistance to oxidation and nitrification, P (3) 65*d*.
Seymour, Samuel L. Treating glass sheets during shaping and cooling, P (6) 126*b*; Method for supporting glass sheets with tongs for heat-treating, P (8) 170*c*; Glass sheet shaping frame, P (10) 222*i*.
Shachar, G. See Pinto, H.
Shacter, Mayer Goblets (4) 77*i*.
Shafer, M. W., Torrance, J. B., and Penney, T. Relation of crystal growth parameters to the stoichiometry of EuO as determined by ir and conductivity measurements (8) 185*j*.
Shafer, Merrill W. Anionic doped divalent Eu chalcogenides, P (3) 68*i*.
Shaffer, John W. Photoflash lamp and method of providing deflector shield therefor, P (4) 81*j*; Photographic flash-lamp unit having control structure on base, P (8) 170*f*.
Shaffer, John W., and McDonough, Thomas B. Fulminating material application technique [flash lamp], P (2) 38*g*.
Shaffer, Patrick D. Electrostatic spray coating apparatus, P (9) 204*b*.
Shaffer, Robert C. Matching the volume shrinkage of organic fibers to that of the resin matrix in C or graphite composites, P (8) 172*e*.
Shah, Haresh M. Ceramic magnets (7) 150*i*.
Shah, Indravadan S. Crystallization of NaCl from $MgCl_2$ solution, P (10) 234*i*.
Shah, Jagdeep C. Laser with means for suppressing background fluorescence in the output, P (9) 200*i*.
Shahi, K. See Chandra, S.
Shaked, H. See Pinto, H.
Shakhno, I. V. See Savel'eva, M. V.
Shakhnovich, I. G., and Primachenko, V. V. Rapid method for evaluating the quality of kaolin (1) 22*b*.
Shakhova, N. A., Yevdokimov, B. G., and Ragozina, N. M. Multicompartment fluid-bed granulator (11) 252*h*.
Shaklee, Kerry L. See Leheny, Robert F.
Shakshaev, G. M. See Kamilov, I. K.
Shald, Richard That old black magic no longer weaves its spell (7) 152*f*.
Shaltens, Richard K. See Przybyszewski, John S.
Shanefield, Daniel J. Noncrystalline solid compositions exhibiting negative incremental resistance, P (10) 228*h*.
Shang, David C. T. Semiconductor electroluminescent diode comprising a ternary compound of Ga, Tl, and P, P (8) 175*e*.
Shanks, H. R. See Greiner, J. D. ; Whiteman, A. E.
Shannon, John M. Solid-state imaging device with FET sensor, P (7) 155*b*; Methods of mfg. IGFET, P (9) 201*j*; Methods of mfg. a semiconductor device, P (11) 250*i*.
Shannon, R. D. See Ferretti, A.
Shannon, R. D., and Calvo, C. Refinement of crystal structure of low-temp. Li_3VO_4 and analysis of mean bond lengths in phosphates, arsenates, and vanadates (9) 214*j*.
Shannon, Richard F. Vitreous fibers bonded with a thermoset resin including two organosilicon compounds, P (2) 39*d*; High-strength foam material, P (8) 170*d*.
Shao, Tzu Fann Schottky barrier diode, P (10) 228*f*.
Shapiro, Ya. Z. See Gaodu, A. N.
Shapkin, P. S. See Vasil'kova, I. V.
Shapland, James T. Sliding-gate closure for bottom-pour vessel, P (1) 14*e*.
Shaplygin, I. S., Bromberg, A. V., and Sokol, V. A. System PdO-PbO (1) 28*a*.
Shaposhnikov, A. P. See Timofeeva, L. K.
Shaposhnikova, M. A. See Luginina, I. G.
Shapovalov, V. A. See Kozhukhar, A. Yu.
Shapovalova, N. F. See Bogomolova, L. D.
Shaptala, V. I. See Gaodu, A. N.
Sharma, K. K. See Heimke, G.
Sharma, Sudhir K., and Philbrook, W. O. Improved values of surface tension of Ca silicate melts (9) 190*f*.
Sharov, V. I. See Bulavin, I. A.
Sharp, E. J. See Weber, M. J.
Sharp, J. V. See Evans, A. G.
Sharp, Marcus See Altman, Leonard F.
Sharp, Robert R., and Pace, Eugene L. Direct observation of impurity motion in quartz using the Raman effect (5) 108*g*.
Shatskii, V. M. See Arkhangel'skii, I. V. ; Shepelev, N. P.
Shaulov, A. See Simhony, M.
Shaw, C. See Shaw, R. D.
Shaw, E. H. See Walker, D. E. Yeoman
Shaw, Geoffrey T., and Parsons, Basil I. Preparation of highly porous Al_2O_3, P (10) 234*g*.
Shaw, H. F. Preparation of orientated clay mineral specimens for X-ray diffraction analysis by a suction-onto-ceramic tile method (5) 105*b*.
Shaw, Joseph M. Semiconductor device or monolithic integrated circuit with W interconnections, P (5) 103*a*.
Shaw, Kenneth Refractories and Their Uses, B (5) 118*a*; Science for Craft Potters and Enamelers, B (5) 118*f*.
Shaw, M. P., Moss, S. C., Kostylev, S. A., and Slack, L. H. Preswitching and postswitching phenomena in amorphous [Te-based] semiconducting films (10) 227*a*.
Shaw, R. D. Structural block for use as a tunnel liner, P (9) 197*e*.
Shaw, R. D., and Shaw, C. Refractory compositions, P (7) 149*e*.
Shaw, Robert L. See Boyer, Charles B.
Shaw, Robert R. See Robinson, Charles C.
Shaw, Robert R., and Uhlmann, Donald R. Nd glass laser having room-temp. output at wavelengths shorter than 1060 nm, P (6) 126*a*.
Shawa, Moazer S. Environmental interpretation by electron microscopy—Dunvegan formation, British Columbia (9) 204*g*.
Shay, J. L., Tell, B., and Kasper, H. M. Visible stimulated

emission in ternary chalcopyrite sulfides and selenides (10) 240*b*.

Shay, Joseph L. See Buehler, Ernest

Shchekaneako, P. A. See Gorshkov, A. M.

Shchepetkin, A. A. See Zinovik, M. A.

Shchepetkin, A. A., Zakharov, R. G., and Chufarov, G. I. Solid solutions in the system Fe_2TiO_4-$MnFe_2O_4$ and their dissociation under equilibrium conditions (1) 27*c*; Phase equilibria during dissociation of the spinel oxides in the system Mn-Ti-Fe-O (2) 54*b*.

Shchepetkin, A. A., Zinovik, M. A., and Chufarov, G. I. Synthesis and dissociation of $Cu_xMn_{1-x}Fe_2O_4$ solid solutions under equilibrium conditions (2) 55*g*.

Shchepochkina, N. I. See Kotlova, A. G.

Shcherbak, V. I., Bykov, V. N., D'yakonov, B. P., and Kolesnikova, S. F. System Zr-Y-H (9) 215*j*.

Shcherban, N. I. See Boiko, P. A. ; Slepcov, V. M.

Shcherban, S. A. See Nurmagambetov, Kh. N.

Shcherbina, V. V. Crystal chemistry of sulfides (9) 208*h*.

Shchetanov, B. V. See Gribkov, V. N.

Shchetinina, G. P. See Boldyrev, V. V.

Shchetkina, T. Yu. See Kryzhanovskaya, I. A. ; Mchedlov-Petrosyan, Otar P.

Shchetnikova, I. L. See Bron, V. A. ; Rutman, D. S.

Shchukin, E. D. See Barboi, V. M.

Shchurov, A. F., Sorochkin, M. A., and Plavnik, G. M. Application of X-ray small-angle scattering to the structural study of single-mineral binders (11) 241*g*.

She, C. Y. See Masso, Jon D.

Shea, Daniel J. See Kohl, Lou

Shea, Frederick L. See Joo, Louis A.

Sheahan, Desmond F., and Callander, George C. Apparatus for monitoring of the deposition of metallic films, P (2) 43*g*; Crystal filter assembly, P (7) 153*c*.

Shearman, Paul M. Laminated coil, P (8) 174*b*.

Sheets, Herbert D., Jr. See Lankard, David R.

Shegurova, G. A. See Bukhalova, G. A. ; Tovmas'yan, I. K.

Shegurova, G. A., Bukhalova, G. A., and Yagub'yan, E. S. System Na,Cs||F,Cl (7) 163*c*.

Sheka, I. A. See Degtyarenko, N. M.

Shelby, J. E. Effect of phase separation of He migration in Na silicate glasses (6) 123*b*; Neon migration in TiO_2-SiO_2 glasses (7) 145*e*; Neon migration in vitreous silica (8) 168*h*.

Sheldon, Gary S. Semiconductor passivating process, P (9) 202*g*.

Shell, M. E. Method and apparatus for handling stacked material, P (10) 232*c*.

Shelley, S. J. Natural gas firing (5) 105*g*.

Sheludko, V. P. See Pankratov, V. I.

Shen, Y. R. See Yang, K. H.

Shen, Yuan Shou See Krock, Richard H. ; Zdanuk, Edward J.

Sheng, W. W., and Westgate, C. R. Preswitching phenomena in semiconducting glasses (8) 168*a*.

Shepardson, Harvey K. Spark plugs, P (4) 84*g*.

Shepelev, N. P. See Arkhangel'skii, I. V.

Shepelev, N. P., Arkhangel'skii, I. V., Komissarova, L. N., and Shatskii, V. M. Synthesis and thermal stability of the Sc iodides (7) 162*j*.

Shepelev, Yu. F. See Smolin, Yu. I.

Shepherd, I. W., and Barkley, John R. Investigation of domain wall structure in $Gd_2(MoO_4)_3$ by Raman scattering (9) 211*j*.

Shepherd, William H. See Learn, Arthur J.

Sheppard, R. J. See Misell, D. L.

Sherby, Oleg D. See Cannon, W. Roger

Shernoff, Donald I. See Simpson, James H.

Sherry, Howard S. See Chester, Arthur W.

Sherwood, Charles F. See Luckey, George W.

Sherwood, Richard C. See Robbins, Murray ; Voorhoeve-Van den Berg, J. M.

Shestakova, N. A., Moroz, E. M., Grigor'eva, V. S., and Batsanov, S. S. Synthesis and physical-chemical study of the mixed halides of Sn(II) (5) 115*i*.

Shevchenko, A. V. See Lopato, L. M.

Shevchenko, N. N. See Kovba, L. M.

Shevchenko, V. P. See Karklit, A. K.

Shevelevich, R. S. See Zvyagin, A. I.

Shevtsova, L. N. See Ovechkin, E. K.

Shiba, Hiroshi, and Tsunemitsu, Hideo Method of forming electrical connections in a semiconductor integrated circuit, P (10) 227*j*.

Shibasaki, Yasuo Synthesis of orthorhombic CrOOH and the reaction mechanism (2) 55*i*.

Shibasaki, Yasuo, Kanamaru, Fumikazu, Koizumi, Mitsue, and Kume, Shoichi CrO_2-Cr_2O_3 phase boundary under high O_2 pressures (6) 135*j*.

Shibata, Akira Composite Ag-Cd oxide alloy contact with Ag-Cd surface, P (1) 17*a*.

Shibata, Noboru See Iwanaga, Hiroshi

Shibata, Noboru, and Iwanaga, Hiroshi Inversion twin in ZnO crystal (3) 75*f*.

Shibayama, Hikou, Kawamoto, Yoji, and Tsuchihashi, Shoji Surface deterioration of some optical glasses by acidic vapor (7) 145*i*.

Shibuno, Masao See Iemura, Iwao

Shibuno, Masao, Nakashima, Hiroshi, and Fujiwara, Teiichi Fatigue fracture of basic and fireclay refractories by thermal cycling (5) 100*d*.

Shibuya, Hideo See Yamamoto, Masayuki

Shibuya, Yoshio See Ogushi, Tetsuya

Shick, L. K. See Menth, A.

Shidlovsky, Igal Cathodochromic sodalite and CRT employing same, P (3) 63*c*.

Shiganov, Robert, A. See Remensnikov, Alexandr I.

Shiller, John W. Photometric analyzer employing fiber optic light-transmitting means, P (1) 22*e*.

Shilling, Wilbur L. Process of alkylation with base of metal oxide, P (2) 50*d*.

Shilo, V. P. See Kolomiets, B. T.

Shilov, S. A. See Belyaev, I. I. ; Belyaev, I. N.

Shima, E. See Toda, M.

Shimada, Kenzo See Kondo, Yasuhiko

Shimada, Kohei See Ohba, Hiroshi

Shimada, Masahiko Dense forms of rare earth Fe garnets YIG, GdIG, and TbIG (3) 74*f*.

Shimada, Masahiko, Kume, Shoichi, and Koizumi, Mitsue Cation distribution in ferrimagnetic garnets $[(Y_{3-x}Ca_x)(Fe_{5-x}Ge_x)O_{12}$, $0 \leq x \leq 3.0]$ (5) 106*e*.

Shimada, Noburo, and Takahashi, Tadaaki High-temp. properties of basic bricks: II, Thermal shock resistance (1) 12*f*.

Shimada, Shiro, and Ishii, Tadao Effect of $MgCl_2$ on solid-state reaction in MgO-Al_2O_3 system (5) 108*f*.

Shimakawa, Koichi, Inagaki, Yonekazu, and Arizumi, Tetsuya Difference of thermal properties between threshold-type and memory-type chalcogenide glass semiconductors (5) 97*f*.

Shimazaki, Eiki, Araki, Shunji, and Akazawa, Hakuichi Hardening agent for refractory use and production thereof, P (10) 224*h*.

Shimbo, Masaru Leaching process of phase-separated Na borosilicate glass (10) 220*j*.

Shimely, Jesse H., and Archer, Edward D. Silanized crystalline aluminosilicate, P (7) 159*c*.

Shimizu, Hiroshi See Kumai, Hiroshi

Shimizu, Masao Varistors, P (11) 251*f*.

Shimizu, Sakae See Nagatomo, Tsuneto

Shimizu, Shigeki See Toda, Hideo

Shimizu, Yasuharu See Wada, Nobuhiko

Shimodaira, Saburo See Morito, Nobuyuki

Shimohira, Takajiro Hot-pressing of BeO (6) 127*h*.

Shimooy, U. See Biran, A.

Shin, Hyun Tack See Lee, Koo Jong

Shin, Young Jo See Lee, Sou Woo

Shinjo, Teruya See Nishihara, Hironori

Shinjo, Teruya, and Takada, Toshio Moessbauer experiments in external magnetic fields (3) 67*e*.

Shinoda, Daizaburo, and Ishikawa, Masaoki GaAs Schottky barrier type semiconductor device, P (2) 44*a*.

Shinoda, Kiyonori, Watanabe, Tadayoshi, and Mizusawa, Shigeru Al fluoride fluorination catalyst, P (2) 50*g*.

Shinoda, Masaichi, and Igarashi, Masaru Method of mfg. variable capacitance diodes, P (10) 228*b*.

Shinoda, Toshimitu See Ogirima, Masahiko

Shinohara, Koji, Ueda, Ryuiti, Ohtsuki, Osamu, and Ueda, Yoichi Crystal growth of homogeneous $Hg_{1-x}Cd_xTe$ by the Bridgman method (3) 74*d*.

Shinohara, Takeshi See Kenmotsu, Akihiro

Shintani, Takao Nature of earth and silica deposits near Ofuku Silica Mines (1) 23*f*.

Shintani, Tsuneo See Miyatake, Kazumi ; Ueda, Masao

Shionoya, Shigeo See Kamejima, Taibun

Shiori, Tomonori See Takase, Shinji

Shiosaki, Tadashi, Matsumoto, Heihachi, and Kawabata, Akira Acousto-electric phenomena by the two carriers in Se-Te alloy crystals (5) 106*e*.

Shiosaki, Tadashi, Miyatake, Shigehiro, and Kawabata, Akira Elastic constants of Se-Te alloy crystals (3) 74*d*.

Shioya, Y. See Itashiki, C.

Shipley, Linden E. See Bortz, Seymour A.

Shipley, Roy E. See Robinson, Eugene A.

Shirafuji, Junji See Hongo, Shozo ; Inoue, Masataka ; Taguchi, Tsunemasa

Shiraishi, Tadashi *Pn* junction and a method of making, P (6) 130*i*.

Shirane, G. See Otnes, K.

Shirasaki, Shinichi Defect Pb titanates with diverse Curie temps. (9) 209*c*.

Shirasaki, Shinichi, Takahashi, Koichiro, and Kakegawa, Kazuyuki Ferroelectric-paraelectric phase transition in $PbTiO_3$ containing lattice defects (9) 199*b*.

Shirk, Brian T. Hard magnetic ferrites, P (6) 129*e*.

Shirokov, A. M. See Shuvalov, L. A.

Shirozu, Shunji See Miyashiro, Shoichi

Shishkovskii, G. K., Rebinder, P. A., and Serb-Serbina, N. N. Effect of highly dispersed Al and Si oxides on the strength of structures in aqueous dispersions of bentonites (8) 181*a*.

Shisler, Donald E. Apparatus for generating high-energy gaseous blast, P (9) 193*f*.

Shiuh, Chung Hsiung Method of determining one or more properties of asbestos fibers by turbidity measurement, P (3) 72*f*.

Shivers, James V. See Campbell, William B.

Shkiro, Valentin M. See Merzhanov, Alexandr G.

Shkol'nik, Ya. M. See Dovgopol, V. I.

Shlyapkina, E. N. See Berg, L. G.

Shmidt, E. V. See Grizik, A. A.

Shoemaker, Clara Brink See Manor, Philip C.

Shoemaker, David P. See Manor, Philip C.

Sholokhova, V. I. See Tovmas'yan, I. K.

Sholokhovich, M. L. See Berberova, L. M.

Shoneberger, Francis J. Strengthening borosilicate glass by crowding surface layer with LiOH and/or KOH, P (2) 39*d*.

Shorin, S. N. See Ivanov, O. R.

Shorina, L. L. See Polishchuk, A. V.

Shpakova, V. M. See Bukhalova, G. A.

Shrivastava, R. C. B. China clay deposits of Singhbhum (Bihar), India (7) 158*f*.

Shteiert, N. P. See Volkonskii, B. V.

Shtrikman, Shmuel See Levinson, Lionel M.

Shubaev, V. L. See Suvorov, A. V.

Shultz, R. L. Effect of TiO_2 on equilibria among refractory phases in the system CaO-MgO-Fe oxide (2) 52*b*.

Shul'zhenko, Alexandr A. See Bakul, Valentin N. ; Prikhna, Alexei I.

Shumacher, G. See Dalle Donne, M.

Shumitskaya, L. F. See Solomin, N. V.

Shurdumov, G. K., and Khokonova, T. N. Reaction of the nitrites, nitrates, molybdates, and tungstates of Na and K in melts and in the solid state (1) 27*f*.

Shurginov, E. A. See Belyaev, I. N.

Shuskus, Alexander J. Low-voltage charge storage memory element, P (8) 174*b*.

Shuter, B. See Dryden, J. S.

Shutt, T. C., and Martin, Mary Economics of glassmaking in the Rocky Mountain area: I–III (6) 123*a*.

Shuvalikhina, L. V. See Kleiner, M. B.

Shuvalov, L. A., Shirokov, A. M., Ivanov, N. R., and Baranov, A. I. Effect of an electric field on phase transitions in $Na(D_xH_{1-x})_3(SeO_3)_2$ crystals: I, β phase induced by E_y field in crystals with $x>0.3$ (8) 180*j*.

Shvab, S. A. See Kislyi, P. S.

Shvalko-Shvaikovskaya, T. P., Mazurin, O. V., and Bashun, Z. S. Viscosity of glasses in the system Na_2O-SiO_2 in the molten state (5) 98*f*.

Shveikin, G. P. See Alyamovskii, S. I. ; Tskhai, V. A. ; Zainulin, Yu. G.

Shveikin, G. P., and Slobodin, B. V. Oxidation of Ti oxycarbides, carbonitrides, and oxynitrides (8) 185*d*.

Sias, Frederick R. Solderless semiconductor devices, P (9) 202*a*.

Sibley, John W. See Fischer, John J.

Sibley, William A. See Facey, Owen E.

Sidorova, E. E., Kondrat'ev, S. N., Mochalov, K. N., Blagoveshchenskaya, G. I., and Pribylov, K. P. Thermal analysis of the decomposition of the higher oxides of Se (9) 215*f*.

Sidorova, V. D. See Polyak, B. I.

Siedler, Helmut See Haas, Helmut

Siefert, August C. Method of making impact-resistant inorganic composites, P (2) 39*c*.

Siegenthaler, H. F. See Janz, G. J.

Siegle, Gert Electrodes [ZrN], P (10) 222*g*.

Siever, Raymond, and Kastner, Miriam Shale petrology by electron microprobe—pyrite-chlorite relations (1) 27*j*.

Sievers, Robert E. Rare earth complexes as NMR shift reagents, P (2) 47*f*.

Sievert, J. L. See Mills, J. J.

Siffert, B., Ferrand, C., and Wey, R. Spectrophotometric evidence of a semipolar bond in a clay-lignosulfonate complex (8) 186*j*; Spectrophotometric evidence of a semipolar bond in a clay-lignosulfonate complex (10) 239*j*.

Sigel, G. H., Jr. Vacuum uv absorption in alkali-doped fused silica and silicate glasses (5) 98*d*.

Sigsbee, Raymond A., and Wilson, Ronald H. Storage target for an electron-beam-addressed read, write, and erase memory, P (1) 19*c*.

Sigurd, D. See Ottaviani, G.

Silbiger, Jakob See Kugler, Tibor

Silfvast, William T. See Klein, Marvin B.

Silkina, V. I. See Alaverdova, E. A.

Silicas, H. Grinding and storage of clinker and cement—cement mills, clinker storage, and cement silos (6) 120*i*.

Silver, Gary L. See Deaton, Ronald L.

Silver, H. Graham Electric discharge lamp having a fill including Nb pentaiodide complexed with an inorganic oxo compound as the primary active component, P (11) 245*b*. See Gardner, Phillip J.

Silverwood, Frederick W. See Lawrenson, Jack

Sil'vestrovich, S. I., Kazakov, V. D., Koshel'kova, V. S., and Kheikia, A. L. Structural-chemical nature and stability of commercial glasses (9) 193*d*.

Sil'vestrovich, S. I., and Khazan, E. A. Hardening stresses in technical glass (1) 7*f*; Tensometric study of the stress state of intensively tempered glass (1) 9*b*; Tensometric measurement of internal stresses in quenched glass (9) 193*f*.

Sil'vestrovich, S. I., Kuyazev, A. S., and Solov'eva, A. S. Calculation of stresses in sheet glass pressed from periphery (1) 5*a*.

Sil'vestrovich, S. I., and Koshel'kova, V. S. Degradation of glass surface by liquid tempering (1) 5*i*; Mechanical properties of a modified glass surface (9) 192*c*.

Sil'vestrovich, S. I., and Kutukov, A. S. Change in properties of glass due to external thermomechanical action (1) 5*b*.

Sil'vestrovich, S. I., Kutukov, A. S., and Nikolaeva, V. M. Effect of thermomechanical action on anomalous birefringence in glass (1) 6*b*.

Sil'vestrovich, S. I., Pavlushkin, N. M., Koshel'kova, V. S., and Mikhailenko, N. Yu. X-ray spectral study of glass surface structure (9) 193*c*.

Sil'vestrovich, S. I., and Solov'eva, A. S. Mechanical properties of sheet glass strengthened by peripheral pressing (1) 8*c*.

Sil'vestrovich, S. I., Stolyarov, M. I., and Gurikova, L. M. Physical-mechanical reaction of polymeric coating with a . glass surface (9) 192*g*.

Sil'vestrovich, S. I., Stolyarov, M. I., Gurikova, L. M., and Ermanok, N. V. Protective effect of polymeric coatings on the glass (8) 168*c*.

Silzars, Aris See Bates, David J.

Simanek, E., Huang-Liu, N. L., and Wild, R. L. Free-carrier optical absorption in Nb-doped $SrTiO_3$ (5) 110*b*.

Simeonov, K., Sivova, R., and Marinov, M. Effect of sintering on the electrical resistance of $BaTiO_3$ posistors (9) 199*g*.
Simhony, M., and Shaulov, A. Measurement of the pyroelectric coeff. and permittivity from the pyroelectric response to step radiation signals in ferroelectrics (10) 226*e*.
Simmingskoeld, B. See Lakatos, T.
Simmons, Joseph H. Miscibility gap in the system $PbO-B_2O_3$ (6) 137*e*.
Simmons, Joseph H., Macedo, P. B., Napolitano, Albert, and Haller, Wolfgang K. Investigation of liquid-liquid phase transitions in oxide melts by viscosity measurements (2) 36*j*.
Simmons, Kenneth D., Allen, Henry W., Gebhardt, Ronald F., and Garrett, Hoke M. Cement clinker production, P (6) 121*g*.
Simmons, Marion I. See King, Lewis C.
Simms, D. L. See White, C. W.
Simoes, L. See Rao, B. V. Raja
Simomura, Katsuyasu Method and apparatus for cutting sheet glass, P (3) 63*j*.
Simon, Albert B. See Hampe, Walter R.
Simon, Edward Structure and formation of semiconductors with transverse conductivity gradients, P (2) 45*h*.
Simon, Eugen M. See Janzon, Karl H.
Simon, Guenter See Glaser, Walter
Simon, I. See Obst, M.
Simon, Laszlo See Antal-Boza, Jozsef
Simon, Ralph E., and Williams, Brown F. Negative effective electron affinity emitters with drift fields using deep acceptor doping, P (2) 44*j*.
Simon, Raphael A. See Knowles, Daniel H.
Simpson, Arnold J. See Deeg, Emil W.
Simpson, Edgar A., and Doyle, Carroll F. Hydrophobic silica, P (7) 158*j*.
Simpson, James H., and Shernoff, Donald I. Method of mfg. an NMR cell, P (7) 147*i*.
Simpson, L. A. Effect of microstructure on measurements of fracture energy of Al_2O_3 (2) 52*a*.
Simun, E. A. See Val'kovskii, S. N.
Sing, K. S. W. See Baker, F. S.
Singal, A. M. Erosion of concrete in high-head hydraulic structures (3) 59*h*.
Singer, Barry See Milch, Alfred
Singer, E. Preparation of nonsilicate bodies in the electroceramic industry (9) 199*i*.
Singer, L. S. See Moore, A. W.
Singh, A. K., Jayaraman, A., and Chatterjee, A. Pressure induced electronic and NaCl-to-CsCl type transitions in some rare earth [Pr, Sm, Eu] monotellurides (9) 214*c*.
Singh, Alam See Punmia, B. C.
Singh, H. P., and Srivastava, O. N. Grain growth kinetics in Er oxide film (9) 211*a*.
Singh, Jagbir See Dave, N. G.
Singh, M. P. See Ganguly, A. C.
Singh, R. D. See Srivastava, Jagdish P.
Singh, Ram Kripal, and Verma, Mahendra P. Lattice dynamics of Na halides (8) 183*g*.
Singh, S. Transient effect in (ZnO-MgO):Fe,O photoconductor (9) 215*j*.
Singh, S., Potopowicz, J. R., Van Uitert, L. G., and Wemple, S. H. Nonlinear optical properties of hexagonal SiC (10) 237*h*.
Singh, S., Remeika, Joseph P., and Potopowicz, J. R. Nonlinear optical properties of ferroelectric $PbTiO_3$ (10) 226*h*.
Singh, Ved Ram Engineering applications of semiconductor strain gages (1) 21*j*; Recent developments in the use of strain gages in the medical field (1) 22*b*.
Singleton, John S. See Pratt, Ronald G.
Sinha, Devendra Prasad, and Prasad, Rameshwar Atomic positions in Th silicate—an X-ray diffraction study (3) 74*b*; Lattice constants of Th silicate (3) 76*a*; X-ray diffraction studies of Th silicate (6) 140*c*.
Sinha, K. P. Modulation of electron waves by laser beam (7) 152*e*.
Sinha, Krityunjai P. See LeCraw, R. Conway
Sinichkina, L. M. See Sudakas, L. G.
Sinkovitz, Gloria D. See Hoover, Merwin F.
Sinn, Richard See Diebold, Adolf
Slostrzonek, Frantisek See Bolek, Milan
Sirazhiddinov, N. A., and Arifov, P. A. Solid-phase reactions during the formation of Sr monoaluminate (5) 114*d*.
Siron, Robert E. See Griffin, Judson R.
Sirota, N. N. (Editor) Chemical Bonds in Solids: Vol. 3, X-Ray and Thermodynamic Investigations; Vol. 4, Semiconductor Crystals, Glasses, and Liquids, B (2) 57*a*.
Sisolak, Robert J., and Bryant, Jack R. Apparatus and method for firing magnetic cores, P (9) 206*a*.
Sitharamarao, D. N., and Duncan, J. F. Transition metal ion substitution in an aluminosilicate glass (10) 221*j*.
Sitharamarao, D. N., Duncan, J. F., and Coleman, M. F. Recrystallization of kaolinite and Fe-doped kaolinite glasses (10) 221*j*.
Sitnikova, A. Ya., Anitov, I. S., and Sudomolkin, I. A. Reaction of Ti with glass-ceramic coatings under application and service conditions (2) 34*e*.
Sitnikova, A. Ya., Ban'kovskaya, I. B., Anitov, I. S., Piryutko, M. M., and Sokolov, Yu. G. Mechanism of reaction of Ti with silicate coatings (4) 80*d*.
Sitte, V. Moisture-corrected batching of glass sand (1) 8*g*.
Sivardiere, Jean See Kappatsch, A.
Sivertsen, David R. See Kinstley, Warren O.
Sivova, R. See Simeonov, K.
Siwersson, Olle L., and Tell, Karl G. Devices for guiding material to the entrance end of a screw conveyor having a rotatable screw and a conduit therefor, P (1) 21*a*.
Sizonenko, Grigory A. See Bogrets, German N.
Sizova, R. G. See Voronkov, A. A.
Sjolin, Ulf P. T. See Millgard, Lars O. A.
Skaar, E. C. See Priest, H. F.
Skaar, Eric C., and Croft, William J. Thermal expansion of TiB_2 (2) 55*j*.
Skalny, Jan See Brunauer, Stephen ; Gragg, F. M. ; Odler, Ivan ; Yudenfreund, Marvin
Skalny, Jan, Phillips, J. C., and Cahn, D. S. Low water-to-cement ratio concretes (7) 142*i*.
Skiba, O. V. See Vorobei, M. P.
Skidan, B. S. Impact strength of pure oxide ceramics (1) 12*i*.
Skilbeck, John P. See Rackus, John J.
Skippen, G. B. Experimental data for reactions in siliceous marbles (1) 25*e*.
Skoblo, A. V. Application of X-ray spectral microanalysis to the study of powder metallurgical materials (8) 177*i*.
Skobochkin, V. E., Bibik, E. E., and Labrov, I. S. Study of structural-mechanical properties of concentrated aqueous suspensions of cement using magnetic measurements (4) 79*e*.
Skomorokhova, A. I. See Kniga, M. V.
Skomorokhova, T. L. See Strukov, B. A.
Skopina, L. V. See Pavlushkin, N. M.
Skopina, L. V., Pavlushkin, N. M., and Gurevich, Ts. N. Effect of additives P_2O_5, Cr_2O_3, and Mn_2O_3 on crystallization of glasses of slag composition (1) 6*b*.
Skorik, Gleb A. See Domrachev, Georgy A.
Skrabek, Emanuel A., and Trimmer, Donald S. Thermoelectric alloys, P (3) 70*g*.
Skrebtsov, A. M. Method of studying refractory wear in metallurgical furnaces with radioactive isotopes (1) 12*e*.
Skripak, V. N. See Vishnevskii, I. I.
Skripko, Gely F. See Mamykina, L. V. ; Vereschagin, Leonid F.
Skrivan, M. See Fanderlik, I.
Skrobinski, F. B. See Berry, T. F.
Skvara, Frantisek Use of computers for evaluating analytical data obtained by electron microprobe measurements (11) 254*f*.
Slack, G. A. See Borom, M. P.
Slack, L. H. See Shaw, M. P.
Slade, M. L. See Drews, R. E.
Sladek, K. J. See Fitzgibbons, E. T.
Slagle, Otis D., and Nelson, Richard P. Compressibility of molten UO_2 (8) 175*j*; Technique for ultrasonic velocity measurements on molten ceramics (11) 254*d*.
Slagle, William L. Method of suppressing the formation of methyl iodide in a water-cooled nuclear reactor, P (9) 203*b*.
Slaughter, G. M., Canonico, D. A., and Donnelly, R. G. Welding and brazing of advanced refractory alloys (11) 247*d*.
Slawek, Joseph E., Jr., and Altemose, Harvey W. Monolithic detector construction of photodetectors, P (3) 70*a*.
Sleggs, A. C., and Jacobsen, G. W. Improve glass furnace throat designs (2) 36*d*.
Sleggs, Alton C., and Miller, William A. Coating fused cast blocks with refractory paper to prevent spalling in hot repairs, P (4) 84*c*.
Sleight, A. W. See Brixner, L. H.
Sleight, A. W., and Prewitt, C. T. High-pressure $HgTiO_3$ and $HgPbO_3$—preparation, characterization, and structure (10) 236*j*.
Sleight, A. W., and Weiher, J. F. Magnetic and electrical properties of Ba_2MReO_6 ordered perovskites (6) 137*c*.
Slepcov, V. M., Petrova, E. M., and Shcherban, N. I. Some phenomena observed during sintering of metal-carbide systems in the solid state (11) 259*e*.
Slijkerman, Nicolaas P. See Esveldt, Cornelis J.
Slijkerman, Nicolaas P., and Esveldt, Cornelis J. Annular magnet core built up from a soft magnetic ferrite material and method of mfg., P (6) 129*j*.
Sliker, Lawrence S. See Berlincourt, Don A.
Slinkin, Yu. I. See Vlasov, A. S.
Sloane, Ivan H., Mailhot, Armand L., Beliveau, Roger L., and Sawhney, Harbans L. Reinforced asbestos paper yarn and method of making, P (8) 172*d*.
Slob, Arie See Schmitz, Albert
Slobbe, Walter W. See Evans, Lyle W.
Slobodin, B. V. See Shveikin, G. P.
Slobodnik, Andrew J., Jr. High-coupling low-diffraction acoustic surface wave delay line [$LiNbO_3$], P (7) 153*a*.
Sloccari, Giorgio Phase equilibrium in the subsystem BaO. Fe_2O_3-BaO.$6Fe_2O_3$ (10) 238*i*.
Sloeva, Galina N. See Belkin, Nikolai V.
Sloanker, Robert O. See Hansen, James H.
Slonczewski, J. C. See Burke, William J.
Slonina, Jean P. See Gellon, Joseph
Sloushch, V. G. See Bernshtein, R. S.
Slovyanskikh, V. K. See Ellert, G. V. ; Morozov, S. P. ; Sevast'yanov, V. G.
Small, Richard B. Method of mounting electronic devices, P (11) 250*f*.
Smalley, Rodney R. See Current, John M.
Smart, Bruce C. See Craigen, William J. S.
Smatko, Joseph S. Low-gassing battery separator and method of production, P (3) 65*f*.
Smelik, Frank E. Molded ceramics—for lower costs (1) 20*j*.
Smeltzer, W. W. See Streiff, R.
Smiley, Vern N. Wide-range continuously tunable thin-film laser, P (10) 229*d*.
Smirnov, I. A. See Oskotskii, V. S.
Smirnov, M. V., Lyubimtseva, I. Ya., Tsiovkina, L. A., and Krasnov, Yu. N. Phase diagram of the system Li carbonate-Li oxide (5) 113*e*.
Smirnov, V. A. See Popil'skii, R. Ya.
Smirnov, V. A., and Popil'skii, R. Ya. Preparation of sintered ceramics from Sc oxide and some of their thermomechanical properties (1) 26*i*.
Smirnov, V. G., Pavlushkin, N. M., and Sarkisov, P. D. Viscosity of some slag glasses of the system SiO_2-Al_2O_3-CaO-Na_2O (9) 193*b*.
Smirnov, V. I., Eremin, N. I., Kel'kh, V. E., and Sakiya, D. R. Differentiation of the pyrites of the ore deposits in the Altai Mountains with the Laser Microspectral Analyzer LMA I (2) 48*i*.
Smirnova, E. K., and Tsintsius, V. M. Properties of oxybromoniobates of alkali metals (5) 114*d*.
Smirnova, M. M. See Balkevich, V. L.
Smirnova, R. I., and Galakhova, L. A. Possible synthesis of the selenides of Zn, Cd, Hg, and Ag by reaction of the oxides of these metals with Se (5) 113*j*.
Smit, Jan, Babu, Paul D., and Argentina, Giltan M. Li Ti Bi Co ferrites, P (3) 69*b*.
Smith, Alan B. See Worley, J. C.
Smith, Alfred H. See Razzano, John S.
Smith, Allison L. Glass article having roughened enamel surface and method for forming, P (3) 63*f*.
Smith, Bart A., Lass, James L., and Venier, Dominic A. Nuclear fuel assembly with leakage flow control member, P (1) 20*f*.
Smith, Billy E. See Lowry, Robert A., Jr.
Smith, Curtis R. Semiconductor device with positively beveled junctions and process for its mfg., P (10) 228*i*.
Smith, D. H. See Vella-Coleiro, G. P.
Smith, Douglas Stability of Fe-rich pyroxene in the system $CaSiO_3$-$FeSiO_3$-$MgSiO_3$ (8) 186*a*.
Smith, Edwin S., Jr. Semiconductor device with novel lead attachments, P (7) 154*j*.
Smith, Floyd O. See Robinson, Gary E.
Smith, Frank T. J. High-temp. study of native defects in ZnTe (5) 110*c*; High-temp. electrical properties of CdSe—evidence for a native donor (7) 151*h*.
Smith, G. E. Display job calls the shots in contest between GaP and GaAsP (11) 249*e*.
Smith, Gail P. See Beall, George H.
Smith, H. L. See McKinney, K. R.
Smith, Howard J., and Spencer-Strong, George H. Cause and prevention of scumming in TiO_2-opacified porcelain enamels (5) 96*d*.
Smith, Irving N., and Pfeffer, Jack R. Method of producing graded fibrous filter media, P (1) 10*e*.
Smith, J. C. See Dungan, R. H.
Smith, J. M. See Hashimoto, N.
Smith, J. V., and Chatterji, D. EMF investigation of Ga-Ga_2O_3 equilibrium (6) 136*e*.
Smith, James C. See Keig, George A.
Smith, James S. See Chiola, Vincent
Smith, Jean G., and Fitch, Frederick T. UO_2-Y_2O_3-ZrO_2 microspheres, P (2) 47*f*.
Smith, John A. See Dumbaugh, William H., Jr.
Smith, Joseph E., and De Troyer, Georges D. Powder dispenser for a powder-compacting press, P (8) 177*c*; Thickness adjustment mechanism for [cam-driven] press, P (10) 232*c*.
Smith, Lawrence L. See Powell, Howard E.
Smith, Luther W. Method and apparatus for making fused bundles of energy-conducting fibers, P (6) 125*h*.
Smith, M. A., and Gutt, W. Use of colliery shale as raw material and reductant in the cement/sulfuric acid process (11) 242*g*.
Smith, Orville L. See Bettis, Edward S.
Smith, R. H., and Bayliss, P. Interlayer desorption of CSH(I) (4) 78*j*.
Smith, R. H., Bayliss, P., Gamble, B. R., and Mills, R. H. Crystallographic investigation of CSH(I) (2) 32*j*.
Smith, R. W., and Hem, J. D. Effect of aging on Al hydroxide complexes in dilute aqueous solutions (2) 52*i*.
Smith, Robert H., Toujes, Burl D., and Leader, Charles B. Reciprocating sieve shaker apparatus, P (10) 232*b*.
Smith, Roy E. Apparatus for packaging linear material, P (2) 38*e*; Apparatus for and method of processing wet strand-like material, P (6) 125*a*; Apparatus for packaging linear material, P (6) 125*b*.
Smith, S. R. P. See Harley, R. T.
Smith, Samuel J., III Kaolin flotation process, P (10) 234*f*.
Smith, Sidney T., and Winslow, Lester M. Traveling wave tube with heat pipe cooling, P (11) 246*b*.
Smith, Siegfred A. See Huffman, Ralph R.
Smith, Stanley D. See Seeley, John S. ; Wherrett, B. S.
Smith, Wade O., and Toft, Albert R. Process for the production of star tracking reticles, P (2) 39*c*.
Smith, Willis D. See Land, Cecil E.
Smithgall, Harry E. See Say, Donald L.
Smoes, S., Depiere, D., and Drowart, J. Atomization energies of the gaseous molecules SiP, Si_2P, SiP_2, Si_2P_2, SiCP, and Si_2CP (4) 90*j*.
Smoke, Edward J. See Frey, Dennis L.
Smolenskii, G. A. See Petrov, M. P.
Smolin, Yu. I., Shepelev, Yu. F., and Butikova, I. K. Determination of the crystal structure of $Na_3HSiO_4.5H_2O$ (8) 180*c*.
Smolker, Gary S. See Chernick, Leon ; Keister, Frank Z.
Smolyakova, Z. A. See Topil'skii, G. V.
Smolyaninov, N. P., Bochkareva, O. B., Maresich, S. S., and Arbuzova, A. I. Thermal and dilatometric study of the system $Bi_4Ti_3O_{12}$-Bi_2MoO_6 (7) 163*f*.
Smolyaninov, N. P., Morozova, A. P., and Bochkareva, O. B. Thermographic study of the reaction of $Bi_4Ti_3O_{12}$ with V_2O_5 and the trioxides of Mo and W (1) 29*h*.
Smorodina, T. P. See Fedorov, N. F.

Smucker, Clayton A. Production of coated fibers and coating composition, P (3) 64*b*.
Smudski, Paul A. Process for carbonizing fibrous cellulosic material [rayon], P (1) 14*d*.
Smyser, William E., and Speros, Dimitrios M. Discharge lamp thermionic cathode containing emission material, P (4) 81*i*.
Smyth, Joseph R. Simple heating stage for single-crystal diffraction studies up to 1000°C (2) 49*a*.
Snajdr, Edward A. Method of monitoring a neutron flux with a ceramic neutron flux monitor, P (6) 131*j*.
Snegireva, N. N. See Borovkova, L. B.
Snellman, Donald L., and Hudson, Willard G. Glass fiber cable, method of making, and its use in the mfg. of track vehicles, P (6) 125*d*.
Snethorst, Adrianus C. J. M., and Looymans, Wilhelmus P. J. Method of mfg. alpha Sr hydrophosphate, P (3) 73*g*.
Snitzer, Elias Lasers and glass technology (7) 151*j*. See Deeg, Emil W.
Snitzer, Elias, and Graf, Robert E. Laser using phosphate base laser glass, P (8) 170*e*.
Snitzer, Elias, Robinson, Charles C., and Woodcock, Richard F. Nd glass laser having room-temp. output at wavelengths shorter than 1060 nm, P (5) 99*d*.
Snow, Edward H. See Kim, Choong-Ki
Snow, Gary S. Fabrication of transparent electrooptic PLZT ceramics by atm. sintering (3) 67*c*; Improvements in atm sintering of transparent PLZT ceramics (10) 226*e*.
Snow, J. D., and Heuer, A. H. Slip systems in Al_2O_3 (4) 93*f*; Slip systems in Al_2O_3—correction (9) 214*h*.
Snowdon, Robert L. See Martin, Douglas Leonard
Snudo, Joseph W. See Middelhoek, Joris L.
Snulova, Lidia D. See Lyass, Abram M.
Snyder, Christopher L., and Hessinger, Philip S. Ceramic-based substrates for electronic circuits with improved heat-dissipating properties and circuits including the same, P (3) 69*b*.
Snyder, Clyde A. See Colley, Donald G.
Snyder, Herbert C. See De Santis, Urbano J. ; Poole, James P.
Snyder, Thomas P. See Tarnopol, Milton S.
Sobajima, Masaru Device for quenching and cooling a specimen in a high-temp. microscopic viewing system, P (2) 49*a*.
Sobek, Felix Shaft lime kiln, P (5) 96*b*.
Sobel, Alan Image display panel, P (10) 227*f*.
Sobolev, B. P. See Erman, L. Ya.
Sobran, Michael J. See Strauss, Leo
Society of Glass Technology Investigation into the preparation of glass grains for durability testing (5) 98*c*; Limestone for making colorless glasses—revised specification 1971 (5) 98*e*; Mass Transport in Amorphous Solids, B (6) 140*h*; Vitreous Phase in Technical Materials, B (6) 140*j*; Chemical analysis of colorless soda-lime-silica glasses (11) 243*i*.
Soehlbrand, Heinrich Process for producing dense metal oxide coatings on semiconductors, P; Process for producing contact metal layers consisting of Cr or Mo on semiconductor components, P (7) 154*b*.
Sofer, George A., Tulenko, James S., and Tomonto, James R. Fuel assemblies containing UO_2 and PuO_2-UO_2 for water-cooled nuclear reactors, P (10) 231*a*.
Soga, N. See Kunugi, M.
Sohr, H. Fusible and high-fire decoration and the bisque and glost firing of porcelain in rapid-firing kilns (4) 84*e*.
Sokol, V. A. See Shaplygin, I. S.
Sokol, V. A., Rokhlenko, D. A., Kurtseva, L. I., and Bromberg, A. V. Activity of CaF_2 powders during sintering under pressure (7) 159*d*.
Sokol, V. I., Deichman, E. N., and Yartseva, R. D. Crystallooptic and refractometric study of fluoroindates (5) 107*c*.
Sokolov, V. A. See Dubenskii, K. K.
Sokolov, Yu. G. See Sitnikova, A. Ya.
Solacolu, S., Balta, P., Jitianu, G., and Spurcaciu, C. Possible explanations for some properties of the vitreous state (10) 221*c*.
Solbrig, Charles W., Weil, Sanford A., and Rosenberg, Robert B. Radiant gas burner device for heating, P (10) 234*a*.
Soldatkin, M. T., and Edelshtein, L. B. Frost resistance of expanded clay concrete hardening under different conditions (11) 242*i*.
Solin, S. A. See Kabliska, R. J.
Solin, Stuart A., and Ramdas, Anant K. Raman spectrum of diamond (6) 138*e*.
Solomentsev, S. L. See Emel'yanov, V. A.
Solomin, N. V., Shumitskaya, L. F., Kuznetsova, L. K., and Kim, E. I. Effect of SiO_2 on some properties of aluminate and aluminosilicate glasses (7) 144*i*.
Solomko, A. A., and Mykityuk, V. I. Spin waves in YIG with periodic domain structures (8) 186*j*.
Solomko, A. A., Mykityuk, V. I., and Gaidai, Yu. A. Intensity of magnetization and magnetization processes in YIG with platelike domain structure (8) 182*h*.
Solomon, A. A. Influence of impurity particles on the fracture of UO_2 (1) 20*c*; Radiation-induced creep of UO_2 (4) 87*j*.
Solov'ev, L. A. See Belyaev, I. N.
Solov'eva, A. S. See Sil'vestrovich, S. I.
Solov'eva, T. V., Vydrik, G. A., and Moroz, I. Kh. Properties of Al Cs disilicate (1) 26*j*.
Soma, Toshinobu See Morita, Akira
Soma, Toshinobu, and Morita, Akira Perturbation theory of covalent crystals: II, III (10) 238*e*.
Someda, C. G. Simple low-loss joints between single mode optical fibers (11) 245*d*.
Someya, Akira, and Kohmoto, Kohtaro Low-pressure mercury vapor discharge lamp radiating germicidal and erythemal rays in ratio of <1.5, P (5) 99*i*.
Somiya, Shigeyuki See Hirano, Shinichi ; Miyagawa, Saburo ; Saito, Shinroku ; Sugai, Mikio
Sommer, Alfred H. Method of making an electron emitter device, P (5) 102*a*; Electron emissive device incorporating a secondary electron-emitting material of Sb activated with K and Cs, P (11) 250*e*.
Sonodi, Zsuzsanna Firing in the whiteware industry (10) 224*j*.
Son, P. R., and Barteis, R. A. CaO and SrO single crystal elastic constants and their pressure derivatives (5) 106*e*.
Sonder, Edward Temp. dependence of *F*-center production and aggregation in NaCl (8) 187*f*.
Sonntag, B. See Cardona, Manuel ; Haensel, Ruprecht
Sookikian, V. In-house artwork and screen fabrication for prototype thick-film circuitry (1) 16*e*.
Soos, N. A. See Hensler, Donald
Sorochkin, M. A. See Shchurov, A. F.
Soroka, I. Hydration temp., gypsum content of cement, and compressive strength of concrete—tentative conclusions (2) 33*e*.
Sorokin, O. V. See Kovalev, N. N.
Sorokina, O. V. See Karpov, V. N.
Sosulja, Pawel W., and Waechtler, Hans Juergen Use of the MHO-2 high-temp. microscope in the study of the sintering behavior of silicate systems (10) 233*i*.
Sotnikova, M. N. See Spiridonov, F. M.
Souillat, J. C. See Rossat-Mignod, J.
Soulie, Edgar, Drifford, Maurice, and Rigny, Paul EPR of divalent Mn in $ZnAl_2O_4$ (9) 209*h*.
Southwick, Russell D. See Augustsson, Bengt O.
Southworth, Wallace D. See Wilson, Joseph F.
Sowards, Donald M. High-intensity radiant gas burner, P (11) 255*d*.
Sowman, Harold G. Refractory fibers and other articles of ZrO_2 and SiO_2 mixtures, P (4) 84*c*.
Soxman, Edwin J. Treatment of light-emitting films to extend their useful life, P (4) 87*c*.
Soykan, Ferhun H. Circular refractory brick construction, P (9) 197*e*.
Spaeth, Claus, and Wilhelm, Guenter Apparatus for grinding the bottoms of drinking glasses, P (1) 9*b*.
Spaeth, Werner Method for simultaneous production of a plurality of equal semiconductor components with a *pn* junction from a single semiconductor wafer, P (9) 201*i*.
Spain, Ian L., and Woollam, John A. Longitudinal magnetoresistance of graphite $\rho_{zz}(H_z)$ in high magnetic fields (9) 211*h*.
Spangenberg, Stanley F. Preparation of alkaline earth metal titanate, P (7) 154*j*.
Spangler, Earl G. Ceramics produced from spodumene, petalite, and clay, P (1) 15*c*.
Spanoudis, Louis Glass lasers of increased heat dissipation capability made by ion exchange treatment of the laser glass, P (1) 9*g*.
Spargo, John Potters and Potteries of Bennington, B (10) 240*i*.
Sparks, Larry L., Powell, Robert L., and Hall, William J. Reference tables for low-temp. thermocouples (3) 72*i*.
Speakman, K., and Majumdar, A. J. Synthesis and characterization of hydration products of high-MgO portland cements (6) 121*c*.
Spear, Karl E., II See Leitnaker, James M.
Speers, Robert R. Method for forming isolated semiconductor devices, P (3) 69*e*.
Spencer-Strong, George H. Porcelain enamels—a concept in transition (1) 4*c*. See Smith, Howard J.
Spender, M. R. See Coey, J. M. D.
Spendlove, M. J. See Sullivan, P. M.
Spengler, Jack E. How to market table glassware (6) 123*g*.
Speranskaya, E. I. See Safronov, G. M.
Speros, Dimitrios M. See Smyser, William E.
Sperry, L. Louis Tempering glass sheets with liquid flows, P (7) 147*g*.
Spetzler, H., Sammis, C. G., and O'Connell, R. J. Equation of state of NaCl—ultrasonic measurements to 8 kbars and 800°C and static lattice theory (8) 181*c*.
Speyer, Fred B. Method of making investment molds from improved pattern material, P (11) 247*i*.
Spicak, Karel High-temp. torsion testing of ceramics (11) 253*b*.
Spicer, William E. See Powell, Richard J.
Spielberg, David H., and Levesque, Charles J. Method of bonding a ZrO_2 member with another member, P (9) 201*c*.
Spiller, David O. See James, David W. F.
Spinat, Roland R. See Galmiche, Philippe M.
Spincic, Johann See Broemer, Heinz
Spiridonov, F. M., and Komissarova, L. N. System HfO_2-Er_2O_3 (1) 28*e*.
Spiridonov, F. M., Rozdin, I. A., Sotnikova, M. N., Komissarova, L. N., and Plyushchev, V. E. Ga titanates (7) 151*e*.
Spirina, S. D. See Danilova, N. P.
Spitsyn, Boris V. See Dzevitskii, Boris E.
Spooner, D. C., and Pomeroy, C. D. Energy-dissipating processes in the compression of cement paste and concrete (11) 242*a*.
Spooner, S., Lee, J. N., and Moos, H. W. Configuration of moments in $TbPO_4$ (9) 208*c*.
Sprague, Robert W. See Cromwell, Thomas M.
Spriggs, R. M. See Ghate, B. B. ; Penty, R. A.
Springer, T. See Axmann, A.
Springings, Howard C. See McIntyre, Robert J.
Spronck, E. See Behrens, K. J.
Sproul, Merrill F. See Robinson, Charles C.
Sproule, Charles G., Jr., and Wagner, Herbert F., Jr. Ingot mold hot top heat insulation board and method of preparing, P (10) 224*a*.
Sproull, James F., and Rindone, Guy E. Correlation between strength of glass and glassy microphases (3) 61*c*.
Sprung, S. See Locher, F. W.
Sprungmann, K. W. See Ritchie, I. G.
Spurcaciu, C. See Solacolu, S.
Spurck, Richard F. Electrical component package, P (2) 43*d*.
Spurny, Zdenek See Novotny, Josef
Srinath, L. S., and Sarma, A. V. S. S. S. R. Effect of stress-induced optical activity in photoelasticity (1) 24*j*.
Srinivasan, R. See Ramachandran, V.
Srinivasan, T. P., and Lakshmi, G. Internal conical refraction of elastic waves in tetragonal crystals (10) 237*c*.
Srivastava, G. P., Mathur, P. C., and Kumar, Arun Microwave Faraday rotation in artificial dielectrics at room temp. (1) 16*g*.
Srivastava, J. P., and Narayana, P. A. Optical absorption of Ni^{2+}-doped NaF (8) 184*j*.
Srivastava, Jagdish P., and Singh, R. D. Ir lattice vibrational spectrum of CaF_2 (11) 258*b*.
Srivastava, O. N. See Kumar, Jitendra ; Singh, H. P.
Srivastava, Ramakant, and Chase, L. L. Raman spectra of CrO_2 and MoO_2 single crystals (9) 214*h*.
Srivastava, S. K. See Malik, W. U.
Sroczynski, R., Sepichowska, A., Guzek, Z., and Strozecka, K. Quick grain diameter measuring method used in the electroceramics industry (2) 42*g*.
Sroubek, Zdenek Electron tunneling and band structure of $SrTiO_3$ and $KTaO_3$ (8) 181*j*.
St. Pierre, George R. Method and apparatus for SO_2 emission control in [fossil fuel] combustion systems, P (1) 22*j*.
Staaden, Hans See Broemer, Heinz
Staats, P. A. See Kopp, Otto C.
Staats, William R. See Reid, Jack M.
Staatz, M. H. Geology and description of the Th-bearing veins, Lemhi Pass quadrangle, Idaho and Montana (10) 234*e*.
Stacy, Denzil W., and Wilder, D. R. Thermal expansion in the system Y_2O_3-HfO_2 (5) 116*e*.
Stadler, Leo E., and LaDue, A. W. Review shows status of glass composition: I (6) 124*d*.
Stakebake, Jerry L. Storage behavior of Pu metal, alloys, and oxide—a review (1) 20*e*.
Stalego, Charles J. See Trout, Robert G.
Stamenkovic, I. See Vlajic, M.
Stamm, Robert F. Dark trace display device employing uv phosphor plus photochromic resin inside the display screen which generates color by means of triplet-to-triplet absorption, P (10) 227*i*.
Stammers, Kenneth See Case, Derek F.
Stanczyk, M. H. See Sullivan, P. M.
Stander, Cornelius M., and Hughes, David O. Catalysts, P (9) 198*i*; Method of preparing a porous catalyst-containing alkaline earth metal aluminate or titanate body, P (9) 198*j*.
Stanek, Jaroslav See Tydlitat, Vratislav
Stanford, J. L. See Hart, L. W.
Stanford, R. L. See Keitch, J. A.
Stanish, Robert B. Electromechanical transducer process, P (6) 129*c*.
Stankavich, Anthony J. Process of producing an electrical resistor, P (7) 154*b*.
Stanley, Charles C. Microelectronic circuit production, P (7) 154*g*.
Stanley, H. Eugene (Editor) Cooperative Phenomena near Phase Transitions—A Bibliography with Selected Readings, B (6) 140*g*.
Stanley, Marland L., and Reich, Allen D. Method and apparatus for measuring the thermal conductivity and thermoelectric properties of solid materials, P (9) 205*b*.
Stanley, Thomas W. See McKee, Herbert C.
Starbuck, James W. See Pitt, Larry L.
Stark, Jochen See Butt, Yu. M.
Starnes, Peter E. Particle-size analysis, P (10) 233*c*.
Starodubtsev, V. A. See Bershov, L. V.
Staude, W. See Gehring, G. A. ; Gehring, K. A.
Staudhammer, Karl P., and Reineking Vernon H. Alignment and orientation of whiskers and fibers [β-SiC and α-Al_2O_3], P (2) 40*a*.
Staut, Ronald Effects of the lime-silica ratio on the physical properties of MgO-chrome ore compositions (1) 11*j*.
Staut, Ronald, and Judd, George G. Dolomitic refractory, P (2) 40*c*.
Staut, Ronald, and Stein, Joseph L. Production methods for dolomite-magnesite refractory material, P (9) 197*d*.
Steeger, G. Determination of the ratio of concentration of Fe^{2+}/Fe^{3+} in a silicate glass (4) 80*i*.
Steeger, J. Zinsel See Verduch, A. Garcia
Steele, B. R. Glass-fiber-reinforced cement (5) 95*i*.
Steele, Derek See Cheetham, A. K.
Steele, James W. See McCoy, J. C.
Stefanyuk, S. L. See Zelikman, A. N.
Stegantsev, S. A. See Karklit, A. K.
Stegantsev, S. A., and Gushchin, V. Ya. Production and service of tarred dolomite-magnesite refractories at the Enakiev (USSR) metallurgical factory (1) 12*i*.
Steger, R. E. See Beechan, Charles R.
Stehlin, Robert A. Process for fabricating a monolithic circuit with high *Q* capacitor, P (2) 45*g*.
Steigelman, H. Alan Lubricious label-accepting glass surface coating, P (5) 99*j*.
Steiger, Ronald P., and Cater, E. David Preparation and identification of the ZrS phase in the Zr-S system (8) 185*d*.
Steigman, Peter E., Badcock, Frank R., and Lamb, David R. MOSFET with dual dielectric of TiO_2 on SiO_2 to prevent

surface current migration path, P (1) 18*d*.
Steigmeier, E. F., and Auderset, H. Dynamic critical behavior at the structural phase transition in $SrTiO_3$ (9) 209*g*.
Steigmeier, E. F., and Harbeke, Guenther Soft phonon mode and ferroelectricity in GeTe (7) 152*j*.
Stein, Guenther Ferdinand von Steinbeis's Tuebingen academic prize paper on glass fabrication (1825/26) (1) 1*h*.
Stein, H. N. See Baeten, M. H. C. ; McCurdy, K. G.
Stein, Hermann Refractory lining [design] for the floor of metallurgical vessels, P (3) 65*j*.
Stein, Joseph L. See Staut, Ronald
Stein, Karl U. Stack arrangement of semiconductor chips, P (10) 229*f*.
Stein, Leonard Method of providing polycrystalline Si regions in monolithic integrated circuits, P (8) 175*d*.
Steinberg, David R. Cathode-ray storage tube having target with photochromic memory device, P (9) 193*i*.
Steinberg, David R., and Sutton, William T. Stepped supports between glass plate display screen and CRT faceplate, P (8) 170*i*.
Steinbruegge, Kenneth B. See Hopkins, Richard H.
Steine, H. Theo See Eschnauer, Heinz R.
Steiner, Peter See Gappa, Guenther
Steinfink, H. See Iglesias, J. E.
Steinger, Juerg H. See Banse, Karlheinz V. H.
Steingroever, Erich Magnet for use in magnetic thickness gages, P (2) 49*b*.
Steinke, Guenther Relations in the synthesis of glass batch mixes—an unconventional consideration of smelting with sulfate (2) 38*d*.
Steinkuhl, J., Wiechmann, O., and Moldan, K. Calcining of single- and multiple-phase gypsum by the cross-flow process (9) 189*j*.
Steinman, D. K. See Feldkamp, L. A.
Stella, A. See Antoci, S.
Stellwagen, Frank W. See Cielaszyk, Edward F.
Steizmuller, Franz See Winter, Ernst J.
Stepanov, A. I. See Plotnikov, K. A.
Stepanov, Gleb A., Chernyakov, Semen S., and Karchmar, Tsetsiliya A. Glass, P (4) 81*a*.
Stepanov, V. G. See Abdulsabirov, R. Yu.
Stepanova, I. A. See Bron, V. A.
Stepanyan, R. G. See Panaseikin, Yu. V.
Stepanyuk, T. V. See Safronov, G. M.
Stepenkov, E. I., Nikol'skaya, G. F., Luzhnaya, N. P., and Novikova, A. N. Electrical conductivity and thermal electromotive force of melts in the section Tl_2Te_3-Cu_2Te of the system Cu-Tl-Te (1) 25*a*.
Stephanoff, Nicholas N. Drying [fluidized] process for pulverulent material, P (2) 48*a*.
Stephenson, Donald A. Quantitative chemical analysis by X-ray emission spectroscopy, P (3) 72*h*.
Stepin, B. D. See Safonov, V. V.
Sterling, Henley F., and Bush, Eric L. Electrolytic capacitor electrode comprising semiconductor core with film-forming metal coating, P (4) 86*j*.
Sterlyadkina, Z. K. See Zapol'skii, S. V.
Stern, Kurt H. High-temp. properties and decomposition of inorganic salts: III, Nitrates and nitrites (10) 236*c*.
Stetson, Harold W., and Gyurk, Warren J. [Cast] alumina substrates, P (2) 42*a*.
Steube, Kenneth E. See Carpenter, James F.
Steudel, Goetz W. Input transient protection for complementary IGFET integrated circuit device, P (5) 102*f*.
Steuerwald, F., and Corbach, R. Development of the potential of the glass electrode (4) 80*f*.
Stevanovic, M. See Katanic-Popovic, J.
Stevels, J. M. See Baeten, M. H. C. ; Trap, H. J. L.
Stevens, Charles E. Method for mfg. masks to be used for ornamenting glass articles in an abrasive blasting process, P (2) 39*d*.
Stevens, Kenneth W. H. See Bates, Colin A.
Stevens, R. Temp. dependence of fracture effects in self-bonded SiC (2) 55*e*.
Stevens, W. E. See Pittman, Forrest
Stevenson, D. A. See Callister, W. D.
Stevenson, Norman A. Brazing method for carbide-tipped saw blades, P (9) 189*f*.
Steward, G. J. See Allenson, M. B.
Stewart, D. R. See Weaver, E. A.
Steyskal, H., Sr. Adhesion failures of thin metallic films on ferrite substrates (11) 248*j*.
Stibbs, Donald, Brown, Clifford G., and Thompson, Raymond Cold-pressed [B-C] compositions, P (11) 247*g*.
Stickley, C. M. See Hordvik, A.
Stickney, William A., Hunter, Willard L., Eiger, Gerald W., and Rhoads, Stanley C. Mfg. of synthetic rutile, P (9) 207*e*.
Stiftung, Carl Zeiss Glass, P (7) 146*i*; Glass-ceramic materials, P (8) 169*j*.
Stiglich, J. J., Jr., Cohen, J. B., and Whitmore, D. H. Interdiffusion in CoO-NiO solid solutions (4) 92*c*.
Stiglich, J. J., Jr., Whitmore, D. H., and Cohen, J. B. Defect structure of NiO-CoO solid solutions (5) 107*i*.
Stiles, Alvin B. ZrO_2-SiO_2-promoted Co oxide catalyst, P (11) 256*g*.
Stilley, George W., Wagner, William E., and Kelly, Joseph D. Method of press shaping glass sheets, P (5) 99*c*.
Stinebring, Russell C. Nondestructive testing of high temp. coatings (1) 4*i*.
Stingelin, Valentin Installation for making sheet [float] glass, P (11) 245*d*.
St-Jacques, R. G., and Angers, R. Creep of CaO-stabilized ZrO_2 (1) 24*b*.
St-Jacques, R. G., and Chaklader, A. C. D. Creep and shrinkage of compacts of colloidal boehmite during dehydroxylation (7) 159*e*.
Stobiecki, T., and Paja, A. Angular dependence of magnetoresistance in thin Ni-Fe films (4) 90*i*.
Stocker, R. L., and Ashby, M. E. Empirical constants in the Dorn equation (9) 210*b*.
Stoeckler, H. A. See Erneta, M.
Stofko, E. J. See Yim, W. M.
Stoicovici, Eugen, and Serdean, Ana Data concerning mineralogy and structure of SiC (7) 148*d*.
Stokes, R. J. See Anderson, R. H.
Stokowski, Stan E. See Ensign, T. C.
Stolen, R. H., and Ippen, E. P. Raman gain in glass [fused SiO_2] optical wave guides (10) 221*i*.
Stolen, R. H., Krause, J. T., and Kurkjian, C. R. Raman scattering and far ir absorption in neutron compacted silica (2) 38*a*.
Stolen, Rogers H. See Ippen, Erich P.
Stoljarowa, E. A. See Potschtowik, G. Ja.
Stolyarov, M. I. See Sil'vestrovich, S. I.
Stone, F. S. See Egerton, T. A.
Stone, Henry A., III See Gambale, James R.
Stone, Irving C. See Triggiani, Leonard V.
Stone, Louis E., and Romano, Roberto Sliding furnace boat apparatus, P (11) 251*b*.
Stonefelt, Ronald D. See Hatcher, Arthur L., Jr.
Stoneham, A. M., Mueller, K. A., and Berlinger, W. Temp. dependence of the linewidth of Fe group ions in MgO (9) 215*b*.
Stonehouse, D. Construction materials (8) 165*i*.
Stork, Fritz Method of producing a semiconductor or thick-film device, P (3) 69*h*.
Storm, W. See Fratzscher, R.
Stotler, David V. Strand guide apparatus, P (10) 223*a*.
Stott, Ronald A. Nonrectifying composite contact for semiconductor devices, P (5) 102*e*.
Stoudenheimer, Richard G., and Dourte, Rodger P. Photocathode comprising layers of Sn oxide, Sb oxide, and Sb, P (2) 45*b*.
Stout, Gilbert T. See Krause, Walter J.
Stradley, Norman H., and Dunegan, Harry C. Refractory articles and method of mfg., P (6) 128*c*.
Strand, E. E. High-temp. gas-fired radiant heater, P (7) 158*a*.
Strandberg, Robert C. See Neitzel, Joseph C.
Strange, John P., Freilino, Ray S., and McConnaughey, Paul W. Determination of crystalline SiO_2 and other material dusts in air, P (9) 205*g*.
Strasser, J., McCambridge, T. H., Schnettler, F. J., and Monforte, F. F. Feasibility study—freeze-dried ceramics (9) 203*g*.
Stratton, Thomas F. See Erickson, George F.
Straub, W. D. See Gupta, T. K.
Straube, Dieter Use of a thyristor rectifier with regulating device for continuously changing the extrusion rate of an extruder (10) 231*h*.
Straubel, H. See Boehme, G.
Strauch, D. See Dick, B. Gale
Strauss, Alan J. See Dimmock, John O.
Strauss, Alan J., and Brebrick, Robert F. Vapor-crystal equilibrium and electrical properties of HgTe (5) 116*d*.
Strauss, K. Special exhibition of archaeological finds from the old town of Oslo (4) 78*d*.
Strauss, Leo, and Sobran, Michael J. Apparatus for pickup and transfer of containers from lehr conveyor to cross conveyor, P (7) 146*i*.
Stream, Ralph M. Apparatus for making continuous glass fibers, P (2) 38*e*.
Streever, Ralph L., Aucoin, T. R., and Caplan, P. J. NMR studies of ^{55}Mn in the Mn-substituted hexagonal ferrite $Ba_2Zn_{2-x}Fe_{12-y}Mn_{x+y}O_{22}$ (5) 112*e*.
Strehlow, W. H., and Cook, E. L. Compilation of energy band gaps in elemental and binary compound semiconductors and insulators (11) 249*c*.
Strehlow, Wolfgang Epitaxial film process and products thereof, P (1) 17*g*.
Streiff, R., and Smeltzer, W. W. Preparation and structure of ZrN spheres (10) 230*f*.
Streit, P. See Busch, Georg ; Kaldis, Emmanuel
Strelko, V. V. Mechanism of polymerization of silicic acids (11) 258*i*.
Stricher, G. See Bassoul, P.
Strickland, Edward T., and Amos, Homer C. Method and apparatus for providing controlled quench in the mfg. of fiber glass, P (2) 38*j*.
Strickler, Alfred A. See Law, John M.
Strimaitis, R. Silkscreening method using high-temp. colors (2) 41*e*.
Stringfellow, M. W. See Evans, M. T.
Strobert, Samuel S. Continuous sphering apparatus, P (10) 232*a*.
Stroemme, K. O. Mechanism of the continuous transformation in Na nitrate (4) 92*i*.
Stroempl, P. See Ahlquist, C. N.
Strohl, Ronald I. See Egan, James J.
Strozecka, K. See Sroczynski, R.
Strukov, B. A., Skomorokhova, T. L., Koptsik, V. A., Bolko, A. A., and Izrailenko, A. N. Thermal properties of ammonium fluoroberyllate crystals in a wide temp. range (8) 187*j*.
Strusievici, Constantin See Lukacs, Ileana
Stryczek, Stanislaw See Raczkowski, Jozef
Stryker, L. J. See Baker, F. S.
Stuart, Gerald L. Method and apparatus for forming tyne layers in automatic brick-stacking systems, P (8) 171*c*. **See** Paschal, Forrest A.
Stuart, Gerald L., and Brown, John J., Jr. Brick stopping and grouping apparatus, P (8) 171*b*.
Stuart, James L. See Woodham, George W.
Stuart, John R. See Flank, William H.
Stuart, William R. See McRae, Russell C.
Stubican, V. S. See Whitney, W. P., II
Stuetz, Dagobert E. See Gump, Klaus H.
Stuijts, A. L. See Jonker, G. H.
Stulz, L. W. See Kaminow, I. P.
Sturge, Derek W. J. See Voice, Eric H.
Sturge, M. D., Blank, S. L., and Wolfe, R. Site preferences for Nd^{3+} in YAG films grown by LPE (liquid phase epitaxy) (1) 27*a*.
Sturgis, David H. See Ardary, Zane L.
Sturm, Bernard J., Quincy, Roger B., Jr., and Butler, Charles T. Process for preparing calcined oxides, P (5) 100*i*.
Sturman, V. K. See Balkevich, V. L.
Stuss, Wieslaw See Pampuch, Roman
Stuve, J. M. See Ferrante, M. J.
Stverak, Jan See Zluticky, Jiri
Styrkas, A. D. Kinetics of the formation of InSb in thin films (4) 85*i*.
Subbarao, E. C. See Dwivedi, G. L. ; Prasad, V. C. S.
Subhan, M. A., Islam, M. N., and Wooda, J. Electrical properties and growth conditions of CdS crystals (3) 74*d*.
Subramanian, K. S., Radhakrishnan, T. P., and Sundaram, A. K. Thermal decomposition kinetics of $NaHCO_3$ by DTA (7) 163*c*.
Suchow, L., and Kokta, M. Magnetic properties of Nd-small rare earth-Ga garnets with rare earth ions on two crystallographic sites (4) 92*f*; Pr-small rare earth-Ga garnets with rare earths on two crystallographic sites (4) 92*h*.
Suchow, L., and Mondegarian, R. Confirmation by structure factor calculations of the filling by rare earth of two crystallographic sites of the garnet structure (9) 208*c*.
Sudakas, L. G., and Sinichkina, L. M. Regulation of setting and hardening times of phosphate binders (6) 121*a*.
Sudarshan, E. See Pantulu, P. V.
Sudoh, G. See Asahara, N.
Sudomoikin, I. A. See Sitnikova, A. Ya.
Suellhoefer, H. Thermal insulating elements, P (8) 172*f*.
Suemune, Yasutaka Flux-pulling crystallization of hexagonal ferrites with heterogeneous seeds (9) 199*c*.
Suemune, Yasutaka, and Imamura, Yoshihiro Joining of ferrite-titanate ceramics by hot-pressing (3) 67*d*.
Suemune, Yasutaka, Imamura, Yoshihiro, and Takeda, Akitsu Hot-pressed Ni-Zn ferrites for magnetic heads (3) 67*h*.
Suenaga, Masanobu, Machii, Tetsuo, and Sugioka, Syuji Semiconductor switching device, P (8) 175*f*.
Suero, Tomas Geology of Buenos Aires Province (7) 158*h*.
Suessmuth, K. Automatic sampler (7) 156*j*.
Suetaka, Wataru See Morito, Nobuyuki
Suetake, Kunihiro, and Naito, Yoshiyuki Extremely thin wave-absorptive wall, P (9) 200*e*.
Suga, Koji See Itoh, Tsutomu
Sugai, Mikio, Naito, Ryuichi, Hirano, Shinichi, and Somiya, Shigeyuki Decomposition of zircon sand by TiO_2 at 1450°–1600° C (3) 65*d*.
Sugai, Tokuko, and Wada, Masanobu Crystal growth and dielectric properties of $K_{1.5}Bi_{1.0}Nb_{5.1}O_{15}$ (8) 180*f*.
Sugaike, Suezo, Watanabe, Masayuki, and Kubo, Tomitaro Inorganic refractory liquid composition, P (9) 197*a*.
Sugaike, Suezo, Watanabe, Masayuki, and Tanabe, Shouzou Uninflammable structural materials, P (8) 173*f*.
Sugano, Keiichi, and Yuge, Yooji Halogen lamps containing methyl bromide or methylene chloride, P (6) 125*e*.
Suggitt, Robert M., Estes, John H., and Kravitz, Stanley Fluorided composite alumina catalysts, P (1) 23*e*; Fluorided composite alumina catalysts, P (6) 134*f*.
Sugi, Michio See Iizima, Sigeru ; Kikuchi, Makoto ; Tanaka, Kazunobu
Sugi, Michio, Okada, Yasumasa, Iizima, Sigeru, Kikuchi, Makoto, and Tanaka, Kazunobu Evidence for thermal pinching effect in chalcogenide amorphous semiconductors (7) 151*h*.
Sugihara, Kanji See Wakabayashi, Takashi
Sugii, Kiyomasa See Iwasaki, Hiroshi
Sugii, Kiyomasa, Miyazawa, Shintaro, and Iwasaki, Hiroshi Growth of single crystals in PbO-GeO_2 binary system (3) 67*g*.
Sugimoto, Eiji IGFET having gate protection diode, P (11) 250*i*.
Sugioka, Syuji See Suenaga, Masanobu
Sugita, Kiyoshi See Ohba, Hiroshi
Sugita, Kiyoshi, and Nomura, Takateru Blockage mechanism in tundish nozzles for continuous casting (1) 11*c*.
Sugita, Tadaaki, and Pask, Joseph A. Changes of preferred orientation in hot-pressed Al_2O_3 during creep (8) 179*h*.
Sukami, Albert, Sabbah, Benjamin, Inbar, Dan, Yarom, Artzi, and Ben-Zeev, Dan Phototubes for scintillation detector, P (2) 39*a*.
Sujak, B., and Biedrzycki, K. Emission of light by surface microplasma of ceramic (Ba,Pb)TiO_3 near the Curie temp. (8) 181*j*; Emission of light by surface microplasma of ceramic (Ba,Pb)TiO_3 near the Curie temp. (10) 235*f*.
Sukhanov, Nikolai M. See Krikorov, Vadim S.
Sukharevskii, B. Ya. See Aksel'rod, E. A.
Sukhodaev, Boris A. See Krikorov, Vadim S.
Sukes, Juris, and McKimm, Robert W. Alumina ceramic lamp having heat-reflecting shields surrounding its electrodes, P (7) 152*j*.
Suleimenov, A. T., Butt, Yu. M., Timashev, V. V., and Ramankulov, M. R. Conditions of manufacture and properties of

B-containing cements (1) 2*h*; Investigation of catalytic influence of barite and celestine during preparation of portland cement clinker (1) 3*f*.

Suleimenov, S. T. See Verner, V. F.

Sulimenko, L. M. See Barbashov, G. K.

Sullivan, D. A. See Whittemore, O. J., Jr.

Sullivan, G. V. See Eddy, W. H. ; Liles, K. J.

Sullivan, J. D., and Nelson, F. W. Stainless steel requires special enameling procedures (4) 80*b*.

Sullivan, Joseph M. See Cochran, Thomas J.

Sullivan, P. M., Stanczyk, M. H., and Spendlove, M. J. Resource recovery from raw urban refuse (10) 231*g*.

Sultanov, G. D. See Kizhaev, S. A.

Sultanova, T. N. See Pletyushkin, A. A.

Sumi, Kiyoshi, and Asakura, Osamu Humidity sensors comprising alkali metal oxide, V_2O_5, and Si, P (7) 157*d*.

Sumi, Kiyoshi, and Sunano, Naomasa Semiconductor element for detecting gases and meter for measuring component concentration of a gas mixture, P (2) 45*e*.

Sumitomo, Yasusuke See Muraoka, Hisashi

Sumiyoshi, Yoshihiro See Ushio, Masumi

Sumner, D. H. See Oden, Laurance L.

Sunahara, Hiroshi See Ishizuka, Toshio

Sunano, Naomasa See Sumi, Kiyoshi

Sundaram, A. K. See Subramanian, K. S.

Sunder, W. A. See Burbank, R. D.

Sunderland, Stephen, and Whittam, Thomas V. Preparation of crystalline synthetic zeolites, P (3) 73*d*.

Sundermann, Erich, and Viedt, Johanna Method of mfg. ceramic foam bodies, P (10) 223*f*.

Sundstrom, Roy N. See Bustraan, Daniel J.

Sunshine, Richard A. Gate protective device for IGFETs, P (8) 174*i*.

Sunstein, David E. CRT and system to eliminate electrical discharges during indexing, P (7) 153*c*.

Sunta, C. M. Thermoluminescence spectrum of γ-irradiated natural CaF_2 (11) 259*f*.

Supp, A., and Auerbach, H. Continuous measurement of the fineness of material discharged from tube grinding mills (7) 156*j*.

Suptel, Alexandr M. See Pokhodnya, Igor K.

Surdeanu, Liana See Schuster, Uwe

Surdeanu, Tudor Influence of calcined alumina on formation and properties of a superalumina porcelain (2) 41*i*.

Suriano, Jose M. See Angelelli, Victorio

Surkov, M. E., Kharitonov, F. Ya., Masleunikova, G. N., and Gordon, V. G. Ceramics based on Zr and Dy compounds (2) 51*g*.

Surkova, I. A. See Balkevich, V. L.

Surls, Joseph P. See Basque, Max G.

Surls, Joseph P., Bauer, David L., and West, Ben F. Process for the preparation of rutile TiO_2 needles, P (3) 73*f*.

Surov, V. N. See Semenenko, K. N.

Suryanarayanan, R. See Ferre, J. ; Paparoditis, C.

Suryanarayanan, R., Paparoditis, C., Ferre, J., and Briat, Bernard Preparation, optical, and magnetooptical properties of Yb chalcogenide [Se,Te] thin films (8) 185*d*.

Susarev, M. P. See Vasil'kova, I. V.

Suslova, I. A., Timoshenko, I. V., and Chernina, L. L. New method of obtaining white Bakor (2) 40*e*.

Sussmann, Erhard Device for the precipitation of layers of semiconductor material, P (9) 200*b*.

Sutherland, David C. See Buckman, William G.

Sutherland, Glenn E. See Eddy, David S.

Sutherland, R. R., Williamson, J. P. A., and Collins, R. A. Electroforming and conduction in thin amorphous sulfide films (3) 66*j*.

Suttoo, William T. See Steinberg, David R.

Suvorov, A. V. See Krzhizhanovskaya, E. K.

Suvorov, A. V., and Shubaev, V. L. Determination of the standard heat of formation of the compound $AlCl_3 \cdot POCl_3$ (1) 24*f*; Thermodynamic study of the compound $AlCl_3 \cdot POCl_3$ (5) 116*f*.

Suvorov, S. A., Klyucharov, Ya. V., and Kozlova, O. B. Distribution of MgO in the system $MgO\text{-}Al_2O_3\text{-}ZrO_2$ (7) 160*e*.

Suvorova, N. V. See Dem'yanets, L. N.

Suwa, Yoshiko, and Naka, Shigeharu Ir spectra of synthetic silicate garnets (5) 111*c*.

Suzdalev, I. P. See Vinogradov, I. A.

Suzuki, Akio See Oku, Tsurumi

Suzuki, Clarence K. Method for making uniform single-crystal [GaAs] semiconductors epitaxially, P (5) 102*b*; Semiconductor wafer cleaning, P (8) 175*g*. See Fa, Charles H.

Suzuki, Gen, Kira, Kimihiro, and Kobayashi, Hiroshi Plugging of sintered glass diaphragms by distilled water (3) 62*i*.

Suzuki, Hideji See Suzuki, Takayoshi

Suzuki, K. Observation of diffracted light from domain wall in $Gd_2(MoO_4)_3$ (9) 213*c*.

Suzuki, Masakuni, Minato, Osamu, Takahashi, Takakazu, and Ito, Seiichi Reply to "Comments on 'Endotherm in switch-on process in semiconducting glasses'," (5) 97*e*.

Suzuki, Masakuni, Takahashi, Takakazu, Minato, Osamu, and Ito, Seiichi Endotherm in switch-on process in semiconducting glasses (3) 61*d*.

Suzuki, Mikio Compression filter press provided with expansible and contractable connecting tubes in slurry passages, P (8) 177*c*.

Suzuki, Motokazu See Ihara, Seiichi

Suzuki, Norio See Tanaka, Kazunobu

Suzuki, Norio, Takiguchi, Yoshimi, and Kobashi, Tadao Electrically luminescent device, P (10) 227*f*.

Suzuki, S. See Harada, S.

Suzuki, Suguru See Kobayashi, Taneo

Suzuki, T. Process of mfg. hollow molded articles having heat-resistant material as a core, P (10) 224*e*.

Suzuki, Takao See Sasaki, Hirotaro

Suzuki, Takayoshi, and Suzuki, Hideji Effect of dislocations on the thermal conductivity of LiF (5) 108*c*.

Suzuki, Yuji See Nakagawa, Masayoshi

Svec, J. J. Going the panel way (1) 10*j*; Modern masonry systems around the world (1) 11*a*; Spraying Italian hollow ware automatically (2) 34*f*; We porcelain enamel anything! (2) 34*g*; Automation aids table glass production (2) 35*e*; Triple gob increases production 40%; Triple gob machine sparks production (2) 38*j*; Combining job work with efficiency (2) 41*c*; RCA consolidates electronic ceramic operations (2) 42*h*; Ceramic production to increase 16-30% (2) 56*g*; Caloric doubles range production (3) 60*e*; Diamonite growth keyed to market (3) 66*d*; Twenty-nine reasons for building with bricks (4) 82*g*; Amcor enamels freezers to solar heaters; Superior properties guarantee porcelain enamel success (7) 143*g*; Dry electrostatic deposition—a porcelain enameling process?; Whipping a blister problem; Long experience clicks in modern enameling (7) 143*h*; Porcelain enameling to grow at faster pace; Porcelain enamel European style; Porcelain enamel 16,000 sq. ft. per day (7) 143*i*; Automated batch plant improves glass quality (7) 144*a*; Brockway Pomona plant works at capacity (7) 144*c*; New Madera plant makes large containers double gob (7) 145*f*; PPG floats sheet of glass 1/4 mile long! (7) 145*h*; Better refractories solve fast firing problems (7) 148*b*; Acre [Israel] ceramics advanced in processing tile (7) 149*h*; Faience tile for specialties market; Automatic glazing—15 kV post insulators (7) 149*i*; Harsa [Israel] keeps tile and sanitary ware ultramodern; Casts one piece per 45 seconds (7) 149*j*; Tile by the million feet (7) 150*a*; Naaman expands in whiteware products (7) 150*c*; Solution to mass feeding—disposable china (7) 150*d*; Systems production is key to whiteware change (7) 150*e*; Ampex works ferrite triple play (7) 150*h*; BeO makes its mark in electronics (7) 150*i*; Cofiring cuts multilayer substrates cost (7) 150*j*; Substrates by the millions at Delco; Tadiran perfects electronic components (7) 152*f*; Sealing ceramic packages a furnace function (7) 152*j*; Pyrolytic graphite adds new dimensions to industry (7) 158*h*; Scholtes a leader in French porcelain enamel industry (8) 166*j*; New way and old—Boussois glass makes it all (8) 168*j*; Si_3N_4 a hard, high temp. ceramic (8) 171*f*; Haviland modernizes a tradition (8) 172*h*; Ferrite production at full capacity; French firm produces over billion electronic devices (8) 173*f*; Bernardaud expanding and modernizing (8) 173*h*; Rosieres [France] operates two plants full capacity (11) 243*e*; Selling quality with porcelain enamel (11) 243*f*; Bottles from the biggest to the smallest (11) 243*h*; Double float glass line produces 300 million sq. ft. (11) 243*j*; Large units and hard sell are essential to brick sales (11) 246*h*; Triple play in automation at Oxford Tile (11) 248*f*; National Beryllia's new plant performs double duty (11) 249*f*; 50% increase in bauxite capacity (11) 256*a*.

Svec, J. J., and Allen, Alfred C. Faster firing spells dollars to enamelers (7) 143*h*.

Svec, J. J., and Jeffers, P. E. (Editors) Modern Masonry Panel Construction Systems, B (6) 140*i*.

Svec, J. J., and Schleyer, Maureen Only the beginning—Haeger's century of progress (7) 150*c*.

Svejda, Zdenek Method of producing V compounds by alkaline leaching, P (5) 105*j*.

Sviderskii, M. F. See Galkin, N. P.

Sviridova, Remma N. See Ermolenko, Igor N.

Svirskaya, Ya. L. See Kryzhanovskaya, I. A.

Svoboda, P. See Demel, O.

Svyatlyak, K. See Vol'ski, V.

Swabb, Edward A., and Gates, Bruce C. Diffusion, reaction, and fouling in H-mordenite crystallites—the catalytic dehydration of methanol (2) 52*h*.

Swain, William H. Method of making electret transducers, P (11) 250*a*.

Swalin, Richard A. Thermodynamics of Solids, B (5) 118*h*. See Elo, R. B. ; Murarka, S. P.

Swamy, R., and Tantry, B. A. P. Effect of an intense magnetic field on the diffusion of minority carriers in semiconductors (1) 15*i*.

Swamy, R. N., and Rao, C. V. S. Kameswara Fracture mechanism in concrete systems under uniaxial loading (11) 242*d*.

Swann, Richard C. G., and Penton, Jack I. Production of Si insulated-gate and ion-implanted FET, P (11) 251*d*.

Swanson, Howard E., McMurdie, Howard F., Morris, Marlene C., Evans, Eloise H., and Paretzkin, Boris Standard X-ray diffraction powder patterns (4) 89*d*.

Swanson, John G. Electronic components having improved ionic stability, P (4) 86*j*.

Swanson, R. W. Geology and phosphate deposits of the Permian rocks in central western Montana (10) 234*f*.

Sweeney, John W. See Johnson, Robert C.

Sweitzer, Stanley E. Coating apparatus including conveyor mask, P (9) 200*j*.

Swenson, E. G. See Duncan, M. A. G.

Swenson, Henry F. Apparatus and method for forming relief portions in the periphery of a grinding wheel, P (4) 77*d*.

Swets, Don E. See Albers, Walter A., Jr.

Swillinger, Francis L. Apparatus for producing float glass, P (10) 222*c*.

Swink, Larry N. See Parker, Sidney G.

Swisher, J. H., and Read, M. H. Thermodynamic properties and electrical conductivity of Ta_3N_5 and TaON (7) 163*g*.

Swithenby, S. J. See Cooke, Arthur H.

Sychev, M. M. Theory of bonding materials (6) 121*e*. See Korneev, V. I.

Sycheva, L. I. See Balashov, V. A.

Sycheva, N. A. See Loshkarev, B. A.

Syers, J. K. See Dolcater, D. L.

Sylvest, Karl J. Treatment of cement raw materials, P (3) 60*e*; Apparatus and method for drying or preheating pulverulent material, P (6) 134*a*.

Syms, C. H. A. See Allenson, M. B.

Syono, Yasuhiko, Akimoto, Syuniti, and Endoh, Yasuo High-pressure synthesis of ilmenite and perovskite-type $MnVO_3$ and their magnetic properties (5) 110*i*.

Sysoev, E. P. See Poluboyarinov, D. N.

Sysoev, E. P., Lukin, E. S., and Poluboyarinov, D. N. Rupture strength of a dense oxide ceramic (1) 27*i*; Creep and prolonged strength of oxide ceramics (9) 208*f*.

Szafran, Z., Habiniak, S., and Kosiukiewicz, Z. Influence of lignite fly ashes on the strength of mortars (2) 33*h*.

Szatmari, Franz Method and device for continuous preparation of granular material such as foundry sand, P (5) 104*b*.

Szatura, Laszlo Testing the ovality of rotary kilns in the cement industry by the Shelltest equipment (10) 219*a*.

Szczyrbowski, J. See Jachimowski, M.

Szepesi, Zoltan P. J. Storage amplifier screen, P (5) 103*c*.

Szilagyi, Laszlone Determination of nonfibrous substance in mineral wool (1) 6*g*.

Szklarz, Eugene G. See Giorgi, Angelo L.

Szkudlapski, Alfons H. See Rackus, John J.

Szumachowski, Edwin R. See De Long, William T.

Szupillo, Raymond E. Thin films of alpha Fe_2O_3 and method of forming, P (3) 70*h*; Cr film microcircuit mask, P (5) 101*j*.

Szymanski, Jerzy See Sakwa, Waclaw

Szymaszek, J. W. See Borom, M. P.

Szymura, S. Use of wedge-shaped single crystals in measuring the thickness dependence of the domain width in ferromagnets (2) 43*d*; Influence of sample thickness and crystallographic orientation on the simple Landau-Lifshitz domain structure in FeSi (5) 110*i*.

Tabata, Norikazu See Nomaguchi, Tamotsu

Tabor, W. J. See Rosencwaig, A. ; Vella-Coleiro, G. P.

Tabuchi, Takeshi See Niwa, Shohei

Tachikawa, Takafusa See Urano, Teruo

Tada, Kunio, Murai, Toru, Aoki, Masaharu, Muto, Katsutoshi, and Awazu, Kenzo Electrooptic light-beam deflection with $Sr_{0.75}Ba_{0.25}Nb_2O_6$ prism (7) 151*c*.

Tada, Minoru See Hirano, Shinichi

Tada, Satoshi See Sakurai, Tooshi

Taganov, I. N. See Nikushin, E. G.

Tagawa, H. Equilibrium N pressures and thermodynamic properties of U_2N_3 (10) 230*f*.

Tagawa, Hiroaki, and Fujii, Kiyohisa Formation of U_2C_3 in the reaction of UC_2 with UO_2 (1) 19*j*.

Taguchi, Akira See Mizukusa, Shin ; Nakashima, Kunisuke

Taguchi, N. Gas-detecting element and method of mfg., P (10) 233*b*.

Taguchi, Tsunemasa, Shirafuji, Junji, and Inuishi, Yoshio Effect of electron irradiation on edge emission spectra in CdTe (7) 150*i*.

Taik, Shim Moon See Jin, Jung Hyung

Tait, William C. See Campbell, Donald A.

Tait, William C., Campbell, Donald A., Packard, James R., and Dierssen, Gunther H. Platelet semiconductive laser, P (10) 228*j*.

Tak, Marinus G. A., and Van Klinken, Otto J. Method of mfg. a luminescent silicate activated by bivalent Eu, P (6) 130*e*.

Takada, Toshio See Bando, Yoshichika ; Iwase, Keizo ; Nagasawa, Koichi ; Shinjo, Teruya ; Yamamoto, Naoichi

Takagi, H. OH groups in allophane (4) 92*d*.

Takagi, Hiroyuki See Tsuchiya, Yoshimi

Takahama, Teizo See Yabe, Masaya

Takahashi, K. See Toda, K.

Takahashi, Katsuaki See Goto, Yasumasa

Takahashi, Katsuaki, and Goto, Yasumasa Solubility of S in a Cd borate glass and some properties of the S-containing glasses (2) 38*g*.

Takahashi, Katsuhiro See Fukuda, Masataro

Takahashi, Katsumasa See Sakai, Yoshio

Takahashi, Koichiro See Shirasaki, Shinichi

Takahashi, Masao See Kimura, Masakazu ; Nanamatsu, Satoshi ; Takahashi, Sadayuki ; Tsubouchi, Norio

Takahashi, Nagashige, and Ooochi, Terno Flexible protecting sheath of an elongated flexible optical fiber bundle, P (1) 9*d*.

Takahashi, Osamu, and Okubo, Masuta Measures for prolonging life of 50-ton converter body (7) 148*j*.

Takahashi, Sadayuki, and Takahashi, Masao Effects of impurities on the mechanical quality factor of Pb zirconate titanate ceramics (3) 66*h*.

Takahashi, Sadayuki, and Tsubouchi, Norio Method of improving the piezoelectric properties of ceramics, P (6) 130*b*.

Takahashi, Shiro, and Ichinose, Masataka Method and apparatus for forming continuous sheets of glass, P (10) 222*c*.

Takahashi, Shoichi See Niwa, Shohei

Takahashi, Susumu See Migitaka, Masatoshi

Takahashi, T., Minematsu, K., and Miyatani, K. Single-crystal growth and some properties of $HgCr_{2-x}In_xSe_4$ solid solutions (5) 114*c*.

Takahashi, T., Osaka, S., and Yamada, O. Crystallographic and optical properties of $RCrS_3$ [R = Y, Gd, Dy, Ho, Er] (11) 257*d*.

Takahashi, Tadaaki See Shimada, Noburo

Takahashi, Tadashi See Saito, Kazuyuki

Takahashi, Takakazu See Suzuki, Masakuni

Takahashi, Takashi See Ichinose, Noboru

Takahashi, Takehiko, and Yamamoto, Osamu Solid-state ionics—mixed ionic and electronic conduction in Ag_2Se-Ag_3PO_4 solid solutions (9) 214*h*.

Takahashi, Tatsuo See Sata, Toshiyuki

Takahashi, Yoichi See Murabayashi, Masayuki

Takahashi, Yoichi, Murabayashi, Masayuki, Akimoto, Yumi, and Mukaibo, Takashi UN—heat capacity and thermal conductivity from 298°–1000°K (1) 20*a*.

Takaishi, T. Adsorption of krypton on alkali halide crystals: I, Theory (2) 50*i*.

Takamori, Takeshi, and Akasuma, Masanobu Joined body of pyrolytic graphite and metallic members, P (5) 100*f*.

Takamoto, Eiichi See Nakayama, Satoshi

Takano, Shuzo, Ohta, Shonosuke, and Kawamura, Hajime Radio-frequency helicon resonance in Te-doped Bi (6) 138*e*.

Takao, Nobuyuki See Fujita, Toshihito

Takase, Shinji, and Shiori, Tomonori Method of halogenating crystalline aluminosilicate, P (2) 50*a*.

Takashio, Haruo Translucent Al_2O_3-to-Nb metal seals by solder glass in the system CaO-Al_2O_3-SiO_2-MgO (8) 169*e*. See Kishi, Toru

Takats, Tibor, and Udvardi, Miklos Determination of calcite and dolomite content of clays (2) 48*g*.

Takatsu, Masabu, and Watanabe, Yoshio Residual stresses in tempered glasses (9) 193*a*.

Takayanagi, Kenjiro, Matsuyama, Kihachiro, Fujiwara, Tadashi, Mizuno, Hideaki, and Akiyama, Naoki Electron-scattering-prevention film and method of mfg., P (1) 17*f*.

Takeda, Akitsu See Suemune, Yasutaka

Takeda, Tadashi See Morita, Akira

Takeda, Takayoshi, and Watanabe, Hiroshi Magnetic properties of the system $SrCo_{1-x}Fe_xO_{3-y}$ (10) 237*h*.

Takeda, Takayoshi, Yamaguchi, Yasuo, and Watanabe, Hiroshi Magnetic structure of $SrCoO_{2.5}$ (10) 237*h*; Magnetic structure of $SrFeO_3$ (10) 237*i*.

Takeda, Yutaka See Hirao, Motohisa

Takei, W. J. See Wu, S. Y.

Takemoto, Susumo See Kurosawa, Kou ; Watanabe, Yoshiyuki

Takenaka, Seisuke See Yamanouchi, Akira

Takeno, Syozo See Yasuda, Nobuaki

Takeuchi, Nozomu See Inabe, Katsuyuki

Takeuchi, Osamu See Degawa, Jiro

Takeuchi, Tomoyuki Load-elongation curves and creep curves of pure single crystals (6) 137*a*.

Takeuchi, Tomoyuki, Ikeda, Shozo, Ikeno, Susumu, and Furubayashi, Eiichi Specimen stage for low-temp. tensile deformation in an electron microscope (11) 254*c*.

Takhtareva, N. K. See Boltovets, N. S.

Taki, Hiromitsu See Nitta, Tsuneharu

Takigawa, Yukio See Sato, Shozo

Takiguchi, Yoshimi See Suzuki, Norio

Taksis, G. A. See Rutman, D. S.

Takuma, Takashi, and Kawakubo, Syoichiro Thermodynamic properties of WCl_6 and WCl_5 (6) 139*f*.

Takumi, Yasuo See Itoh, Tsutomu

Takusagawa, Nobuo, and Saito, Hajime Microstructure of fluor-richterite composition glass-ceramic having high mechanical strength (8) 168*f*; Relation between microstructure and mechanical strength of crystallized glasses having the chemical composition of fluor-richterite containing Al (10) 221*a*.

Talago, Paul [Rotary] kiln seal, P (2) 49*h*.

Tallan, N. M. See Vest, R. W.

Tallent, Othar K. Method for preparing stable UO_2-PuO_2 sols, P (5) 103*f*. See Lloyd, Milton H.

Tamarin, P. V. See Oskotskii, V. S.

Tamas, Ferenc, and Patonai, Ferenc Arithmetical solution of phase equilibria: I, Calculation of quantities of coexistent phases with the aid of determinants (9) 208*a*.

Tamori, Yukio Methods for preventing air pollution (2) 56*g*.

Tamura, Syuzo New polymorphic transition of $FeTaO_4$ (9) 213*b*.

Tan, Domingo K. L. Simple Teflon-sealed thermocouple for high-pressure and vacuum systems (11) 254*b*.

Tan, Y. T., Khosla, R. P., Fischer, J. R., and Ranadive, D. K. High-photosensitivity *p*-type ZnTe (9) 199*c*.

Tanabe, Isao See Hashimoto, Toshio

Tanabe, Shouzou See Sugaike, Suezo

Tanabe, Takako See Sato, Junzi

Tanaka, H. See Kijima, K.

Tanaka, Hiroshi Several factors affecting the darkening of photochromic glass containing AgCl (9) 193*c*.

Tanaka, K. See Ihara, Seiichi

Tanaka, Kazuhiko See Ishizuka, Toshio

Tanaka, Kazunobu See Iizima, Sigeru ; Kikuchi, Makoto ; Mizuno, H. ; Sugi, Michio

Tanaka, Kazunobu, Iizima, Sigeru, Sugi, Michio, and Kikuchi, Makoto Electrical nature of the lock-on filament in amorphous semiconductors [As-Te-Ge system] (7) 151*b*.

Tanaka, Kazunobu, Iizima, Sigeru, Sugi, Michio, Okada, Yasumasa, and Kikuchi, Makoto Electrical and calorimetrical analyses of memory phenomenon in amorphous semiconductors (7) 151*a*; Thermal effect on switching phenomenon in chalcogenide amorphous semiconductors [As-Te-Ge and As-Te-Si systems] (7) 152*g*.

Tanaka, Kazunobu, and Kikuchi, Makoto Anomalous photoinduced shift of the optical transmission edge observed in amorphous As_2S_3 film (8) 173*a*.

Tanaka, Kazunobu, Kikuchi, Makoto, and Mizuno, H. Kinetics of photo-induced edge shift in optical transmission of amorphous As_2S_3 film (9) 211*d*.

Tanaka, Kazunobu, Machida, Yasuhiko, Suzuki, Norio, and Kokubu, Tadao Solid-state image intensifier, P (4) 87*a*.

Tanaka, Makoto See Okabe, Tadao

Tanaka, Masami See Tsubaki, Takayuki

Tanaka, Masaru See Yamada, Tadashi

Tanaka, Michiyoshi, and Lehmpfuhl, Gunter Study on $BaTiO_3$ by convergent-beam electron diffraction (7) 152*d*.

Tanaka, Mitsuaki See Mizushima, Koichi

Tanaka, Norio See Yasuda, Nobuaki

Tanaka, Osamu See Godai, Tomokazu

Tanaka, Takuho See Noguchi, Masayasu

Tanaka, Tatsuo Effect of solid concentration on rate of jet milling (9) 203*f*. See Furuya, Masaaki ; Nakajima, Yoji

Tanaka, Tetsuro See Saraie, Junji ; Sasaki, Akio

Tanaka, Teturo See Araki, Kazuo

Tanaka, Yasuto See Yukota, Yoshiyuki

Tananaev, I. V. See Kuznetsov, V. G.

Tananaev, I. V., Dzhurinskii, B. F., and Rakhimbekova, Kh. M. Effect of temp. on the spectrum of Co^{2+} in alkali borate melts (4) 80*g*.

Tananaev, I. V., Kuznetsov, V. G., Yakovleva, R. T., and Seifer, G. B. Thermal decomposition of simple and mixed Pr ferrocyanides (7) 163*e*.

Taneja, C. A. See Chopra, S. K.

Taneja, S. P., Dwight, A. E., Gilbert, L., Harper, W. C., Kimball, C. W., and Wood, C. Moessbauer investigation of Sn_x-$(As_2Se_3)_{1-x}$ glasses (6) 124*d*.

Tanemura, Fumikazu, Kashiwagi, Haruhiko, and Adachi, Shozo Tests on spalling of sleeve bricks (1) 13*f*.

Tani, Tetsuro See Migima, Y.

Tani, Tetsuro, Kimura, Morihiro, Hirota, Masumi, and Otani, Takeo Practical application of heat gunning to steelmaking converter (7) 148*c*.

Tani, Tetsuro, Kimura, Morihiro, and Kakehi, Toshihiro Outline of M & P slinger process and development of slinging materials and use test results (9) 196*j*.

Tani, Tetsuro, Kimura, Morihiro, Otani, Takeo, and Watanabe, Jiro Results obtained on use of burnt MgO-dolomite brick (made of high-purity MgO-dolomite clinker) for converter (1) 13*e*.

Tanifuji, Shinya See Katsuta, Yukio

Tanifuji, Shinya, Matsunaga, Kenji, and Yahagi, Kichinosuke Mechanism of threshold switching in TiO_2 [thin films] (11) 249*e*.

Taniguchi, Kenji, and Imaizumi, Ichiro Semiconductor device with two MOS transistors of nonsymmetrical type, P (6) 130*c*.

Taniguchi, Taizo, and Ueno, Naohiro Compressive creep characteristics of high-alumina castable refractories (9) 195*i*.

Tauji, Mikiharu Flat composite fluorescent display tube, P (7) 146*h*.

Tannhauser, D. S. See Elwell, Dennis

Tannhauser, David S. See Gvishi, M.

Tantry, B. A. P. See Swamy, R.

Tapiero, M. See Zielinger, Jean P. ; Zouaghi, M' Hamed

Taplin, John H. Discussion of parabolic powder kinetics (8) 180*f*.

Taragin, M. F., Eisenstein, J. C., and Haller, W. Moessbauer study of ^{57}Fe in an aluminophosphate glass (6) 124*f*.

Tarasevich, S. A., Kovaleva, I. S., Medvedeva, Z. S., and Antonova, L. I. Interactions in section Ag_2Se-Sb_2Se_3 of the ternary system Ag-Sb-Se (7) 161*f*; Reactions in the system Ag-Sb-Se (7) 162*a*.

Tarasevich, Yu. I., and Gribina, I. A. Effect of the exchange cations on the physicochemical properties of kaolinite (11) 257*b*.

Taraskin, V. V. See Nisel'son, L. A.

Tarasova, A. P. Soluble glass used as binding agent of heat-resistant concrete (10) 218*i*.

Tarasova, Z. A. See Seifer, G. B.

Tare, V. B. See Rao, A. V. Ramana

Tarkan, Stuart E. See Mal, M. Kumar ; Prill, Arnold L.

Tarnopol, Milton S., and Snyder, Thomas P. Applying electroconductive heating circuits to glass by electroplating, P (3) 63*a*; Applying electroconductive heating circuits to glass, P (7) 146*j*.

Tartakoff, Alexander See Audesse, Emery G.

Tarui, Yasuo See Komiya, Yoshio

Tarutani, Yoshinobu See Kawabe, Ushio

Tary, Orville L. See Wheat, Lawrence C.

Tashiro, Megumi See Yamamoto, Tokuji

Taskaev, V. P. See Ivannikov, V. L.

Tate, Isao See Kitajima, Kunio

Tateno, Hiroshi See Kataoka, Shoei

Tateno, Jun Change of the dielectric constant at the phase transition in U_4O_9 (7) 150*j*.

Taterzynski, Sylvester R., and Raeburn, George D. Spark-gap devices and methods and apparatus for making, P (7) 155*c*.

Tatsumi, Hisao See Terao, Kunio

Tatsuzaki, Itaru See Yagi, Toshirou

Tauber, E. Acid-resistant basalt-clay product and slip casting process, P (2) 41*j*. See Murray, M. J.

Tauber, E., and Pepplinkhouse, H. J. Ceramic properties of pyrophyllite from Pambula, New South Wales (6) 134*c*.

Tauc, J. See Galkiewicz, R. K.

Tauchi, Shoji, Miwa, Ichiro, and Hosaka, Makoto Method of mfg. semiconductor devices, P (4) 86*i*.

Taverna, A. Automatic loading lines for tiles now operating (2) 41*a*. See Aiazzi, G.

Tawara, Nobuyoshi See Oku, Tsurumi

Taxil, Andre M. V. See Divoux, Jacques C.

Taylor, Allen L., Filipovich, George, and Lindeberg, G. K. EPR associated with Zn vacancies in neutron-irradiated ZnO (7) 160*b*.

Taylor, G. W. See Keneman, S. A.

Taylor, G. W., and Kosonocky, W. F. Ferroelectric light valve arrays for optical memories (4) 85*g*.

Taylor, J. C. Thermally sensitive electric switches and actuating devices therefor, P (9) 202*d*.

Taylor, J. C., Kelly, J. W., and Downer, B. Study of the $\beta \rightarrow \alpha$ phase transition in $UO_2(OH)_2$ by dilatometric, microcalorimetric, and X-ray diffraction techniques (2) 54*j*.

Taylor, John K. See Meinke, W. Wayne

Taylor, M. J., Marshall, D. J., and Evans, H. Ir spectra of photochromic sodalites (5) 111*c*.

Taylor, P. Craig See Bishop, Stephen G. ; Mitchell, Dean L.

Taylor, P. Craig, Bishop, Stephen G., and Mitchell, Dean L. Far ir and microwave optical properties of vitreous As_2Se_3 (8) 181*f*.

Taylor, P. Craig, and Bray, Philip J. Electron spin resonance of Mn^{2+} in Sr borate compounds and glasses (3) 61*b*.

Taylor, P. L., and Wu, Shi-Yu Dynamics of disordered alloys and glasses (8) 167*i*.

Taylor, R. C., and Sadagopan, V. Preparation and properties of hexaferrite films (9) 200*a*; Growth of uniaxial magnetic garnet films by a simplified method of chemical vapor deposition (10) 226*d*.

Taylor, R. I. See Cheetham, A. K.

Taylor, R. J., and House, H. Electrohydrodynamic interaction of two injection diodes in a closed-loop liquid system (3) 67*a*.

Taylor, Roland Filters, P (9) 203*b*.

Taylor, T. D., and Rindone, Guy E. Ion exchange of glass at low temps. and the effect on internal friction (6) 123*i*.

Taylor, Wyman L. Natural soda ash (3) 73*c*.

Tazuke, Yuichi See Nagata, Kazukiyo

Tcheichvili, L. Pb in ceramic glazes (6) 128*e*.

Tcheou, F. See Fuess, H.

Tcheou, Francois See Bertaut, E. Felix

Tcheou, Francois, Bertaut, E. Felix, and Fuess, Hartmut Neutron diffraction study of some rare earth Fe garnets, RIG (R = Dy,Er,Yb,Tm), at low temps. (8) 184*f*.

Tcheou, Francois, Fuess, Hartmut, and Bertaut, E. Felix [Oxygen] parameter refinement at 400°K and magnetic moments at room temp. of some rare earth Fe garnets, RIG (R = Dy,Er, Yb,Tm), by neutron diffraction (8) 185*e*.

Teague, James R., Gerson, Robert, and James, William J. Dielectric hysteresis in single-crystal $BiFeO_3$ (7) 160*b*.

Teale, R. W., Temple, D. W., and Weatherley, D. I. Magnetic anisotropy and magnetic anneal in Si-doped YIG (11) 258*g*.

Tebble, Robert S. See Belson, Henry S.

Teboul, A., and Boleat, Y. 1700°C sintering kiln (7) 157*i*.

Tecotzky, Melvin See Buchanan, Robert A. ; Hurley, Forrest R.

Tegman, Ragnar, and Warnqvist, Bjoern Phase diagram Na_2CO_3-Na_2S (2) 53*j*.

Teichmann, N. N. See McKenna, C. D.

Teichner, S. J. See Gravelle, P. C. ; Vergnon, P.

Teisen, Knud Additional developments of the Uniflow tank furnace (1) 5*a*.

Tekaat, Erich H. See Hearn, Eric W.

Telang, Yeshwant P. See Rao, Vemulapalli D.

Telesnitskii, A. F., Timashev, V. V., and Volkova, A. V. New heat-insulation material (9) 191*d*.

Tell, B. See Shay, J. L.

Tell, Karl G. See Siwersson, Olle L.

Tellgren, Roland, Ahmad, Dabir, and Liminga, Rune H bond studies: 67, Crystal structure of $RbH_3(SeO_3)_2$ (8) 182*h*.

Tembe, M. R. Rotary kiln for continuous carbonization of coal without contact with heating gases, P (8) 178*g*.

Temple, D. W. See Teale, R. W.

Tench, A. J. See Che, M.

Tench, A. J., and Kibblewhite, J. F. J. Charge transfer at oxide surfaces—adsorption of Cl and O on MgO (11) 257*b*.

Teng, M. K., Balkanski, Minko, and Mourey, J. F. Pressure-induced ferroelectric phase transition in K nitrate (8) 185*e*.

Teng, Ta-Liang See Henyey, Thomas L.

Tennery, V. J., and Godfrey, T. G. Oxidation properties of $(U,Pu)O_2$ solid solutions (4) 87*i*.

Tenoutasse, N., and De Donder, A. Accurate analysis of cement by atomic absorption (2) 32*b*.

Teplyakov, Sergei D. See Lyass, Abram M.

ter Vrugt, J. W. See Wanmaker, W. L.

Terada, Michiko, Endo, Keizo, Fujita, Yuko, and Kimura, Renichi Magnetic properties of Cl_b compounds—CoVSb, CoTiSb, and NiTiSb (5) 111*j*.

Terai, R. See Hayami, R.

Teramoto, Iwao See Iizuka, Mutsuo

Teramoto, Iwao, Nakashima, Shinichi, Iwasa, Hitoo, and Miyai, Yukio Semiconductor structure and method of mfg., P (10) 229*c*.

Terauishi, Haruo See Ishikawa, Toshikatsu

Terauishi, Yuichi See Tominaga, Yoshio

Terao, Kunio, and Tatsumi, Hisao Measuring flame temps. with laser beams (8) 177*j*.

Terao, Masaru See Kakehi, Toshihiro

Terasawa, Michitaka Apparatus for producing X rays from an electric insulator, P (7) 153*a*.

Terekhovich, S. V. See Kantsepol'skii, I. S.

Termettschikow, M. K. See Potschtowik, G. Ja.

Ternan, M. See Carriere, R. L.

Terner, E. M. Plastic-encased glass container, P (2) 39*b*.

Terrasse, Gilles See Paoletti, Charles

Terterian, Aram A. See Rutes, Viktor S.

Terwilliger, G. R. See Lange, F. F.

Teslya, Andrei M. See Bogrets, German N.

Tetard, D. See Lortholary, P.

Tetenbaum, Marvin, and Hunt, Paul D. Nuclear reactor fuel

and fuel element and preparation thereof, P (5) 103*g*; High-temp. thermodynamic properties of hypo- and hyper-stoichiometric U carbides (6) 131*d*.

Teutenberg, J. Automation of raw meal preparation (9) 189*j*.

Tewari, D. P. See Tripathi, V. K.

Thacher, Philip D. Linear electrooptic effect in ferroelectric ceramics—PLZT 12/40/60 (4) 85*j*.

Theisen, J. P. How to computerize feeding and forming (3) 61*e*.

Theobald, Paul R., and Bailey, Joseph T. Al_2O_3-Pd composite, P (7) 152*j*.

Theodosopoulos, James, and MacKay, Stanley Dark-coated heater for vacuum tube cathode, P (9) 194*a*.

Theurrer, Henry C., and Turner, Paul A. Method for reducing interdiffusion rates between thin-film components, P (11) 250*h*.

Thibaudon, Dominique See Paris, Rene A.

Thiel, N. W. Grinding of Al_2O_3 with diamond wheels (5) 95*f*.

Thieu, Phan Ngok, and Morozov, I. S. Phase diagrams of binary systems of the chlorides of rare-earth elements and alkaline-earth metals (7) 161*j*.

Thilliays, Jacques Electroluminescent semiconductor device containing current-controlling rectifying device, P (9) 200*d*.

Thilliays, Jacques, and Fertin, Jacques Device and baseplate for a mosaic of semiconductor elements, P (6) 129*c*.

Thiruvengadam, A., and Coan, A. F. Some recent techniques for the study of the behavior of ocean engineering materials (1) 22*e*.

Thomann, Helmut Stabilization effects in piezoelectric Pb titanate zirconate ceramics (4) 86*a*; Method for the subsequent adjusting of the transit time of a piezoelectric ceramic substrate for an electroacoustical delay line, P (5) 102*d*.

Thomas, Albert W., Neilson, John M. S., and Greenberg, Leon S. Integral thyristor-rectifier device, P (8) 174*j*.

Thomas, D. See Pettifer, R. F.

Thomas, D. M. Aspects of wheel formulation in ceramic grinding (5) 95*e*.

Thomas, Hans P. See Lehmann, Hans

Thomas, Ian M. Process for preparing high-purity Si oxide porous beads doped with small quantities of other oxides, P (4) 90*h*.

Thomas, J. H., III Defect photoconductivity of anodic Ta_2O_5 films (10) 225*h*.

Thomas, J. M., Adams, I., Williams, R. H., and Barber, M. Valance-band structures and core-electron energy levels in the monochalcogenides of Ga—photoelectron spectroscopic study (2) 56*d*.

Thomas, Klaus See Granitzki, Karl E.

Thomas, L. A. Applications of ferroelectrics and related materials—a review of developments in Europe (4) 84*j*.

Thomas, R. Electrical analogy of the thermal conditions of the Libbey-Owens bending roller (1) 7*b*.

Thomas, R. L. See DiBenedetto, A. T.

Thomas, Ralph D. Thermocouple tape, P (8) 178*b*.

Thomas, Roy L., Jr. Method and apparatus for eliminating spot doubling in precession X-ray crystallography, P (8) 178*b*.

Thomas, W. B., and Brown, Sherman D. Nonlinear elasticity of fused silica at room temp. (1) 8*i*.

Thomas, W. F. Investigation of the factors affecting the strength of glass fiber strand: III, Strength in polyester resin (5) 98*d*; Investigation of the factors affecting the strength of glass fiber strand: IV, Effect of fiber surface area (6) 123*g*.

Thomason, Charles S. See Bonneau, Frank X.

Thompson, A. J. Successful gas-firing porcelain enamel direct (7) 143*j*.

Thompson, Clifford E. See Glesner, William K.

Thompson, David F. See Bunker, Thomas D.

Thompson, J. B., Jr. See Eugster, H. P.

Thompson, P., Wilshee, J. C., Whiteley, P. G., and Thomson, G. M. Use of the high temp. creep test in the assessment of the quality of refractories for the hot blast stove wall lining and checker-work (4) 83*j*.

Thompson, Raymond See Stibbs, Donald

Thompson, S. G., and Tsang, C. F. Superheavy elements (6) 139*b*.

Thompson, William B. See Jones, Rexford W.

Thomson, A. P., Duthie, D. M. L., and Wilson, M. J. Randomly oriented powders for quantitative X-ray determination of clay minerals (5) 105*c*.

Thomson, G. M. See Thompson, P.

Thomson, John H., and Zagoroff, Dimiter S. Burner, P (8) 178*d*.

Thomson, John, Jr. See Fraser, David B.

Thonstad, J., Nordmo, F., and Paulsen, J. B. Dissolution of alumina in molten cryolite (7) 160*c*.

Thornton, William A., Jr. Discharge device which utilizes a mixture of two fluorescent materials, P (4) 81*h*; Vapor lamp which incorporates a special phosphor coating, P (4) 82*b*.

Thorpe, A. N. See Tsang, T.

Thorsen, A. C. See Manasevit, H. M.

Thraenert, Peter See Richter, Kurt

Thueler, Oskar Method for producing tubular radioactive light sources, P (4) 81*i*.

Thuemmler, Fritz See Bumm, Hellmut

Thulin, Lars Uno Partial Gibbs energy for alkali halide systems from emf measurements (2) 53*g*.

Tibad, Antal, and Pascu, Doina Work applied to the manual production of glasses with stem and foot (5) 98*g*.

Tibolla, Julius F. Connector for use with oxide-coated conductors, P (6) 129*b*.

Tiedemann, Jens, and Harnisch, Heinz Production of $BaCO_3$ from $BaSO_4$, P (8) 179*b*.

Tiemann, T. D. See Nigro, J. C.

Tieu, Bui Van See Butt, Yu. M.

Tieu, Bui Van, Butt, Yu. M., and Vorob'eva, M. A. Action of apatite as mineralizer during the firing of cement clinker (1) 1*j*.

Tieu, P. K., Martin, R. J., Blank, S. L., Wemple, S. H., and Varnerin, L. J. Optical wave guides of single-crystal garnet films (10) 226*j*.

Tieu, P. K., Martin, R. J., Wolfe, R., LeCraw, R. Conway, and Blank, S. L. Switching and modulation of light in magnetooptic wave guides of garnet films (10) 227*d*.

Tieu, R. H., and Turkdogan, E. T. Gaseous reduction of Fe oxides: IV, Mathematical analysis of partial internal reduction-diffusion control (7) 161*c*.

Tietjen, James J., Williams, Brown F., and Wang, Chih Chun Photoemissive electron tube comprising a thin film transmissive semiconductor photocathode structure, P (2) 45*b*.

Tijburg, R. See Acket, G. A.

Tikhomirov, G. P. See Morozov, V. N.

Tikhonova, L. A. See Karklit, A. K.

Tillessen, Ulrich See Pirk, Hans

Tilley, R. J. D., and Hyde, B. G. Electron microscopic investigation of the decomposition of V_2O_5 (5) 109*i*.

Tilton, Leroy W. Relation of vitron theory to 2-layer-liquid immiscibility in binary silicate and borate glass melts (9) 192*j*.

Timashev, V. V. See Altaeva, S. N. ; Barbashov, G. K. ; Benshtein, Yu. I. ; Bol'shov, V. V. ; Butt, Yu. M. ; Grineva, M. K. ; Khnykin, Yu. F. ; Kutsenko, L. A. ; Lukatskaya, L. A. ; Malozhon, L. I. ; Nestik, S. V. ; Suleimenov, A. T. ; Telesnitskii, A. F. ; Vasil'eva, N. F.

Timashev, V. V., Malinin, Yu. S., and Papeashvili, Sh. Electron microscopic study of characteristics of the structure of portland-cement clinker (9) 190*a*.

Timasheva, N. A. See Kreshkov, A. P.

Timeshev, V. V. See Grineva, M. K.

Timme, R. W., Dischler, Bernhard, and Estle, Thomas L. Effect of internal strains on the paraelectric resonance of Li^+ in KCl (6) 135*g*.

Timofeeva, I. I. See Samsonov, G. V.

Timofeeva, L. K., Shaposhnikov, A. P., and Myshenkova, I. P. Use of rapid DTA for controlling the properties of silicate melts (2) 49*c*.

Timofeeva, N. I., and Mordovin, O. A. System Ta_2O_5-Gd_2O_3 (1) 28*b*.

Timofeeva, N. V., Vinogradova, G. Z., Feklichev, E. M., Semenenko, T. V., Dembovskii, S. A., and Kalashnikov, Ya. A. Crystallization of glasses in the As-Se system at high pressures and temps. (2) 51*j*.

Timoshenko, I. V. See Suslova, I. A.

Tingquist, Stanley C. See Carnot, John J.

Tirlocq, J. See Fierens, P.

Tischler, Oscar See Brady, Hugh B.

Tisdale, Norman F., Jr., and McCarthy, James F. Exothermic insulating compositions comprising glass polishing residue, P (8) 172*c*.

Titlar, James M. See Quirk, Virgil P.

Titov, A. A. See Nisel'son, L. A.

Titov, A. P. See Porai-Koshits, E. A.

Titova, A. G. See Sapozhnikov, Yu. L.

Tittmann, B. R. See Kraut, E. A.

Tiwari, A. N. See Chakravorty, D.

T'jampens, Germain R., Notelteirs, Victor R., and Janssen, Eduard J. P. Halogen filament lamp having an internal arc protection arrangement, P (4) 81*c*.

Tjassens, Hindrik See Van Iperen, Bernardus B.

Tkachenko, E. V. See Zhukovskii, V. M.

Tkachenko, Yu. G. See Samsonov, G. V.

Toda, Gyozo See Muta, Akinori

Toda, Hideo, Shimizu, Shigeki, and Ihara, Hisato Method of producing a powder of Co-containing needle-like-shaped gamma ferric oxide particles as magnetic recording material, P (7) 154*e*.

Toda, K., Takahashi, K., and Okazaki, K. Effects of thermally diffused impurities on propagation of elastic surface waves on ferroelectric ceramics (10) 225*j*.

Toda, M., Tosima, S., Shima, E., and Iwasa, T. Surface acoustic wave velocities on [Z-cut] $Gd_2(MoO_4)_3$ (11) 259*g*.

Toda, Masumi, Yorita, Eiichi, Okuda, Shigeru, Ohara, Kengo, and Kato, Takahiro Ramming mixes for a large blast furnace spout (5) 100*f*.

Todd, Harold E. See Fuqua, Lloyd T.

Todes, O. M., Kozlovskii, V. V., Broumshtein, V. B., and Nalimov, S. P. Determination of function of sources of new granulation centers during dehydration of solutions fluidized-bed apparatus (4) 78*g*.

Todish, W. Donald See Jago, Edward J.

Toelgyessy, Juraj See Dillinger, Pavel

Tofield, B. C. See Jacobson, A. J. ; Weber, H. P.

Tofield, B. C., and Fender, B. E. F. Covalency parameters for Cr^{3+}, Fe^{3+}, and Mn^{4+} in an oxide environment [$LaCrO_3$, $LaFeO_3$, $YFeO_3$, and $CaMnO_3$ perovskites] (5) 107*a*.

Toft, Albert R. See Smith, Wade O.

Toft, Luke A. Pressure kiln seal, P (11) 255*e*.

Togo, Hidetoshi See Kitano, Ichiro

Toi, Tatsuo See Murai, Tsuyoshi

Tokar, Michael Compressive creep and hot hardness of U-Pu carbides (5) 103*d*.

Toki, Hisashi See Yamamoto, Masayuki

Tokitsu, Tetsuya, and Ushijima, Shigemi Design in construction of refractory furnace body (1) 11*e*.

Tokman, I. A. See Bukhalova, G. A. ; Drobasheva, T. I.

Tokman, I. A., and Bukhalova, G. A. Phase equilibria in binary systems of Li metaphosphates with metaphosphates of the alkaline-earth metals (1) 26*a*; Phase diagram of the system $(CsPO_3)_n$-$[Ba(PO_3)_2]_n$ (9) 213*b*.

Tokunaga, Shinobu See Moriya, Yoshiro

Tokura, Tadao Horizontal compression-type automatic filter press, P (2) 48*b*.

Tokuyama, Takashi See Nishimatsu, Shigeru

Tokuyama, Takashi, Tsuchimoto, Takashi, Ikoda, Takahide, Nishimatsu, Shigeru, and Sano, Hisumi Integrated circuit [with epitaxial layer] and method of making, P (9) 200*i*.

Tol, Taeke, and de Vrijer, Bertus Electric discharge lamp comprising container of densely sintered Al_2O_3, P (8) 174*e*.

Toland, D. A. Standard method for determination of weight loss of sheet steel during pickling in sulfuric acid solution (4) 89*a*.

Tolar, Neal J. Fabrication of semiconductor devices having low thermal impedance bonds to heat sinks, P (1) 17*h*.

Tolk, N. H. See White, C. W.

Tolksdorf, W. See Krumme, J. P.

Tolliver, Donald L. See Barone, Frank J.

Tolmacheva, L. N. See Zapol'skii, S. V.

Tolstoi, M. N. See Burkat, T. M.

Tolstova, V. A. See Grizik, A. A.

Tomaselli, Vincent A. See McAdams, Arthur C., Jr.

Tomatsu, Mitsuo See Kimura, Takashi

Tomenko, V. M. See Annopol'skii, V. F. ; Belyaev, E. K.

Tomer, A. See Kimmel, G.

Tominaga, Yoshio, Kawagoe, Hiroto, and Teranishi, Yuichi Field-effect semiconductor devices, P (1) 17*h*.

Tomita, Sadami See Okagaki, Hirosi

Tomiyoshi, Shoichi See Yamaguchi, Yasuo

Tomkins, R. P. T. See Janz, G. J.

Tomko, John E. See Neff, Gordon W.

Tomoda, Katsuhiko See Kato, Akio

Tomonto, James R. See Sofer, George A.

Tomozawa, M. Liquid phase separation and crystal nucleation in Li_2O-SiO_2 glasses (8) 168*b*. See Kim, C. H.

Tomozawa, Minoru, and Obara, Richard A. Effect of minor third components on metastable immiscibility boundaries of binary glasses (8) 167*d*.

Tomsu, F., and Adamovic, A. Thermomechanical behavior of refractory materials for monolithic linings (11) 247*c*.

Tomura, Masao See Honda, Shigeo

Tonjes, Burl D. See Smith, Robert H.

Tonry, J. Richard See Hersey, Arthur T.

Toombs, Alfred J. L., and Armstrong, Warren E. Production of catalyst or catalyst support, P (8) 179*b*.

Toomey, Charles L., and Butler, Gerald D. Apparatus for making fluorescent lamps, P (3) 63*a*.

Topil'skii, G. V. See Butt, Yu. M.

Topil'skii, G. V., Butt, Yu. M., Kolbasov, V. M., Smolyakova, Z. A., Popova, N. P., and Vasina, T. P. Composition of liquid and solid phases formed during hydration of portland cement (7) 142*c*.

Topil'skii, G. V., Kolbasov, V. M., and Butt, Yu. M. Mechanical properties of portlandite single crystals (2) 33*a*.

Topor, N. D., Kiseleva, I. A., and Mel'chakova, L. V. Measurement of the heat content of minerals by high-temp. microcalorimetry (7) 157*d*.

Topping, J. A., and Murthy, M. K. Effect of small additions of Al_2O_3 and Ga_2O_3 on the immiscibility temp. of Na_2O-SiO_2 glasses (6) 123*c*.

Topping, Robert L. Sharpener for cutting blades, P (6) 119*f*.

Torii, Michihiro See Kobayashi, Seihin

Torii, Tatuki See Yukota, Yoshiyuki

Torizuka, Yoshiharu See Nakada, Akira

Tornati, M. See Gottardi, V.

Torok, Andrew, and Walsh, Thomas F. Kaolin-derived pigments and methods of producing, P (4) 90*f*.

Torok, Istvan, and Varju, Mihaly Atomic absorption spectrometry and its application in silicate analysis (1) 21*g*.

Toropov, Yu. S. See Rutman, D. S.

Torrance, J. B. See Shafer, M. W.

Torre, Alton J. CRT including a glass envelope with 2 spaced external conductive coatings and a connecting strip of a 3rd external conductive coating, P (10) 222*e*.

Tosima, S. See Toda, M.

Tossell, John A. See Vaughan, David J.

Toth, Kalman Laboratory testing of the bloatability of perlite (1) 11*b*; Determination of the bloating properties (2) 39*g*.

Totsenko, S. B. See Degtyareva, E. V.

Touchy, Wolfgang Method of producing O-poor GaAs by using Al with Si or Ge as a dopant, P (7) 154*e*.

Touchy, Wolfgang, and Bungenstab, Eckart Growth layer of semiconductor compounds produced by melt epitaxy, P (3) 69*i*.

Touloukian, Y. S., DeWitt, D. P., and Hernicz, R. S. Thermal Radiative Properties—Coatings, B (6) 140*h*.

Touloukian, Y. S., Powell, R. W., Ho, C. Y., and Nicolaou, M. C. Thermal Diffusivity, B (6) 140*h*.

Toussaint, M. T. Process for the mfg. of sculptures and other objects, P (7) 141*h*.

Toussaint, Robert, and Mulder, Elzo Apparatus for monitoring the configuration of a ribbon of material, P (7) 146*h*.

Touzain, P., and Caillet, M. Alkali metal O systems: IV, Polymorphism of Rb_2O (5) 106*f*.

Touzelin, Bernard See Dode, Maurice

Tovmas'yan, I. K., Sholokhova, V. I., and Shegurova, G. A. Reciprocal system comprising the chlorides and iodides of Na and Rb (9) 214*j*.

Tovmas'yan, I. K., and Tsushba, T. M. Quaternary reciprocal system comprising the chlorides and bromides of K, Rb, and Cs (9) 214*g*.

Tovmas'yan, I. K., Tsushba, T. M., and Bergman, A. G. Ter-

nary systems Na,Rb,Cs||Cl and K,Rb,Cs||Br (1) 29*a*.
Townsend, Michael G. Dichroism of tourmaline (5) 108*c*. See Manning, P. G. ; Ralph, J. E.
Townsend, P. D. See Bayly, A. R.
Toyama, Masaharu, and Sekiwa, Tetsuo Method of producing a group III-V semiconductor compound, P (7) 154*d*.
Toyoshima, Isao Method of mfg. an energy trapped type ceramic filter, P (11) 250*c*.
Toyoshima, Yoshio See Igo, Takeo
Trahn, Kenneth A. See Deverse, Frank T.
Trap, H. J. L., and Stevels, J. M. Glasses showing electronic conductivity—their properties and some applications in electronics (1) 7*e*.
Trask, R. B. See Wise, D. C.
Trautsch, Walter See Pieper, Klaus
Travis, Lawrence R. Printed circuitry, P (3) 70*g*.
Trawinski, H. Group hydrocyclones for the dressing of raw materials (9) 206*j*.
Traylor, Everett Slip-cast ceramic flute (4) 78*c*.
Tredinnick, Bruce C., Gambale, James R., and Dupree, Paul M. Silica polishing compositions having a reduced tendency to scratch Si and Ge surfaces, P (6) 130*d*.
Tregubova, T. M. See Kuznetsova, G. N.
Trenczek, Gerhard See Lailach, Guenter
Treppish, Eugene A. Gyratory crusher having means for retaining spring compression for concave supporting upper frame, P (10) 234*e*.
Trethewey, William C. Temp.-measuring method, P (9) 195*b*.
Tret'yak, Z. A. See Korobka, L. A.
Tret'yakov, Yu. D., Komarov, V. F., Prosvirnina, N. A., and Kutsenok, I. B. Nonstoichiometry and defect structure in Cu oxides and ferrites (4) 92*c*.
Tret'yakov, Yu. D., Oleinikov, N. N., Metlin, Yu. G., and Erastova, A. P. Phase equilibria and the thermodynamics of coexisting phases in the system Fe-Li-O (2) 54*d*.
Trew, Leslie J. Purification of $SrCO_3$, P (10) 234*h*.
Tribit, Samuel See Nozik, Arthur J.
Trier, Wolfgang, and Hassoun, Fadhil Mechanics of sliding of hot viscous glass on metal surfaces (1) 8*d*.
Triggiani, Leonard V., Haberman, Norton, and Sanchez, Moises G. Nuclear fuel, P (4) 87*j*.
Triggiani, Leonard V., and Stone, Irving C. Process for preparing impregnated UO_2 and U bearing microspheres, P (5) 103*h*.
Triki, R. See Eberhart, J. P.
Trimmer, Donald S. See Skrabek, Emanuel A.
Tripathi, V. K., Tewari, D. P., Pandey, H. D., and Agarwal, A. K. Damping criterion for the focusing of laser beams in semiconductors (10) 225*g*.
Tripp, W. C., Davis, H. H., and Graham, H. C. Effect of an SiC addition on the oxidation of ZrB_2 (10) 223*i*.
Trischler, Ferenc Possibilities of quantitative determination of SiO_2 by direct injection enthalpimetry (10) 232*g*.
Trivich, Dan See Balkanski, Minko ; Schick, Jerome D.
Troeger, W. E. Optical Determination of Rockforming Minerals: Vol. I, Determinative Tables, 4th rev. ed., B (1) 30*c*.
Trofimenko, Swiatoslav, and Vaughan, Lawrence G. Precious metal decorating compositions containing bischelate derivatives of Pd, P (6) 126*c*.
Trofimov, A. K., and Savinova, I. R. Study of solid-phase reactions in the systems Y_2O_3-Al_2O_3 and Y_2O_3-Ga_2O_3 using the luminescence spectra of Eu (2) 55*b*.
Trofimov, M. G. See Zakharov, B. M.
Trojer, F. See Breslmair, G.
Trojer, F., and Breslmair, G. Frost resistance of ceramic roofing tiles (11) 246*f*.
Trojer, Felix, and Geyer, Dieter Model relations between alkali aluminosilicate and alkali aluminogermanate melts and glasses (10) 220*f*.
Troost, H. P. Fiberwall in kiln doors (11) 246*j*.
Troup, G. J. F. See Greer, J. G.
Trout, Robert G., and Staiego, Charles J. Method of producing glass fibers [mats], P (7) 147*a*.
Troy, Jack Bird feeding stations (4) 77*g*.
Troyanov, S. I., and Tsirel'nikov, V. I. ZrCl (2) 56*f*.
Truhlarova, Marie See Matej, Jiri
Truhlarova, Marie, and Veprek, Otakar Dissolving of vitreous SiO_2 in various types of glass melts under free convection conditions (1) 6*a*.
Truitt, Jack See Davis, Rodney J.
Trunin, A. S. See Bergman, A. G.
Trunov, V. K. Double molybdates of the alkali and alkaline earth elements (5) 108*h*. See Pol'shchikova, Z. Ya. ; Rybakov, V. K. ; Velikodnyi, Yu. A. ; Vladimirova, Z. A.
Trunov, V. K., and Kovba, L. M. Continuous series of solid solutions in the system $Nd_2(WO_4)_3$-$NaNd(WO_4)_2$ (1) 24*j*.
Trunov, V. K., and Rybakova, T. P. Double molybdates $K_5R(MoO_4)_4$ (2) 52*h*.
Trutneva, T. D. See Zegzhda, D. P.
Trzeciak, C. E. See Carlson, D. E.
Tsai, Shan-Pu See Foley, Edward F., Jr.
Tsai, Stephen W., Rogers, Milton, Zinfein, Melvin B., Cooke, Francis W., and London, Gilbert J. Horizons in the structural use of advanced materials—thraustics (4) 83*e*.
Tsang, C. F. See Thompson, S. G.
Tsang, Paul J. See Li, Pei-Ching
Tsang, T., Thorpe, A. N., Donnay, G., and Senftle, F. E. Magnetic susceptibility and triangular exchange coupling in the tourmaline mineral group (5) 112*f*.
Tsarenkov, B. V. See Goldberg, Y. A.
Tschabold, Donald F. Lubrication system for [horizontal] grinding mill or the like, P (7) 156*b*.
Tscherry, V., Schulz, H., and Czank, M. Thermal expansion of the lattice constants of β-eucryptite single crystals (2) 55*i*.
Tschinkel, J. G. See Doherty, J. E.
Tsekhomskaya, T. S., and Dubrovo, S. K. Thermal distribution of crystallization products of glasses of the system Li_2O-Ga_2O_3-SiO_2 (7) 146*b*.
Tseng, Samuel C. C. See Ash, Eric A.
Tsintsadze, G. A. See Kozhukhar, A. Yu.
Tsintsius, V. M. See Smirnova, E. K.
Tsiovkina, L. A. See Smirnov, M. V.
Tsirel'nikov, V. I. See Troyanov, S. I.
Tskhai, V. A., Aiyamovskii, S. I., Gel'd, P. V., and Shveikin, G. P. Concentration dependence of the lattice periods of groups IV and V transition metal monocarbides (9) 208*i*.
Tskhai, V. A., Mokronosov, V. S., Chernyaev, V. S., and Gel'd, P. V. Heat capacity of the carbides of V and Nb and their ir absorption spectra (5) 110*g*.
Tsoli, P. Mineralogical study of a clay formation of Egine Island (Greek archipelago) (6) 134*i*.
Tsubaki, Takayuki, and Tanaka, Masami Effect of phosphoric acid and phosphate additives on strength and other properties of thermal insulators in the vermiculite-bond clay system (7) 148*e*.
Tsuboi, T., Ito, T., Hokinoue, Y., and Matsuzaki, Y. Effects of MgO, SO_3, and ZnO on the sintering of portland cement clinker (10) 218*c*.
Tsuboi, T., and Ogawa, T. Application of the microscope to the sintering process of cement clinker (10) 232*d*.
Tsubouchi, Norio See Takahashi, Sadayuki
Tsubouchi, Norio, Takahashi, Masao, Ohno, Tomeji, and Akashi, Tsuneo Piezoelectric ceramic material, P (2) 45*d*.
Tsuboya, T. See Muto, Tadashi
Tsuchihashi, Shoji See Kawamoto, Yoji ; Shibayama, Hikou
Tsuchimoto, Takashi See Tokuyama, Takashi
Tsuchiya, Makoto See Izumitani, Tetsuro
Tsuchiya, Noriyuki See Sada, Tomohiko
Tsuchiya, Yoshimi, Segawa, Hideo, Takagi, Hiroyuki, and Kawakubo, Tatsuyuki Behavior of photo-induced carrier in TiO_2 single crystal (9) 208*c*.
Tsuda, Nobuo See Noguchi, Masayasu
Tsuda, T., Hirai, Akira, and Tsushima, T. ^{55}Mn NMR study of $MnCr_2O_4$ (9) 212*e*.
Tsuda, Toshinobu See Nishihara, Hironori
Tsui, Robert T. See Kuhn, Lawrence
Tsuji, Shigeo See Miyashiro, Shoichi
Tsujide, Tohru See Iida, Kiyoto ; Nakanuma, Sho ; Wada, Toshio
Tsujikawa, Ikuji See Kato, Toshiko
Tsukahara, Sosuke, and Kawakatsu, Hisazo Magnetic contrast and inclined 90° domain walls in thick Fe films (5) 111*h*; Asymmetric 180° domain walls in single-crystal Fe films (7) 159*f*.
Tsukerman, S. A. Wear-resistant powder metallurgical material based on TiC (8) 171*i*.
Tsukerman, Veniamin A. See Belkin, Nikolai V.
Tsukiyama, K. See Uchikawa, H.
Tsukuda, Kiyoshi, Kamei, Tatsya, and Ogawa, Takuzo Multilayer-type switch device, P (1) 18*e*.
Tsunemitsu, Hideo See Shiba, Hiroshi
Tsuneta, Asahide, and Harao, Norio CRT with mutually intersecting focusing coils, P (4) 81*g*.
Tsuneta, Asahide, Ohta, Yasuo, and Ikegaki, Makoto Rectangular color tube with funnel section changing from rectangular to circular, P (8) 170*g*.
Tsushba, T. M. See Tovmas'yan, I. K.
Tsushima, Kunio See Nagata, Kazukiyo
Tsushima, T. See Tsuda, T.
Tsutsumi, Hiroshi See Muraoka, Hisashi
Tsuya, Hideki, Fujino, Yoshio, and Matsushita, Shigeo Self-induced thermal effects on light extinction of Li tantalate (5) 114*a*.
Tsuya, N. See Arai, K. I.
Tsuzaki, Takehiro See Yamada, Tadashi
Tsvetkov, Leonard V. See Belkin, Nikolai V.
Tsygankov, I. I. Determination of optimum duration of steam curing of products and choice of effective cements (11) 241*i*.
Tsypin, Nekhemian V. See Vereschagin, Leonid F.
Tsyruleva, Anna I. See Lyass, Abram M.
Tucker, Ross N., and Barry, Michael L. Single crystal-polycrystalline process for electrical isolation in integrated circuits, P (9) 202*i*.
Tudja, M. See Popovic, S.
Tufte, O. N. See Hager, Robert J. ; Liu, S. T.
Tuji, Akitoshi See Hattori, Kenichi
Tulenko, James S. See Sofer, George A.
Tuman, Daniel See Ghafghaichi, Majid
Tumey, Morris J. See McMurray, Nolan D.
Tummala, R. R., and Friedberg, A. L. Residual stresses in glass-crystal composites (7) 145*j*.
Tunheim, J. A. See Bartowski, R. R.
Tunheim, Jerald A., Kohnke, E. E., Bell, M. Drake, and Leivo, William J. EPR of Ni^{3+} in SnO_2 and oxidation-reduction effects on the EPR spectra observed in flux-grown crystals (5) 109*e*.
Tunik, T. A. See Fedorov, N. F.
Turbeki, J. Peter Use of cement raw materials in connection with the study of ternary systems (10) 219*b*.
Turek, Robert F. See Epstein, David J.
Turene, Francis E. See Revitz, Martin
Turetskii, A. M. See Butt, Yu. M. ; Eenmaa, T. E.
Turetzky, Melvin N. See Greenstein, Bernard
Turkdogan, E. T. See Tien, R. H.
Turkov, S. K. See Postnikov, V. S.
Turkovic, J. See Ogorelec, Z.
Turman, Bobby N. Particle density control system for colloid core nuclear reactor, P (7) 155*j*.
Turnbull, D. See De Neufville, J. P.
Turnbull, Gordon K. See Gurganus, Thomas B.
Turnbull, J. A. See Cornell, R. M.
Turnbull, J. A., and Cornell, R. M. Resolution of fission-gas atoms from bubbles during the irradiation of UO_2 at an elevated temp. (10) 230*h*.
Turner, Dennis R. See Newby, Kenneth R.
Turner, E. H. See Kaminow, I. P. ; Miller, R. C.
Turner, Paul A. See Theurrer, Henry C.
Turner, T. J. See Chen, Y.
Turnock, A. C., Lindsley, D. H., and Grover, J. E. Synthesis and unit-cell parameters of Ca-Mg-Fe pyroxenes (8) 187*b*.
Turyanitsa, I. D. See Mel'nichenko, T. N.
Tuttle, James W. See Bhatt, Harshad J. ; Deverse, Frank T.
Twidell, J. W. Radiation-induced movement of charge-compensating ions in CaF_2 (4) 93*b*.
Twist, D. Tongs for suspending glass sheets, P (10) 223*b*.
Tyabirdin, Vladimir V. See Fedorenko, Anatoly S.
Tydlitat, Vratislav, Blazek, Antonin, Endrys, Jiri, and Stanek, Jaroslav Measurement of enthalpy and calculation of specific heat of glasses (2) 37*e*.
Tykachinskii, I. D., Vaisfel'd, N. M., Dain, E. P., and Desnitskii, V. P. Electron-microscopic study of structure of fiber-matrix system in a composite material (7) 160*a*.
Tynes, Arthur R. Measuring loss in optical fibers (11) 244*a*.
Tyrrell, Bill Ultrasonic grinding is a breeze (7) 156*e*.
Tyrrell, M. E. See Goode, A. H.
Tyrrell, M. E., and Goode, A. H. Waste glass as a flux for brick clays (5) 100*a*.
Tyte, R. N. See Gehring, G. A. ; Gehring, K. A.
Tyul'kin, V. A. See Brekhovskikh, S. M.

U. S. Bureau of Mines Minerals Yearbook, 1969: I–II, Metals, Minerals, and Fuels, B (8) 188*e*; Minerals Yearbook, 1969: Vol. III, Area Reports: Domestic, B (8) 188*f*; Minerals Yearbook, 1969: Vol. IV, Area Reports: International, B (8) 188*g*; Minerals Yearbook, 1970: Vol. I–III, B (10) 240*h*; Technologic and related trends in the mineral industries, 1972 (11) 256*e*.
Uchida, Shunichiro See Uchigawa, Hiroshi
Uchida, Yoshihiko See Ueda, Masao
Uchigawa, Hiroshi, and Uchida, Shunichiro Jet cement and gypsum: I-II (1) 3*i*; Hydration of $11CaO.7Al_2O_3.CaF_2$ at 20°C (4) 78*i*.
Uchikawa, H., Kusaka, K., and Tsukiyama, K. Computer control of raw mix (10) 231*g*.
Uchiumi, Tatsuro, and Nakano, Goro Automatic lamp filament transferring equipment, P (1) 9*c*.
Uchiyama, Hideo See Katsumata, Takuma
Udalov, Yu. P. See Le Flem, Gilles
Udalova, L. V. See Bondar, I. A.
Udovenko, N. G. See Postnikov, V. S.
Udvardi, Miklos See Takats, Tibor
Ueda, Ichiro Effects of additives on piezoelectric and related properties of $PbTiO_3$ ceramics (3) 66*f*. See Ikegama, Seiji
Ueda, Masao See Miyatake, Kazumi
Ueda, Masao, Shintani, Tsuneo, and Uchida, Yoshihiko Hydrodynamic experiments on shape of skimmer damper in Fe trough of blast furnace (1) 12*g*.
Ueda, Ryuiti See Shinohara, Koji
Ueda, Shohei See Murakami, Toshiaki
Ueda, Yoichi See Shinohara, Koji
Ueda, Zen-ichi See Hongo, Shozo
Uei, Isao See Hayashi, Kunio
Uematsu, Yutaka See Fukuda, Tsuguo
Ueno, Kaoru See Motojima, Kenji
Ueno, Naohiro See Taniguchi, Taizo
Ueno, Tsutomu See Komiyama, Toru
Ueoka, Hisayoshi, Horii, Kazuo, Umeya, Kazumasa, and Maruyama, Syunsuke Ba titanozirconate semiconducting ceramic compositions, P (3) 68*i*.
Uffner, William E. Glass fiber-reinforced elastomers, P (4) 81*b*.
Ugai, Ya. A. See Gukov, O. Ya.
Ugajin, M. Stabilization of U carbonitrides ($N \leq 1$ wt%) by W addition (6) 131*b*.
Ugnivenko, T. A. See Alekseev, F. P.
Ugryumova, L. E. See Isakova, R. A.
Ugryumova, M. A. See Dzhmukhadze, D. F.
Uher, C. See Goldsmid, H. J.
Uher, C., and Goldsmid, H. J. Comparison of thermomagnetic materials for use at room temp. (3) 66*h*.
Uher, Joseph F. Direct-on adherence: I (4) 79*j*; Direct-on adherence: II (5) 96*h*.
Uhl, Dieter See Baeuerlein, Rudolf
Uhle, N. See Finkenrath, H.
Uhlmann, Donald R. See Shaw, Robert R.
Ujma, Z., Olech, J., and Wrobel, Z. Thermoelectric effect in semiconductive $PbZrO_3$ (6) 139*h*.
Ukrainskii, Yu. M. See Korenev, Yu. M.
Uksbe, E. A., and Bukun, N. G. Low-temp. solid electrolytes and their application (2) 53*c*.
Ul'ko, Yu. N., and Falnberg, E. A. Effect of heating in H on the coeff. of secondary electron emission of Pb silicate glasses (6) 123*b*.
Ulner, J. Spin-wave theory of uniaxial tetragonal ferromagnets with external magnetic field and pseudodipolar spin coupling: I, Free-particle approximation (2) 42*j*.
Uma, Yasuharu Results obtained on zircon ladle brick used at Wakayama Steel Plant (1) 13*f*.
Umemoto, Noriyasu Results of repairs to mixer lining by hot

"gunning" method: II (1) 13*f*.

Umeya, K. Method of making a molded refractory article, P (8) 172*f*.

Umeya, Kazumasa See Ueoka, Hisayoshi

Underwood, Joe B., and Yerman, Alexander J. Linearization of differential pressure integral Si transducer, P (10) 227*g*.

Unruh, W. P. See Chen, Y.

Untermyer, Samuel Nuclear fuel assay system, P (4) 88*a*; Method and apparatus for measurement of concentration of thermal neutron absorber contained in nuclear fuel, P (8) 176*g*.

Unvala, B. A. See Chase, B. D.

Unvala, B. A., Holt, D. B., and San, Aung Jet polishing of semiconductors: III, Polishing and shaping of Si, Ge, GaAs, and GaP slices (6) 129*b*.

Ura, Mitsuru See Ohuchi, Hirobumi

Urano, Teruo, Mieda, Tutomu, and Tachikawa, Takafusa Properties of dolomite plaster affected by the addition of granulated blast-furnace slag and anhydrous $Al_2(SO_4)_3$ (1) 3*e*.

Urban, W. See Dischler, Bernhard ; Schopper, H. C.

Urbanek, Karel, and Kerswill, Edson G. Sputtering system and target electrode construction for use therewith, P (10) 229*e*.

Urnes, Sigmund X-ray diffraction studies of glasses in the system Na_2O-Al_2O_3-SiO_2 (1) 9*j*; Na-K exchange in silicate glasses (11) 244*b*. See Jose, V. R.

Urnov, V. S. See Nefedov, V. I.

Usachev, V. P. See Bondar, I. A.

Ushakova, T. N. See Valov, Yu. A.

Usherov-Marshak, A. V. See Nestik, S. V.

Ushijima, Shigemi See Tokitsu, Tetsuya

Ushio, Masumi, and Sumiyoshi, Yoshihiro Synthesis of large single industrial crystals: II, Flux growth of emerald single crystals (5) 115*g*.

Uspenskaya, S. I. See Eliseev, A. A.

Ustinov, O. A., Andrianov, M. A., Chebotarev, N. T., and Novoselov, G. P. System MoO_3-ZrO_2 (1) 28*h*.

Ustinov, O. A., Novoselov, G. P., Andrianov, M. A., and Chebotarev, N. T. System MoO_3-BaO (2) 55*b*; System MoO_3-CeO_2 (2) 55*c*.

Ust'yantsev, V. M. See Rutman, D. S.

Ustyugov, G. P. See Nisel'son, L. A.

Ustyuzhanina, N. N. See Borovkova, L. B.

Usuda, Haruichi See Mizukusa, Shin

Uto, Shigetoshi See Nameishi, Naoyuki

Utsunomiya, Kimitake See Naruse, Yohsuke

Uyeda, Ryuzi See Wada, Nobuhiko

Uyeda, Yoshio See Lee, Leonard S.

Uzberg, A. I. See Bron, V. A.

Vabishchevich, G. N., and Aleksandrov, M. V. Calculation of information parameters of automated control systems (2) 32*d*.

Vaccari, John A. Materials fight for home appliances (4) 80*c*.

Vadasz, Leslie L. Integrated circuit structure and method for making, P (2) 44*b*.

Vagelatos, N. See Feldkamp, L. A.

Vaidya, S. N., and Kennedy, G. C. Effect of pressure on the melting of Cs chloride (5) 108*g*.

Vaillancour, Thomas L., and Sanders, Wayne W. Series gap spark plug, P (9) 202*h*.

Vainfel'd, N. M. See Tykachinskii, I. D.

Vakhitov,Gadel G. See Maksutov, Rafkhat

Valentine, J. R. See Driscoll, J. N.

Valentine, T. M. See Matkin, D. I.

Valerio, Paul F., and Werner, Robert M. Process for finish polishing of glass lenses, P (5) 99*f*.

Valigi, Mario See O'Keeffe, Michael

Val'kovskii, S. N., Nadgornyi, E. M., Simun, E. A., and Karpovich, V. K. Effect of doping additives on mechanical properties and dislocation mobility in BaF_2 single crystals (8) 180*j*.

Valiet, M., and Pezerat, H. Formation and characterization of polystyrene-montmorillonite complexes (6) 136*i*.

Valov, Yu. A., and Ushakova, T. N. Thermal dissociation of $ZnSiP_2$ (5) 116*b*.

Valyashko, V. M. Peculiarities of phase equilibria in systems comprising components of differing volatility (ternary systems of the 3rd type) (10) 238*c*.

van Beek, Ferdinandus M. J. Projection filament lamp, P (4) 82*a*.

van Buskirk, Derek O. See Waitkus, Joseph

Van Canter, Albert See Cayphas, Etienne

Van Daele, H., and Joubert, M. Damage to glassware in dishwashers (2) 35*e*.

van den Boom, H., Henning, John C. M., and Damen, J. P. M. ESR on Cr-doped $ZnGa_2O_4$ (7) 160*c*.

van den Hurk, Theodorus H. J. See Nienhuis, Rijkent J.

Van der Giesen, K. Gas burners, P (7) 158*c*.

van der Meulen, Y. J. Kinetics of thermal growth of ultrathin layers of SiO_2 on Si: I, Experiment (9) 199*d*. See Ghez, R.

van der Sleen, W. G. N. Handbook on Beads, B (10) 240*g*.

Van der Steen, G. H. A. M. See Lotgering, F. K.

van der Tas, Johannes C. E. See Boekkooi, Anton

van der Velden, J. H. Periodic car kiln for the clayware industry (7) 157*j*; Shuttle kilns in the heavy-clay industry (11) 255*e*.

van der Woude, A. See Saltmarsh, M. J.

Van Dievoet, Jean P. L. Method of fabricating a fuel rod having a porous plug, P (2) 47*b*.

van Doorn, C. Z. See Schipper, D. J.

van Doorn, C. Z., Schipper, D. J., and Bolwijn, P. T. Optical investigation of cathodochromic sodalite (9) 213*g*.

van Doorn, R. A. See Bolwijn, P. T.

Van Dreser, M. L. Phase III for refractories research (8) 171*d*.

Van Esdonk, Johannes Punctiform cathode suitable for detachable electric discharge tubes, P (1) 19*b*. See Hornman, Johannes

van Heerden, Pieter J. See Redington, Rowland W.

Van Hook, A. High frequencies a breeze for microwave ferrites; Microwave ferrites for high frequencies (2) 42*h*.

van Hoorn, Willem L. See Goossens, Urbaan P. M.

Van Houten, Robert Massive metal hydride structures and methods for their preparation, P (7) 149*e*.

Van Iperen, Bernardus B., and Tjassens, Hindrik Microwave oscillator employing a cavity resonator having dielectric walls used as a quarter wave impedance transformer, P (2) 44*g*.

van Klinken, Jakob, Kouwenhoven, Herman W., and Van Weeren, Pieter A. Preparation and use of silica/alumina-based hydrocarbon conversion catalyst, P (2) 50*c*.

Van Klinken, Otto J. See Tak, Marinus G. A.

van Laar, Jacobus See Owen, Arthur J.

van Laar, Jacobus, Hoogendoorn, Bastiaan M., and Etzel, Karl W. F. Bottom of a shaft furnace, a shaft furnace provided with such a bottom, and a method for cooling such a bottom, P (11) 247*e*.

van Landuyt, J., and Amelinckx, S. Generation mechanism for shear planes in shear structures (8) 182*b*.

Van Leeuingen, J., and Keijzer, H. Milling apparatus, P (8) 177*b*.

van Roosbroeck, Willy W. See Casey, Horace C., Jr.

van Stapele, Reurp P., and Lotgering, Frederik K. Trivalent and tetravalent Cr in the selenospinel series $CuCr_{0.3}Rh_{1.7-x}Sn_xSe_4$ (5) 116*a*.

Van Thyne, Ray J., and Rausch, John J. Graded multiphase materials, P (5) 100*e*.

Van Uitert, L. G. See Chin, G. Y. ; Courths, R. ; Dentai, Andrew G. ; Eibschuetz, Marcu ; Holmes, L. M. ; Laudise, R. A. ; Nordland, W. A. ; Pinnow, Douglas A. ; Schinke, David P. ; Singh, S. ; Vella-Coleiro, G. P. ; Wemple, S. H.

Van Uitert, L. G., Pinnow, D. A., Williams, J. C., Rich, T. C., Jaeger, R. E., and Grodkiewicz, W. H. Borosilicate glasses for fiber optical waveguides (8) 167*b*.

Van Uum, Donald R., and Jalbing, John I. Igniter plug with improved electrode, P (1) 15*d*.

Van Vlack, Lawrence H. Textbook of Materials Technology, B (8) 188*h*.

Van Voorst, J. D. W. See Lagendijk, A.

Van Vorous, Theodore See Kurtz, Robert G.

Van Weeren, Pieter A. See van Klinken, Jakob

van Zijp, Tonny Gripping device for bottles, P (5) 99*g*.

Vance, Bess L. See Grunig, James K.

Vance, E. R., Milledge, H. J., and Collins, Alan T. Effect of heavy neutron irradiation on the electrical resistivity of diamond (1) 19*j*.

Vancil, Donald O. See Harrison, Maurice C.

Vander Neut, Richard D. See Cushing, Charles J.

Vander Sluis, Jay L. Method of casting using a mold having a refractory coating thereon, P (8) 172*e*.

Vanderpool, Clarence D. See Chiola, Vincent

Vanderschueren, Emile Vapor deposition apparatus, P (3) 71*h*.

Vanderstukken, R. Cold mechanical strength of refractories—comparison of values for bending and compression tests (2) 39*j*.

Vanik, Milton C. See Barrett, Wayne T. ; Hurley, Forrest R.

Vanzetti, Riccardo Practical Applications of Ir Techniques: A New Tool in a New Dimension for Problem Solving, B (4) 94*g*.

Vardanyan, S. M., Kashirkina, T. G., Pavlushkin, N. M., and Sarkisov, P. D. Effect of thermal history on crystal growth in glass of the system Na_2O-CaO-SiO_2 (9) 192*f*.

Varfolomeev, M. B. See Panakh-Zade, S. A. ; Petrov, K. I.

Vargin, V. V., and Mishel, V. E. Acid resistance of glasses in high-silica region of system R_2O-Al_2O_3-SiO_2 (2) 35*b*.

Vargin, V. V., and Zasukhina, L. Z. Acid resistance of industrial enamels at high temps. and pressures (2) 34*c*.

Vargiu, Silvio, Pezzoli, Silvestro, and Abruzzi, Pierluigi Foundry mold composition, P (6) 127*j*.

Varju, Mihaly See Torok, Istvan

Varma, C. K. R. Evidence of deformation twinning in natural diamond crystals (4) 91*h*; Deformation twinning in diamond and identification of the twinning plane (9) 209*c*.

Varma, S. Prakash See Bensted, J.

Varnerin, L. J. See Tien, P. K.

Varnum, Gordon D., and Meylan, Charles D. Apparatus and method for the vibratory feeding of pulverulent and granular materials, P (7) 156*g*.

Varotto, C. F. See Callister, W. D.

Varrasso, Eugene C. Level control means for glass fiber-making process, P (8) 170*e*.

Varshneya, A. K., and Cooper, A. R. Diffusion in the system K_2O-SrO-SiO_2: Corrections to parts III and IV (1) 6*i*.

Varshneya, A. K., Cooper, A. R., Diegle, R. B., and Chin, S. A. Measurement of self-diffusion in solids by neutron activation of masked samples (6) 137*b*.

Vartanjan, V. A. See Bukhvostov, A. P.

Vasilescu, V. V. See Laberge, N. L.

Vasil'ev, Ya. V. See Mironov, K. E.

Vasil'eva, I. G. See Mironov, K. E.

Vasil'eva, L. I. See Kniga, M. V.

Vasil'eva, N. F., Butt, Yu. M., Timashev, V. V., and Osokin, A. P. Effect of structure of sinters of CaO and C_2S on the migration of melt into the sinter (1) 2*h*.

Vasileva, N. G. See Lukyanova, O. I.

Vasiliev, Viktor M. See Remensnikov, Alexandr I.

Vasilishcheva, I. V. See Safonov, V. V.

Vasil'kova, I. V., Susarev, M. P., and Shapkin, P. S. Temp. dependence of enthalpy of formation and thermal capacity of coordination compounds of Cr(III) (1) 28*i*; Systems MCl-NaCl-$CrCl_3$ (M = K, Rb, Cs) (7) 163*f*.

Vasina, T. P. See Topil'skii, G. V.

Vasudevan, T. N., and Krishnan, R. S. Dispersion of the stress-optic coeff. in glasses (7) 144*f*.

Vatterodt, Karl, and Weiss, Werner Electrically heated pit furnace, particularly for melting vitreous SiO_2, P (7) 158*b*.

Vaughan, David J. Variation in properties of synthetic "pyrrhotites" of composition $Fe_{1-x}S$ ($0 \leq x \leq 0.14$) (6) 140*b*.

Vaughan, David J., and Tossell, John A. Magnetic transitions observed in sulfide minerals at elevated pressures and their geophysical significance (6) 137*h*.

Vaughan, Lawrence G. See Trofimenko, Swiatoslav

Vaughan, Robert W. See Lubowitz, Hyman R.

Vaugoyeau, H., Lombard, L., and Morlevat, J. P. U-Si equilibrium diagram (2) 47*e*.

Vaupel, Horst See Hennicke, Hans W.

Vdovic, J., and Kolar, D. Modified equation for sintering kinetics (11) 258*i*.

Veale, C. R. Fine Powders—Preparation, Properties, and Uses, B (7) 164*f*.

Veasey, T. J. See Gregory, A. G.

Vecchi, G. See Ravaglioli, A.

Vecht, Aron Method of preparing metallic selenides, P (5) 105*j*; Method of making electroluminescent devices, P (8) 174*i*.

Ved, E. I., and Litvinova, Z. S. Products of hydrothermal hardening of aluminosilicate mixtures (2) 33*i*.

Vedam, K. See Kirk, J. L.

Veevers, K. Recovery of mechanical properties of irradiated BeO (7) 155*h*.

Vegh, Jozsef Special application of probability calculus in cement mfg. (10) 218*i*.

Veillon, Claude Handbook of Commercial Scientific Instruments, Vol. 1: Atomic Absorption, B (2) 57*f*.

Veith, Werner Target structure for a vidicon tube and methods of producing, P (4) 87*b*.

Velde., Bruce Celadonite mica—solid solution and stability (7) 158*e*.

Veldkamp, J. D. B. Tensile strength of ribbon-like SiC whiskers (8) 171*g*.

Velikodnyi, Yu. A., Trunov, V. K., and Markelova, N. I. Reaction of molybdates of the alkali metals (Li, Na, K) with In molybdate (2) 54*f*.

Velikov, L. V. See Rudashevskii, E. G.

Vella-Coleiro, G. P., Hagedorn, F. B., Chen, Y. S., and Blank, S. L. Velocity of domain walls in an epitaxial Y-Eu garnet film (10) 227*f*.

Vella-Coleiro, G. P., Smith, D. H., and Van Uitert, L. G. Damping of domain wall motion in rare-earth Fe garnets (11) 257*g*.

Vella-Coleiro, G. P., and Tabor, W. J. Measurement of magnetic bubble mobility in epitaxial garnet films (10) 226*e*.

Velonic, Harold S. Rf transistor employing high- and low-conductivity base grids [PtSi], P (9) 201*j*.

Veltri, Richard D., Merriam, Asaph U., and Basche, Malcolm Method for coating filaments, P (2) 40*e*.

Venable, Charles R., Jr. High-temp. refractory lining, P (5) 100*e*.

Vendl, Alfred See Kieffer, Richard

Venema, Albertus See Jansen, Constant G. J.

Venevtsev, Yu. N. See Didkovskaya, O. S. ; Dzhmukhadze, D. F.

Veniale, F. Composition, structure, morphology, and surface properties of clay minerals—their effect on reactions in clay-water systems (2) 51*h*.

Venier, Dominic A. See Smith, Bart A.

Venkataraman, G. Raman and crystal dynamics (7) 162*h*.

Venkateraman, G. See Feldkamp, L. A.

Venschott, Hubert See Groschopp, Heinz

Veprek, Otakar See Truhlarova, Marie

Verbetskii, V. N., and Kovba, L. M. Reaction of ZrO_2 with U_3O_8 (1) 27*g*.

Verchenko, Vasily R. See Samodaev, Evgeny T.

Verdan, M., and Monnier, R. Study of the system Na_3AlF_6-CaF_2 by DTA in a sealed crucible (4) 93*d*.

VerDow, Dennis M. Decomposable glass, P (8) 169*g*.

Verduch, A. Garcia, and Steeger, J. Zinsel (Editors) Transactions of the XIth International Ceramic Congress, Madrid, 1968, B (1) 30*f*.

Vere, A. W. See Abell, J. S.

Veres, Frank Glass sealing method, P (9) 194*e*.

Vereschagin, Leonid F., Yakovlev, Evgeny N., Kovyaev, Yu. S., Polyakov, Evgeny V., Novikov, Albert P., Bakul, Valentin N., Skripko, Gely F., and Tsypin, Nekhemias V. Method for making abrasive tools, P (3) 59*e*.

Vereshchagina, V. I. See Khardikova, E. Ya.

Vereshchagina, V. I., and Khardikova, E. Ya. Tetrahedral cross sections of the system 2Li,2Na,Ba||2F,2Cl (5) 115*j*; System 2Li,2K,Ca||2F,2Cl (7) 163*b*.

Vergnolle, Claude Amplifiers of hybrid integrated subminiaturized circuit design, P (5) 101*i*.

Vergnon, P. See Astier, M.

Vergnon, P., Astier, M., Beruto, D., Brusa, G., and Teichner, S. J. Sintering of very finely divided particles: II, "Flash heating" technique and kinetic study of shrinkage in TiO_2 and Al_2O_3 compacts (10) 239*h*.

Verhaegen, J. P. See Fierens, P.

Verheist, R. A. See Milberg, M. E.

Verleur, Hans W. See Derick, Lincoln

Verlijsdonk, Johannus G. See Wanmaker, Willem L.

Verma, K. K., Das, A. R., and Biswas, A. K. Reflex-reflective characteristics of surfaces coated with glass microspheres (4) 81*a*.

Verma, Mahendra P. See Singh, Ram Kripal

Vermesse, C. See Ouensanga, A.

Verner, V. F., Pavlushkin, N. M., Salcimenov, S. T., Nurbekov, T. D., and Abdvaliev, T. A. Thermographic study of glasses of slag composition (1) 9*d*.

Verreault, R. See Busch, Georg

Vershinin, Yu. N. See Bernatskii, A. F.

Verspui, Gerrit See Knippenberg, Wilhelmus F.

Verulashvili, R. D. See Kutateladze, K. S.

Verweel, J. See Krumme, J. P.

Verwerner, Otto See Huelsenberg, Dagmar

Vessey, Clifford A., Albon, Colin, and Holker, Kenneth Metal coatings comprising hexavalent Cr, trivalent Cr, silica or a silicate, and an alkali metal cation, P (4) 80*d*.

Vest, R. W. See Chatterji, D. ; Osburn, C. M.

Vest, R. W., and Tallan, N. M. Some comments on "Polarization measurements on mixed conductors" (8) 173*e*.

Vesterskjoe, Egil See Haugsten, Kjell

Vetter, V. H. See Bartels, R. A.

Vicenik, Jaromir See Fator, Jaroslav

Vicente, Jean, and Chermant, Jean Louis System Ti-C-O (11) 259*h*.

Vickerman, J. C. See Egerton, T. A.

Vickers, Michael Achaemenid glass bowl in a dated context (6) 119*g*.

Vickery, Earl C. Process for epitaxial growth of diamonds, P (5) 95*g*.

Vidal, G. See Galtier, M.

Viedt, Johanna See Sundermann, Erich

Viers, Jean C., and Jaure, Robert P. Method and device for the mfg. of electron tubes, P (2) 39*b*.

Vietzke, Horst See Pirk, Hans

Vigdorovich, E N. See Nevskii, O. B.

Viktorovskii, I. v., and Baidakov, L. A. Concentration dependence of magnetic susceptibility of semiconductor glasses of the $AsSe_{1.5}$-Tl pseudobinary section (6) 122*j*; Optical properties of glasses of the pseudobinary phase As_2Se_3-Tl (6) 124*h*.

Villa, Jorge See Angelelli, Victorio

Villeneuve, G. See Lederer, P. ; Pouget, J. P.

Villeneuve, G., Bordet, A., Casalot, Andre, Pouget, J. P., Launois, H., and Lederer, P. Metal–insulator transition in the $V_{1-x}Nb_xO_2$ system: I, Crystallographic and transport properties (8) 184*c*.

Vilnis, K. K. Direct-heated furnaces [glass] (2) 49*f*.

Vinarnick, Louis See Blum, Paul

Vincent, Colin A. Nature of semiconductivity in polycrystalline Sn oxide (9) 212*h*.

Vincent, Colin A., and Weston, Derek G. C. Preparation and properties of semiconducting polycrystalline Sn oxide (8) 173*d*.

Vincent, George L. Mexican glass excels in lighting fixtures (7) 145*d*; Mexican tile production matches world efficiency (7) 150*b*.

Vincenzini, P. Kinetics of sintering and physical properties of some compositions on the Li_4SiO_4-Zn_2SiO_4 join (5) 111*j*.

Vinogradov, B. N. See Bernatskii, A. F.

Vinogradov, I. A., Pritchard, A. M., Makarov, E. F., and Suzdalev, I. P. Inversion of the anisotropy of vibration of Fe atoms in crystals of siderite (7) 161*g*.

Vinogradov, L. M. See Pinaev, G. F.

Vinogradova, G. Z. See Timofeeva, N. V.

Vinogradova, G. Z., and Dembovskii, S. A. Crystallization of glasses in the low-S region of the system Ge-As-S (7) 144*d*.

Vinogradova, G. Z., Dembovskii, S. A., and Anisimova, T. N. Investigation of the viscosity of glasses in the system As_2S_3-Tl_2S, and As_2Se_3-Tl_2Se (1) 7*g*.

Vinogradova, L. V. See Krasotin, K. A.

Vinogradova, M. G., Plyushkin, S. A., and Romankov, P. G. Discharge of suspension particles that exceed size of separator fractionation (4) 88*i*.

Vinokurov, V. A. See Klevtsov, P. V.

Vinokurov, V. M. See Kuz'mina, I. P.

Vinokurova, Z. G. See Boldyrev, V. V.

Vinton, Clarence S., and Rice, Warren A. Method for the removal of refractory porous shapes from mating formed materials, P (10) 224*d*.

Violleau, Andre, Coffy, Rene L., and Bancal, Bernard R. L. M. Apparatus for impregnating yarns, more particularly glass yarns, with snythetic resins, P (6) 125*a*.

Visa, C. See Aloman, A.

Visa, Ionela See Aloman, A.

Vishnevskii, I. I. See Aksel'rod, E. A.

Vishnevskii, I. I., and Skripak, V. N. Thermal conductivity of some Zr and Hf oxide compounds (1) 29*d*.

Viskanta, Raymond See Anderson, Edward E.

Visnapuu, A., Marek, B. C., and Jensen, J. W. Conversion of ilmenite to rutile by a carbonyl process (6) 134*e*.

Visser, Bauke See Kuiper, Adrianus ; Masselink, Annegien

Visser, Jan See Hornman, Johannes

Visser, R. Alkali resistance of phosphate-impregnated fireclay bricks used in blast furnaces (4) 82*h*.

Visser, Reier See Owen, Arthur J.

Viswanath, N. India has potential in the special ceramics field (6) 140*e*.

Viswanathan, M. P., and Chakravorty, A. Magnetic load cell for heavy industry (3) 72*e*.

Viswanathan, R., and Lawson, A. C. Heat capacity of superconducting ternary Mo sulfides (1) 25*b*.

Vittoria, C. See Lessoff, H.

Viva, Osvaldo R. See Joshi, Madhukar L.

Vladik, Libuslav Holding device for semiconductor wafers, P (4) 86*d*.

Vladimirov, Vladimir Developments in the Soviet cement industry (8) 165*j*.

Vladimirova, Z. A., Trunov, V. K., and Komissarova, L. N. Reaction of Sc_2O_3 with the pentoxides of Nb and Ta (2) 54*g*.

Vlajic, M., Petkovic, J., and Stamenkovic, I. Characterization parameters of agglomerated oxide powders (3) 71*a*.

Vlajic, M., and Stamenkovic, I. Interpretative study of the compacting pressure influence on the compaction capability of fragile powders (5) 103*f*.

Vlasov, A. S. See Dmitruk, L. N. ; Metushevskii, A. S.

Vlasov, A. S., Metushevskii, A. S., Khozhainov, Yu. M., Karpenko, A. D., and Kotlyarova, T. V. Effect of supersaturation on the bulk nature of MoO_3 whiskers (9) 209*b*.

Vlasov, A. S., Slinkin, Yu. I., Zakharov, E. K., and Grunichev, V. A. Conditions of growth of SiC whiskers (9) 208*b*.

Vlasov, A. Ya., Loseva, G. V., Murashko, N. V., and Petukhov, E. P. Change in crystal structure of β-ferric hydroxide during transformation to hematite (9) 208*e*.

Vlasov, V. G. See Larin, A. A.

Vodakov, Yu. A. See Lomakina, G. A.

Voege, Robert D. See Cronkhite, Paul W.

Voelskow, Peter, Schafer, Karl, and Pestre, Jacques Commination mill, P (8) 179*a*.

Voermans, A. B. See Larsen, P. K.

Vogel, Hans Method of forming a phosphate glass to inoculate water, P (7) 147*h*.

Vogel, Werner, Schmidt, Wolfgang, and Horn, Lothar New results and knowledge of the phase separation in glasses (10) 220*h*.

Vogel, Xaver Semiconductor unit and method of mfg., P (10) 229*d*.

Voges, B. Developments in linings for hot blast stoves (4) 83*g*.

Voglewede, J. C. See Roberts, J. T. A. ; Routbort, J. L.

Vogt, Herbert See Weiske, Wolfgang

Vogt, K. See Borchert, W.

Vogt, Oscar See Busch, Georg

Voice, Eric H. See Blackstone, R. ; Graham, Leslie W.

Voice, Eric H., Graham, Leslie W., and Sturge, Derek W. J. Method of making nuclear-fuel-containing bodies, P (4) 87*h*.

Voigt, Edward H., and Hall, William B. Apparatus for processing semiconductor devices, P (11) 250*a*.

Voitsekhovskii, A. E. See Ovechkin, E. K.

Volchanskaya, V. V. See Il'yasov, I. I.

Volchenkova, Z. S., and Lakeeva, Z. N. System Sc_2O_3-ZrO_2 (7) 163*e*.

Volk, Charles E. See Hays, Robert G.

Volk, T. R. See Fridkin, V. M.

Volkonskii, B. V., Chistyakova, A. A., and Zhmodikova, M. S. Phase transformations during clinker formation in furnaces by dry method of production (2) 33*h*.

Volkonskii, B. V., Kougiya, M. V., and Zhmodikova, M. S. Effect of F-containing mineralizers on clinker formation (2) 32*j*.

Volkonskii, B. V., Makashev, S. D., and Shteiert, N. P. Optimum SO_3 content in cement (2) 33*g*.

Volkov, S. Yu. See Sevast'yanov, B. K.

Volkov, V. L. See Fotiev, A. A.

Volkova, A. V. See Telesnitskii, A. F.

Volkova, L. A. See Kuz'mina, I. P.

Vologina, L. N. See Fainerman, A. E.

Volosov, A. G., Khodakovski, I. L., and Ryzhenko, B. N. Equilibria in the system SiO_2-H_2O at high temps. (along the lower three-phase curve) (9) 210*h*.

Vol'ski, V., and Svyatlyak, K. Ferromagnetic phases in the products of thermal decomposition of Cd ferrocyanide (7) 160*j*.

Volterra, V. See Higgins, T. J. ; Provenzano, V.

Volynets, F. K. See Bondar, I. A.

Volzhenskii, A. V., and Chistov, Yu. D. Dispersion of portland cement and its effect on the microstructure and shrinkage of concrete (2) 32*f*.

Von Arx, Henry R., and Zueger, Karl J. Semiconductor material cutting apparatus and method of making, P (1) 19*e*.

von Gutfeld, R. J. Extent of crystallization resulting from submicrosecond optical pulses on Te-based memory materials (11) 258*f*.

von Hodenberg, R. Compounds in the systems PbO-P_2O_5, PbO-As_2O_5, and PbOV_2O_5 (4) 91*c*.

Von Kaenel, Walter See Law, John M.

von Kahler, Urs See Konopicky, Kamillo

Von Neida, A. R. See Menth, A.

von Rappard, E. See Hofmann, U.

Von Waldkirch, Th. See Mueller, K. A.

Voorhoeve-Van den Berg, J. M., and Sherwood, Richard C. Low-temp. magnetic susceptibilities of $NbSe_2$ containing the first-row transition metals (5) 111*c*.

Vora, M. B. See Ghosh, H. N.

Vora, Madhukar B. Lateral transistor structure and process for forming, P (3) 69*b*; Outdiffusion epitaxial self-isolation technique for making monolithic semiconductor devices, P (7) 154*i*.

Vorobei, M. P., and Skiba, O. V. Reaction of $CuCl_2$ with Na, K, and uranyl chlorides in the systems NaCl-$CuCl_2$, KCl-$CuCl_2$ and UO_2Cl_2-$CuCl_2$ (1) 27*d*.

Vorob'ev, V. K. See Demidenko, L. M.

Vorob'ev, V. K., Poluboyarinov, D. N., and Bakunov, V. S. Measurements of electroconductivity of ceramic compacts during sintering (9) 212*a*.

Vorob'eva, G. V. See Fedorov, P. I.

Vorob'eva, M. A. See Butt, Yu. M. ; Kudeyarova, N. P. ; Tien, Bui Van

Vorob'eva, O. V., and Poluroteva, T. F. Preparation of conducting SnO_2 films on glass from organic compounds (6) 124*a*.

Voronkov, A. A., Sizova, R. G., Ilyukhin, V. V., and Belov, N. V. Crystal chemistry of mixed anionic frameworks: I, Alkaline sorosilicates of Zr and Sc (8) 180*e*.

Voronkov, V. V. Dislocation mechanism of growth at low fracture density (8) 180*f*.

Voronov, V. A. See Nikitin, B. M.

Voronskaya, G. N. See Petrov, K. I.

Vorontsov, E. S. See Chikanova, M. K.

Vorontsov, E. S., and Chikanova, M. K. Reaction of PCl_5 with chlorides of uni- and divalent metals (5) 114*g*.

Voshchakin, E. A. See Andrianov, N. T. ; Borovkova, L. B.

Voskresenskaya, N. K. See Budova, G. P. ; Krivovyazov, E. L.

Vosper, Ralph R. Duct burner for operation with liquid or gaseous fuels, P (10) 234*b*.

Voss, M. M. Best of traditional Turkish designs suit today's taste (4) 77*g*.

Vossen, John L., Jr. Method of rf sputter etching (1) 18*a*.

Vossos, Peter H. Production of small-particle-size aqueous colloidal silica sols, P (5) 106*a*.

Vouillemet, M., Miny, J. C., Locrivain, L., and Bandran, A. Factors governing the application of casting under pressure in the sanitary ware industry (7) 149*i*.

Vozmilova, L. N., and Sergeeva, E. G. Chemical method of precipitating Ni on GaAs from acid solutions (5) 107*a*.

Vratny, Frederick See Schwartz, Newton

Vrestalova, Marie See Novak, Jaroslav

Vyas, M. K. R. See Pettifer, R. F.

Vydrevich, L. A. Automatic measurement of shrinkage during sintering (8) 179*j*.

Vydrik, G. A. See Solov'eva, T. V.

Vydrina, Zh. A. See Bron, V. A.

Vysotskii, V. M. See Bergman, A. G.

Waaben, Sigurd G. See Heightley, John D.

Wacher, Paul Solid-state light source with optical filter containing metal derivatives of tetraphenylporphin, P (3) 70*e*.

Wachs, Meyer H. See Hughes, Harry E., Jr.

Wachter, Peter Photoconductivity of the magnetic semiconductor EuSe (7) 152*f*. See Busch, Georg ; Guentherodt, G. ; Kaldis, Emmanuel ; Levy, Francis

Wachter, Peter, and Weber, Peter Temp. dependence of the absorption edge and photoconductivity of the antiferromagnetic semiconductor EuTe (7) 163*i*.

Wachtman, J. B., Jr., Cappe, W., and Mandel, J. Biaxial flexure tests of ceramic substrates (2) 48*e*.

Wada, Masamichi, Ishida, Iwao, and Nakagawa, Isamu X-ray-absorbing glass compositions containing Pb oxide and Ce oxide, P (7) 147*h*.

Wada, Masanobu See Sugai, Tokuko

Wada, Mitsuo, Mikoda, Masanari, Aoki, Masaki, and Hikino, Tadashi Resistor paste, P (5) 102*i*.

Wada, Mitsuo, Nishimoto, Kazuyuki, Aoki, Masaki, and Iida, Yoshio Thick-film varistor and method for making, P (7) 155*f*.

Wada, Nobuhiko, Shimizu, Yasuharu, Saiki, Kunio, Fujita, Tetsuo, and Uyeda, Ryozi Technique for studying chemically active materials by electron microscopy (3) 72*b*.

Wada, Toru, Kitazume, Tomio, and Akiyama, Toshio Problems with refractory furnace body from viewpoint of mfg. of refractory materials: I (1) 12*h*.

Wada, Toshio See Nakanuma, Sho

Wada, Toshio, Nakanuma, Sho, and Tsujide, Tohru Semiconductor memory element, P (6) 130*d*.

Wada, Y. See Miyatani, K.

Waddington, J. N. Dust and grit control in the cement industry (3) 59*h*.

Wadsack, R. L., and Chang, R. K. Resonance electronic Raman effect in DyAlG (9) 214*c*.

Waechtler, Hans Juergen See Sosulja, Pawel W.

Wageneder, F. Crushing mills, P (8) 177*c*.

Waggener, Herbert A. Electrochemically controlled shaping of semiconductors, P (1) 17*e*. See Panousis, Peter T.

Wagman, D. D. See Kilday, Marthada V. ; Schumm, R. H.

Wagner, Endre Effect of particle size distribution of nonplastic glaze constituents on the properties of ceramic glazes (2) 41*e*; Mfg. of vitreous china from Hungarian raw materials (9) 198*e*.

Wagner, Fritz See Doenges, Ernst

Wagner, G. R., Murphy, Joseph, and Rubenstein, M. ESR of Mn^{2+} in single-crystal CaS (3) 74*i*.

Wagner, Herbert F., Jr. See Sproule, Charles G., Jr.

Wagner, J. B., Jr. See Joshi, A. V. ; Nowotny, J.

Wagner, Richard S. See Chang, Chuan Chung

Wagner, Roland See Herzog, Guenther

Wagner, William E. Multiple glazed unit and method of mfg., P (3) 64*a*. See Stilley, George W.

Wahl, A. C. See Hartmann, William M.

Wahnsiedler, W. E. See Honig, J. M.

Wahnsiedler, W. E., and Honig, J. M. Charge carrier freeze-out effects in VO (8) 179*h*.

Waite, B. D. A. See Furber, R. W.

Waite, Philip S. See Ford, Geoffrey E.

Waitkus, Joseph, and van Buskirk, Derek O. Glass mfg. system, P (5) 99*f*.

Waits, Robert K. See Yu, Albert Y. C.

Wakabayashi, Masashi See Nishizawa, Masahiro

Wakabayashi, Takashi, Kinugasa, Terukazu, Hozumi, Shiro, and Sugihara, Kanji Memory device having PbO_2 particles

therein, P (6) 129*i*.
Wakamiya, Kinji Solid-state target electrode for pickup tubes, P (7) 155*b*.
Wakamiya, Kinji, and Kobayashi, Isamu Method of making integrated circuits employing selective gold diffusion through polycrystalline regions, P (3) 69*f*.
Wakatsuki, M., Ichinose, K., and Aoki, T. Synthesis of polycrystalline cubic BN (1) 27*j*.
Wakefield, Gene F. See Yaws, Carl L.
Wakefield, Robert H., Jr., Cunningham, James A., and Hswe, Myint Self-aligned gate field-effect transistor with Schottky barrier drain and source, P (4) 87*b*.
Wakley, Wilbur T., and Leeds, Michael T. Enclosure for [glass] encapsulating electronic components, P (2) 43*f*.
Waku, Shigeru See Masuno, Kunio ; Yamaji, Akihiko
Wal, Witold See Pampuch, Roman
Waldbaum, D. R. See Eugster, H. P.
Waldis, Josef Apparatus for facilitating removal of moderator blocks from a nuclear reactor by tilting the block-supporting base plates, P (8) 176*e*.
Waldkotter, Erich See Mosch, Willi
Walker, Charles Thomas See Harrington, James A.
Walker, D. E. Yeoman, Bradshaw, R. P., and Shaw, E. H. High-temp. UC/SiC reaction—structural dependence (6) 131*e*.
Walker, D. G., Rotsey, W. B., and Wood, B. R. A. Stress relaxation in BeO (2) 54*f*.
Walker, David G., and Morel, P. A. X-ray diffraction studies of ion-bombarded U_3Si (1) 20*b*.
Walker, Jack SiO_2 deposition utilizing multiple torches, P (10) 219*f*.
Walker, M. S. See Griffiths, C. H.
Walker, P. J. See Braddick, D. M.
Walker, R. M. See Fleischer, Robert L.
Walker, Ralph E. See Kirchner, Henry P.
Walker, Robert C., and Wyde, Sidney S. Spark igniter for combustion chambers, P (9) 206*c*.
Wall, L. S. See Rokni, M.
Wall, L. S., Rokni, M., and Schawlow, Arthur L. Cubic to trigonal stress-induced phase transition in $SrTiO_3$ (8) 180*j*.
Wallace, John F. See Dvorak, Joseph E.
Waller, Gustav M. Method of fabrication of abrasive device [drum], P (1) 1*e*.
Wallner, A. See Hofmann, U.
Wallouch, Rudolph W. Process and composition for the mfg. of oxidation-resistant graphite articles, P (4) 84*b*.
Walsh, Thomas F. See Torok, Andrew
Walter, G. See Boehme, G.
Walter, Georg Semiconductor component with semiconductor body sealed in synthetic covering material, P (5) 102*j*.
Walter, H. See Fratzscher, R.
Walters, Klemens C. Cup grinding wheels, P (6) 119*f*.
Wampler, David M. Spray coating apparatus, P (3) 64*c*.
Wamser, Christian A. See Bruen, Charles P. ; Morgan, Thomas R.
Wanesky, William R. Releasable mounting method of placing an oriented array of semiconductor devices on the mounting, P (1) 19*c*. See Egan, James J.
Wang, Chih Chun See Cullen, Glenn W. ; Tietjen, James J.
Wang, R. C., and Seman, J. J. Materials handling research—solid-liquid flow in noncircular pipes (7) 156*c*.
Wang, Wen-Chung See Mauro, R.
Wankling, James L. See Ellis, Ronald
Wanklyn, Barbara M. See Cooke, Arthur H. ; Gorodetsky, G. ; Hornreich, R. M. ; Rao, G. V. S.
Wanmaker, W. L., ter Vrugt, J. W., and Meester, E. P. J. Luminescence of alkaline earth Zr silicates (9) 211*j*.
Wanmaker, Willem L., and Verlijdonk, Johannus G. Luminescent phosphor, P (7) 153*f*.
Warburton, William Liquid-cooled semiconductor device clamping assembly, P (5) 102*g*.
Ward, Charles E. See Rowley, David S.
Ward, Ernest S. See Lester, William C.
Ward, John E., Jr. Method of making high impact strength glass fiber-plastic composites, P (2) 39*b*.
Ward, John W., and Clark, Danford E. Rejuvenation of damaged zeolite-supported metal catalysts, P (1) 24*a*.
Ward, M. A., and Morgan, D. R. Effects of lignin-based water-reducing admixtures on the hydration and physical properties of portland cement paste (1) 2*j*.
Ward, P. A., and Watson, D. Operational experiences with Fuller Kombi grate coolers at Northfleet Works (11) 255*c*.
Ward, William R., Jr. Apparatus for shearing uniform charges of glass from a molten stream of glass, P (9) 193*g*.
Wardle, Ronald, and Brindley, G. W. Crystal structures of pyrophyllite, 1Tc, and of its dehydroxylate (4) 91*g*.
Wardzynski, Wieslaw Birefringence induced by uniaxial stress in CdTe single crystals (11) 256*h*.
Waring, Robert K., Jr. See Barkley, John R.
Warlop, Raymond See Masson, Maurice
Warming, E. See Evans, M. T.
Warne, S. St. J. See Bayliss, P.
Warnqvist, Bjoern See Tegman, Ragnar
Warren, S. E. See Aspinall, A.
Warshaw, Abe See Negra, John S.
Warshaw, Saul See Loewenstein, Klaus L.
Washburn, J. See Narayan, J.
Washini, Koichi See Imatake, Tadami
Wasilewski, W., and Zietek, W. J. Effect of the transverse magnetic field on a uniaxial ferromagnet with platelike domain structure (7) 160*g*.
Wasserman, Reuben, and Grant, Howard Heated sensors for flow measurement (11) 253*j*.
Wassermann, Moe S. See Feuersanger, Alfred E.
Watanabe, A. See Yano, T.
Watanabe, H., Kurasawa, T., Kikuchi, T., Furukawa, K., and Nihei, I. Reaction between U carbides and liquid Na (6) 131*j*.
Watanabe, H., Kurasawa, T., Kikuchi, T., Katsuta, H., and Furukawa, K. Interaction between U carbides and liquid Na with a small O content (6) 131*g*.
Watanabe, Hideo, and Yagi, Yoshiyuki Method of mfg. ferroelectric ceramics, P (1) 18*e*.
Watanabe, Hiroshi See Kenmotsu, Akihiro ; Takeda, Takayoshi ; Yamaguchi, Yasuo
Watanabe, Hiroyuki See Nagasawa, Masahiro
Watanabe, Jiro See Tani, Tetsuro
Watanabe, Kazufumi See Iida, Hirofumi
Watanabe, Masaharu See Nakamura, Masakatsu
Watanabe, Masayuki See Sugaike, Suezo ; Watanabe, Ryuji
Watanabe, Naozo See Dosen, Masasi
Watanabe, Nobuhiko Fundamental parameters of casting slips and methods of measuring (8) 172*j*; Relation between unfired strength and fundamental parameters of whiteware bodies (9) 198*b*; Relation between plasticity and fundamental parameters of whiteware bodies (10) 225*c*; Relation between properties of cast whiteware bodies and the fundamental parameters of slips (10) 225*d*; Relation between slip properties and the fundamental parameters of whiteware bodies (10) 225*e*.
Watanabe, Ryuji, and Watanabe, Masayuki Inorganic refractory liquid composition, P (4) 84*a*.
Watanabe, T. Electrical properties of $FeCr_2S_4$ and $CoCr_2S_4$ (9) 209*g*.
Watanabe, Tadayoshi See Shinoda, Kiyonori
Watanabe, Takeshi, and Saito, Yuzi Color TV picture tube, P (2) 38*f*.
Watanabe, Yoshio See Komatsu, Ryosaku ; Takatsu, Manabu
Watanabe, Yoshiyuki, Saito, Shozo, and Takemoto, Susumu Ferromagnetic resonance of electrically conductive Mn ferrites (7) 151*b*.
Watarai, Seizo, and Kawasaki, Tatuo Green function theory of temp. dependence of spinwave impurity modes in Heisenberg antiferromagnets (6) 136*a*.
Watarai, Yoshiaki See Mizuno, Hideo
Watillon, A. See Dumont, F.
Watson, Alvin N. Capacitor with ceramic chip held in compression both laterally and axially by a glass sleeve, P (8) 174*a*.
Watson, Clifford A. See Chen, Sung J.
Watson, D. See Ward, P. A.
Watson, J. T. Heating elements, P (8) 178*d*.
Watson, James H. P. Method of making granular superconductors, P (11) 250*b*.
Watt, A. Noise suppression at grinding mills (9) 216*c*.
Watts, Claude H., and Benthimer, Floyd D. Apparatus for forming ceramic shell molds, P (6) 127*j*.
Watts, John M. J. See Keig, George A.
Watts, Roderick K., and Holton, William C. Ir to green conversion in $LiYF_4$:Yb,Ho [phosphors] (8) 182*f*.
Waxler, Roy M. See Feldman, Albert
Way, James A. Furnace carrier and handling system, P (9) 200*g*.
Waymouth, John F. Method of employing Hg-dispensing getters in fluorescent lamps, P (8) 170*a*. See Olson, Albert W.
Waymouth, John F., Keeffe, William M., and Gungle, Warren Calvin High-pressure electric discharge device with getter of Ba peroxide and Cu, P (9) 194*g*.
Weatherley, D. I. See Teale, R. W.
Weaver, Charles E., and Pollard, Lin D. Chemistry of Clay Minerals (Developments in Sedimentology, Vol. 15), B (11) 260*e*.
Weaver, Cliff V., Ranken, William A., and Lawton, Robert G. Thermionic gas-pressure-bonded sheathed insulators and method of producing, P (9) 202*e*.
Weaver, E. A., and Field, M. B. Magnetic, electrical, and physical properties of Li_2O-Fe_2O_3-SiO_2 compositions (7) 152*a*.
Weaver, E. A., Stewart, D. R., and Neilson, G. F. Lasing in a phase-separated glass (3) 62*a*.
Weaver, Edward A. Ferrimagnetic glass-ceramics, P (3) 63*f*; Ferrimagnetic ceramics, P (10) 227*c*.
Weaver, Gerald Q. Process for forming high-density refractory shapes [metal carbides] and the products resulting therefrom, P (7) 149*b*.
Webb, Edward A. See Peterson, Carl L.
Webb, John M. Expansible shell mold with refractory slip cover and method of making, P (7) 149*c*.
Webb, R. S. See Parke, S.
Webb, Richard A. See Kesten, Patrick N.
Weber, H. P., Damen, T. C., Danielmeyer, H. G., and Tofield, B. C. Nd ultraphosphate laser (10) 237*e*.
Weber, Horst See Schwochow, Friedrich
Weber, Horst L. See Hoopes, Harry P.
Weber, J. C. See Huxtable, J.
Weber, J. W. See Wesche, K.
Weber, Jon N., and White, E. W. Carbon-metal graded composites for permanent osseous attachment of nonporous metals (1) 11*e*.
Weber, M. J., Sharp, E. J., and Miller, J. E. Optical spectra, relaxation, and energy transfer of Eu^{3+} and Cr^{3+} in an $Eu(PO_3)_3$ glass (5) 98*h*.
Weber, Marvin J. See Monchamp, Roch R.
Weber, Neill See Dzieciuch, Matthew A.
Weber, Paul E. Semiconductive apparatus for detecting light of given flux density levels, P (1) 19*c*.
Weber, Peter See Wachter, Peter
Webster, Eric See Bryant, Frederick J.
Wecht, P. Zircon and zircon-containing refractories with an apparent density below 3.9 g/cm^3 (6) 127*g*.
Wedemeyer, H. See Korogiannakis, P.
Weeck, Marx E. Irradiated fuel recovery system, P (5) 103*e*.
Wegerer, Goetz See Richter, Kurt
Wehner, Bernd See Richter, Kurt
Wehr, Charles H. See Krekeler, Jerome H.
Wehrenberg, Thomas M. See Nelson, Michael A.
Weichert, Norbert H. See Bates, Clayton W., Jr. ; Helmer, John C.
Weide, Joachim See Fuchs, Otto
Weidemueller, Ch., and Koenig, G. Determination of the lower temp. limit at which reactions begin in blast furnace refractories and associated problems (4) 83*c*.
Weidman, Verne W., and Yates, Paul C. Foamed alkali silicate binder compositions, P (7) 158*j*.
Weidner, Herbert See Bienert, Klaus
Weigel, Horst, Wilbertz, Otto, Manshausen, Theo, and Kryczum, Alfred Device for crushing hot furnace discharge material, particularly hot alumina, P (9) 204*a*.
Weighart, Frederick G. See Munger, Donald W.
Weiher, J. F. See Bither, Tom A. ; Bouchard, R. J. ; Sleight, A. W.
Weiher, Richard L. See Campbell, Donald A.
Weil, Sanford A. See Reid, Jack M. ; Solbrig, Charles W.
Weill, Daniel F., and Drake, Michael J. Eu anomaly in plagioclase feldspar—experimental results and semiquantitative model (11) 258*c*.
Weimar, Peter See Bumm, Hellmut
Weinberg, Gladys D. Mold-blown beakers with mythological scenes (6) 119*i*.
Weinstein, Harold Controlled rectifier having gate electrode which extends across the gate and cathode layers, P (2) 43*a*.
Weir, A. H. See Brown, G.
Weir, Basil Method and apparatus for sorting semiconductor dice, P (7) 153*i*.
Weishaupt, Siegfried See Genannt, Wilhelm
Weiske, Wolfgang, and Vogt, Herbert Semiconductor component structure for good thermal conductivity, P (10) 228*g*.
Weiss, Alarich See Schlaak, M.
Weiss, J. D. See Lazarus, D.
Weiss, Robert J. How to select grinding wheels (9) 189*e*.
Weiss, Robert O., Nikitopoulos, Robert A., and Gunther, Phillip B. Method of forming mercuric oxide shell on C particles, P (2) 40*f*.
Weiss, Vladimir Crack development in concrete with closely spaced reinforcement and in similar materials (7) 142*d*.
Weiss, Werner See Vatterodt, Karl
Weitzel, Hans Magnetic structure of $CoWO_4$, $NiWO_4$, and $CuWO_4$ (8) 183*g*; Magnetic structure of $Fe_{0.9}Nb_{1.1}O_4$ (9) 212*e*.
Weitzel, Hans, and Klein, Siegfried Magnetic structure of the columbites $MnTa_2O_6$ and $CoNb_2O_6$ (9) 212*d*.
Welch, J. J. See Lees, T. P.
Weldes, Helmut H. See Sams, Robert H.
Weller, Kenneth P., and Wen, Cheng P. Method of making semiconductor devices mounted on a heat sink, P (8) 174*j*.
Wells, A. F. Octahedron in chemistry (9) 213*f*.
Wells, M. R. See Cashion, J. D. ; Cooke, Arthur H.
Welty, Richard K. Process for recovery of U values by precipitation of ammonium diuranate, P (8) 176*i*.
Welz, Bernhard See Braun, Klaus
Wemple, S. H. Interband optical transition strengths in SiO_2, GeO_2, SnO_2, and TiO_2 (9) 211*j*. See Camlibel, I. ; Singh, S. ; Tien, P. K.
Wemple, S. H., Dillon, J. F., Jr., Van Uitert, L. G., and Grodkiewicz, W. H. Fe garnet crystals for magneto-optic light modulators at 1.064 μm (11) 258*c*.
Wen, Cheng P. See Weller, Kenneth P.
Wenckus, Joseph F. Apparatus [verneuil] for growing crystals in plate form, P (2) 48*a*. See Haggerty, John S.
Wenda, A. See Hadwiger, H.
Wendel, Richard H. See Woelfel, Erich R.
Wendland, Paul H. Image transducing system employing reverse biased junction diodes, P (5) 102*f*.
Wendler, Ljubos Relation between strength of dried kaolin and that of the resulting porcelain (1) 15*f*.
Wenk, H. R. See Baker, D. W.
Wentorf, Robert H., Jr., and Rocco, William A. Abrasive bodies of finely divided cubic BN crystals, P; Diamond tools for machining, P (10) 217*e*.
Wentowska, K. Fluctuations in magnetic moment in antiferromagnets (4) 91*i*.
Wenzig, Wolfgang Semiconductor diode with protective ring, P (3) 70*c*.
Wermuth, F. R., and Knapp, W. J. Initial sintering of MgO and LiF-doped MgO (8) 182*g*.
Werner, Leo C. See Knochel, William J.
Werner, Robert M. See Valerio, Paul F.
Wernick, Jack H. See Buehler, Ernest
Wernicke, R. See Haerdtl, K. H.
Wertheim, Gunther K. See Robbins, Murray
Wertz, John E. See Davies, James John
Wesch, Ludwig Method of mfg. glass-fiber-reinforced epoxy resin tubes, P (9) 194*d*.
Wesche, K., Weber, J. W., and Kunze, W. Fatigue characteristics of nonreinforced concrete (11) 242*c*.
Wesolowski, Piotr Harmful changes in alumina-cement concretes (3) 59*j*.
West, A. R., and Glasser, F. P. Crystallization of Li Mg Zn silicates: I, Phase equilibria in the system Li_4SiO_4-Mg_2SiO_4-

Zn_2SiO_4 (6) 135*c*.
West, Ben F. See Basque, Max G. ; Surls, Joseph P.
West, H. W. H. See Astbury, N. F.
West, James E. See Sessler, Gerhard M.
West, S. W. Disposal of U-mill effluent by well injection in the Grants area, Valencia County, New Mexico (10) 230*b*.
Westendorp, Franz F. See Buschow, Kurt H. J.
Westervelt, D. C. See Dixon, G. D.
Westgate, C. R. See Sheng, W. W.
Westlake, Donald, and Coles, Kenneth F. Porous media tunnel burner, P (9) 206*b*.
Westman, Sven See Arnberg, Lars
Weston, Derek G. C. See Vincent, Colin A.
Westwig, Ralph A. See Love, Roy E.
Westwood, A. R. C., Macmillan, N. H., and Kalyoncu, R. S. Environment-sensitive hardness and machinability of Al_2O_3 (6) 136*f*.
Wey, R. See Le Dred, R. ; Siffert, B.
Wey, R., and Le Dred, R. Vermiculite and vermiculitization (6) 140*c*.
Weyl, P. K. See Beard, D. C.
Whalley, E. See Wong, P. T. T.
Whalley, W. B. The description and measurement of sedimentary particles and the concept of form (6) 132*f*.
Whapham, A. D. Heterogeneous nucleation of fission gas bubbles and gas migration in UO_2 (5) 103*f*.
Whatley, Marvin E. See Bell, Michael J.
Wheat, Lawrence C., and Tary, Orville L. Apparatus for producing all-glass multiple sheet glazing units, P (5) 99*a*.
Wheatley, Carl F., Jr. Heat sinking of semiconductor integrated circuit devices, P (7) 153*a*.
Wheeler, D. A. See Reid, A. F.
Wheeler, Peter J. Flame monitor system and method using multiple radiation sensors, P (1) 22*h*.
Wheeler, V. J. High-temp. thermodynamic data for UO_{2-x} (2) 46*j*; Diffusion and solubility of H in UO_2 single crystals (6) 131*a*.
Wherrett, B. S., Dennis, R. B., Litton, Cole W., and Smith, Stanley D. Magneto-optical absorption spectrum of donor electrons in CdTe (11) 258*i*.
Whetten, Nathan R. Method and apparatus for measuring size distribution of particles using a 3-dimensional ac electric field, P (10) 233*c*.
White, C. W., Simms, D. L., and Tolk, N. H. Surface composition determined by analysis of impact radiation (5) 105*b*.
White, D. See Ritchie, D.
White, E. A. D. See Enoch, R. D.
White, E. W. See Bhalla, R. J. R. S. B. ; Weber, Jon N.
White, Edward B. See Whitney, Ian
White, Henry W., Battles, James W., and Everett, Glen E. Low-temp. magnetic heating in single-crystal NiO (7) 151*j*.
White, Malcolm L. Mounting media for semiconductor fabrication, P (11) 251*a*.
White, R. M., and Lucovsky, G. Chemical bonding and structure in layered transition metal dichalcogenides (9) 208*f*.
White, Robert L. See Cooke, Arthur H. ; Malozemoff, Alex P.
White, W. B. See O'Horo, M. P.
White, William B. See Moore, Raymond K. ; Roy, Rustum
White, William B., and Moore, Raymond K. Interpretation of the spin-allowed bands of Fe^{2+} in silicate garnets (5) 111*g*.
Whiteley, P. G. Trends in refractories use in Fe making (7) 148*i*. See Thompson, P.
Whiteman, A. E., Martin, J. J., and Shanks, H. R. Thermal conductivity of cubic Na W bronzes (5) 116*a*.
Whitfield, Alan A. See Orkin, Stanley S.
Whitley, James B. Hard media beneficiation process for wet clay, P (10) 234*f*.
Whitmore, D. H. See Stiglich, J. J., Jr.
Whitney, E. Dow See Batha, H. Dean
Whitney, Ian, White, Edward B., and Rowland, Michael R. Method of producing tapes of longitudinally aligned [PAN] C fibers, P (2) 40*f*.
Whitney, J. F. See Brixner, L. H.
Whitney, W. P., II, and Stubican, V. S. Interdiffusion studies in the system MgO-Al_2O_3 (5) 111*d*.
Whittaker, A. Greenville, and Wolten, Gerard M. C—a suggested new hexagonal crystal form (3) 74*c*.
Whittaker, Arthur G. Process for making chaoite, P (9) 197*c*.
Whittaker, Dennis W. See Gray, Martin E.
Whittam, Thomas V. See Sunderland, Stephen
Whittemore, Dwight S. See Davies, Ben
Whittemore, O. J., Jr. Synthesis of siliceous mordenites (11) 256*d*. See Chattopadhyay, Arun K. ; Ormiston, Thomas J.
Whittemore, O. J., Jr., and Sullivan, D. A. Pore changes on reheating of plasma-sprayed zircon (7) 148*b*.
Whittingham, M. S. See Clark, L. D.
Whittington, Keith R. Scanning ultrasonic inspection method and apparatus [for transducers], P (3) 70*i*.
Whyte, T. D. See Drabble, Jon R.
Wickersheim, Kenneth A. See Buchanan, Robert A.
Widdowson, A. E. See Bellau, R. V.
Widlar, Robert J. See Kalb, Jeffrey C.
Widmann, H. New ceramic materials for electrotechnology (4) 85*a*.
Wiechmann, O. See Steinkuhl, J.
Wiedemann, Hans G. (Editor) Thermal Analysis, Vol. 3: Organic and Macromolecular Chemistry, Ceramics, Earth Sciences, B (7) 164*h*.
Wiedemeier, Heribert, and Sodeck, Hamdy Knudsen measurements of the sublimation of Mn(II) telluride (8) 183*f*.
Wiedemann, Hans Electric lamp with refractory metal components connected to Mo foils, P (2) 38*f*.
Wieder, Harold Polarization junction laser, P (10) 228*a*.
Wiederhorn, S. M. Prevention of failure in glass by proof-testing (6) 124*b*.
Wiederhorn, S. M., and Johnson, H. Influence of Na-H ion exchange on crack propagation in soda-lime silicate glass (4) 80*h*; Effect of electrolyte pH on crack propagation in glass (5) 97*j*.
Wiedermann, Wolfgang Rotary drum furnace, P (9) 206*c*.
Wiedmann, Siegfried K. Monolithic circuits with pinch resistors, P (1) 18*c*. See Berger, Horst H.
Wiesner, Richard Method for mounting semiconductor components, P (10) 228*c*; Method for mounting semiconductor components, P (11) 250*f*.
Wieting, T. J. Electrical conductivity of thin single crystals of the IVB-VIB dichalcogenides [MoS_2, $MoSe_2$, $MoTe_2$, WS_2, WSe_2, $NbSe_2$, HfS_2] (5) 108*j*.
Wiewiorowski, Tadeusz K., and Miller, David J. Recovery of U from an organic extractant by back extraction with H_3PO_4 or HF, P (9) 230*d*.
Wijn, Henricus P. J. See Buschow, Kurt H. J.
Wijnhoven, J. See Helsen, J.
Wiker, Frank See Rupprecht, Charles F.
Wilbertz, Otto See Weigel, Horst
Wilburn, F. W. Temp. control circuits, P (10) 233*e*.
Wilcock, R. J. See Metcalfe, A.
Wilcox, B. A. See Clauer, A. H.
Wild, Norman R., and Leavy, Paul M., Jr. Fiber optic laser system, P (8) 169*h*.
Wild, R. L. See Simanek, E.
Wilder, D. R. See Stacy, Denzil W.
Wilding, L. P., and Geissinger, H. D. Correlative light optical and scanning electron microscopy of minerals—a methodology study (9) 204*i*.
Wildpaner, H., and Kuhs, R. Regulating circles of raw meal mixers in the cement industry (10) 218*f*.
Wiles, Donald R. See Germain, Andrew G.
Wilhelm, Guenter See Spaeth, Claus
Wilhelmi, G. See Etzel, K.
Wilhelmi, Karl Axel See Darriet, Jacques
Wilk, S. See Raczkowski, Jozef
Wilkening, S. Chemical resistance of carbon bricks in blast furnaces (4) 83*a*.
Wilkins, B. J. S. Probability of failure of brittle materials subjected to dynamic and static fatigue (2) 48*g*.
Wilkins, Mark L. See Cline, Carl F.
Wilkins, Mark L., Holt, Albert C., Cline, Carl F., and Froeschner, Kenneth E. Armor of cermet with metal therein increasing with depth, P (10) 224*f*.
Wilkins, R. W. T., and Sabine, William Water content of some nominally anhydrous silicates (10) 240*c*.
Wilkinson, F. C. F. See Scholes, S.
Wilkinson, Raymond W. See Woodhead, James L.
Wilks, E. M., and Wilks, J. Resistance of diamond to abrasion (5) 95*h*; Trigons and birefringence in diamonds and the selection of near perfect diamonds (6) 119*f*.
Wilks, J. See Wilks, E. M.
Wilks, Philip H. See Scammon, Lawrence W., Jr.
Will, O. Control concept for preheater kilns (9) 190*d*.
Willard, John E. Trapped free radicals and electrons in organic glasses (9) 193*h*.
Willem, M. See Riviere, D.
Willett, Richard L. See Hoppis, Larry
Williamitis, Victor A. Method for making the enclosure walls of a low temp. self-cleaning cooking device, P (2) 34*j*; Self-cleaning cooking oven, P (9) 192*a*.
Williams, A. B. Match kiln furniture to your needs (9) 205*i*.
Williams, A. W. S., Lightowlers, Edward C., and Collins, Alan T. Impurity conduction in synthetic semiconducting diamond (11) 258*a*.
Williams, Brown F. See Simon, Ralph E. ; Tietjen, James J.
Williams, David A. Ultrasonic transducer with half-wave separator between piezoelectric crystal means, P (1) 19*d*.
Williams, Ferd E. See Nozik, Arthur J.
Williams, J. C. See Dentai, Andrew G. ; Van Uitert, L. G.
Williams, J. F. See Jepson, W. B.
Williams, J. P. See Korda, E. J.
Williams, M. W. See Arakawa, E. T.
Williams, R. H. See Thomas, J. M.
Williams, Ralph J. See Reed, James S.
Williams, Raymond L. See Beiding, William A.
Williams, Richard M. See Rodgers, John T.
Williamson, J. See Rogers, P. S.
Williamson, J. P. A. See Sutherland, R. R.
Williamson, Robert B. Solidification of portland cement (3) 60*e*.
Willis, B. T. M. See Cheetham, A. K.
Willis, William See Pratt, Ronald G.
Wills, John H. See Miller, James R.
Wilshaw, T. R. See Withers, P. B.
Wilson, Benjamin J. See McClincy, Richard J.
Wilson, H. H., and Lefort, H. G. Quantitative studies of enamels for continuous cleaning ovens (10) 219*e*.
Wilson, Hugh W. See Agey, W. W.
Wilson, J., and Bottomley, S. C. Noncontact printing and automatic alignment of Cr mask patterns on Si slices (1) 16*h*.
Wilson, J. I. B., and Woods, J. Photovoltaic properties of single-crystal CdS-Cu_2S cells (3) 68*e*.
Wilson, Joseph F., and Southworth, Wallace D. Limestone granulation, P (1) 23*g*.
Wilson, M. J. See Cradwick, P. D. ; Thomson, A. P.
Wilson, Richard L. See Mapother, Thomas C.
Wilson, Richard W. Contact for piezoelectric crystals, P (7) 153*c*; Method of providing thermally conductive ground connections for integrated circuits, P (9) 201*h*.
Wilson, Richmond W. See Andrysiak, Carl D.
Wilson, Ronald H. See Sigabee, Raymond A.
Wilson, S. See Hill, R.
Wilson, Wayne J. See Agey, W. W.
Wilson, William B. Fluoride-containing crystalline aluminosilicates, P (2) 50*h*.
Wilshee, J. C. See Thompson, P.
Wilt, Homer E. See Freeder, Herman
Wiltshire, Arthur J., Rasello, Henry U., and Czumber, Frank E. Apparatus for making fiber [glass] preform, P (9) 193*f*.
Wimmer, J. M. See Bransky, I.
Wimmer, Robert Production of glass-fiber-reinforced plastic articles, P (7) 147*d*.
Winefordner, J. D. Phosphorimetry (5) 105*a*.
Wing, J. See Lutz, G. J.
Wingood, Ivan L., Jr. See Klein, Gerhart P.
Winitzer, S. See Ish-Shalom, M.
Winkelmolen, A. M. Dielectric anisotropy and grain orientation (8) 180*e*.
Winningham, Truman Method, apparatus, and system for separating particulate matter from gases laden therewith and accumulating the particulate matter, P (9) 204*d*.
Winsche, Warren E., Wirsing, Edward, Jr., and Wiswall, Richard H., Jr. Recovery of SO_2, P (1) 20*h*.
Winslow, Lester M. See Smith, Sidney T.
Winstel, Guenter See Heywang, Walter
Winter, A. Considerations concerning glass homogeneity (1) 5*c*.
Winter, Ernst J., and Steizmuller, Franz Apparatus for mfg. [anode] blocks, P (1) 14*d*.
Winter, Gerhard See Mansmann, Manfred
Winterbottom, Bruce See Garvey, Francis J.
Wintzer, Manfred Degassing arrangement for electron beam tube including an M/C dispenser cathode, P (1) 17*b*.
Winyall, Milton E. See Acker, Ellsworth G.
Wires, E. Stanley, Schneider, Norris F., and Meure, Moses Zanesville Decorative Tiles, B (2) 58*j*.
Wirkus, C. D. See Rashid, M. S.
Wirsching, F., and Poch, W. Ball impact test as a simple method of determining the strength of gypsum specimens (9) 204*h*.
Wirsing, Edward, Jr. See Winsche, Warren E.
Wirth, David G., Jr. See Levy, Newton, Jr. ; Rettew, Richard R.
Wirtz, G. P. Reply to "Comment on 'Electron diffraction superlattice lines in Mg ferrite'," (1) 27*i*.
Wise, D. C., and Trask, R. B. Graphite composite dies—an answer to hot-pressing problems (11) 252*e*.
Wise, Joseph F. Vertical junction hardened solar cell, P (1) 19*e*.
Wisner, William R. See Bustraan, Daniel J.
Wiswall, Richard H., Jr. See Winsche, Warren E.
Withers, James C. Process of plating by pyrolytic deposition, P (2) 45*i*. See Chavasse, Nicholas H., Jr.
Withers, P. B., and Wilshaw, T. R. Fracture of transparent brittle solids due to stress pulses generated by a Q-switched ruby laser (11) 258*j*.
Witherspoon, Romeo R. Process of preparing Mn oxide-catalyzed cathodes, P (11) 256*d*.
Withstandley, Victor D. See Moroz, William J.
Witt, August F. See Kim, K. M. ; Platakis, Nicolaos S.
Witte, Wolfgang Observing device for heated sample cells, P (8) 178*c*.
Witteles, Abraham, A. Radiation method for determining semiconductor stability and reliability, P (7) 154*d*.
Wittenwyler, Clifford V. Process for the production of bonded particles as a material of construction, P (3) 65*i*.
Witteveen, H. T. Magnetic susceptibility of $NiAs_2O_4$ and $NiSb_2O_4$ (9) 212*g*.
Wittman, Ralph E. See Koluch, Joseph S.
Wittmann, F. H. Interaction of hardened cement paste and water (9) 190*h*. See Zaitsev, J. W.
Wittmann, Karl See Nedopil, Erich
Woelfel, Erich R., and Wendel, Richard H. Method of X-ray analysis of crystal structure and X-ray goniometer for carrying out the method, P (5) 105*d*.
Woelfle, Rudolf, Ruecker, Dieter, and Lauerer, Uta Method of producing diffused semiconductor components from Si, P (5) 102*c*.
Woerner, Paul F. Process for the deposition of refractory metal and metalloid carbides on a base material, P (7) 143*i*.
Wohlleben, D. See Pouget, J. P.
Wohlleben, Karl See Konopicky, Kamillo
Wojtczak, L. See Lawrynowicz, J.
Wojtowicz-Natanson, B. See Filinski, I.
Wold, Aaron See Morris, Bernard L. ; Reynolds, T. G.
Wolf, Friedrich, Bettke, Wolfram, and Petzold, Armin Effect of the reactivity of slack coal and brown-coal high-temp. coke on the decomposition of anhydrite cement raw meals by the Mueller-Kuehne process (10) 217*i*.
Wolf, W. P. See Cochrane, R. W.
Wolfe, James R. See Borg, Richard J.
Wolfe, Paul G. See Iadicicco, Robert A.
Wolfe, R. See Robbins, M. ; Sturge, M. D. ; Tien, P. K.
Wolfe, R., North, J. C., Barns, R. L., Robinson, M., and Levinstein, H. J. Modification of magnetic anisotropy in garnets [films] by ion implantation (10) 226*g*.
Wolfe, R. W. See Eysel, W.
Wolff, Bernhard B. Apparatus for making hermetically sealed glazing units, P (9) 193*g*.
Wolfgang, Lozure G. Electron tube with bonded external semiconductor electrode, P (3) 69*h*.

Wolfrom, Walter See Herzog, Guenther
Wolhuter, C. W. See Coale, R. D.
Wolten, Gerard M. See Whittaker, A. Greenville
Wondergem, Hendrik M. See Lazenby, Peter G.
Wong, J. Thermal stresses in CVD films—the case of binary arsenosilicate glasses (9) 200*d*; Vapor deposition and properties of binary arsenosilicate glass films (9) 200*f*.
Wong, J., and Ghezzo, M. As diffusion in Si using low As_2O_3-content binary arsenosilicate glass sources (8) 167*b*.
Wong, P. T. T., and Whalley, E. Infrared and Raman spectra of glasses: II, Far ir spectrum of vitreous silica in the range 100—15 cm^{-1} (2) 36*h*.
Wong, Philip See Messier, Donald R.
Wood, B. R. A. See Walker, D. G.
Wood, C. See Taneja, S. P.
Wood, Richard P. See Davis, Carlton J., Sr.
Wood, V. E., Austin, A. E., Collings, E. W., and Brog, K. C. Magnetic properties of heavy rare-earth orthomanganites (8) 183*e*.
Woodall, Hubert C., Jr. See Nisbet, John L.
Woodall, J. M. See Scott, B. A.
Woodbury, E. J. See Ng, Won K.
Woodcock, Richard F. See Snitzer, Elias
Woodham, George W., and Stuart, James L. Apparatus for the continuous production of glass-fiber-reinforced thermoplastic, P (5) 98*j*.
Woodhams, F. W. D. See Glasser, F. P.
Woodhead, James L., Dell, Ronald M., Junkinson, Anthony R., and Wilkinson, Raymond W. Preparation of mixed oxides, P (7) 159*c*.
Woodley, R. E. Equilibrium O potential—composition relations in $U_{0.75}Pu_{0.25}O_{2-x}$ (4) 91*g*.
Woods, J. See Carter, M. A. ; Serdyuk, V. V. ; Subhan, M. A. ; Wilson, J. I. B.
Woods, J. F. See Foster, L. M.
Woods, K. N. See Greskovich, C.
Woolf, Cyril See Lichstein, Bernard M.
Woollam, John A. See Spain, Ian L.
Worley, J. C., Smith, Alan B., and Kestigian, Michael Anomalous [longitudinal-wave] attenuation in Li tantalate (5) 106*c*.
Wostenholm, G. H. See Pirgon, O.
Wozniak, F. See Belohoubek, E.
Wright, Archibald N., and Mathewson, Wilfred F. Method for making a composite, P (8) 174*i*.
Wright, Athol C. See Penno, Edward
Wright, D. A. See Pitt, G. D.
Wright, D. C. See Grove, F. J.
Wright, Edmund S. Production of basic refractories, P (5) 100*j*.
Wright, John J. See Aycock, Thomas W.
Wright, Robert J., Chapin, John S., Mah, George, and Karstendiek, Claude A. Sputter deposition of refractory carbide on metalworking tools, P (4) 77*e*.
Wrobel, Z. See Ujma, Z.
Wrona, B. J. See Roberts, J. T. A.
Wruss, Werner See Kieffer, Richard
Wrzesinska, A. See Mochniak, J.
Wu, S. Y., Takei, W. J., and Francombe, M. H. Electrooptic contrast observations in single-domain epitaxial films of $BiTiO_3$ (10) 226*a*.
Wu, S. Y., Takei, W. J., Francombe, M. H., and Cummins, S. E. Domain structure and polarization reversal in films of ferroelectric Bi titanate (4) 85*d*.
Wu, Shi-Yu See Taylor, P. L.
Wuensing, Joachim Apparatus for the production of bound bodies of bulking clay, P (10) 223*f*.
Wuensch, B. J. See Anderson, H. T. ; Rhodes, W. H.
Wuerker, Ralph F. Coherence controlled ruby laser, P (2) 43*i*.
Wuhrer, Josef See Kurczyk, Heinz G.
Wurm, Joseph See Avogadro, Alessandro
Wurst, J. C., and Geyer, Norman M. Evaluation of high temp. protective coatings (1) 4*d*.
Wyatt, Brian S. U-base alloys, P (6) 132*a*.
Wyatt, K. J., and Marshall, R. J. Testing for quality control in brick production (6) 126*f*.
Wyatt, Samuel U.S. Radium boosts quality as it reduces costs (9) 203*h*.
Wyche, Charlie See McCawley, Frank X.
Wyde, Sidney S. See Walker, Robert C.
Wyllie, Peter J. See McDowell, S. D. ; Merrill, Russell B. ; Robertson, J. K.
Wyman, Russell A. Concentration of spodumene using flotation, P (5) 105*i*.

Xeller, H. Multistage cooler with intermediate size reduction (10) 218*i*.

Yabe, Atsuo See Iwasa, Uichi
Yabe, Masaya, Takahama, Teizo, Kono, Masaru, and Hirono, Katsumi Semiconductor oscillating element and control circuit therefor, P (4) 87*e*.
Yablokov, A. I. See Zakharov, P. P.
Yablonovitch, Eli Optical dielectric strength of alkali halide crystals obtained by laser-induced breakdown (10) 237*j*.
Yabumoto, Tadaichi, Matsumoto, Hironaga, and Marui, Shigeo Dc electroluminescence of ZnS:TbF_3 thin films (8) 173*a*.
Yadav, A. S., and Parshad, R. Formula for dielectric correlation between powder and bulk over wide ranges of permittivities and packing fractions (3) 75*d*.
Yager, Billy P. See King, Lewis C.
Yagi, Hideyuki See Misawa, Yutaka
Yagi, Toshirou, and Tatsuzaki, Haru Electric field gradient and long-range-order parameter of ferroelectric $NaNO_2$ (6) 136*c*.
Yagi, Yoshiyuki See Watanabe, Hideo
Yagub'yan, E. S. See Bukhalova, G. A. ; Shegurova, G. A.
Yagub'yan, E. S., and Bukhalova, G. A. Equilibrium in the reciprocal system of the fluorides and chlorides of Na and Ba (1) 25*d*.
Yahagi, Kichinosuke See Katsuta, Yukio ; Tanifuji, Shinya
Yajima, Seishi See Aoki, Koichi
Yajima, Seishi, Hirai, Toshio, Ishikawa, Toshikatsu, and Matsuyama, Toshio Variable resistor, P (10) 229*d*.
Yakel, H. L. See Harris, L. A.
Yakovlev, Evgeny N. See Vereschagin, Leonid F.
Yakovleva, R. T. See Kuznetsov, V. G. ; Tananaev, I. V.
Yakubov, V. L, and Ivanova, N. V. Ni slag as an effective mineral additive (2) 33*d*.
Yalamanchili, Krishna R. See Halley, James W.
Yale, Ramon L. See Mathers, James E.
Yam, V. M., Oleinik, V. T., and Petrova, M. D. Industrial development of vibroimpact forming of SiC refractories (1) 12*j*.
Yamada, Hideo See Kataoka, Shoei
Yamada, Hisao, and Miller, G. R. Point defects in reduced $SrTiO_3$ (6) 138*h*.
Yamada, Isao Color display tubes, P (10) 222*f*; Magnetic properties of K_2CuF_4—a transparent two-dimensional ferromagnet (10) 237*h*.
Yamada, Jun See Araki, Tadashi
Yamada, Naoyoshi See Kushihashi, Akira
Yamada, O. See Takahashi, T.
Yamada, Tadashi, Yamashita, Akio, Tanaka, Masaru, Tsuzaki, Takehiro, and Fujita, Takashi Solid-state magnetoelectrical transducer, P (9) 202*b*.
Yamada, Tomio See Ihochi, Takahiko
Yamada, Tomoaki See Iwasaki, Hiroshi
Yamada, Tomoaki, and Iwasaki, Hiroshi New ferroelectric compound $SrTeO_3$ (10) 237*f*.
Yamada, Tomoharu See Kataoka, Toshihiko
Yamada, Toshio See Maruno, Shigeo ; Noda, Mikio
Yamada, Tunehiko, Egami, Seiji, Sasatani, Harumi, Matsuoka, Hideaki, Emoto, Saburo, and Okamura, Kunio Method for cutting glass sheets, P (6) 125*i*.
Yamagami, Teiichi See Matsushita, Tatsuhiko ; Okuda, Masahiro
Yamaguchi, Akira, and Kato, Etsuro Heat effects of anhydrous Mg sulfate (10) 236*h*.
Yamaguchi, Goro, and Nakano, Mitsuko Thermodynamics of diffusion in particle systems with a gradient of vacancy concentration (8) 187*d*.
Yamaguchi, Goro, Nishikawa, Yasuo, Yoshizaki, Kazuhiro, and Komatsu, Susumu Catalyst for oxidation and a method for producing it, P (11) 256*g*.
Yamaguchi, Hideki See Kasahara, Ichiro
Yamaguchi, Masafumi See Yasuda, Hiroshi
Yamaguchi, Masao See Aoki, Tatsuo
Yamaguchi, Masuhiro, and Hashimoto, Takasu Magnetic properties of Cr_3Te_4 in ferromagnetic region (6) 137*f*.
Yamaguchi, S. Pyrrhotite growth on Fe thiospinel nuclei (8) 185*f*.
Yamaguchi, Yasuo See Takeda, Takayoshi
Yamaguchi, Yasuo, Watanabe, Hiroshi, Yamauchi, Hiroshi, and Tomiyoshi, Shoichi Neutron diffraction study of Cr_2As (6) 137*f*.
Yamai, Iwao See Matsushita, Toru
Yamaji, Akihiko, and Waku, Shigeru Studies on $SrTiO_3$ boundary layer dielectrics (3) 68*b*.
Yamakawa, Tyoji See Hattori, Kenichi
Yamamoto, Hirohiko Semiconductor integrated circuit, P (8) 175*e*.
Yamamoto, Koichi See Okuda, Masahiro
Yamamoto, Masahiro See Itoh, Tsutomu
Yamamoto, Masayuki, Toki, Hisashi, and Shibuya, Hideo Semiconductor device and method of mfg., P (2) 45*c*.
Yamamoto, Michiaki See Kobayashi, Shigehiko
Yamamoto, Naoichi Growth of $ZnMn_2O_4$ and $CoMn_2O_4$ single crystals by chemical transport method (11) 249*i*.
Yamamoto, Naoichi, Nagasawa, Koichi, Bando, Yoshichika, and Takada, Toshio Growth of Mn_3O_4 single crystals by chemical transport method (7) 161*e*.
Yamamoto, Osamu See Takahashi, Takehiko
Yamamoto, Takeshi See Kato, Shigeki
Yamamoto, Tetsuo See Mizukusa, Shin
Yamamoto, Tokuji, Sakka, Sumio, and Tashiro, Megumi In situ observation of growth of crystals from glass surface caused by electron beam bombardment (3) 62*c*.
Yamamura, Hiroshi Oxidation vacancies in the perovskite-type ferrites: III, Oxidation of reduced perovskite-type ferrites (5) 113*b*.
Yamanaka, T. See Ishii, M.
Yamanouchi, Akira, Takenaka, Seisuke, and Mitori, Yukio Method of making an [Al] enameled decorative board, P (2) 34*i*.
Yamaoka, Shinobu, Fukunaga, Osamu, Ono, Terumasa, Iizuka, Eiichi, and Asami, Seiichi Phase transformations in Li_2WO_4 at high pressure (8) 185*g*.
Yamashiro, Tomonobu Electrical switching and memory phenomena in $CuFe_2O_4$ (11) 249*f*.
Yamashita, Akio Field-effect semiconductor device, P (10) 227*d*; Mechanoelectrical transducer device, P (10) 227*h*. See Yamada, Tadashi
Yamashita, Akio, and Fujita, Takashi Field-effect semiconductor device, P (11) 250*f*.
Yamashita, Nobuyuki See Nagae, Yasuyuki
Yamashita, Yohachi See Ichinose, Noboru
Yamauchi, Hiroshi See Yamaguchi, Yasuo
Yamawaki, Michio, Kanno, Masayoshi, and Mukaibo, Takashi High temp. reaction between US and Zr (2) 46*g*.
Yamaya, Kazuhiko, and Sambongi, Takashi Low-temp. crystal modification and the superconductive transition temp. of $NbSe_2$ (9) 211*j*.
Yamaya, Susumu, and Sadahiro, Takeshi Hard sintered [carbide] compositions, P (10) 224*h*.
Yamazaki, Chieko See Muta, Akinori
Yamazaki, Hajime See Seki, Hisashi
Yamazaki, Hajime, Ishida, Satoru, and Fujimoto, Masatomo GaAs diffused diode, ECL—1350 (3) 67*c*.
Yamazaki, Haruo See Mizuno, Hideo
Yamazaki, Hiroshi See Ando, Tetsuo
Yamazaki, Junichiro See Nakamura, Masashi
Yamazaki, S. See Kamata, N.
Yamazaki, Seiichi Problems with refractory furnace body from viewpoint of furnace construction: II, Bricks (1) 12*h*.
Yanagi, Soetsu Unknown Craftsman—A Japanese Insight into Beauty, B (2) 58*f*.
Yanagida, Hiroaki Electron hole conductivity in $(ThO_2)_{1-x}(YO_{1.5})_x$ solid solutions (10) 235*f*. See Kuwabara, Makoto
Yanase, Junichi See Miyatake, Kazumi
Yanase, Takeyasu See Akaba, Ryoichi
Yang, Houng-Yi New data on forsterite and monticellite solid solutions (8) 184*g*.
Yang, Houng-Yi, and Foster, W. R. Stability of Fe-free pigeonite at atm. pressure (4) 93*b*.
Yang, K. H., Richards, P. L., and Shen, Y. R. Generation of far-ir radiation by ps light pulses in $LiNbO_3$ (10) 236*c*.
Yang, Wen-Ching Estimating the solid particle velocity in vertical pneumatic conveying lines (11) 253*h*.
Yannopoulos, Lymperios N., and Pebler, Alfred H. Halogen regenerative-cycle incandescent lamp, P (4) 81*d*.
Yano, Motohiro See Harao, Norio
Yano, T., Nabeta, Y., and Watanabe, A. New crystal $Pb_5(GeO_4)(VO_4)_2$ for acoustooptic device applications (10) 237*e*.
Yarmola, T. M. Preparation of tabular crystals of GaP by reaction of phosphine with Ga (4) 80*j*; Technique for the production of sintered Ga and In phosphide specimens (10) 224*e*.
Yarom, Artzi See Suhami, Albert
Yaroslavskii, Mikhail I. See Fedorkov, Albert P.
Yartseva, R. D. See Sokol, V. I.
Yasuda, Hiroshi, and Nagai, Kazutoshi Growth of craters on ion-etched surface of $LiNbO_3$ and ion etching without craters (7) 151*f*.
Yasuda, Hiroshi, Nagai, Kazutoshi, and Yamaguchi, Masafumi Thinning of $LiNbO_3$ for acousto-optic deflectors by ion etching (5) 116*g*.
Yasuda, Nobuaki, Ogawa, Takenobu, Murakami, Yoshio, Higashinakagawa, Iwao, Takeno, Syozo, and Tanaka, Norio Method for mfg. a magnetic thin film memory element, P (2) 44*b*.
Yasue, Kazuo See Kondo, Yasuhiko
Yasui, Toshiko See Muraoka, Hisashi
Yates, B. See Pirgon, O. ; Pojur, A. F.
Yates, J. A. See Ormesher, E. R.
Yates, Paul C. Surface ion exchanged asbestos compositions, P (1) 14*f*; Process for silicate-perlite structures, P (6) 128*b*. See Meadows, Geoffrey W. ; Weidman, Verne W.
Yatsenko, A. P. See Glazyrin, M. P.
Yatsimirskii, K. B. Compatibility of dissimilar ligands (5) 107*b*.
Yavorsky, Paul J. Al phosphate-bonded refractory and method for making, P (8) 171*j*.
Yavorsky, Paul M. See Gorin, Everett
Yaws, Carl L., and Wakefield, Gene F. Rotary chamber process for chemical vapor deposition (1) 16*a*.
Yazaki, Takehito See Sakamoto, Sadao
Yazu, Syuji See Hara, Akio
Yeakley, Richard L. See Bean, Kenneth E.
Yearsley, Gerald A. See King, Lewis C.
Yee, J., and Kroeger, F. A. Measurements of emf in Al_2O_3—pitfalls and results (5) 112*h*.
Yee, S. See Neudorfer, M. L.
Yeh, Tsu-Hsing See Joshi, Madhukar L.
Yerman, Alexander J. See Orth, Edward D. ; Underwood, Joe B.
Yerouchalmi, David See Aubin, Gerard ; Blattmann, Henri
Yevdokimov, B. G. See Shakhova, N. A.
Yim, W. M., Dismukes, J. P., Stofko, E. J., and Paff, R. J. Synthesis and some properties of BeTe, BeSe, and BeS (6) 139*d*.
Yim, Woongsoon M., and Yocom, Perry N. Electroluminescent device comprising a transition metal oxide doped with a trivalent rare earth element, P (8) 174*f*.
Yocom, Perry N. See Yim, Woongsoon M.
Yoffe, Abraham D. See Grant, A. J. ; Jerome, D.
Yokokawa, Toshio See Sato, Seichi
Yokosawa, Naoki See Muto, Tadashi
Yokoyama, Katsunori See Ichinose, Noboru
Yokozawa, Masami, and Iwasa, Hitoo Method of coating *pn* junction of semiconductor device with mixture of SiO_2 and TiO_2, P (2) 44*g*.
Yoneda, Yasuharu See Akashi, Yoshito
Yonezawa, Toshio See Nakamura, Masakatsu
Yoon, Kwang Ho See Chi, Ung Up
Yorita, Eiichi See Toda, Masumi
York, D. W. See Baker, F. L.
Yoshida, Hideo, Yoshida, Mitsuo, and Matsuo, Akira Changes

in methods used at Mizushima Steel Works for lining converter (1) 11*f*.

Yoshida, Kentaro One dimensionally disordered δ-(Mn-Al) structure in vacuum-codeposited film (6) 129*d*.

Yoshida, Masale See Mizukusa, Shin

Yoshida, Mitsuo See Yoshida, Hideo

Yoshida, Tetsuro See Hirashima, Hiroshi

Yoshino, Hajime See Nameishi, Naoyuki

Yoshino, Takachika, Saito, Shigeru, Sasaki, Yutaka, and Nakamura, Yoshimi Production of attrition-resistant solid catalysts containing Sb oxide suitable for use in a fluidized-bed reaction, P (1) 24*a*.

Yoshizaki, Kazuhiro See Yamaguchi, Goro

Yotsumoto, Haruo See Kanaya, Koichi

Young, Charles G. All-glass peripherally multiarcuate disk laser, P (2) 38*d*, Athermally stable laser device, P (2) 38*f*; Rectangular disk laser, P (5) 99*g*.

Young, Dean A. Mfg. silica-rich zeolites, P (1) 23*h*; Treatment of aluminosilicate, P (1) 24*a*.

Young, Howard S. See Bither, Tom A.

Young, J. E., Jr. See Perrotta, A. J.

Young, J. F. See Lawrence, F. V., Jr.

Young, Jack P. Slotted probe for spectroscopic measurements, P (9) 205*f*.

Young, Oswald W. J. See Arber, Scott G. ; Morgan, Cyril A.

Young, Robert W. See Deeg, Emil W. ; Robinson, Charles C.

Yow, Hsiukang See Gibbs, G. V.

Yperman, Jean M. B. G., and Rapaille, Jean R. Nonlinear resistance element, P (5) 102*e*.

Yu, Albert Y. C., Gopen, Howard J., and Waits, Robert K. Method of forming contacts to epitaxial GaAs and the resulting structure, P (2) 44*i*.

Yu, Peter Y., and Cardona, Manuel Intrinsic piezobirefringence of several semiconducting chalcogenides [CdTe, ZnTe, ZnSe, ZnS, CdS, ZnO, PbS, PbTe] (8) 173*h*; Temp. coeff. of the refractive index of diamond- and zinc blende-type semiconductors (8) 187*c*.

Yu, Phil Won, and Park, Y. S. P-type conduction in undoped ZnSe (10) 227*b*.

Yudenfreund, Marvin See Brunauer, Stephen ; Odler, Ivan

Yudenfreund, Marvin, Hanna, Kaissar M., Skalny, Jan, Odler, Ivan, and Brunauer, Stephen Hardened portland cement pastes of low porosity: V, Compressive strength (6) 121*a*.

Yudin, D. M. See Amosov, A. V.

Yudin, N. A., Chugunov, E. A., and Eremeev, V. V. Automatic line for producing pressed crystal articles with hot polishing (2) 35*e*.

Yuge, Yooji See Sugano, Keiichi

Yuita, Koichi See Akiba, Fumimasa

Yukami, Noboru Stress sensitive semiconductor element having a reduced cross-sectional area, P (2) 45*h*.

Yuki, T. See Katsura, Masahiro

Yukota, Yoshiyuki, Miyagawa, Takashi, Tanaka, Yasuto, and Torii, Tatuki Stabilization of phosphor slurries, P (1) 19*b*.

Yund, Richard A., McCallister, Robert H., and Savin, Samuel M. Experimental study of nepheline-kalsilite exsolution (3) 75*a*.

Yurasko, George, Jr. Flame spraying, P (10) 219*d*.

Yurchenko, E. N. See Sadkovskii, E. P.

Yur'eva, N. A. See Bron, V. A.

Yust, C. S. See Harris, L. A.

Yust, C. S., and McHargue, C. J. Model for the deformation of hyperstoichiometric UO_2 (4) 87*h*.

Zabruskova, T. N., and Guzman, I. Ya. Oxidation of Si oxynitride at high temps. (9) 213*j*.

Zachos, Elias B. See Castrucci, Paul P.

Zadak, Zdenek, and Zezulka, Josef Effect of organosilicon compounds in the grinding process (1) 2*e*.

Zadak, Zdenek, Zezulka, Josef, and Zezulka, Rostislav Determination of the energetically optimum amounts of grinding aids for a given specific surface of clinker (11) 241*g*.

Zafar, M. A. See Field, J. E.

Zagoroff, Dimiter S. See Thomson, John H.

Zainulin, Yu. G. See Alyamovskii, S. I.

Zainulin, Yu. G., Alyamovskii, S. I., Shveikin, G. P., and Gel'd, P. V. Homogeneity region of Zr oxynitride with NaCl-type structure at 1500°C (5) 110*d*.

Zaitsev, J. W., and Wittmann, F. H. Fracture of porous viscoelastic materials under multiaxial state of stress (11) 242*f*.

Zakharov, B. M., and Trofimov, M. G. Effect of the degree of melting of ZrO_2 on its adhesion in plasma spraying (8) 171*e*.

Zakharov, E. K. See Vlasov, A. S.

Zakharov, P. P., Eremin, A. S., Klientov, L. K., Dobrolyubov, L. I., and Yablokov, A. I. Typical semiautomatic line for preparing clay slip materials and batching them (2) 41*g*.

Zakharov, R. G. See Shchepetkin, A. A.

Zakharov, V. K. See Amosov, A. V.

Zakhvalinskii, M. N., and Belykh, P. D. Ternary systems of the carbonates of Li, Na, Rb, and Cs (1) 28*j*.

Zalazinskii, A. G., Balakirev, V. F., Chebotaev, N. M., and Chufarov, G. I. Reduction of the solid solution $CuFe_2O_4$-$CuCr_2O_4$ (1) 27*i*.

Zalewski, Edward F. See Mohan, Kshitij

Zallen, R. See Drews, R. E.

Zamboni, A. See Locardi, B.

Zamotrinskaya, E. A. Nature of the EPR spectrum of high-alkali glasses studied by simulating its shape (5) 98*f*.

Zander, V. F. See Gorshkov, A. M.

Zaniewski, M. H. Apparatus for inducing draft in a chimney, P (9) 206*a*.

Zanne, Michel, and Gleitzer, Charles System $Sr_yM_{1-y}FeO_{2.5}$-$Sr_yM_{1-y}FeO_{3-x}$ (6) 139*e*.

Zapol'skii, S. V., Sterlyadkina, Z. K., and Mikheeva, V. I. Reaction of K borohydride with LiCl (1) 27*f*.

Zapol'skii, S. V., Tolmacheva, L. N., and Mikheeva, V. I. Phase diagram of the system KBH_4-KCl-KBr (1) 26*g*.

Zappe, Hans H. See Anacker, Wilhelm

Zappia, Anthony T. Blow head assembly, P (8) 169*d*.

Zaretzky, Zelik Rapid determination of apparent porosity in refractory materials (10) 224*c*.

Zarudnyi, L. B. See Ivanov, O. R.

Zarzycki, Jerzy Phase-separated systems (2) 37*j*.

Zasukhina, L. Z. See Vargin, V. V.

Zatorsky, William A. See Foley, Edward F., Jr.

Zauderer, Bert Thermionic cathodes for MHD generators, P (4) 87*c*.

Zavadovskaya, E. K. See Bershov, L. V.

Zaverukha, O. V. See Kislyi, P. S.

Zaverukha, O. V., and Kislyi, P. S. Investigation of the sintering process on the basis of changes in the electrical properties of compacts on heating (8) 173*h*.

Zavrazhnyi, A. I., Prikhod'ko, V. P., and Dmitrichenko, N. S. Unit for automatic stripping of refractories from revolver presses and placing them on shelf cars (1) 13*j*.

Zbrzezniak, Jozef Method and apparatus for the treatment of [C] filamentary material, P (2) 40*d*.

Zdanowicz, W., Krolicki, F., and Plenkiewicz, P. Semiconducting properties of Zn_3P_2-Cd_3As_2 solid solutions (2) 42*i*.

Zdanuk, Edward J. See Krock, Richard H.

Zdanuk, Edward J., Krock, Richard H., and Shen, Yuan Shou Electrical contact materials of Ag-Cd oxide containing additives, P (3) 69*f*.

Zecchin, Luigi Glass works in Murano from 1416—1425 (4) 77*g*; Glass works in Murano from 1426—1440 (4) 77*h*; Furnaces in Murano from 1351—1400 (6) 119*h*; Glass works in Murano from 1443–1445 (8) 165*f*.

Zeck, Hubert P. Transformation trillings in cordierite (8) 187*e*; Discussion of "Compositions of natural sillimanites from volcanic inclusions and metamorphic rocks" (10) 234*d*.

Zeeck, B. Revival in Texas of ancient art of glass blowing (2) 31*h*.

Zegzhda, D. P., and Trutneva, T. D. Rapid method for determining the spalling resistance of refractories (1) 13*a*.

Zeinalova, Kh. K. See Rza-Zade, P. F.

Zeiringer, Rudolf Method for mfg. a piezoelectric transducer and transducer mfg. by this method, P (9) 201*f*.

Zelikman, A. N., Stefanyuk, S. L., and Luan, Chanh Chi Thermal decomposition of $MoCl_5$ (5) 116*b*.

Zellers, James T., Jr. Draw pot skimmer, P (3) 63*d*.

Zemlyakova, Z. F. See Budnikov, P. P.

Zemon, Stanley A. See Zucker, Joseph

Zen, C. S. See Rowe, J. J.

Zenger, Donald H. Syntaxial calcite borders on dolomite crystals, Little Falls formation (Upper Cambrian), New York (9) 207*b*.

Zenitani, Fukuo, and Minami, Shigeo Analysis of the iterative method for deconvolving spectroscopic data containing a random noise (11) 253*b*.

Zentz, William E., Jr. Method for processing kaolin clay coating pigment and improved product thereof, P (7) 159*b*.

Zettlemoyer, A. C. See McCafferty, E.

Zettlemoyer, James E., and McGee, Charles F. Replaceable molten metal [ceramic] nozzle structure, P (9) 197*e*.

Zevin, L. S. See Bogdanova, G. S.

Zezulka, Josef See Zadak, Zdenek

Zezulka, Rostislav See Zadak, Zdenek

Zhabotinskii, V. A. See Pavlushkin, N. M.

Zhachkin, V. A. See Bogomolova, L. D.

Zharikov, V. A., and Ivanov, I. P. Experimental and theoretical study of mineral equilibria in systems with complete component mobility (7) 160*h*.

Zhdanov, G. S. See Dzhmukhadze, D. F.

Zhdanova, N. P. See Mel'nikov, F. I. ; Nekrasov, K. D.

Zhelninskii, Valentin D. See Krikorov, Vadim S.

Zherdev, Yu. V. See Kiselev, B. A.

Zhidkova, A. P., and Kuskov, O. L. Determination of thermodynamic constants of Ca molybdate (powellite) and Na molybdate (6) 135*e*.

Zhigarnovskii, B. M. See Gogadze, N. G. ; Ippolitov, E. G.

Zhikharev, V. A. See Fedorov, P. I.

Zhirnova, T. V. See Egorov, V. M.

Zhitnikova, T. A. See Malozhon, L. I.

Zhitomirskii, I. S. See Indenbom, V. L.

Zhmodikova, M. S. See Satalkin, A. V. ; Volkonskii, B. V.

Zhukov, Yu. A., and Kuntsevich, O. V. Reactivity of cements in relation to soluble silica in aggregates (2) 33*j*.

Zhukovskii, V. M., Tkachenko, E. V., and Rakova, T. A. Phase diagrams of the systems MoO_3-$MMoO_4$ (M = Mg, Ca, Sr, Ba) (2) 54*a*.

Zhuldybina, G. M. See Morozov, S. P.

Zhulin, V. M. See Pchelyakov, K. A.

Zhuravlenko, Viktor Ya. See Dyskin, Ernest M.

Zhuravlev, A. K. See Pavlushkin, N. M.

Ziegenhain, William C. See Leach, Bruce E.

Zielinger, Jean P. See Zouaghi, M' Hamed

Zielinger, Jean P., Tapiero, M., Rouband, C., and Zouaghi, M'Hamed Temp. dependence of the internal electrical conductivity of single-crystal Cu_2O (8) 187*f*.

Zielinski, Guenter See Schoop, Josef

Zielinski, K. See Fischer, Wilhelm A.

Ziemba, B. Viscosimetry of the controlled crystallization of glass (6) 125*h*.

Ziems, Joachim See Hentzschel, Wolfgang

Zietak, K. See Kozlowski, G.

Zietek, W. J. See Kozlowski, G. ; Krzeminski, S. ; Wasilewski, W.

Zilber, R., Bertaut, E. Felix, and Burlet, Paulette Order in the solid solution $(CuO)_x(NiO)_{1-x}$ (7) 161*h*.

Zimar, Frank See Keck, Donald B.

Zimiker, W. M., Merrow, J. K., and Meuller, J. I. Thermally stimulated luminescence in MgO (8) 187*b*.

Zink, John S. See Goodnight, Hershel

Zink, John S., Goodnight, Hershel, and Reed, Robert D. Regenerative tile for fuel burner, P (5) 101*a*; Fuel burner assembly, P (5) 105*f*; Burner assembly for liquid fuel, P (7) 158*a*.

Zink, John S., Reed, Robert D., and Goodnight, Hershel High-intensity [liquid fuel] burner, P (11) 255*c*.

Zinovik, M. A. See Shchepetkin, A. A.

Zinovik, M. A., Shchepetkin, A. A., and Chufarov, G. I. Phase relations during synthesis and air cooling of spinel solid solutions in the system Mn_3O_4-$CuFe_2O_4$ (5) 113*a*; Effect of thermal treatment on the crystal structure and magnetic properties of solid solutions of ferrites of Mn, Cu(I), and Cu(II) (7) 160*f*.

Zipszer, E., and Galcso, I. Application of crystallized vitreous enamel in apparatus for the chemical industry (6) 121*f*.

Zisfein, Melvin B. See Tsai, Stephen W.

Zitkus, Wayne J. High-power segmented laser device having novel coolant flow arrangement and novel laser disks, P (5) 99*h*; Laser assembly, P (11) 250*j*.

Zivanovic, B. See Delic, D.

Ziver, Garo M. See Frazier, John F.

Zivi, Samuel M., and Humberstone, Gordon H. Coherence extender for *Q*-switched lasers for use in holography, P (9) 200*j*.

Zlenko, V. Ya. See Fedyukina, G. N.

Zluticky, Jiri, Stverak, Jan, and Nemec, Lubomir Determination of gases dissolved in glass by high-temp. vacuum extraction and gas chromatography (2) 35*f*.

Zografou, C. See Kroenert, W.

Zolotarev, N. N. Automatic line for making earthenware plates (2) 41*a*.

Zoushain, E. M. See Polozova, I. E.

Zook, Morris A., Jr. See Louderback, Anthony W.

Zoroglu, Demir S. Hyperfine geometry devices and method for their fabrication, P (6) 129*f*; Method of making an IGFET device with reduced gate-to-drain overlap capacitance, P (7) 154*a*.

Zoroglu, Demir S., and George, William L. Method of producing thin layers on a support, P (9) 201*h*.

Zorowski, Carl F., and Calfee, John D. Method of preparing metal foil/graphite fiber/epoxy resin laminates, P (5) 100*g*.

Zouaghi, M' Hamed, Tapiero, M., Zielinger, Jean P., and Burgraf, R. Hall mobility and hole density in photoactivated Cu_2O single crystals (8) 182*d*.

Zouaghi, M'Hamed See Zielinger, Jean P.

Zschauer, Karl H. See Heywang, Walter

Zubekhin, A. P. See Grach'yan, A. N.

Zubkov, V. G. See Alyamovskii, S. I.

Zucker, Joseph, and Zemon, Stanley A. Nonlinear attenuation of microsound in semiconducting CdS (5) 112*c*.

Zueger, Karl J. See Von Arx, Henry R.

Zuleeg, Rainer, and Ranon, Uri Negative resistance light emitting diode device, P (2) 44*j*.

Zulkoski, Michael See Abel, William T.

Zurasky, James L. Monitoring deposition of films, P (9) 205*d*.

Zutterman, F. See Marucchi, J.

Zvyagin, A. I., Kalinin, P. S., Kaplun, V. A., and Shevelevich, R. S. Study of coordination of B in borosilicate glasses by the NMR method (6) 125*a*.

Zvyagintseva, I. F. See Bagdasarov, Kh. S.

Zwingel, D. See Schirmer, O. F.

Zyaiyaev, Vagiz M. See Maksutov, Rafkhat

Zydzik, G. J. See Chin, G. Y. ; Kyle, T. R.

Zykova, Z. K. See Bluvshtein, M. N. .

SUBJECT INDEX TO CERAMIC ABSTRACTS FOR 1973

Indexes to *Ceramic Abstracts* have been computerized for the first time, necessitating a slight change in format. **For cross references, see pages 379 and 380.** The number in parentheses refers to the issue of *Ceramic Abstracts;* the number following is the page number. The letter B or P preceding the issue number indicates an abstract of (B) a book, bulletin, or separate publication or (P) a patent. The italic letter following the page number indicates position on the page. For more complete indexing of papers published in the *Journal of The American Ceramic Society* and the *American Ceramic Society Bulletin,* see indexes to the *Journal* and the *Bulletin.*

Abrasion, of Al_2O_3, plastic deformation during (6) 138*h*.
of Al_2O_3 extrudates, reduced, P (7) 156*g*.
of caking, P (8) 166*f*.
contour-, P (1) 1*f*.
effect, on soda-lime-silica glass (7) 144*g*.
of glass, optical, relation with microindentation hardness and maximum fracture velocity (1) 8*g*.
resistance, of diamond (5) 95*h*.
-resistant, surface, machine parts with, P (6) 128*b*.
of rutile, material removal during (2) 53*d*.
Abrasives, application to straight sleeves, P (1) 1*e*.
article, P (2) 31*d*.
belt, endless flexible, P (8) 165*d*.
P (1) 1*f*.
speed and economy (7) 141*d*.
of BN crystals, P (10) 217*e*.
composition, of GeO_2, P (11) 241*f*.
cutting, cable saw member, P (10) 217*f*.
lapping, and polishing $LiTaO_3$ crystals (3) 68*i*.
device, P (8) 165*e*.
rotary, P (7) 141*e*.
diamond bit, P (10) 217*e*; P (11) 241*e*.
drum, P (1) 1*e*.
materials, P (10) 217*f*.
patent literature, review (9) 189*d*.
tools, diamond, for machining, P (10) 217*e*.
P (3) 59*d*; P (10) 217*f*.
rotary, P (8) 165*e*.
vitrified bonded (9) 189*d*.
Absorption, atomic, analysis of cement by (2) 32*b*.
analysis of rock powders (5) 104*j*.
instruments, B (2) 57*f*.
bands, parasitic, in chalcogenide glasses (3) 62*h*.
of $(Br^-)_2$ centers, in NaCl:Br (6) 134*j*.
edge, of EuTe (7) 163*i*.
in $SrTiO_3$ (9) 207*g*.
far-ir, in SrO crystalline powder (9) 210*b*.
in ZnO (9) 210*a*.
Fe, by Pt capsules during rock-melting (8) 179*e*.
of H_2O vapor, on alpha Fe_2O_3 (2) 50*j*.
ir, in diamond (8) 181*e*.
in EuTe, minimized (7) 151*h*.
to measure moisture content of building materials (8) 177*h*.
of photoelectrons in CdSe (7) 161*f*.
in SiO_2 (2) 38*a*.
in Zn-chalcogenides (9) 211*h*.
microwave, in Tb orthoaluminate (7) 163*j*.
moisture, of ball clays (2) 40*d*.
optical, of CaO (9) 213*f*.
of Ce, Ce oxide, Pr, Pr oxide, Nd, Nd oxide and Sm (8) 184*i*.
free carrier, in $Tl_3SeAs_2Te_3$ (9) 210*i*.
free-carrier, in $SrTiO_3$ (5) 110*b*.
in fused SiO_2 (3) 62*f*.
of $KTaO_3$ single crystals and $KTaO_3$.$NaTaO_3$ mixed crystals (11) 257*i*.
of LiF, thermoluminescent (11) 256*h*.
of NaF (8) 184*j*.
and photochromism of rutile (11) 259*b*.
in thin films of Pb oxides (5) 112*f*.
of ThO_2 (4) 87*h*.
in TlS, $TlS_{0.5}Se_{0.5}$, and TlSe (5) 109*e*.
paramagnetic, of pentavalent Mo in TiO_2 (10) 238*c*.
of Tm^{3+} and Er^{3+}, in borate and phosphate glasses (2) 35*a*.
ultrasound lattice, in CdS (8) 187*g*.
uv, of Bi(III) in Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glasses (6) 125*f*.
extreme-, and band density of NiO (8) 181*e*.
vacuum uv, in glasses, fused SiO_2 and silicate (5) 98*d*.
Acids, containing sulfate, effect on cement materials (10) 217*h*.
orthophosphates, thermal reactions with M^{II} sulfates (8) 187*a*.
resistance, of glasses in system R_2O-Al_2O_3-SiO_2 (2) 35*b*.
of glass-ceramic coatings (2) 35*c*.
of industrial enamels (2) 34*c*.
silicic, polymerization (11) 258*i*.
Acoustics, acoustoelectric, current saturation in ZnO (8) 187*e*.
interactions in piezoelectric semiconductors (6) 135*b*.
phenomena in Se-Te alloy crystals (5) 106*e*.
Acoustics acoustoelectric devices, ZnO, uniaxial pressure (11) 249*a*.
acoustoelectric fluctuations, nonlinear excitation (6) 137*i*.
acoustooptical material, cinnabar (10) 235*b*.
acoustooptic deflectors, thinning $LiNbO_3$ for (5) 116*g*.
acoustooptic device, $Pb_5(GeO_4)(VO_4)_2$ for (10) 237*e*.
harmonic generation, in $Ba_2NaNb_5O_{15}$, $LiNbO_3$, and $LiIO_3$ (10) 239*e*.
of Rayleigh waves, for testing thin films (10) 226*g*.
optoacoustic properties, of Tl_3AsS_4 (10) 238*b*.
rotatory power, of alpha-quartz (7) 161*f*.
Actinides, elements, isotope enrichment process for, P (4) 87*f*.
metal oxides, sols, P (10) 231*d*.
oxides, reducing O in, P (6) 131*j*.
Activation, analysis, bibliography (3) 71*i*.
Additives, dopants, effect on Co(II) oxide oxidation (5) 107*g*.
indiffusing into semiconductor material, P (2) 43*b*.
doping, effect on BaF_2 single crystals (8) 180*j*.
Ni oxide, EMF measurements of solid galvanic cells (1) 15*h*.
Sc_2S_3 and Sc_2Se_3 (5) 114*a*.
semiconductor substrates, P (1) 17*h*; semiconductor layer with impurities, P (6) 130*a*.
effect, on C_3A hydration reactions (8) 166*h*.
on hydration reaction of C_3A (1) 3*i*.
on piezoelectric properties of $PbTiO_3$ ceramics (3) 66*f*.
homogenization, in molten glass, P (7) 147*h*.
indiffusing, into semiconductor wafers, P (3) 69*e*.
inorganic, effect on portland cement (7) 142*h*.
Klutanit, and Hydrobet, effect on portland cement concrete (10) 218*e*.
lignin-based H_2O-reducing, effects on portland cement paste (1) 2*j*.
oxides, effects on sintering SnO_2 (10) 235*j*.
Adherence, direct-on (4) 79*j*.
of glass on metal, effect on CdO and SnO_2 (11) 243*e*.
Adhesion, of glass, cloth to rubber, P (2) 39*a*.
improvement, between conductive layers and dielectrics, P (3) 69*e*.
ZrO_2, in plasma spraying, effect of degree of melting (8) 171*e*.
Adsorption, device, continuous-moving-layer type, P (6) 134*a*.
H_2O, by clays (5) 106*f*.
on montmorillonites, energy profile (6) 136*f*.
and N, on cement pastes (11) 242*j*.
krypton, on alkali halide crystals (2) 50*i*.
for study of micropore structure (10) 232*h*.
of lignosulfonates, by montmorillonite (3) 73*i*.
properties, of oxide surfaces (2) 52*a*.
Agglomeration, of alkali metal silicate, P (1) 23*b*.
of Al_2O_3, to form strong porous spheres, P (5) 105*h*.
of metal oxide pellets, P (8) 177*a*.
method, P (7) 156*c*.
of mica, and ultradisintegration, P (6) 134*i*.
of phosphor materials, to eliminate calcining in receptacles, P (3) 68*h*.
study, of Al_2O_3 high purity reactive powders (1) 16*a*.
Aggregates, alkali-, reaction in Nova Scotia (7) 141*j*.
concrete, sand fraction, classification (9) 189*j*.
consolidation, vibrator device for, P (10) 234*j*.
from fly ash (11) 246*h*.
lightweight, from brick clay (11) 246*i*.
from carbonaceous shale (8) 166*e*.
from clay (11) 246*d*.
expanded, by ZS method (7) 143*a*.
P (2) 39*i*.
mechanical properties, determination, and effect on concrete (1) 3*j*.
reaction, with alkali, vol change in (9) 189*g*.
silicate, coloring by silicate chemistry methods (1) 10*i*.
supplemental, for construction (3) 73*e*.
waterproofing, and improving bonding and strength, P (7) 143*d*.
Aging, of corundum ceramic (9) 207*i*.
effect, on $Al(OH)_3$ complexes (2) 52*i*.
of films, ultrathin (7) 150*g*.
thermal, of Al_2O_3 ceramic (1) 13*g*.
effect on MgO properties (1) 12*a*.
effect on structure and properties of basic refractories (1) 13*d*.
Air, clean, with filter elements (1) 21*b*.
cleaning, by condensing steam (2) 48*c*.
thermal convection, in cells heated from below (1) 22*f*.
Alcohol, effect, on surface layer of glasses (3) 61*f*.
methanol, catalytic dehydration (2) 52*h*.
Alite, strength, effect of polymorphism and stabilizing ions (5) 110*i*.
Alkaline earths, aluminate, or titanate body, catalyst-containing, P (9) 198*j*.
carbonates, energy of activation for decomposition (7) 160*c*.
chloride mixtures, excess molar vol of mixing in (2) 55*g*.
elements, double molybdates (5) 108*h*.
fluorides, H atom in (8) 182*e*.
metal oxides, exchange reactions with transition metal halides (7) 160*h*.
metal titanate, P (7) 154*j*.
oxides, surfaces, electronic spectra (2) 52*e*.
two-electron F' centers in (6) 139*j*.
Zr silicates, luminescence (9) 211*j*.
Alkalinity, determination, in waters of marine sediments (9) 204*f*.
Alkalis, -aggregate, reaction in Nova Scotia (7) 141*j*.
-aggregate reaction, vol change in (9) 189*g*.
-alkaline earth niobate, crystallographic, dielectric, and optical properties (2) 52*a*.
chloride, - $MgCl_2$ mixtures, excess molar vol of mixing in (2) 55*g*.
chromate, from chrome ore, P (9) 207*a*.
circulation, in rotary furnace (9) 189*i*.
cycle, in kilns with shaft heat exchanger (1) 2*a*.
reducing in Lepol kilns (6) 121*b*.
reduction in suspension preheater kiln (6) 121*g*.
double molybdates (5) 108*h*.
fluorides, M color centers in, for information storage, P (7) 153*d*.
heavy, double molybdates (5) 108*i*.
metals, aluminosilicates, P (10) 225*f*.
chlorides and fluorides, reaction with K fluoroniobate in melts (1) 27*c*.
double molybdate, reaction with $CaMoO_4$ (5) 114*f*; double selenates, decomposition during heating (7) 159*i*.
fluoroindates, crystallooptic and refractometric study (5) 107*c*.
iodides, reaction with lower iodides of In (10) 238*j*.
and La double molybdates, reaction with alkali metal molybdates in melts (1) 27*d*.
oxybromoniobates, properties (5) 114*d*.
silicate, agglomerating, P (1) 23*b*.
silicates, highly siliceous, P (5) 105*i*.
silicates, silicate foams from, P (10) 234*g*.
telluroantimonites (1) 28*h*.
titanates, acicular, P (10) 229*d*.
mixed, effect in glass (5) 98*b*.
and Na and K carbonate solutions, silicic acid solubility in (4) 93*h*.
oxides, effect on He diffusion in borosilicate glass (2) 35*h*.
resistance, of fireclay bricks, phosphate-impregnated (4) 82*h*.
Alkalization, de-, of silicate glasses (11) 244*i*.
Alkyl, titanates, from $TiCl_4$ and alcohols, P (11) 251*c*.
Alkylation, with base of metal oxide, P (2) 50*c*.
Allophane, morphology (5) 112*a*.
OH groups in (4) 92*d*.
Alloys, Ag-CdO, with periodic precipitation, P (3) 70*d*.
Al, with high resistance to electromigration, P (6) 129*d*.
Al-Al_2O_3, ball-milled, properties (10) 230*i*.
alloying, monocrystal of semiconductor, P (7) 153*h*.
Au-Cr, magnetic anisotropy (6) 137*e*.
bronze, coating of glass mold tooling by (2) 35*j*.
carbide, for cutting tools and wear parts, P (1) 14*d*.
carbonitride, castable, P (3) 65*g*; castable, P (4) 84*c*.
cermet-type, P (1) 14*e*.
Cu-Mn, dilute, in thin films, ESR (10) 235*h*.
disordered, and glasses, dynamics (8) 167*i*.
ferromagnetic, nuclear spin relaxation of impurities in (6) 138*b*.
Hg_3Te_3-In_2Te_3, electrical and phase properties (5) 108*j*.
Ni-base, powder composition for, P (9) 197*c*.
Ni-Co, single crystals, magnetoplastic effect in (6) 137*j*.
Ni-Cr refractory carbide, P (5) 100*h*.

Alloys NiFe, thin magnetic layers, X-ray spectrum analysis (3) 68*f*.
Pb-K, stability of corundum ceramic in (1) 29*b*.
semiconductive, oxidation, P (7) 154*i*.
semiconductor bonding, P (8) 175*b*.
Se-Te, crystals, elastic constants (3) 74*d*; crystals, acousto-electric phenomena in (5) 106*e*.
single crystal, piezoelectric and elastic properties (3) 76*c*.
sintered hard, P (10) 224*h*.
thermoelectric, P (3) 70*g*.
Ti-W-C, P (9) 197*c*.
U-base, P (6) 132*a*.
V, as cladding material for $(U,Pu)O_2$ fuels (1) 20*g*.
W-Mo and W-Re, carbide layer growth rates on (1) 24*e*.
(W,Ti)C-Co, phase decomposition and grain growth in (6) 138*f*.

Aluminates, dichlorooxy-, of alkali elements (5) 114*a*.
digester liquor, treatment, P (9) 207*f*.
effect, on portland cement pastes and mortars (4) 78*e*.

Aluminosilicates, crystalline, fluoride-containing, P (2) 50*h*.
halogenating, P (2) 50*a*.
synthetic, P (2) 50*h*.
mixtures, hydrothermal hardening, products (2) 33*i*.
silanized crystalline, P (7) 159*c*.
treatment, P (1) 24*a*.
vitreous phase, exchange relations with mullite (3) 65*g*.

Aluminum, $AlCl_3.POCl_3$, thermodynamic study (5) 116*f*.
Al_2MgO_4, spinel, lattice dynamics (1) 25*j*.
-Al_2O_3, mechanically alloyed, P (10) 224*c*.
$AlPO_4.2H_2O$, thermal analysis (9) 215*g*.
$Al_2(SO_4)_3$, effect on dolomite plaster properties (1) 3*e*.
Al_2TiO_5, beta, X-ray powder diffraction data (5) 106*d*.
structure (10) 239*c*.
aluminous, ceramic compositions with TiO_2 + MnO_2, flux, P (1) 15*c*.
borohydride, polymeric amino, P (3) 73*c*.
Ce disilicate, properties (1) 26*j*.
chemical interactions, with aqueous SiO_2 (9) 208*g*.
compound, $AlCl_3.POCl_3$, standard heat of formation (1) 24*f*.
coordination, in SiO_2-Al_2O_3 gels (6) 135*d*.
electrical contact member, for semiconductor device, P (6) 130*h*.
enameled, decorative board, P (2) 34*i*.
etching solution, P (5) 101*h*.
fluoride, gaseous reactivity with HF (11) 258*d*.
mineralizing effect, effect of grinding (4) 83*i*.
hydroxide, complexes, effect of aging (2) 52*i*.
and oxide hydroxides, free energies of formation and aqueous solubilities (2) 53*a*.
interactions, with Si in paramagnetic garnet almandine (9) 211*d*.
iodide, reaction with InI (7) 162*h*.
MBO_3 calcite-type borate (9) 212*j*.
metaphosphate, synthesis and properties (7) 162*h*.
molten, SiO_2 reduction by (5) 114*j*.
nitride, and BN-based ceramics, thermal conductivity (1) 29*c*.
thermal conductivity (1) 16*d*.
whiskers, modulus of elasticity (8) 171*i*; whiskers, growth during Al nitriding (8) 182*c*; whiskers, growth (9) 211*b*.
-Si_3N_4 materials, electrical conductivity (8) 173*d*.
nitriding, in mixtures of BN and Al, kinetics (1) 25*j*.
phosphate, surface chemistry (2) 55*c*.
reaction, with MgF_2 (10) 238*h*.
reduction of SiO_2, thin-film studies (5) 116*g*.
silicate, stoichiometric, synthesis and mechanical properties (1) 27*i*.
slip systems in, correction (9) 214*h*.
sulfate, thermal decomposition (1) 29*d*.
thin metalization, phosphate coating for, P (9) 201*b*.
in zircon refractories, photometric determination (1) 12*h*.

Aluminum oxide, acoustic fatigue in (6) 135*b*.
activity in, CaO-SiO_2-Al_2O_3 slag (2) 56*d*.
alpha-, and beta, effect on zircon refractories (7) 148*f*.
:Co^{2+}, H^+, ESR spectra and magnetic constants (10) 236*a*.
crystals, directional dispersion of optical phonons in (5) 108*k*.
:Fe^{3+}, optical spectrum (10) 238*a*.
Moessbauer study of ^{119}Sn hyperfine nuclear structure in (5) 112*j*.
powder, pressing and sintering, effect on grinding time (6) 135*e*.
by reactive hot-pressing (2) 52*i*.
sheetlike, P (6) 128*f*.
specific heat (11) 256*j*.
-based ceramics, mfg. (2) 41*c*.
beta, ceramics, ionic conduction (3) 75*i*.
ionic diffusion in (9) 211*b*.
reheating in alkali metal atm to improve permeability, P (4) 84*g*.
bicrystals, and NiO, growth by floating zone method (1) 24*c*.
bodies, and high-, perforated ceramics from (1) 15*d*.
Y_2O_3-MgO mixtures for, P (5) 101*d*.
bone substitute, P (5) 101*b*.
calcined, effect on superalumina porcelain (2) 41*i*.
catalysts, fluorided composite, P (1) 23*e*.
ceramics, creep, effect of crystal size (9) 209*j*.
dense, thermal aging (1) 13*g*.
density and microstructure (1) 15*c*.
high quality, mfg. (3) 66*d*.
strength, effect of surface damage (2) 52*b*.
for wire draw die (7) 149*h*.
from clay, H_2SO_3-H_2SO_4 process (11) 256*b*.

Aluminum oxide coating, for CrO_2, P (9) 198*i*.
commercial, to obtain low-shrinkage bodies with delayed sintering (1) 14*c*.
compaction, triaxial (10) 231*j*.
compacts, sintering and shrinkage (10) 239*g*.
- containing ore, chloridizing, P (3) 73*f*.
crystals, growing apparatus, P (2) 43*a*.
melt-grown, P (5) 101*c*.
dielectric properties, effect of Na_2O impurity (7) 150*j*.
dissolution, in molten cryolite (7) 160*c*.
effect, on immiscibility temp. of glasses (6) 123*c*.
on strength of structures in bentonites (8) 181*a*.
electrofused, dispersion of powders during pressing (1) 11*g*.
emf measurements (5) 112*h*.
extraction, from ores, P (9) 207*e*.
extrudates, reduced abrasion loss, catalysts from, P (7) 156*g*.
F^+ center in (11) 258*h*.
/Fe ratio, in raw mixes (9) 189*h*.
fibrous, P (3) 66*d*.
film, deposited by $AlCl_3$-CO_2-H_2 system, physical and chemical properties (3) 68*g*.
high resistivity, device using, P (2) 44*h*.
microstructure (6) 129*c*.
filtration, P (8) 178*j*.
fine-grained, products, drying (1) 15*a*.
fracture, effects of porosity (8) 181*c*.
fracture energy measurements, effect of microstructure (2) 52*a*.
GaAs on, heteroepitaxial (8) 173*g*.
grinding, with diamond wheels (5) 95*f*.
mechanisms, with diamond wheel (5) 95*e*.
hardness, and machinability (6) 136*f*.
high-, ceramics, and high-temp. ceramic-metal sealing (11) 248*j*.
substrates, fast firing with roller hearth kiln (1) 22*h*.
high concentration, solutions, P (2) 50*b*.
high-porous activated, P (2) 41*b*.
hot, device for crushing, P (9) 204*a*.
hot-pressed, orientation in, during creep (8) 179*h*.
strengthening by quenching (2) 54*f*.
hot-pressing, plastic deformation in (9) 213*h*.
hydrate, filler, surface modified, P (2) 50*g*.
and theta-, P (5) 101*d*.
impurities in, spectral analysis (2) 49*a*.
in insulators, effect on strength (2) 41*h*.
mfg., and electric power installation, P (7) 159*a*.
Mg^{2+}, Li^+, and cation vacancies in, ESR of holes trapped at (9) 209*j*.
MgO-doped, grain-boundary segregation in (1) 25*j*.
mixed oxides containing, P (8) 179*b*.
modified, coatings for metals, plasma-arc-sprayed, P (11) 243*e*.
plastic deformation, during abrasion (6) 138*h*.
polycrystalline, creep, effect of O partial pressure (4) 91*d*.
deformation substructure in (2) 52*b*.
evaluation (10) 232*e*.
fracture toughness (4) 91*i*; fracture toughness, correction (9) 210*h*.
thermal-stress resistance (10) 235*d*.
polymorphic transformations, effect of preparation conditions (1) 24*g*.
porous, P (10) 234*g*.
powders, chemical and powder density, particle size and agglomeration study (1) 16*a*.
doped, P (7) 158*i*.
extruding (11) 246*j*.
sintering (9) 214*f*.
prefiring and milling, effect on properties of slips and products (1) 15*a*.
production, P (6) 134*h*.
pseudoboehmitic, agglomerating, to form strong porous spheres, P (5) 105*h*.
sheets, calendering to control shrinkage, P (7) 150*c*.
single-crystal, mode Grueneisen parameters for (4) 92*i*.
positron lifetime spectra in (9) 215*c*.
sintered, microstructural changes during heat treatment (7) 161*e*.
transparent, P (8) 172*j*.
-SiO_2 ores, grindability, P (8) 179*b*.
slip systems in (4) 93*f*.
spheres, low-density, improved strength, P (5) 105*i*.
and SrO, diffusion couple (11) 257*j*.
substrates, fluorescent, P (6) 129*e*.
sawing with CO_2 laser (7) 152*j*.
surface, Fe and Mn ions on (2) 54*c*.
thermally shocked, noncatastrophic failure in, grain size dependence (8) 180*d*.
-TiO_2 powders, submicron, condensed from plasma (6) 138*j*.
unfired, transmission electron microscopy (7) 163*j*.
vapor pressures, measurement by free-evaporation methods (4) 89*e*.
V ions in, phonon scattering by (8) 185*h*.
whiskers, modulus of elasticity (8) 171*i*.

Alunite, resources, in Washington (6) 134*g*.

Americium, oxide, rare earth removal from, P (7) 159*c*.
separation, P (10) 234*h*.

Amines, aliphatic, as plasticizers for cement (3) 59*f*.
triethanol-, effect on hydration of C_3S (9) 211*g*.

Amino compounds, diphosphonates, dispersing clays and pigments with, P (5) 105*j*.

Ammonia, dissociated, refractories for obtaining protective gas medium from (1) 13*c*.
interaction, with vermiculite (5) 111*d*.

Ammonia removal, from waste water streams, P (7) 159*a*.
vapor phase reaction, with $SiCl_4$ to produce Si_3N_4 (7) 161*a*.

Ammonium, bifluoride, from NH_4F, P (3) 73*e*.
dihydrogen phosphate, laser-induced self-focusing in (1) 16*e*.
optical nonlinear susceptibilities (6) 138*e*.
diuranate, precipitation, for recovery of U values, P (8) 176*i*.
fluoride, reactions with La and Y oxides (5) 116*f*.
fluoroberyllate, crystals, thermal properties (8) 187*j*.
fluoroindate, crystallooptic and refractometric study (5) 107*c*.
mono-, Al tetrafluoride, P (3) 73*d*.
phosphate, clarifying with attapulgite and bentonite, P (2) 50*g*.

Amplifiers, image, P (1) 9*i*.
interface, P (8) 174*a*.
rf microwave, and carrier, P (9) 202*a*.
subminiature, hybrid integrated circuit design, P (5) 101*i*.

Analysis, chemical, of Al_2O_3 high-purity reactive powders (1) 18*a*.
atomic emission and absorption spectrometry in (5) 104*h*.
by electron spectroscopy, P (10) 233*a*.
of soda-lime-silica glasses (11) 243*i*.
industrial ceramic, accuracy (5) 117*a*.
micro-, electron probe, of MgO clinker components (5) 100*d*.
of particle size, apparatus for, P (1) 22*d*.
quantitative, of calcite and aragonite binary mixtures (7) 157*g*.
of components migrated into C_2S and dicalcium ferrite by slag (3) 65*j*.
of dolomite and magnesite (11) 259*c*.
of electron microscopic images recorded on films (10) 232*i*.
phase, of portland cement clinkers (10) 218*c*; phase, of portland cement clinkers (10) 233*a*.
of pinch effect in n-type InSb (6) 138*c*.
remote, of materials, P (7) 157*g*.
quantitative chemical, by X-ray emission spectroscopy, P (3) 72*h*.
spectrochemical, capillary arc plasma source for, P (1) 22*c*.
of suspended particles, apparatus for, P (1) 22*b*.

Analyzers, automatic, wet sample, P (4) 89*f*.
Fourier, P (11) 254*d*.
gas, nondispersive ir, P (8) 178*b*.
ion microprobe mass (3) 72*e*.
laser microspectral, for differentiating pyrite deposits (2) 48*i*.
photometric, using fiber optic light-transmitting m ans, P (1) 22*e*.
portable dust, P (10) 233*d*.
radioisotope X-ray fluorescence, for rocks and ores, P (11) 254*g*.

Anatase, Fe^{3+} in, EPR (5) 109*f*.

Angles, dihedral, measurement by SEM (6) 132*i*.
tetrahedral, effect on Si–O bond overlap populations (5) 108*i*.

Anhydrite, phosphogypsum to (9) 191*f*.

Anisotropy, dielectric, and grain orientation (8) 180*e*.
effect, on ir reflection bands of $MgMoO_4$ (10) 235*h*.
in ferric borate (9) 213*d*.
forces, effect on Raman spectra in alpha quartz (6) 136*b*.
induced, in Ni films, annealing behavior (5) 106*h*.
magnetic, of Au-Cr alloys (6) 137*e*.
due to anisotropic impurity spin (11) 259*d*.
of $Eu_{0.65}Y_{2.35}Fe_{3.8}Ga_{1.2}O_{12}$ films (10) 226*d*.
in films (10) 236*c*.
in garnet films (10) 226*c*; in garnet films (10) 226*g*.
of $Mg_xMn_{0.6}Fe_{2.4-x}O_4$ (11) 257*b*.
in YIG (11) 258*g*.
of Mg ferrite, measurement (8) 183*j*.
in $NbSe_2$ resistivity (5) 106*h*.
noncubic, in garnets (10) 236*d*.
in optical reflectivity, of $NbSe_2$ (9) 207*j*.
strength, in PZT transducer rings (7) 152*c*.

Annealing, behavior, of anisotropy in Ni films (5) 106*h*.
effect, of LiF, thermoluminescent (11) 256*h*.
on luminescent properties of GaP (8) 173*c*.
on TiC (9) 196*c*.
in U_3Si (7) 155*f*.
thermal, effects on electrical resistivity of graphite (10) 231*b*.
of ZnTe, effect on photo- and electroluminescence (5) 108*a*.

Anodes, for capacitors, solid electrolyte, P (1) 16*g*.

Anorthite, bond length variations in (10) 239*h*.

Antimony, ^{121}Sb and ^{123}Sb, nuclear quadrupole resonance (7) 162*g*.
Sb^{3+}, oxides, fluorides, or oxide fluorides, bond lengths and angles in (8) 186*f*.
trioxide, depolymerization of GeO_2 and B_2O_3-GeO_2 network glasses by (7) 144*d*.

Anvil, hexahedral apparatus, performance test (7) 156*d*.
tetrahedral, high pressure and high temp. with (9) 203*g*.

Apatite, hydroxy-, solubility and surface properties (9) 214*j*.
ir spectra of, hydroxyl ions in (2) 53*j*.
as mineralizer, arrangement, of merwinite (1) 1*j*.
Vietnamese, effect on C_3S (8) 165*j*.

Aragonite, mixture, with calcite, quantitative analysis (7) 157*g*.

Archeology, glass, in France, Middle ages (7) 141*f*.
in French Merovingian cemetery (7) 141*g*.
information review (2) 38*b*.
in Murano, 1443–1445 (8) 165*f*.
and pottery from Oslo (4) 78*d*.
Greek, trick vases (4) 78*b*.

Argon, impurity, in natural diamonds (3) 59*d*.

Armor, B_4C ballistic, P (8) 171*j*.
Be boride, by direct casting, P (10) 224*e*.
of cermet, P (10) 224*f*.
lightweight, of glass and nylon fibers, P (7) 147*d*.

Armor lightweight *(continued)*
P (3) 66*b*.
Arsenic, As-Se-Ge films, photodarkening effect in (8) 173*d*.
As_2Se_3, far ir and microwave optical properties (8) 181*f*.
As_2Se_5, memory, switching effect with (6) 139*c*.
As_2S_3, crystal, photosynthesis (9) 213*f*.
$As_{50}Te_{45}I_5$, electrical conductivity and surface layer formation in (8) 181*g*.
diffusion, in Si using arsenosilicate glass sources (8) 167*b*.
emitter structure, for Si transistors (7) 150*h*.
in films, As-Se semiconductor, oscillographic determination (4) 85*b*.
trichloride, temp. dependence of GaAs properties (6) 135*c*.
triselenide, ac conductivity (5) 106*c*.
NMR in (9) 192*b*.
optical gap in (8) 185*e*.
trisulfide, film, shift of optical transmission edge in (8) 173*a*; film, optical transmission, kinetics of edge shift in (9) 211*d*.
photoelastic properties (9) 213*d*.
resonance Raman scattering from (9) 214*c*.
and triselenide crystals and glasses, interband spectra (9) 192*i*.
Arsenides, groups I–IV, reaction with solid NaOH (5) 114*i*.
Art and artware, beads, glass, pottery and stone, B (10) 240*g*.
bird feeding stations (4) 77*g*.
bowls, compartmented (4) 77*j*.
boxes (4) 77*f*.
British post-medieval pottery, correlated with European kiln site materials (2) 31*j*.
carved clay, compartment with hinged doors (4) 77*h*.
ceramics, from black clay in Mexico (1) 1*i*.
buttons, handcrafted (4) 77*j*.
complete book, B (4) 94*f*.
hobby shop for USAF (1) 1*i*.
Italian, modern (1) 1*h*.
ladles (4) 77*h*.
in Pecs Pottery Works (1) 1*h*.
clay, bugles (4) 77*i*.
cloisonne (4) 77*i*.
clays, digging for (4) 77*j*.
dating, thermoluminescence, of baked clay balls of Poverty Point culture (2) 31*i*.
thermoluminescence, at Riso (2) 31*h*.
thermoluminescent, of Colombian pottery (2) 31*i*.
thermoluminescent, error limits in (2) 31*g*.
enameling, metal inlays in (4) 78*a*.
Moll family (1) 1*h*.
white-on-white (4) 78*d*.
enamels, brush-on designs (4) 77*g*.
combining with plastics (4) 77*i*.
inlays in wood (4) 77*f*.
liquid, sgraffito with (4) 78*c*.
liturgical, by C. B. Jeffery (4) 77*j*.
repousse medallions (4) 77*f*.
faience beads, neutron activation analysis (2) 31*f*.
folk pottery, of Guatemala (4) 77*g*.
glass, Achaemenid bowl (6) 119*g*.
ancient and medieval, chemistry and technology, B (5) 117*f*.
articles, masks for ornamenting, P (2) 39*d*.
baroque cut, Cu-plate engraving patterns in (7) 141*e*.
cone beakers, Kempston type (6) 119*i*.
information review (2) 38*b*.
IXth International Congress, B (5) 117*b*.
lagynoi (6) 119*j*.
mfg., 1825 paper at Tuebingen Univ. (1) 1*h*.
mold-blown beakers (6) 119*i*.
in Murano from 1416–1425 (4) 77*g*; in Murano from 1426–1440 (4) 77*h*; Murano furnaces from 1351–1400 (6) 119*h*.
and precious metal, perfume container (6) 119*j*.
Rosenthal-Werk (8) 165*f*.
sculpturing indicia or design in surface, P (2) 39*d*.
vial, fish-shaped (6) 119*j*.
wine bottles, in 17–18th century Netherlands (7) 141*h*.
glassblowing, revival in Texas (2) 31*h*.
glazed bricks, of Babylon (2) 31*j*.
goblets (4) 77*i*.
jars, free-form with lids (4) 77*f*.
Neissen china, B (5) 117*i*.
pinch pot, owls (4) 78*b*.
from pipe to pot (4) 77*g*.
plaster bats (4) 78*a*.
plates, sectioned (4) 78*b*.
porcelain, Fuerstenberg (4) 78*c*.
pots, with stretched texture (4) 78*a*.
potters, and amateur potters (2) 31*g*.
and enamelers, science for, B (5) 118*f*.
frits for (4) 77*g*.
professional (4) 77*f*.
pottery, in America, B (11) 260*c*.
basic shapes, variations (4) 78*c*.
chuck, thrown (4) 78*a*.
machines for, P (11) 252*i*.
paper core (4) 78*a*.
throw lid first (4) 78*b*.
throwing, hand-guiding technique (4) 78*a*.
throwing tall and wide (4) 78*b*.
potworks, first book of clay, B (7) 164*i*.
sculpture, animal, hollowed-out (4) 77*j*.
P (7) 141*h*.
slab construction, over newspaper core (4) 78*c*.
with plastic foam core (4) 78*c*.
Art and artware slip-cast, flute (4) 78*c*.
throwing off hump (4) 78*b*.
Turkish (4) 77*g*.
wind chimes (4) 78*d*.
Artists, Engle, Robert, throwing off hump (4) 78*b*.
Hamada, Atsuyu (4) 77*j*.
Jeffery, C. B., liturgical enamels (4) 77*j*.
Knaepper, Gerd (6) 119*h*.
potters, and potteries of Bennington, B (10) 240*i*.
Yanagi, Soetsu, Japanese insight into beauty, B (2) 58*f*.
Asbestos, amphibole, genesis, and synthesis of fibrous amphiboles (6) 139*d*.
compositions, surface ion exchanged, P (1) 14*f*.
sheet, adhered to cellular foam substrate, P (5) 100*i*.
packing products, P (3) 65*e*.
Ash, fly, for aggregate (11) 246*h*.
boiler, bloating ability (1) 10*g*.
brick (4) 82*g*.
lignite, effect on strength of mortars (2) 33*h*.
in mortars (5) 96*a*.
synthetic, pozzolanic activity in (7) 143*c*.
fuel, in mfg. glass and glass-ceramics (1) 9*f*.
from thermal power stations, for concrete structures (9) 191*d*.
volcanic, bodies and glazes (4) 78*c*.
Atmospheres, firing, effect on bubble formation in porcelain glazes (9) 198*f*.
furnace, effect on glass melting-fining rate (7) 144*f*.
SO_3 in, effect on glass melt (1) 6*f*.
N-H, moisture content, effect of lining materials (1) 11*j*.
oxidizing-reducing, effect on failure of mullite-corundum refractories at high temps. (1) 11*j*.
reduction, in furnaces, and effects (2) 49*f*.
Atomization, centrifugal, P (7) 156*d*.
energies, of Si phosphides gaseous molecules (4) 90*j*.
Atoms, atomic, variable capacitance multilayered, P (3) 74*b*.
motions in Se and Te (2) 53*a*.
positions in Th silicate (3) 74*b*.
distribution, in chalcogenide system Ge-As-Se (1) 5*c*.
Fe, vibration anisotropy in siderite crystals (7) 161*g*.
mean vol, relation to atomic-ion packing of mineral formation (7) 162*c*.
Attapulgite, for clarifying, ammonium phosphate solutions, P (2) 50*g*.
Attenuation, anomalous, longitudinal-wave, in $LiTaO_3$ (5) 106*c*.
nonlinear, of microsound in CdS (5) 112*c*.

Barium, $BaBiO_3$, valency state of Bi in (9) 209*e*.
$BaCeO_3$, $BaPrO_3$, and $BaTbO_3$, structure by neutron diffraction (1) 27*f*.
$Ba_2Cr_{7.5}O_{14}$, structure (10) 239*e*.
Ba_2FeUO_6, magnetic properties (8) 183*b*.
$Ba_4In_6O_{13}$, synthesis (8) 186*j*.
$Ba_2NaNb_5O_{15}$, generation of harmonics in (10) 239*e*.
Ba Na niobate, and Ba Na tantalate, vibrational spectra (11) 259*h*.
$Ba_3Nb_{21.5}Si_2O_{64}$, structure (10) 239*a*.
$(Ba,Pb)TiO_3$, surface microplasma, light emission by (10) 235*f*.
carbonate, from $BaSO_4$, P (8) 179*b*.
effect, on ettringite (3) 60*b*.
portland cement clinker properties (2) 32*g*.
ferrite, hot-pressed, magnetic properties (8) 173*j*.
fluoride, Grueneisen parameters from lattice dynamical shell model (3) 75*h*.
phase transitions in (8) 185*e*.
phonon scattering by point defects in (6) 138*g*.
photoelastic constants (4) 92*h*.
single crystals, mechanical properties and dislocation mobility in (8) 180*j*.
hexaferrite, synthesis (8) 187*a*.
hexafluorosilicate, equilibrium decomposition pressures (8) 181*c*.
isolation, by selective ion exchange, P (3) 73*g*.
mixed tungstates, with Sr, X-ray study (7) 164*a*.
molybdate, and tungstate, Raman and ir reflection spectra (8) 180*c*.
monoferrite, polymorphism (9) 213*j*.
Na niobate, orthorhombic-tetragonal phase transition in (6) 135*f*.
nitrate, electrical properties (2) 52*d*.
oxide, cation self-diffusion in (5) 106*g*.
defect structure, thermochemical study (8) 187*b*.
$6Fe_2O_3$, deformation texture and magnetic properties (11) 249*e*.
mechanism of production (10) 237*a*.
optical phonons (8) 184*j*.
recovery, from waste $BaCrO_4$, P (8) 179*c*.
sulfate, catalytic effect during portland cement clinker preparation (1) 3*f*.
titanate, ceramics, electrical phenomena in (8) 173*d*.
ceramics, with Bi_2O_3 as grain boundary element (10) 226*h*.
Curie temp. lowered in (9) 211*i*.
electrical conductivity (7) 151*a*.
emission of light by surface microplasma of (8) 181*j*.
explosively compacted, dielectric properties (3) 66*i*.
ferroelectric crystals, depolarization (8) 180*b*.
impurity ions in (11) 253*d*.
lower transitions in, ^{119}Sn Moessbauer studies (9) 214*h*.
Nb_2O_5-doped, with improved electrical properties (1) 16*d*.
phase transitions, kinetics (7) 161*h*.
photodomain effect in (4) 85*e*.
photovoltages in (8) 173*i*.
posistors, electrical resistance, sintering effect (9) 199*g*.
Barium titanate *(continued)*
Raman cross section and light absorption in (11) 249*h*.
Raman cross sections in (9) 215*c*.
Raman scattering in (9) 211*h*.
semiconducting (6) 129*e*.
single crystals, electric conduction in (5) 115*d*; single crystal surface layer, X-ray study (5) 116*h*; single crystals, electrical conduction (7) 151*b*; single crystals, deformation studies (11) 257*h*.
single-domain melt-grown, dielectric properties (4) 91*c*.
study by electron diffraction (7) 152*d*.
treating, P (6) 130*g*.
$-Bi_2O_3$ composite ceramics, resistivity increase on (5) 116*a*.
titanozirconate, semiconducting ceramic compositions, P (3) 68*i*.
Basalt, -clay product, acid resistant, and slip casting, P (2) 41*j*.
H_2O-rich, melting (1) 26*a*.
Batteries, nuclear, P (4) 87*i*.
separator, low-gassing, P (3) 65*f*.
Bauxite, production, expanded capacity (11) 256*a*.
Bearings, ceramic, P (5) 100*j*.
Belite, crystallization, effect of gypsum (1) 2*d*.
Beneficiation, of Ag-barite ores (9) 206*e*.
graphite (7) 158*g*.
of kyanite-bearing materials (9) 206*f*.
from liquid-fluidized beds (9) 203*f*.
mica (7) 158*i*.
phosphate rocks (7) 158*g*.
process, of titaniferous ores, P (2) 50*d*.
of wet clay, P (10) 234*f*.
Bentonite, aqueous dispersions, strength of structures in (8) 181*a*.
as clarifiers, for ammonium phosphate solutions, P (2) 50*g*.
concentrating and improving, by electrophoresis (2) 50*c*.
high yield, P (1) 23*f*.
suspensions, polyelectrolyte interaction (7) 149*i*.
Beryllium, Be_2SiO_4, and BeO, equilibrium with SiF_4 in molten Li_2BeF_4 (1) 25*c*.
and C friction surfaces, coupling with, P (3) 65*e*.
compounds, with B and C, properties and chemical bond (5) 109*c*.
extraction, from ores, P (1) 23*d*.
neutron-irradiated, decontamination, P (6) 132*a*.
oxide, (c) and BeF_2(c), enthalpies of formation; (9) 210*e*.
(c) enthalpies of solution in HF(aq) and HCl(aq) (9) 210*e*.
crystallographic transition in, DTA (8) 180*h*.
dislocation etchant for (8) 173*b*.
in electronics (7) 150*i*.
fracture energy (6) 140*c*.
hot-pressing (6) 127*h*.
irradiated, mechanical properties (7) 155*h*.
lattice dynamics (7) 161*i*.
optical nonlinear susceptibilities (10) 237*j*.
polycrystalline, thermal-stress resistance (10) 235*d*.
stress relaxation in (2) 54*f*.
thin wafer, thermal conductivity measurement (8) 173*b*.
V_1 center in, ENDOR measurements (9) 210*b*.
sulfate, crystallization, P (6) 134*d*.
telluride, BeSe, and BeS, synthesis and properties (6) 139*d*.
vibrational mode, ir absorption and Raman scattering due to, in Zn-chalcogenides (9) 211*h*.
Binders, alkali silicate, foamed compositions, P (7) 158*j*.
cement, new forms (1) 3*b*.
cementitious, saline resistant, P (2) 34*b*.
glass, for heat-resistant concrete (10) 218*i*.
hydraulic, compositions with, P (1) 3*c*.
noble metal-glass, P (10) 228*h*.
phosphate, setting and hardening times (6) 121*a*.
portland cement, in refractory concrete (11) 242*c*.
structure, X-ray small-angle scattering study (11) 241*g*.
vitreous, for resistors (9) 192*h*.
Binding, agent, liquid, for bonded arc welding flux, P (3) 60*f*.
moisture, in cement stone (11) 241*i*.
properties, of Ca silicates (2) 33*c*.
of slag portland cement (1) 2*j*.
Bismuth, Bi^{3+}, center in $LaGaO_3$ phosphor (1) 24*c*.
$BiFeO_3$, ferroelectric, X-ray and neutron diffraction (5) 109*j*.
Moessbauer measurements ( ) 112*i*.
single-crystal, dielectric hysteresis in (7) 160*b*.
superparamagnetic phase in (9) 211*a*.
Bi(III), uv absorption in Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glasses (6) 125*f*.
bismuthine, single crystals, growth, kinetics (8) 183*e*.
$Bi_9Ti_3Fe_5O_{27}$, magnetic properties and Moessbauer effect in (8) 173*a*.
$Bi_4Ti_3O_{12}$, reaction with V_2O_5, MoO_3, and WO_3, thermography (1) 29*h*.
$Bi_{12}GeO_{20}$, Rayleigh-wave propagation on (10) 238*g*.
Bi_2Se_3(II), crystal structure (8) 180*i*.
optical properties, in oxide glasses (8) 168*j*.
oxide, reaction with Li metaphosphate (7) 162*j*.
selenide, telluride, and alloy, X-ray spectroscopy (5) 116*f*.
Te-doped, rf helicon resonance in (6) 138*e*.
titanate, domain patterns in, white-light reading (4) 85*d*.
ferroelectric films, domain structure and polarization reversal in (4) 85*d*.
FE-PC optical storage medium (4) 84*j*.
films, electrooptic contrast observations in (10) 226*a*.
trioxide, free energy of formation (9) 210*i*.
grain boundary element in $BaTiO_3$ ceramics (10) 226*h*.
valency state, in $BaBiO_3$ (9) 209*e*.
Bloating, ability, of boiler fly ashes and slag (1) 10*g*.
of perlite, lab. testing (1) 11*b*.

Bloating behavior, of coarse and finely crushed shale (1) 10*h*.
of clay rocks, effect of organic material (7) 147*h*.
properties, of perlite minerals (2) 39*f*.
Bodies, ceramic, coatings for, electroconductive and heat barrier, P (1) 9*d*.
electronic, high-temp. kilns for sintering (4) 90*a*.
porous, reactions with slag, diffusion and convection in (1) 24*f*.
rapid drying, and heat treatment (6) 134*b*.
strengthened, P (5) 101*c*.
wet-process, apparatus for, P (6) 132*c*.
Boehmite, compacted colloidal, creep and shrinkage (7) 159*e*.
pseudo-, dawsonite conversion to, P (9) 207*e*.
Bonding, Al_2O_3 refractory, highly refractory mortar for (1) 12*g*.
chemical, in transition metal dichalcogenides (9) 208*f*.
compliant, P (2) 43*j*.
composition, P (4) 86*f*.
electrical components, to conductor areas, P (8) 174*a*.
electrically, cemented carbide elements to saw blade, P (6) 119*e*.
ferrite-titanate ceramics, by hot-pressing (3) 67*d*.
in FeS (2) 51*c*.
of foundry sand, for cores, P (3) 65*i*.
glass, ferrite components, P (1) 18*b*.
glass container, to cup-shaped fitment, P (11) 245*h*.
glass-to-metal, field-assisted, electron-microprobe study (6) 122*c*.
materials, effects on delay lines (6) 128*h*.
and electrical-conductive coating, P (6) 129*h*.
theory (6) 121*e*.
in metal sulfides (2) 54*h*.
polymers, to glass, P (11) 245*a*.
resins to glass fibers, P (3) 63*j*.
semiconductor components, P (7) 152*i*.
supersonic, vibration element for, P (11) 251*f*.
tailless wedge, Au wire to Pd-Ag cermets, P (11) 251*c*.
tool, P (3) 69*a*.
ZrO_2 member, with member, P (9) 201*c*.
Bonds, chemical, in Be compounds with B and C (5) 109*c*.
in Na, Mg, Al, and Si minerals (11) 259*i*.
in solids, B (2) 57*a*.
strength (7) 162*g*.
glass-metal, chemical reactions and adherence (5) 96*e*.
lengths, and angles in oxides, fluorides, or oxide fluorides of Sb^{3+}, Te^{4+}, and Pb^{2+} (8) 186*f*.
length variations, in anorthite (10) 239*h*.
lime-sand, strength, effect of lime-sand milling (1) 2*d*.
nitride-oxynitride, in SiC refractories (9) 210*e*.
properties, of blast-furnace slag (1) 2*c*.
semipolar, in clay-lignosulfonate complex (8) 186*j*.
in clay-lignosulfonate complex (10) 239*j*.
Si–O, overlap populations for isolated tetrahedra (5) 108*i*.
Bone, substitute, P (5) 101*b*.
Boracites, structure (5) 108*a*.
Borax, solution, P (8) 179*a*.
Boric acid, effect, on cement setting and hardening (10) 218*a*.
in glasses, differential-photometric determination (10) 220*a*.
mixture, with Na dihydrogen phosphate heating (6) 138*b*.
Boric oxide, effect, on MgO grain growth (7) 162*b*.
in glass, chemical durability (11) 243*i*.
P (11) 256*b*.
Borides, metallic, coatings, electrodeposition, P (2) 34*h*.
$M_2(M')B_2$, ^{57}Fe Moessbauer study (8) 181*g*.
preparation, P (1) 14*c*.
Boron, in boric glasses, determination by neutron absorption method (1) 6*e*.
carbide, coeffs. of friction (8) 187*c*.
fiber production, P (7) 149*a*.
reactor control (9) 202*j*.
coordination, in borosilicate glasses, NMR (6) 125*a*.
in Na borosilicate glasses (1) 5*f*.
high-strength, on Be reinforcement filaments, P (10) 224*b*.
nitride, abrasive bodies of, P (10) 217*e*.
and AlN-based ceramics, thermal conductivity (1) 29*c*.
aqueous suspensions, casting properties (9) 195*h*.
bodies, P (5) 100*i*.
-containing vessel with Zr-Si surface coating, P (7) 149*b*.
dry lubricated materials, members, and systems, P (11) 247*g*.
ESR in (3) 74*f*.
high-purity hot-pressed, P (9) 197*a*.
isotropic, depositing, P (1) 14*g*.
objects, metal coating, P (4) 84*c*.
P (7) 149*a*.
polycrystalline cubic, synthesis (1) 27*j*.
sintering, using static molds, P (7) 149*d*.
stability in Li vapor (1) 27*d*.
synthesis conditions, effect on properties (9) 209*g*.
thermal conductivity (8) 187*i*.
oxide, effects on MgO sintered body (7) 148*h*.
sealed device, for GaAs Czochralski crystallization, P (6) 129*b*.
reactions, with rare earth oxides (2) 54*g*.
trifluoride, reactions on SiO_2, ir studies (2) 53*j*.
Brakes, disk, high-temp. graphite, P (8) 172*d*.
Brick, air, in buildings, P (9) 195*e*.
building facade (4) 82*g*.
buildings, prefabricated (3) 64*g*.
building with, reasons (4) 82*g*.
capillary properties, and pore size (11) 246*c*.
clay, lightweight aggregate from (11) 246*i*.
waste glass as flux for (5) 100*a*.
Brick clays, thermal behavior (4) 82*e*.
earths, iron pyrites in (11) 246*b*.
face, automation of stiff extrusion (6) 126*e*.
facing, in America (2) 39*i*.
floor and wall, horizontally perforated, cross-section determination (3) 64*h*.
fly ash, precision product (4) 82*g*.
green, optimum firing curve from (10) 223*d*.
setting in kilns, mobile testing system (4) 82*e*.
mfg., P (9) 195*f*.
old, new market for (6) 126*g*.
panels (9) 195*d*. progress for Metromodule (4) 82*c*.
vibrated, houses of (2) 39*i*.
prefabricated, systems (1) 11*a*.
production, by hand (2) 39*f*.
quality improvement (2) 39*g*.
raw materials, drying properties (10) 223*e*.
sizing (2) 39*g*.
Staffordshire blue, natural gas firing for (1) 22*h*.
surface, pyrite efflorescence on (3) 64*g*.
wall, P (2) 39*i*.
white, handmade in Holland (11) 246*g*.
-work construction, foreign developments (11) 246*f*.
Brick industry, advertising (8) 171*b*.
in Australia (6) 126*f*; (6) 126*g*. high production (6) 126*f*.
body, of controlled plasticity material preparation (4) 84*g*.
conserves energy, lowers production costs (11) 246*d*.
costs, factors in (3) 64*g*.
electronic data processing equipment in (7) 147*j*.
in England (6) 126*e*.
gas shortage (9) 195*d*.
German, marketing in USA (3) 64*h*.
Italian (11) 246*g*.
in Missouri, history (6) 126*f*.
new plant, record production (11) 246*c*.
in New South Wales (6) 126*g*.
New Zealand (6) 126*e*.
orientation intechnological and economic (2) 39*i*.
promotion (11) 246*e*; (11) 246*h*.
Sandbach (11) 246*c*.
Sheffield, and tile (9) 195*d*.
standards, Australian (6) 126*f*.
unitized expansion (9) 203*g*.
Brickmaking equipment, bricklayer, mechanical (11) 246*g*.
forming tyne layers, in stacking systems, P (8) 171*e*.
green, P (8) 171*c*.
inflatable grippers for, P (6) 126*h*.
packing stacks (2) 47*i*.
stacking, P (9) 195*e*.
uncured, P (2) 39*h*.
stopping and grouping, P (8) 171*b*.
unloader, mechanical (1) 10*g*.
for unloading, and blending stacks, P (6) 126*h*.
Briquets, from portland cement mixture, semidry pressed (1) 2*i*.
pressed, thermal properties (8) 166*c*.
shaping, with portland cement raw material (9) 191*b*.
Brittle materials, ceramics, tensile strength, correction (10) 235*f*.
fatigue damage (2) 48*g*.
flexure tests, biaxial (2) 48*e*.
fractures, mirror surface, relation to fracture mechanics (6) 138*f*.
porous, polymer-impregnated, stress concentrations in (4) 79*d*.
strength (5) 117*a*.
Bromine, atoms, in glasses, ESR (9) 209*i*.
gaseous, reaction with selenides of Mo, W, and Re (5) 114*h*.
ions, absorption and luminescence in NaCl:Br (6) 134*j*.
PG-, residual compounds, resistivity (7) 151*i*.
Bronze, ammonium tungsten, ionic motion in, NMR study (4) 92*b*.
Na W, thermal conductivity (5) 116*a*.
oxide V (2) 53*f*.
potassium, Rb, and Cs W fluoroxide, superconductivity in (5) 115*d*.
V oxyfluoride, electrical and magnetic properties (2) 52*c*.
W oxyfluoride (9) 214*c*.
Brucite, separation, heavy liquid, from ores, P (7) 158*j*.
Bubbles, in brown glost firing glaze (10) 225*a*.
fission-gas, nucleation in UO_2 (5) 103*f*.
in UO_2, electron microscope examination (1) 19*h*; in UO_2 (8) 176*g*.
in glass, behavior (1) 5*d*.
Building materials, block, clay wall (10) 223*f*.
P (3) 64*h*.
cement, gypsum, and lime, statistics (8) 165*h*.
ceramic, in future (9) 216*c*.
strength testing by ultrasonics (10) 223*f*.
frost resistance, relation to pore structure, modulus of elasticity, and frost expansion (2) 39*f*.
granular mineral, moisture tester for (1) 21*e*.
masonry, estimating movement to prevent damage (4) 82*d*.
explosion resistance (4) 82*d*.
P (2) 34*a*.
properties and efflorescence (7) 142*j*.
moisture content, ir absorption method to measure (8) 177*h*.
panels, and beams, at brick plant in New Zealand (6) 126*e*.
masonry, construction systems, B (6) 140*i*.
masonry, increase in use (1) 10*j*.
masonry, mfg. at job site (1) 11*a*.
strength, degradation by projectile impacts (9) 215*d*.
tests, gas explosion (4) 82*e*.
treating surfaces, P (5) 100*a*.
walls, thrust tests (4) 82*f*.
Burners, aerated, P (11) 255*h*.
apparatus, for suppressing N oxides formation (8) 178*e*.
construction, for flame spectrophotometer and system for, P (3) 72*e*.
control unit, P (8) 178*e*.
duct, P (10) 234*b*.
fuel, P (5) 105*f*.
gas, atmospheric, P (7) 158*a*.
forced draft, baffle for, P (1) 22*j*.
for furnaces and kilns, P (2) 49*g*.
gas control and ignition systems for, P (11) 255*b*.
ignition control systems for, P (11) 255*d*.
ignition, P (10) 234*a*.
P (7) 158*c*; P (10) 234*c*; P (11) 255*b*.
radiant, high intensity, P (11) 255*d*.
radiant, P (10) 234*a*.
use in glazing glassware, P (5) 99*e*.
for gaseous fuels, P (8) 178*e*.
gas-fired, blast-type, P (9) 206*c*.
high-intensity, for combustible propane gas, P (6) 134*b*.
high-velocity (6) 134*b*.
illumination, P (9) 206*d*.
industrial, multifuel, P (1) 22*i*.
P (9) 206*d*.
for kilns (9) 205*i*.
liquid fuel, P (7) 158*a*; P (9) 206*a*; P (9) 206*b*; P (11) 255*c*.
monitor apparatus, P (9) 206*b*.
muffle, P (8) 178*f*.
resonance control for, P (7) 158*d*.
multifuel, quick change feed assembly, P (7) 158*b*.
oil, P (7) 158*c*.
P (8) 178*d*; (11) 255*a*.
premix, P (11) 255*e*.
radiation, in firing domestic porcelain (10) 233*j*.
self air-aspirating, P (11) 255*g*.
self-recuperative, for furnaces, P (8) 178*g*.
tunnel, porous media, P (9) 206*b*.
Burning, C bodies, in round downdraft kilns, P (10) 224*c*.

Cables, submarine telephone, dielectric-loaded, dispersion measurements in (1) 16*f*.
terminator, with dielectric, P (2) 42*a*.
Cadmium, Cd_3As_2-NiAs, Nernst effect in (5) 112*b*.
$CdCr_2S_4$, magnetic properties (8) 173*c*.
magneto-optic material (10) 236*e*.
$CdCr_2Se_4$, n-type, hf conductivity (10) 236*i*.
$CdGeAs_2$, crystallization kinetics (5) 111*h*.
$CdGe_xAs_2$, Hall effect, thermoelectric power, and electrical conductivity measurements in (2) 53*g*.
$Cd_{1-x}Mg_xTe$, mixed single crystals, Mn^{2+} in, EPR studies (6) 136*g*.
$Cd_xSr_{1-x}O$, reststrahlen spectra (9) 214*d*.
Cd(S,Se), crystals, free carriers via exciton-donor interaction and impact ionization of excitons in (5) 110*c*.
Cr chalcogenides, optical transitions and band-structure model for (7) 161*g*.
ferrocyanide, thermal decomposition products, ferromagnetic phases in (7) 160*j*.
fluoride, thermoelastic properties (6) 139*h*.
oxide, diffusion of donors in (9) 209*f*.
effect on adherence of glass to metal (9) 191*i*.
effect on glass on metal (11) 243*a*.
Knight shift in (7) 161*i*.
metal-to-semiconductor transition in, NMR (8) 184*h*.
optical properties and energy-band structure (9) 213*g*.
reaction with Ga oxide (1) 27*e*.
single crystals, growth and electrical properties (3) 67*c*.
solubility in melts of $ZnCl_2$ or $CdCl_2$ (5) 114*e*.
peroxide, thermal decomposition and structure (7) 163*e*.
selenide, electrical properties (7) 151*h*.
hole and electron drift velocity in (10) 236*e*.
ir absorption of photoelectrons in (7) 161*f*.
single crystal, transport of Cu atoms in (9) 213*j*.
spontaneous and stimulated emission from (5) 114*f*.
synthesis by reaction of Cd oxides with Se (5) 113*j*.
semiconducting, and Cd-Zn halides, P (7) 154*g*.
sulfide, acoustoelectric aftercurrents in (7) 150*f*.
bound excitons in (6) 136*j*.
crystals, electrical properties and growth conditions (3) 74*d*; crystals, for scintillation counters, P (7) 154*f*.
lattice dynamics (10) 237*f*.
nonlinear attenuation of microsound in (5) 112*c*.
optoelectronic properties (3) 67*j*.
photoconductive properties (5) 109*j*.
photoconductive properties (10) 238*b*.
and selenide, photoplastic effect in (3) 76*a*.
thin films, electroforming and conduction in (3) 66*j*.
ultrasound lattice absorption in (8) 187*g*.
vibrations of mass defect in (6) 140*c*.
telluride, crystals, growth (7) 161*d*.
edge emission spectra (7) 150*i*.
energy transfer between luminescence centers in (11) 258*a*.
epitaxial growth (7) 151*e*.
hot-pressing (1) 25*d*.
magneto-optical absorption spectrum of donor electrons in (11) 258*i*.
optical properties of impurities in (4) 92*f*.
single crystals, uniaxial stress in (11) 256*h*.
and sulfide, piezobirefringence (8) 173*h*.
tetrafluoroborate, chemical transformations during heating (1) 24*g*.
Calcination, of gypsum, kettle for (2) 50*d*.
of lime, P (10) 219*a*.

Index Guide, Pages 379-80

Calcination of limestone, error in (9) 191*f*.
Calcining, at Can-Tex (9) 195*d*.
gypsum, by cross-flow process (9) 189*j*.
limestone, P (7) 143*d*.
Calcite, -aragonite equilibrium (2) 51*c*.
in calcite and vaterite mixture (7) 162*g*.
in clays (2) 48*g*.
comminution, effect on equilibrium and heat of thermal dissociation (11) 257*b*.
elastic waves in, and thermal expansion (8) 182*a*.
mixture, with aragonite, quantitative analysis (7) 157*g*.
Calcium, addition, to Th oxide, P (11) 251*i*.
aluminates, ferrites, and silicates (10) 218*b*.
Ca_2FeAlO_5, magnetic space group (9) 212*d*.
Ca_2MnO_4, magnetic structure, effect of chemical preparation (5) 108*b*; magnetic order in (8) 187*e*.
CaO, and C_2S, structure of sinters, effect on migration of melt into sinter (1) 2*h*.
$11CaO.7Al_2O_3.CaF_2$, hydration (4) 78*i*.
$3CaO.SiO_2$, dissolution heat (1) 2*c*.
$CaRuO_3$, single crystals, electrical properties (1) 25*b*.
compounds, hydration rates (1) 3*b*.
CSH(I), interlayer desorption (4) 78*j*.
di-, silicate, Al_2O_3-containing charges, effect of fluoride additives during sintering (2) 33*j*.
silicate, beta, hydration (5) 95*i*.
silicate, refractories (9) 196*a*.
fluoride, :Ce, impurity Raman scattering from (8) 182*j*.
crystals, magnetic properties (8) 183*f*.
Grueneisen parameters from lattice dynamical shell model (3) 75*h*.
ir lattice vibrational spectrum (11) 258*b*.
lattice dynamics (11) 258*f*.
phonon scattering by point defects in (6) 138*g*.
photoelastic constants (4) 92*h*.
powders, activity during sintering (7) 159*d*.
radiation-induced movement of charge-compensating ions in (4) 93*b*.
single crystals, kinetics of etching dislocations in (1) 25*h*.
thermoluminescence spectrum (11) 259*f*.
gallosilicate, vitreous, disintegration by acid and alkali solutions (2) 35*g*.
hydride, reduction-diffusion process, for rare earth compounds, P (11) 256*f*.
hydroaluminates, crystals and crystalline concretions and complex compounds in hardened cement (2) 32*b*.
hydrosilicates, coagulation gels, strengthening (11) 242*d*.
hydrosulfoaluminate, synthetic rock from (9) 189*h*.
hydroxide, crystals, growth during hydration of C_3S, effect of temp. and water-solid ratio (3) 59*h*.
in lime-sand products (10) 218*j*.
molybdate, reaction with double molybdates of Nd and alkali metals (5) 114*f*.
thermodynamic constants (6) 135*e*.
and tungstate, crystals, directional dispersion of optical phonons in (5) 108*h*.
orthovanadate, O transport and charge storage in (9) 213*b*.
oxide, calcined, P (5) 100*i*.
and $Ca(OH)_2$ in portland cement clinker (10) 217*j*.
in cement, conductometric titration (10) 217*g*.
crystals, Moessbauer study of ^{57}Fe in (9) 212*f*.
deformed, luminescence effect in (9) 212*a*.
elastic constants (8) 187*d*.
electrical properties (9) 209*f*.
EPR spectra in (9) 209*i*.
F bands, vibronic aspects (8) 188*a*.
hydration (8) 165*g*.
longitudinal optical mode freq. in, ir spectroscopy (5) 104*j*.
optical phonons (8) 184*j*; optical absorption (9) 213*f*.
particles, growth in calcined dolomite (6) 135*g*.
particles, reaction with portland cement clinker (10) 218*i*.
refractories, hydration decay (9) 196*f*.
single crystal elastic constants, and pressure derivatives (5) 106*e*.
surface properties, effect of comminution (8) 165*h*.
transparent polycrystalline (7) 160*j*.
trapped-hole centers containing Li in (5) 116*j*.
X-ray Kβ emission spectra and energy levels (5) 116*f*.
silicate, and aluminates, accelerated curing by CO_2 (4) 78*e*.
aluminates, and aluminoferrite (10) 217*i*.
binding properties (2) 33*c*.
hydrate, crystallographic study (2) 32*j*.
hydrates, and portlandite crystal concretions, microhardness (1) 3*j*.
insulation materials (11) 246*i*.
melts, surface tension (9) 190*f*.
single crystals, tensile strength (9) 191*c*.
sulfate, conversion to CaO and elemental S, P (8) 179*a*.
effect on firing granulated raw mixtures (1) 3*c*.
hemihydrate, two forms (6) 140*a*.
wet-process mfg., P (10) 234*j*.
sulfide, single-crystal, ESR of Mn^{2+} in (3) 74*i*.
sulfoaluminate, clinkers, hydration expansibility (11) 242*i*.
hydrate, cement, crystallization in (4) 78*f*.
tetrafluoroborate, chemical transformations during heating (1) 24*g*.
tetratitanate (9) 208*d*.
tri-, aluminate, hydration, kinetics of crystal formation during (8) 165*h*.
hydration reaction, effect of additives (1) 3*i*.
hydration reactions, additive effect (8) 166*h*.
hydration, triethanolamine on (7) 141*i*.
paste, properties, effect of electrolytes (9) 190*g*.
Calcium tri-, silicate, formation and hydraulic activity (8) 165*j*.
hydration, effect of triethanolamine (9) 211*g*.
hydration and hardening (9) 190*i*.
hydration, liquid phase during (9) 190*b*.
microstructure (9) 189*g*.
paste, hydration (9) 190*d*.
pastes, hydration, SEM (7) 142*e*.
structure formation (9) 190*j*.
suspension hydration at constant pH (9) 191*a*.
thermoluminescence (9) 190*f*.
tungstate, elastic constants (8) 181*e*.
electrical charge transport in (10) 235*e*.
single-crystal, optical properties (8) 186*d*.
Calorimeters, adiabatic solution (9) 204*f*.
for heat transfer coeff., in cooling furnace (10) 232*g*.
for hydration studies (4) 79*b*.
for measuring, heat of solution and low-temp. capacity (3) 71*i*.
Calorimetry, analysis, of memory phenomenon in semiconductors (7) 151*a*.
data acquisition (11) 256*j*.
of heat of formation, of $MCl_4.POCl_3$(M = Ti,Zr,Hf) (7) 159*h*.
micro-, of heat content of minerals (7) 157*d*.
Cancrinite, Ontario, with new superstructure (6) 135*h*.
Capacitors, ceramic, during cement clinker firing (3) 70*i*.
high-voltage monolithic, P (7) 153*c*.
with ceramic chip, P (8) 174*a*.
cylindrical, P (8) 174*c*.
diffused junction, P (9) 200*e*.
electrical, P (1) 18*b*.
encapsulant, P (3) 63*f*.
frit, dielectric constant, P (2) 44*d*.
P (11) 250*g*.
HfO_2 thin-film, properties (11) 249*h*.
with high capacitance value, P (7) 153*b*.
with high-K dielectric materials, P (7) 153*b*.
high-voltage, P (10) 227*e*.
low-height ceramic, P (3) 69*c*.
microwave, P (3) 70*h*.
monolithic, P (3) 70*a*; P (10) 228*f*.
NiO, P (1) 16*f*.
solid electrolytic, anodes for, P (1) 16*g*.
Ta, N-doped beta, P (7) 154*h*.
thick-film feedthrough, P (10) 229*b*.
thin-film, electrical, P (9) 202*f*.
MnO_2 as counterelectrodes in (6) 129*h*.
P (5) 103*a*.
TiO_2, and $BaTiO_3$ (8) 173*f*.
variable, high-temp. (1) 17*j*.
variable disk (2) 46*a*.
variable temp. compensating, for oscillators, P (8) 175*h*.
Capillaries, micro-, ionic mobility in (2) 53*b*.
Carbides, cemented, electrically bonding to saw blade, P (6) 119*e*.
forming hard surface on, P (10) 224*d*.
oxidation, B (7) 164*h*.
coated cemented, P (9) 197*e*.
coatings, for graphite filaments (1) 4*d*.
compositions, hard sintered, P (10) 224*h*.
di-, rare-earth, thermodynamics (4) 93*h*.
hardness anisotropy, deformation mechanisms, and brittle-to-ductile transition in (7) 161*e*.
layer growth rates, on W-Mo and W-Re alloys (1) 24*e*.
metal, removing from furnace system, P (1) 14*d*.
mutual dispersions, with metals or alloys, P (8) 172*f*.
preparation, P (1) 14*c*.
strength, effect of diamond grinding (11) 241*e*.
U-Pu, compressive creep and hot hardness (5) 103*d*.
Carbon, articles, P (7) 149*c*.
and Be friction surfaces, coupling with, P (3) 65*e*.
bodies, burning in round downdraft kilns, P (10) 224*c*.
fiber-reinforced, P (7) 149*e*.
reinforced, brake disks, P (5) 101*a*.
unitary porous, P (11) 247*i*.
carbonization, of fibrous cellulosic material, P (1) 14*d*.
of phenolic fiber (6) 127*c*.
composition of matter containing, P (10) 224*g*.
content, analysis, P (9) 205*f*.
decarburizing, refractory metals, P (11) 256*a*.
dioxide, accelerates curing cementitious systems (4) 78*e*.
accelerates portland cement curing (2) 32*a*.
eliminating from gaseous mixtures, P (7) 158*c*.
impurity in natural diamonds (3) 59*d*.
disk, quality processing, P (9) 197*d*.
with removable wear faces, P (5) 100*e*.
free, graphitization, precipitating through UC_2 reaction with N (2) 46*d*.
friction disk, core segmented, P (4) 84*c*.
oxidation barrier for, P (1) 14*b*.
hydro-, catalytic cracking, catalyst for, P (4) 90*f*.
vaporized, thermal decomposition to obtain C fibers (3) 64*j*.
monoxide, equilibrium pressures during carbothermic reduction of UO_2 (1) 19*g*.
gas, Fe-Pt carbide from Fe carbonyl in (5) 110*a*.
new crystal form, hexagonal (3) 74*b*.
new products (4) 82*j*.
noncrystalline, specific heat (9) 215*b*.
orthopedic device, P (4) 84*b*.
particles, forming HgO shell on, P (2) 40*f*.
pyro-, -coated oxide particles for fast reactor (6) 131*i*.
pyrolytic, deposited on smoked tile (3) 64*f*.
Carbon pyrolytic *(continued)*
thin rods, formation by heating with focused CO_2 laser (1) 25*i*.
removal, from nuclear fuel elements, P (5) 103*f*.
self-diffusion, in disordered V_6C_5 (8) 179*f*.
in WC (2) 51*d*.
vitreous, and common, electrical properties (10) 235*e*.
Hertzian fracture (10) 236*i*.
Carbonaceous materials, molten, heat treatment, P (6) 128*a*.
P (6) 134*d*.
protecting, from high temp., P (5) 100*h*.
Carbonates, petrology, ultrathin sections in (9) 205*c*.
Carbonation, concrete, in presence of trass (1) 2*d*.
Carbonitrides, mixed, and U carbonitride, high-temp. thermal lattice expansion (2) 46*h*.
Casting, apparatus, P (7) 156*f*.
ceramics, P (8) 176*j*.
clays, native red (4) 77*h*.
continuous, blockage mechanism in tundish nozzles for (1) 11*c*.
nozzles for, P (2) 40*h*.
of steel, slag use in, P (3) 65*j*.
die, ferrous metals, P (9) 197*c*.
direct, for Be boride armor, P (10) 224*e*.
electrophoretic, of pottery, P (6) 128*e*.
investment, dental, P (1) 14*f*.
paraffin-stearin mixture with hardening additives for patter (2) 40*e*.
machines, automatic (1) 14*h*.
pressure, P (11) 253*a*.
of mirror blank, for telescope (4) 80*g*.
plaster products, P (8) 166*h*.
pressure, or injection, machines, P (7) 150*e*.
machine, P (8) 177*d*.
process, protection of metal surface, P (1) 14*a*.
properties, of BN aqueous suspensions (9) 195*h*.
rapid (7) 149*j*.
reinforced articles, P (7) 156*g*.
stainless steel, molten ferritic, agent for adding to mold, P (4) 84*b*.
under pressure, in sanitary ware industry (7) 149*i*.
slip cast fine ceramic body by (7) 149*i*.
using MgO cores, P (2) 40*h*.
vibration methods, for electric furnace (9) 196*i*.
Castings, Ni and Co superalloy, removing siliceous cores from, P (2) 40*g*.
Catalysts, AlF_3 fluorination, P (2) 50*g*.
Al_2O_3, fluorided composite, P (1) 23*e*.
fluorided composite, P (6) 134*f*.
Al_2O_3-Cr_2O_3, and dehydrogenative process, P (6) 134*e*.
amorphous, aluminodisilicate-supported, P (6) 134*c*.
and catalyst carrier composition, P (9) 207*d*.
containing aluminosilicate zeolites, P (8) 179*a*.
containing Sb oxide, P (11) 248*g*.
Co oxide, P (11) 256*g*.
cracking, with catalyst of high-activity zeolite, P (1) 23*c*.
for hydrocarbons, P (4) 90*f*.
Cr molybdate-TeO-P oxide, P (4) 90*f*.
exhaust gas, P (5) 105*h*.
extruded, Al_2O_3-based, P (7) 156*g*.
fluid cracking, P (10) 234*j*.
for high temps., P (7) 158*i*.
hydrocarbon conversion, P (1) 23*g*.
SiO_2-Al_2O_3-based, P (2) 50*c*.
for hydrorefining, residual oils, P (11) 256*b*.
MgO supports for, in hydrocarbon reforming, P (3) 73*f*.
Mn ferrite oxidative dehydrogenation, P (11) 256*b*.
multimetalite, P (11) 256*c*.
Ni-$CaAl_2O_4$-Ba salt, P (11) 256*d*.
for oxidation, P (11) 256*g*.
P (9) 198*i*.
Pd, C-supported, P (9) 207*b*.
Pt, for automobile exhaust purification (3) 66*c*.
for purification, of waste gases, P (11) 256*g*.
SiO_2-Al_2O_3, constitution and properties (2) 51*j*.
solid, attrition-resistant, containing Sb oxide, P (1) 24*a*.
solutions, for electroless plating on nonconductors, P (3) 69*b*.
support, P (8) 179*b*.
transition metal oxide, P (1) 24*a*.
for treating combustion gas, P (2) 50*d*.
U-containing, for metal electrode, P (4) 87*h*.
$V_2O_5/TiO_2/K_2SO_4$, for preparation of phthalic anhydride, P (1) 24*b*.
zeolite, crystalline aluminosilicate, P (3) 73*e*.
high-activity, P (1) 23*e*.
and nonzeolite for cracking gas oil, P (3) 73*f*.
Zn-containing, P (5) 106*b*.
zeolites in, crystalline aluminosilicate, P (5) 106*a*.
zeolite-supported metal, damaged, rejuvenation, P (1) 24*a*.
Cathodes, bonded heater, and control electrode structure, P (3) 68*j*.
cold, gas discharge devices, P (2) 45*h*.
dispenser, for electronic discharge vessels, P (1) 18*j*.
impregnants for, P (6) 129*f*.
emitter, tunnel electron, P (4) 87*d*.
field emission, P (9) 194*c*.
MgO-catalyzed, P (11) 256*d*.
oxide, directly heated, P (3) 69*e*.
for electric discharge device, P (1) 18*g*.
photo-, GaAs transmission (5) 101*g*.
layers of Sn and Sb oxides and Sb, P (2) 45*b*.
masked, P (1) 17*e*.
multilayered III-V, P (3) 70*b*.

Cathodes photo- *(continued)*
with photoemitter activation controlled, P (6) 130*h*.
planar, quick-heating impregnated, P (4) 82*a*.
punctiform, for electric discharge tubes, P (1) 19*b*.
semiconductive, P (6) 130*c*.
SiC pn junction, properties (1) 16*b*.
sintered-material, small-diameter tips on, P (5) 102*a*.
thermionic, discharge lamp, P (4) 81*i*.
improving adherence of emissive material in, P (7) 153*j*.
improving adherence of emissive material in, P (7) 154*f*.
for MHD generators, P (4) 87*c*.
Th film, P (2) 45*i*.
vacuum tube, dark-coated heater for, P (9) 194*a*.
Cells, CdS-Cu_2S, single-crystal, photovoltaic properties (3) 68*e*.
DTA, and spectrophotometric combined (11) 253*b*.
DTA assembly, P (1) 22*d*.
electrolytic, for oxidation of Fe in ferric sulfate etching solution (4) 80*b*.
flow, for spectroscopic analysis of density gradients, P (8) 178*a*.
galvanic, in Na bisulfate (7) 161*b*.
solid, EMF measurements of, application to problem of Ni oxide doping (1) 15*h*.
techniques for determining O activities in wustite phase (4) 93*b*.
graphite tube, for atomic absorption spectrometers, P (2) 49*b*.
magnetic load, for heavy industry (3) 72*e*.
memory, npn-pnp transistor, two-terminal, P (5) 103*b*.
Si gate FET-NbO diode, P (3) 70*c*.
NMR, P (7) 147*i*.
parameter, in Si crystals (11) 256*j*.
photovoltaic, with metal layered contact, P (1) 19*a*.
P (9) 201*g*.
vertical junction hardened, P (1) 19*e*.
sample, heated, observing device for, P (8) 178*c*.
small, thermal convection by air in (1) 22*f*.
solid oxide electrolyte, point electrode in (8) 177*j*.
point electrode use in (2) 48*f*.
thermo-, molten salt, thermoelectric potential (5) 101*f*.
unit, parameters, of Ca-Mg-Fe pyroxenes (8) 187*b*.
Cellulose, admixture, effect on masonry efflorescence (7) 142*j*.
Cement industry, at Amoeneburg, sampling of raw crushed stone (7) 143*e*.
automation in (9) 189*i*. at Linhamn (9) 189*i*.
blending control, by process computer (6) 120*c*.
bypass systems (11) 254*j*.
calculation in (10) 219*a*.
computer in (9) 191*f*.
control system for (10) 217*h*.
conveyor equipment, CERA pneumatic (10) 218*a*.
crushers in, slugger roll (1) 3*h*.
in Czechoslovakia, firing binders (2) 34*a*.
dust and grit control (3) 59*h*.
filters for (10) 218*g*.
measurement and control (3) 59*j*; (4) 79*a*.
Soviet (8) 165*j*.
Cementitious materials, apparatus for delivery, P (11) 252*f*.
compositions, P (9) 191*g*.
thermal analysis, B (7) 164*h*.
Cements, alkali-containing, properties, effect of gypsum (2) 33*a*.
Al_2O_3, high-, CaO- and SiO_2-rich, P (3) 60*d*; high-, hydraulic properties (11) 247*c*.
analysis, by atomic absorption (2) 32*b*.
B-containing, mfg. and properties (1) 2*h*.
belite-aluminoferrite, sintering kinetics (1) 3*i*.
carbonate, Mg and Fe distribution in, electron microprobe analysis (6) 120*e*.
Ca sulfoaluminate hydrate, crystallization (4) 78*f*.
cementing, well, compositions, P (7) 143*e*.
cementitious properties, of metallurgical slags (7) 142*b*.
cementitious systems, curing accelerated by CO_2 (4) 78*e*.
classifier, automatic analytical (7) 141*j*.
clinker, abrasion of caking, P (8) 166*f*.
burning, computer control and identification (6) 120*e*.
cooler for, P (1) 22*j*; cooler, P (8) 166*g*; cooler for (10) 218*j*.
cooling apparatus for, P (3) 60*d*.
crushing (6) 121*d*.
effect of F-containing mineralizers (2) 32*j*.
EPR study (2) 33*e*.
firing, apatite as mineralizer during (1) 1*j*.
firing degree for (2) 32*c*.
formation by dry method, phase transformations during (2) 33*h*; formation during roasting of belite aluminoferrite clinkers (9) 191*d*.
grindability (10) 218*f*.
grinding aids for specific surface (11) 241*g*.
grinding and storage (6) 120*i*.
grinding, effect of organosilicon compounds (1) 2*e*.
liquid-phase viscosity, dependence on cations and anions of mineralizers (1) 2*a*.
milling, Na acetate as grinding aid in (3) 59*g*.
P (6) 121*g*; P (8) 166*g*.
phases, composition determination (2) 32*h*.
rate of formation (10) 218*f*.
shaft cooler for (10) 218*e*.
silo wall, temp. gradient in (9) 190*f*.
sintering behavior, high-temp. microscopy (10) 233*i*.
sintering process, microscope use (10) 232*d*.
topological properties, microscopy (9) 204*g*.
color, improved, P (7) 143*b*.
compositions, high-temp., P (11) 243*b*.
P (7) 143*b*.
construction material, statistics (8) 165*h*.
Cements control systems, calculation of information parameters (2) 32*d*.
CSH(I), interlayer desorption (7) 142*h*.
curing, ir spectroscopy of hydration during (4) 78*j*.
data, relation to gross national product (7) 141*j*.
effect, on rheological properties of concrete (9) 190*f*.
efflorescence, reduced, P (7) 143*c*.
firing, wall heat losses in plants (11) 242*i*.
fracture, under high sustained load (11) 242*f*.
glass-crystalline, and solder glasses (7) 145*e*.
from glass powder, by reactions with water (5) 95*i*.
grinding, automatic control of fineness (2) 32*j*.
body size and hardening (8) 166*a*.
SO_3 content in, regulation (10) 217*i*.
gypsum content, effect on compressive strength of concrete (2) 33*e*.
hardened, Ca hydroaluminate crystals and crystalline concretions in (2) 32*b*.
fracture (11) 242*c*.
high-alkali, rapid setting (2) 32*f*.
/H_2SO_4 process, colliery shale in (11) 242*g*.
hydration, change of liquid phase composition during (1) 2*g*.
effect of cement grout density (2) 32*h*.
heat of, kinetics (10) 218*h*.
hydraulic, fast-setting, from glass powders, P (7) 146*g*.
P (10) 219*b*.
Japanese, association papers, B (5) 118*e*.
jet, gypsum role in (1) 3*i*.
-lined, tanks, for potable hot water (8) 166*d*.
lumps in (9) 190*b*.
materials, physical-chemical properties (10) 217*h*.
medium, corrosion-resistant mineral fibers in, P (7) 143*d*.
mfg., probability calculus in (10) 218*i*.
Mg-sulfate (10) 218*h*.
with mineral fibers, high corrosion resistance, P (9) 197*d*.
minerals, interaction with hydroxycarboxylic-acid retarders (7) 142*h*.
P (1) 4*a*.
particle size, distribution (2) 33*f*.
paste, compression, energy loss (11) 242*a*.
formation of fibrous C-S-H gel particle network in (2) 32*c*.
fracture toughness (11) 242*g*.
hardened, dynamic mechanical response effect of freezing (4) 78*i*.
hardened, interaction with H_2O (9) 190*h*.
hardened, mechanical response and pore structure (7) 142*g*.
hydrated, identification with SEM-energy dispersive X-ray spectrometer combination (2) 33*g*.
hydration, effect of lime (7) 142*i*.
porosity-strength relation (11) 242*b*.
water and N adsorption on (11) 242*j*.
plasticizers, amines as (3) 59*f*.
portland, analysis (4) 79*c*.
as binder in refractory concrete (11) 242*c*.
blast furnace, shrinkage (6) 120*c*.
bulk delivery, homogeneity (4) 78*h*.
compositions, P (1) 4*b*.
in concrete, proportion (7) 143*d*.
curing accelerated by CO_2 (2) 32*a*.
dispersion and effect on concrete (2) 32*f*.
firing, high density granules affect mineralization during (1) 3*e*.
hardening, composition and role of liquid phase during (1) 2*g*.
high-MgO, hydration products (6) 121*c*.
hydration, phases formed during (7) 142*c*.
liquid phase, composition change during hydration (2) 32*g*.
mfg. briquets from (1) 2*i*.
Ni slag effective in (2) 33*d*.
quick-setting, P (1) 4*b*.
raw material, shaping into briquets (9) 191*b*.
raw mixtures, hot-rolling (8) 166*c*.
set, specific surface (4) 79*c*.
setting and hardening (7) 142*h*.
SiO_2, concretes from (9) 191*g*.
slag, binding properties (1) 2*j*.
slag, for precast concrete units (11) 242*c*.
solidification (3) 60*e*.
portland clinker, barite and celestine catalytic effect on preparation (1) 3*f*.
firing, optimum conditions (2) 34*a*.
and hydrated, CaO and $Ca(OH)_2$ in (10) 217*j*.
minerals, quantitative phase analysis (10) 218*c*.
phase composition, P_2O_5 effect (9) 190*h*.
prismatic dark interstitial material in (9) 191*b*.
properties, effect of Ba (2) 32*g*.
quantitative phase analysis (10) 233*a*.
reaction in firing (10) 217*j*.
reaction with CaO particles (10) 218*i*.
sintering (10) 218*c*.
structure (9) 190*a*.
structure and properties (4) 79*d*.
white, liquid phase, effect of H_2O in gas medium (2) 33*c*.
portlandite, single crystals, mechanical properties (2) 33*a*.
portland paste, depth of hydration (10) 217*i*.
drying creep effect in (6) 121*b*.
early hydration (9) 190*c*.
hardened, hydration (7) 142*c*.
hydrated, creep (2) 33*a*.
hydration and physical properties, effects of admixtures (1) 2*j*.
and mortars, hydration and strength, effects of aluminate and sulfate (4) 78*e*.
properties (6) 120*i*.
portland slurries, effect of Na tripolyphosphate (11) 241*j*.
pozzolanic, testing (11) 242*f*.
pozzolanic activity, in synthetic fly ashes (7) 143*c*.
production, consumption, and processing (4) 79*d*.
P (5) 96*b*.
Ti blast-furnace slags in (2) 34*c*.
properties, from Cr-containing clinkers (8) 166*e*.
effect of gypsum (1) 2*d*; effect of storage (7) 142*i*.
rapid-hardening, heat-resistant concretes from (10) 218*f*.
raw materials, and clinker, fluoride in (11) 241*i*.
clinkers, and dust, fluoride in (10) 218*e*.
dosage and homogenization by reclaiming (6) 120*f*.
grinding of, P (5) 96*a*.
SiO_2 in, photometric determination (11) 242*b*.
treatment, P (3) 60*e*.
X-ray fluorescence analysis (7) 143*a*.
raw meal, anhydrite, decomposition (10) 217*i*.
automatic preparation (9) 189*j*.
composition by process computer (10) 232*g*.
homogenization by computer (9) 191*h*.
mathematical calculation (10) 219*b*.
plant, automation (9) 189*j*.
proportioning by computer (9) 191*f*.
raw mix, computer control (10) 231*g*.
control by computer and X-ray flourescence apparatus (7) 143*b*.
plasticity, H_2O effect (9) 190*g*.
reactivity, effect of soluble SiO_2 in aggregates (2) 33*j*.
refractory, hydraulic (11) 247*f*.
refractory aluminous, P (11) 243*a*.
reinforced, with glass fiber (5) 95*i*.
setting, and early strength (7) 142*f*.
and early strength (7) 143*e*.
and hardening (1) 3*g*.
and hardening (10) 218*a*.
slag, by separate grinding (6) 121*b*.
strength, effect of blast-furnace slags temp. and composition (1) 3*d*.
slurry, aqueous hydraulic, P (1) 4*b*.
and hardened, parameters (10) 217*h*.
oil well, lowering filtration with Gigtar polyacrylamide (2) 34*b*.
raw, sampling (7) 143*d*.
SO_3, content in (2) 33*g*.
soil, compressive and tensile strength (2) 32*i*.
steam curing (11) 241*i*.
stone, crystallization on carbonate substrate (9) 190*d*.
crystallization on quartz substrate (9) 190*e*.
freezing of water sorbed by (11) 242*h*.
moisture binding in (11) 241*i*.
protecting and preserving, P (3) 60*d*.
structure, effect on frost resistance (11) 242*a*.
strength, effect of P compounds (2) 32*d*.
increasing, P (6) 121*g*.
properties (10) 218*c*.
relation to composition and fineness (4) 79*g*.
sulfates in, determination by cation exchange (3) 59*j*.
superwhite, apparatus for, P (1) 4*a*.
suspensions, structural-mechanical properties (4) 79*e*.
systems, $CaSO_4$-H_2O, hydration in, sedimentation determination (9) 191*a*.
removing alkali from, P (1) 4*a*.
thixotropy, instrument for measuring (9) 205*a*.
Centrifuges, for nonhomogeneous liquid mixtures, P (9) 203*j*.
Ceramic industry, accident prevention (2) 56*h*.
Associated Ceramics, cuts costs (9) 203*e*.
increase in production (2) 56*g*.
Indian (6) 140*d*.
McDanel (9) 216*c*.
products, controlling (5) 104*a*.
safety precautions in (2) 56*h*.
U.S. Radium (9) 203*h*.
Ceramic-metal systems, compounds, for use above 600°C (10) 223*g*.
degreasing and etching problems, on surfaces (5) 96*j*.
generating vesicular material, P (11) 243*e*.
glass-metal interfaces (5) 96*e*.
sprayed, modified-Al_2O_3 coatings for noble metals, P (5) 97*b*.
Ceramics, in America, B (11) 260*c*.
articles, thick, P (3) 71*f*.
automobile requirements (5) 117*a*.
characterization, B (3) 76*h*.
dried articles, apparatus for handling, P (9) 203*i*.
freeze-dried (9) 203*g*.
friction and wear (1) 1*e*.
hot-pressed, electrooptic effects in $Pb(Zn_{1/3}Nb_{2/3})O_3$ system (5) 109*j*.
mechanical properties (1) 21*i*.
objects, molded, shrinkage controlled (1) 20*j*.
porous, polymer-impregnated, elastic behavior (1) 3*a*.
precision, moldable, use of silicones in (1) 21*c*.
products, P (7) 156*f*.
from spodumene, petalite, and clay, P (1) 15*c*.
strength, porosity effects (1) 29*f*; porosity effects, correction (8) 188*b*.
unfired, transmission electron microscopy (7) 163*j*.
Cerium, Ce^{3+}, as probe of crystal field in glasses (10) 219*g*.
CeF_3, ac electrical properties (3) 66*f*.
$Ce(MoO_4)_2$, lattice parameters and space group (9) 211*g*.
and Ce oxide, optical absorption (8) 184*i*.

Cerium β - Ce_2S crystals, morphology and symmetry (1) 26*b*.
$Ce_2(MoO_4)_2$, cell dimensions (2) 51*f*.
dioxide, nonstoichiometric, electron mobility in (4) 91*g*.
in glass, reduces decolorizer cost (7) 144*c*.
-ic oxide, -Y_2O_3 solid solutions (6) 135*i*.
nitride, decomposition pressure, congruent melting point, and electrical resistivity (3) 74*d*.
oxide, in enamels (6) 122*a*.
trivalent, mixed ferrocyanides, of Cs and La (5) 116*f*.
valerates, thermal stability (1) 29*e*.
Cermets, alloy, composition, P (3) 65*d*.
armor of, P (10) 224*f*.
coating, protective, P (4) 80*c*.
glass-ceramic-metal, P (7) 146*j*.
high strength, P (5) 100*f*.
materials, P (11) 247*f*.
Pd-Ag, tailless wedge bonding Au wire to, P (11) 251*c*.
powders, P (7) 149*b*.
product, P (2) 40*b*.
resistance element, for potentiometer, P (6) 130*a*.
sintering, and properties (1) 13*j*.
TiC-Mo-Ni-C, microstructure (7) 148*b*.
W-SiO_2, P (5) 100*j*.
Cesium, bromide, halogen centers in (8) 183*c*.
reaction with $InBr_3$ (7) 162*h*; reaction with IBr (10) 238*i*.
chloride, melting, effect of pressure (5) 108*g*.
reaction with ICl (10) 238*i*.
$CsFeF_4$, planar antiferromagnet (9) 199*f*.
$CsMnCl_3 2H_2O$, Heisenberg linear chain antiferromagnet (7) 162*d*.
$CsNbCl_6$, behavior during heating (2) 50*j*.
dichlorooxyaluminate (5) 114*a*.
dideuterium arsenate, crystallization, P (11) 256*a*.
double, -rare earth molybdates (8) 180*f*.
ferrocyanides, mixed with Mg and Ca, X-ray study (2) 56*d*.
mixed with trivalent Fe, X-ray study (2) 56*e*.
halides, optical properties (8) 185*a*.
mixed ferrocyanides, and trivalent La and Ce, X-ray diffraction (5) 116*f*.
nitrate, phase diagram and crystallographic data for (2) 54*a*.
Chalcogenides, di-, thin single crystals, electrical conductivity (5) 108*j*.
Eu, anionic doped divalent, P (3) 68*i*.
quaternary, thermoelectric properties (4) 94*a*.
system, Ge-As-Se, atomic distribution in (1) 5*c*.
Chalk, powdered, treatment, P (3) 73*h*.
Chemical properties, of Al_2O_3 film (3) 68*g*.
of SiO_2, effects of substrate temp. during rf sputtering (5) 108*i*.
Chemical reactions, dehydrogenation, with catalytic composite, P (5) 105*i*.
exothermic, removing heat in, P (8) 177*d*.
in polycrystalline oxides (10) 237*j*.
Chemistry, analytical, symposium, B (3) 76*d*.
chemical industry, crystallized enamels in apparatus for (6) 121*j*.
of clay minerals, B (11) 260*e*.
concentration, automatic control, P (7) 157*c*.
of glasses, ancient and medieval, B (5) 117*f*.
inorganic, modern, B (5) 117*i*.
octahedron in (9) 213*f*.
resistance, of C bricks in blast furnaces (4) 83*a*.
surface, of $AlPO_4$ (2) 55*c*.
transition metal, B (5) 118*j*.
Chimneys, inducing draft in, P (9) 206*a*.
Chlorides, chloridizing, alumina-containing ore, P (3) 73*f*.
cycle, in kilns with shaft heat exchanger (1) 2*a*.
of elements, reaction with $MoCl_5$ (5) 114*g*.
of uni- and divalent metals, reaction with PCl_5 (5) 114*g*.
Chlorine, adsorption, on MgO (11) 257*b*.
atoms, in glasses, ESR (9) 209*i*.
cycle, reduction in suspension preheater kiln (6) 121*g*.
Chromatography, macropore diffusion, in molecular sieve pellets by (11) 253*j*.
of raw materials, ceramic (5) 104*f*.
Chromium, in CaO-Al_2O_3-MgO-SiO_2 glasses, effect on crystallization (3) 61*h*.
chrome, chemicals, P (5) 106*a*.
ore, alkali chromate from, P (9) 207*a*.
-containing bodies, resistance to oxidation and nitrification, P (3) 65*d*.
Cr^+, EPR in MgO (9) 209*h*.
Cr_2As, neutron diffraction study (6) 137*f*.
Cr^{2+}, concentrations in ruby laser rods (3) 76*b*.
$CrBO_3$, antiferromagnetic (7) 151*d*.
Cr^{3+}, charge-transfer luminescence in MgO (5) 107*a*.
covalency parameters in oxide environment (5) 107*a*.
optical spectra, relaxation and energy transfer in Eu phosphate glass (5) 98*h*; optical quantum generation in YAG (9) 213*h*.
through phase transition in $SrTiO_3$ (7) 162*e*.
Cr^{5+}, ESR in $SrTiO_3$ (10) 235*h*.
$CrFe_2Se_4$, magnetic structure (6) 137*h*.
$CrFeTi_2O_7$, structure (2) 54*h*.
Cr(III), compounds, enthalpy of formation and thermal capacity (1) 28*i*.
CrO_2, ferromagnetic, NMR of ^{53}Cr in (5) 112*e*.
$CrO_{2-x}F_x$, synthesis and properties (9) 215*e*.
CrOOH, synthesis (2) 55*i*.
Cr_3Te_4, magnetic properties, in ferromagnetic region (6) 137*f*.
$CrTiTO_5$, X-ray and neutron study (4) 94*c*.
dioxide, Al_2O_3-coated, P (1) 16*f*.
Chromium dioxide *(continued)*
coating with Al_2O_3, P (9) 198*i*.
-Cr_2O_3 phase boundary under high O_2 pressures (6) 135*j*.
ferromagnetic, P (7) 153*i*.
highly coercive, P (1) 17*d*.
Raman spectra (9) 214*h*.
film, microcircuit mask, P (5) 101*j*.
-glass interface (9) 192*c*.
hydroxide, thermal dehydration (2) 55*h*.
-ic oxide, effect on glass crystallization (1) 6*b*.
interdiffusion and solubility in TiO_2 (1) 25*e*.
ultrasonic wave propagating in (7) 162*d*.
wavelength-modulated reflectivity (9) 216*b*.
manganite, structure and magnetic properties (5) 114*j*.
mask patterns, printing and alignment on Si slices (1) 16*h*.
molybdate, reaction with Li_2MoO_4 (10) 238*j*.
natural, alpha-particle bombardment for ^{54}Mn production (6) 138*b*.
oxide, coating for SiO_2 fibers, P (7) 146*b*.
effect on glass crystallization (10) 219*h*.
ferromagnetic, metal phosphate-coated, P (1) 17*f*.
gels, micropore structure (2) 53*e*.
inelastic tunneling due to vibrational modes (8) 182*c*.
physicochemical and surface properties (2) 54*d*.
X-ray Kβ emission spectra and energy levels (5) 116*f*.
recovery, from waste $BaCrO_4$, P (8) 179*c*.
tracer diffusion, in NiO crystals (8) 179*h*.
trivalent, and tetravalent, in $CuCr_{0.3}Rh_{1.7-x}Sn_xSe_4$ (5) 116*a*.
Chrysotile, ir spectrum (2) 53*a*.
Circuits, crystal, anisotropic, P (1) 16*g*.
device, P (1) 19*a*.
discrete, and integrated-type, P (7) 153*d*.
electrical, miniaturized, P (3) 69*g*.
packaging structure, P (3) 69*f*.
for piezoelectric sensor, P (11) 250*d*.
printing on substrates, P (2) 44*e*.
electrical analog, P (7) 153*e*.
electrical control, for firing rectifiers, P (8) 174*e*.
electrically conducting frit, repairing, P (3) 64*d*.
electroconductive heating, applying to glass, P (7) 146*j*.
electronic, ceramic-based substrates for, P (3) 69*b*.
equivalent, for conductivity/temp. characteristics of resistor (7) 151*g*.
heating, electroconductive, applying to glass by electroplating, P (3) 63*a*.
hybrid, with metal oxide varistor shunt, P (10) 227*f*.
IGFET integrated, device, P (5) 102*f*.
integrated, beam-lead, for inspecting and sorting, P (8) 175*e*.
bonder, P (4) 86*d*.
chips, packaging structure for, P (3) 70*c*.
combination film deposited switch unit and, P (2) 43*j*.
composite, P (1) 17*i*.
digital, static testing (5) 104*e*.
electrical isolation in, P (9) 202*i*.
electromigration-resistant metalization for, P (2) 43*d*.
GaAs, P (4) 86*b*.
ground connections for, P (9) 201*h*.
high-density, P (7) 153*b*.
including FET and cermet resistor, P (3) 69*a*.
mfg. at RCA (2) 42*h*.
module for, P (1) 18*e*.
monolithic devices, P (2) 44*h*.
monolithic, Si regions in, P (8) 175*d*.
monolithic, with W interconnections, P (5) 103*a*.
P (3) 69*f*; P (8) 174*a*; P (9) 200*h*; P (9) 201*f*; P (11) 251*d*.
packages for, P (1) 17*h*.
performance improved, P (9) 200*g*.
semiconductor, P (8) 174*g*.
semiconductor, P (8) 175*e*.
semiconductor, P (9) 202*f*.
semiconductor, P (11) 250*e*.
semiconductor devices, heat sinking, P (7) 153*a*.
semiconductor, electrical connections in, P (10) 227*j*.
single-crystal Si contact for, P (6) 130*e*.
structure, P (2) 44*b*.
testing, P (9) 2.
thick-film hybrid, P (5) 102*c*.
thin film, P (2) 44*e*.
thin-film, P (8) 175*a*.
voltage distribution for, P (4) 87*d*.
integrated devices, P (11) 250*j*.
integrated optical, P (8) 174*g*.
inverter, using minority carrier injection, P (3) 69*b*.
isolated pattern, on substrate, P (3) 70*g*.
logic, P (5) 102*g*.
micro-, component density, maximizing, P (7) 153*f*.
etched, by photoresist processing, P (2) 45*c*.
integrated devices, P (2) 43*g*.
mask, Cr film, P (5) 101*j*.
pyrotechnic eradication, P (7) 154*c*.
resistor compositions for, P (6) 130*b*.
thick film hybrid, B (2) 58*j*.
using dielectric pn junction isolation, P (7) 153*h*.
microelectronic, P (7) 154*g*.
photomasks of type used in making, P (6) 130*c*.
microwave, integrated, on ferrite substrate (7) 152*c*.
monolithic, with pinch resistors, P (1) 18*c*.
with high Q capacitor, P (2) 45*g*.
monolithic semiconductor, P (9) 201*b*.
MOS, high-speed signal in, P (1) 17*j*.
MOS integrated, P (11) 251*a*.
printed, board, multilayer, P (10) 228*g*.
board, P (4) 86*j*.
Circuits printed *(continued)*
boards, polyimide resin-fiberglass cloth laminates for, P (2) 39*b*; boards, diamonds to etch (5) 95*f*.
mounting structure, P (8) 175*g*.
P (3) 70*g*; P (9) 200*h*; P (9) 201*h*.
structure, two-resist method for, P (10) 229*c*.
pulse-gating, P (8) 175*a*.
sandwiched eutectic reaction anticompromise, P (10) 228*e*.
semiconductor, with conductance paths, P (1) 18*h*.
integrated monolithic, P (5) 102*f*.
repairable, P (7) 154*e*.
semiconductor microelectronic (8) 173*c*.
silk-screened, thick-film oxidizable, sintering, P (8) 175*d*.
single-layer self-destruct, P (10) 229*d*.
temp. control, P (10) 233*e*.
thick-film, in-house artwork and screen for (1) 16*e*.
P (9) 202*f*.
Circulators, ferrimagnetic, miniaturized, P (9) 201*a*.
microstrip, P (9) 201*j*.
Classification, processes (10) 231*h*.
of sand fraction, of concrete aggregates (9) 189*j*.
spiral air, of solid particles in gaseous carrier, P (3) 71*f*.
Classifiers, for cement, automatic analytical (7) 141*j*.
in cement grinding (6) 120*h*.
for crystals, P (1) 21*b*.
for fine-particle materials, P (8) 179*b*.
for fine solids, P (7) 156*h*.
pneumatic, with grating, P (7) 156*e*.
Clays, autoclaymation (2) 47*h*.
ball, mining, quality control (7) 158*h*.
moisture absorption (2) 40*d*.
bauxite bedrock, from Hatarvoelgy and Halimba areas, use in mfg. earthenware tubings and floor tiles (1) 10*h*.
bodies, formation, machinery review (3) 64*f*.
plastic, rheological properties (7) 157*g*.
calcite and dolomite in, content determination (2) 48*g*.
china, and sawdust at Cooper's Bank (11) 246*d*.
/clay + water ratio, effect on green strength of sands (7) 156*d*.
digging for (4) 77*j*.
dispersing, with amino diphosphonates, P (5) 105*j*.
extraction and conveying, rail guided or railless (2) 48*b*.
firing, phase sequence in, for roofing tiles (3) 64*h*.
foam, closed cell, P (9) 207*d*.
granules, expanding, P (3) 64*g*.
grinding, high capacity system (1) 20*i*.
H_2O adsorption by (5) 106*f*.
Indian, mineralogical characteristics (7) 158*e*.
mineralogy and physicochemical properties (6) 137*d*.
kaolin, P (9) 207*a*.
kaolinite, swelling in presence of electrolytes (7) 150*e*.
Kuzu, Oita Prefecture (9) 206*g*.
lightweight aggregates from (11) 246*d*.
-lignosulfonate complex, semipolar bond in (10) 239*j*.
semipolar bond in, spectrophotometry (8) 186*j*.
materials, quartz in (7) 157*a*.
minerals, in caliche deposits of N. Mexico (1) 23*c*.
chemistry, B (11) 260*e*.
composition, structure, morphology, and surface properties (2) 51*h*.
Debye-Hueckel theory applied to (9) 207*i*.
effect on thermal decomposition of limestone and dolomite (6) 120*j*.
identification by electronic microdiffraction (6) 132*h*.
interaction with cationic surfactants (8) 182*i*.
oriented specimens, for X-ray diffraction analysis (10) 232*i*.
preparation for X-ray diffraction analysis (5) 105*b*.
quantitative X-ray determination (5) 105*c*.
surface, crystal chemistry (11) 257*c*.
water in, NMR spectrometry (4) 90*j*.
montmorillonite, adsorption of lignosulfonates by (3) 73*i*.
in steam distillation of tetraalkyl Pb, P (4) 90*g*.
native red, casting with (4) 77*h*.
particle size distribution, effect on properties of structural ceramics (2) 39*h*.
plasticity, variation due to dry spraying (2) 49*j*.
for potter, and glazes, B (9) 216*d*.
products, bloated, rotary kiln for, P (1) 11*b*.
in Oklahoma (6) 134*d*.
purification, by selective flocculation, P (2) 50*f*.
quantitative ion-exchange, P (7) 159*b*.
refractory, thermal effects and sintering (7) 148*h*.
resources, in Argentina (6) 134*h*.
of Greek island (6) 134*i*.
in Illinois (6) 134*d*.
in Washington (6) 134*g*.
rocks, bloating capacity (7) 147*j*.
Spanish, properties (4) 90*f*.
spodumene, and petalite, ceramics from, P (1) 15*c*.
suspensions, flow properties (1) 21*f*.
tempering, moisture control during (10) 231*h*.
wet, beneficiation, P (10) 234*f*.
wetting, P (2) 50*a*.
X-ray diffractometry, jig for cutting glass slips in (8) 177*i*.
Cleaning, flue gases, SO_2-containing, P (4) 88*e*.
industrial, water jetting (5) 104*c*.
organic composition, for glass and reflective surfaces, P (3) 63*c*.
Coatings, aluminosilicates-based, for vitroceramic nuclear fuel (10) 229*j*.
Al_2O_3, for CrO_2, P (9) 198*i*.
anticorrosion, on reinforcement steel for concrete (2) 33*b*.
antireflection, applying to substrate, P (3) 69*d*.
multilayer, P (9) 194*e*.

Coatings antireflection *(continued)*
triple-layer design, P (5) 99*i*.
apparatus, with conveyor mask, P (9) 200*j*.
filament, P (9) 200*f*.
glow discharge, P (11) 250*h*.
application, apparatus for, P (2) 44*g*.
to semiconductor surface, P (1) 17*g*.
for articles, P (8) 177*f*.
bottle, P (9) 193*h*.
carbide, for graphite filaments (1) 4*d*.
catalytic, containing metal powders (5) 96*c*.
ceramic, porosity, based on electrical breakdown (7) 157*c*.
cermet, protective, P (4) 80*c*.
colored architectural, anatomy (7) 143*g*.
conductive, on substrate, P (3) 70*g*.
Cr oxide, for SiO_2 fibers, P (7) 146*b*.
dielectric, for electrode in electron tube, P (1) 17*c*.
double layer heater, for electron discharge device, P (1) 17*d*.
electrical-conductive, and bonding materials, P (6) 129*h*.
electrically insulating, manual testing, P (9) 205*e*.
electro-, of enamels (5) 96*h*.
electroconductive, and heat barrier, for ceramic bodies, P (1) 9*d*.
by electrophoretic dip-coating, P (8) 167*a*.
electroplating, electroconductive heating circuits to glass, P (3) 63*a*.
ferrite, on porcelain (7) 151*j*.
for fibrous sheet material, P (11) 245*i*.
for filaments, P (2) 40*e*.
GaP, P (1) 18*a*.
glass, containers, P (1) 10*a*.
for internal surface of metal pipes, P (8) 166*j*.
for semiconductors, P (11) 250*g*.
glass-ceramic, heat-resistant (1) 4*e*.
for glass fibers, P (8) 169*e*.
glass surface, lubricious label-accepting, P (5) 99*j*.
graphite, pyrolytic, P (7) 149*b*.
hardening, with lasers, P (10) 228*b*.
heater, dark, with W, P (9) 201*c*.
of heat-resistant plastics (10) 219*d*.
high-temp., nondestructive testing (1) 4*i*.
protective evaluation (1) 4*d*.
inorganic, deposition from vapor phase, P (8) 166*i*.
leveling, evaluation by surface waviness measurements (3) 72*h*.
metal, BN objects, P (4) 84*c*.
on glass objects, chemical deposition, P (8) 169*f*.
P (4) 80*d*.
metalizing, compositions, P (10) 227*h*.
devices, P (2) 44*c*.
electromigration-resistant, for integrated circuits, P (2) 43*d*.
industry, at Basic (9) 199*f*.
metallic boride, electrodeposition, P (2) 34*h*.
metallic diffusion, high-temp., P (6) 122*e*.
metal oxide, on semiconductors, P (7) 154*b*.
for metals, P (11) 243*d*; P (11) 243*e*.
plasma-arc-sprayed modified-Al_2O_3, P (11) 243*e*.
method, P (10) 232*a*.
MgO, P (2) 34*i*.
nonslip, application to enameled bathtub, P (1) 4*h*.
oxide ceramic, plasma-sprayed, thermal conductivity (1) 4*c*.
phosphate, for thin Al metalization, P (9) 201*b*.
photoresist, P (3) 70*j*.
plating, for adhering metal film on ceramic substrates, P (1) 18*j*.
beam lead process, P (2) 43*g*.
crystal, monitoring system, P (9) 200*a*.
electroless Ni, on glass, P (1) 9*d*.
electroless, on nonconductors, catalyst solution for, P (3) 69*b*.
by pyrolytic deposition, P (2) 45*i*.
polymeric, on glass (8) 168*c*.
reaction with glass surface (9) 192*g*.
on soda-lime glass (8) 169*b*.
water-resistant, for glass (6) 125*i*.
porous, composite refractory metallic element with, P (5) 97*a*.
powder, competition for enamels (11) 244*h*.
of glass bottles (9) 192*g*.
powder-sprayed bronze alloys, for glass mold tooling (2) 35*j*.
refractory, ferrous metals, P (9) 197*c*.
refractory metal, for refractory metal leads, P (7) 147*d*.
for refractory metals, high-temp. protection, P (9) 191*j*.
silicate, reaction with Ti (4) 80*d*.
silicate compositions, P (7) 143*j*.
Si_3N_4, on Cu (6) 129*f*.
on quartz walls for reactors, P (10) 223*b*.
SiO_2 and TiO_2 mixture, for pn junction of semiconductor device, P (2) 44*g*.
$SnCl_2$, for glass surface, P (5) 99*b*.
sprayed, modified-Al_2O_3, for noble metals, P (5) 97*b*.
thermal insulating, spraying on ingot wall, P (1) 14*e*.
thermal radiative properties, B (6) 140*h*.
transparent conductive, P (2) 45*j*.
two-layer protective, on graphite (8) 171*h*.
ZrO_2, bonded to metal by enamel, P (4) 80*c*.
Zr-Si, on BN-containing vessel, P (7) 149*b*.
Cobalt, Co^{2+}, EPR in Li-Ga spinel (8) 179*j*.
spectrum in alkali borate melts, effect of temp. (4) 80*g*.
$CoCr_2S_4$, electrical properties (9) 209*g*.
hot-pressed as magneto-optic material (4) 85*h*; hot-pressed, magneto-optical memory material (10) 226*d*.
magnetoreflectance (11) 249*i*.
$CoCr_2Se_4$, magnetic properties (4) 92*a*.
Cobalt CoF_2, antiferromagnetic ordering (9) 208*f*.
$CoFe_2Se_4$, magnetic structure (6) 137*h*.
Co(II) oxide, oxidation, effect of dopants (5) 107*g*.
as color indicator, in glass (3) 60*j*.
$CoMnGeO_4$, olivine-spinel transformation in (5) 112*f*.
$CoMn_2O_4$, single crystals, chemical transport growth (11) 249*i*.
$CoNb_2O_6$, magnetic structure (9) 212*d*.
(Co,Ni)O crystals, cation diffusion, semiconductivity, and nonstoichiometry in (11) 256*i*.
Co_9S_8, thermal dissociation, kinetics (7) 161*h*.
Co_2SiO_4, and $CoAl_2O_4$-$MgAl_2O_4$ crystalline solutions, nonstoichiometry and electronic defects in (4) 92*d*.
CoVSb, and CoTiSb, magnetic properties (5) 111*j*.
deposition, effect on metal-enamel adherence (2) 34*g*.
diffusion, in NiO, effect of Co additions (5) 107*i*.
ferrocyanide, X-ray study (1) 29*h*.
metaniobate, and metatantalate, electronic spectra (5) 109*j*.
-ous oxide, defect structure, high-temp. (5) 110*a*.
electrical properties (11) 257*h*.
far-ir electronic excitations of Co^{2+} in (11) 258*g*.
grain-boundary grooving in (8) 182*b*.
Hall mobility and defect structure in (5) 110*e*.
liquid, in oxidizing atm (10) 237*f*.
Neel temp. dependence (9) 212*i*.
optical properties (8) 185*a*.
single crystals, creep (7) 159*e*.
oxide, reaction with Ga oxide (1) 27*e*.
transition from p-type to n-type Hall effect in (7) 163*i*.
-rare earth product, sintered, P (3) 69*i*.
single crystals, wedge-shaped, use in measuring thickness dependence of domain width in ferromagnets (2) 43*d*.
tungstate, magnetic structure (8) 183*g*.
Colemanite, ore, treating, rotary apparatus for, P (5) 106*a*.
Colloids, Ag, formation in Na_2O-SiO_2 glass (11) 244*d*.
aquasols, SiO_2, P (5) 106*a*.
gels, Al hydroxide, P (10) 234*j*.
coagulation, of Ca hydrosilicates (11) 242*d*.
Cr oxide, micropore structure (2) 53*e*.
hydro-, aluminosilicate, from zeolite synthesis, reactions in (4) 92*a*.
SiO_2-Al_2O_3, Al coordination in (6) 135*d*.
SiO_2 films, on glass surfaces (8) 168*f*.
SiO_2, foamed products from, P (6) 128*f*.
SiO_2, high shear mixing apparatus for, P (4) 88*f*.
SiO_2, pore size analysis (8) 184*d*.
SiO_2, porous, containing foreign ions, P (3) 73*c*.
SiO_2, texture, effect of preparation (8) 182*d*.
tobermorite, surface area (9) 190*c*.
sols, actinide peroxide, P (2) 47*b*; of actinide metal oxides, P (10) 231*d*.
-gel process for ZrO_2 microspheres (4) 83*h*.
hydro-, Fe_2O_3, stability (2) 54*f*.
PuO_2, low-nitrate and large-crystal-size, P (5) 103*j*.
SiO_2, Al_2O_3-coated, P (10) 234*i*.
SiO_2, small-particle-size aqueous, P (5) 106*a*.
SiO_2, stable positively charged Al_2O_3-coated, P (6) 134*i*.
U oxide, P (1) 20*f*.
urania-plutonia, P (5) 103*f*.
Color, in cement, improved, P (7) 143*b*.
centers, F, in alkali halides, emission mechanisms (10) 235*g*.
F', in alkaline-earth oxides and alkali halides (6) 139*j*.
F^+, in Al_2O_3 (11) 258*h*.
F^+ and F' in MgO (6) 136*g*.
F', in ferromagnetic semiconductors (9) 199*e*.
F, in KCl crystals (11) 258*a*.
M, in alkali fluorides, for information storage, P (7) 153*d*.
radiation, in Na_2O-WO_3-SiO_2 glasses (5) 98*g*.
ceramic, Cd sulfoselenide pigments in (2) 50*b*.
colorants, effect on spectral transmission of silicate glasses (2) 35*i*.
coloring, porcelain by Fe oxide (1) 14*i*.
silicate aggregates by silicate chemistry methods (1) 10*i*.
comparator, P (11) 254*b*.
control, in enamels (5) 96*f*.
defects, in screen printing (2) 41*c*.
in design (11) 260*a*.
for enameled products (5) 96*e*.
of fired porcelain, effect of reducing conditions (1) 15*a*.
glass, hot (6) 123*f*.
high-temp., in silkscreening method (2) 41*e*.
high-temp. rapid-firing, for porcelain (9) 198*b*.
Colorimeters, diffuser, fiber light-pipe, P (4) 81*h*.
Colorimetry, precision measurement, and calibration, B (2) 57*j*.
in sanitary ware (6) 122*d*.
Combustion, apparatus, for mixing fuel and air in divided portions, P (1) 22*j*.
chambers, spark igniter for, P (9) 206*c*.
supplemental air supply assembly, P (1) 22*j*.
products, purification before discharge into atm, P (9) 204*d*.
submerged (9) 205*j*.
system, fossil fuel, SO_2 emission control in, P (1) 22*j*.
of Zr droplets, in O/rare gas mixtures (8) 180*a*.
Compaction, capability, of UO_2 powders (5) 103*f*.
hot, Ti powder, P (8) 177*a*.
of powdered materials, P (11) 252*f*.
Compacts, electrical properties, changes on heating (8) 173*h*.
electroconductivity, during sintering (9) 212*a*.
Composites, alumina Ag, P (2) 42*a*.
Al_2O_3-Pd, P (7) 152*j*.
Al_2O_3-W carbide, by hot-pressing (9) 196*j*.
article, glass-fiber-reinforced, P (1) 9*f*.
carbide-metal, P (7) 149*b*.
Composites carbon, or graphite, matching vol shrinkage of organic fibers and resin matrix in, P (8) 172*e*.
catalytic, dehydrogenation with, P (5) 105*i*.
ceramic, unidirectional solidification technique (11) 247*e*.
ceramic articles, P (7) 150*d*.
C-fiber, thermal expansion (10) 224*e*.
C fiber/Ni, mechanical property and fracture studies (2) 40*i*.
C-glass, P (10) 224*g*.
C-metal, for permanent osseous attachment of nonporous metals (1) 11*e*.
fatigue crack damage in, nondestructive vibration tests (2) 37*h*.
fiber, with brittle matrix (2) 40*a*.
fibrous carbonaceous, P (6) 128*c*.
fibrous ZrO_2 cement, P (9) 197*f*.
fracture, P (1) 30*e*.
of fused SiO_2 and W fibers, preparation and mechanical properties (7) 162*f*.
glass, P (7) 147*a*.
glass-crystal, residual stresses in (7) 145*j*.
glass fiber-plastic, high impact strength, P (2) 39*b*.
glass filament-wound, fatigue behavior in H_2O (1) 7*g*.
graphite, for die body (11) 252*e*.
hemispherical laminar, of pyrolytic graphite, SiC, and constituents, thermal expansion (5) 116*c*.
inorganic, impact-resistant, P (2) 39*c*.
with low thermal expansion, P (9) 197*e*.
making, P (8) 174*i*.
materials, effect of fiber diameter on strength (1) 11*h*.
electronic properties, B (10) 240*h*.
P (5) 100*j*; P (9) 204*a*.
from refractory fibers and metal, P (3) 65*h*.
metal-ceramic (2) 40*d*.
micro-, pyrolytic graphite-SiC, P (9) 197*d*.
Ni-carbide, densification (8) 171*d*.
polycrystalline graphite (7) 158*h*.
polyimide, B-reinforced, P (2) 40*a*.
product, P (5) 100*b*.
refractory, metallic element with porous coating, P (5) 97*a*.
use in molten glass feeder, P (5) 100*c*.
thermal insulation, P (5) 100*c*.
Ti-SiC, Zr diffusion barrier in, P (6) 128*d*.
two-dimensional, strength (1) 13*a*.
WC-base, high-strength metal-bonded, P (10) 224*i*.
for welding torch nozzle, C insert, P (2) 40*c*.
Compounds, $A^+B^{5+}O_3$, structure summary (9) 210*j*.
Ab_2X_4, (X = S,Se,Te), crystal chemistry (6) 135*a*.
ABX_3 and A_2BX_6, crystal structures (9) 209*e*.
intermetallic, synthesizing, P (3) 69*i*.
$MNbCl_6$, (M = K, Rb, Cs), behavior during heating (2) 50*j*.
TX_2, energy bands in (2) 52*h*.
Compressibility, equilibrium, in K_2O-SiO_2 glasses (11) 244*f*.
of Eu chalcogenides (7) 159*j*.
high-pressure, of $SrTiO_3$ (4) 92*b*.
of UO_2 (8) 175*j*.
Compression, hydrostatic, of powder, P (9) 204*d*.
shock-wave, of sapphire (5) 114*c*.
Computers, analog, circuits, for calculating rh, P (6) 133*d*.
in determination of temp. gradient in furnace wall (6) 133*a*.
for blending control, in cement works (6) 120*c*.
calculation, of ceramic batches (10) 231*f*.
in cement industry (9) 191*f*.
checking, of weigh-belt feeders (7) 156*a*.
control, in feeding and forming glass (3) 61*e*.
and identification in clinker burning (6) 120*e*.
of raw mix (10) 231*g*.
control system, for rotary kiln (10) 218*a*.
to determine, orientation of crystals (9) 204*h*.
digital, for raw meal control (7) 143*b*.
for evaluating, analytical data from electron microprobe (11) 254*f*.
II-MC, particle size measurement with (5) 105*a*.
mini-, for batch process control (2) 47*i*.
for predicting, glass compositions from properties (3) 61*c*.
process, in determining raw meal composition (10) 232*g*.
raw meal homogenization by (9) 191*h*.
for raw meal proportioning (9) 191*f*.
systems, in glass plants (3) 62*b*.
in whiteware industry (7) 150*a*.
Concretes, aggregate, effect of (1) 3*j*.
-producing plants, mathematical models for (3) 59*h*.
Al_2O_3-cement, harmful changes in (3) 59*j*.
bodies, semiplastic lightweight, cutting, P (8) 166*g*.
Ca hydrosilicates, and silicate, electrophysical properties (6) 120*f*.
carbonated layer, thickness determination by neutron radiography (2) 32*e*.
clay, expanded, frost resistance (11) 242*i*.
coatings for, reinforcement steel (2) 33*b*.
compression, energy loss (11) 242*a*.
corrosion, phenol-induced (1) 3*b*.
with dispersed structures, and moisture binding in cement stone (11) 241*i*.
drying creep, surface-diffusion theory (6) 121*b*.
erosion, in hydraulic structures (3) 59*h*.
fiber-reinforced, fracture model (11) 242*e*.
fracture, and lateral strain, load tests (11) 242*a*.
under compressive loads (11) 242*d*.
under high sustained load (11) 242*f*.
under uniaxial loading (11) 242*d*.
hardened, fracture (11) 242*c*.
hardening, P (3) 60*c*.
heat-proof, based on phosphate bonds (9) 190*d*.

Concretes heat-resistant, glass as binding agent (10) 218*i*.
from rapid-hardening cements (10) 218*f*.
shrinkage and creep (10) 218*g*.
hydration temp., gypsum content of cement, and compressive strength (2) 33*e*.
lightweight, autoclaved (5) 95*i*.
strain, effect of constant rate of loading (11) 242*j*.
low water-to-cement ratio (7) 142*i*.
microstructure and shrinkage, effect of portland cement dispersion (2) 32*f*.
nonreinforced, fatigue (11) 242*c*.
porosity measurements (4) 79*d*.
portland cement, properties (10) 218*e*.
precast units, slag portland cement for (11) 242*c*.
properties, portland cement and sand proportion in (7) 143*d*.
from SiO_2 portland cements (9) 191*g*.
refractory, Al_2O_3 silicate (11) 246*j*.
compositions determined by computer (1) 14*b*.
portland cement as binder in (11) 242*c*.
technology (11) 247*b*.
test samples (10) 217*h*.
reinforced, crack development in (7) 142*d*.
resistance, to hot seawater corrosion (5) 95*i*.
silo, for clinker, temp. measurement (11) 242*d*.
stress-strain behavior (11) 241*g*.
structures, ashes and slags for (9) 191*d*.
surface, carbonation in presence of trass (1) 2*d*.
thermal conductivity (4) 79*f*; (11) 247*b*.
vibro-transported mixture, rheological properties (9) 190*f*.
waterproofing, P (7) 143*d*.
Condensation, coeffs., for simple substances (8) 186*c*.
Conductivity, electrical, N-type, in ZrO_2 solid electrolytes (6) 137*j*.
Conductivity, electrical, of AlN-Si_3N_4 materials (8) 173*d*.
anisotropy, in SiC polytypes (8) 181*e*.
anomalies, in solid solutions of VO_2 with TiO_2, NbO_2, and MoO_2 (5) 113*d*.
of As_2Se_3 (5) 106*c*.
$As_{50}Te_{45}I_5$ (8) 181*g*.
$BaTiO_3$, effect of rare-earth ions (7) 151*a*.
single crystals (5) 115*d*.
single crystals (7) 151*b*.
of CaO, and MgO (9) 209*e*.
in $CdGe_xAs_2$, measurements (2) 53*g*.
of ceramics, polycrystalline (1) 24*i*.
of coal slag (9) 202*j*.
of compacts, during sintering (9) 212*a*.
of Cu ferrite (8) 181*b*.
of Cu_2O (8) 187*f*. and space charge (5) 108*j*.
of EuO films (9) 199*j*.
in forming thin films of, ZnS and CdS (3) 66*j*.
glass, As-Te-Ge (8) 167*j*.
chalcogenide (8) 167*d*.
chalcogenide (8) 167*j*.
of glasses, melts in system Ge + As + Te (2) 36*a*.
hf, of $CdCr_2Se_4$, n-type (10) 236*i*.
magnetite, at low temps. (8) 181*f*.
mass, P (7) 153*f*.
material, apparatus for detecting, P (9) 205*d*.
measurements, of EuO single crystal growth (8) 185*j*.
to investigate CeO_2-ZrO_2 system (5) 111*g*.
of melts, in system Cu-Tl-Te (1) 25*a*.
minimum, in n-type sulfospinels (8) 185*c*.
of MnO (4) 91*e*.
MoO_3, and V_2O_5, bombardment-enhanced (8) 182*a*.
of oxide ceramics (1) 25*a*.
oxyfluoride ferrites (8) 181*f*.
of PbO-SiO_2-Fe_2O_3 system (10) 235*c*.
p-type, in ZnSe (10) 227*b*.
in selenide, cuprous (5) 109*h*.
in semiconductors, glassy and liquid (2) 42*c*.
of single crystals, thin, of IVB-VIB dichalcogenides (5) 108*j*.
in solids (4) 85*e*.
in SrF_2:Tb (9) 215*h*.
surface, and H_2O water adsorption in solids (1) 29*d*.
in system, As_2S_3-Sb_2S_3 (9) 208*c*.
CeO_2-ZrO_2-CoO (4) 91*e*.
of Ta_3N_5, and TaON (7) 163*g*.
TiO_2 material, P (2) 50*c*.
of UO_2 pellets, refired sintered (3) 71*c*.
of VO_2, effect of impurity (5) 110*f*.
in ZnO crystals (5) 109*d*.
Conductivity, electronic, electron hole, in $(ThO_2)_{1-x}(YO_{1.5})_x$ solid solutions (10) 235*f*.
of glass, use in electronics (1) 7*e*.
in Pb silicate glasses (3) 60*i*.
in ZrO_2 (9) 209*j*.
Conductivity, ionic, in Ag_2Se-Ag_3PO_4 solid solutions (9) 214*h*.
in beta-Al_2O_3 ceramics (3) 75*i*.
composition, solid, P (1) 18*f*.
in yellow PbO (9) 211*b*.
Conductivity, thermal, of AlN (1) 16*d*.
of BN (8) 187*i*.
of ceramics, Bn- and AlN-based (1) 29*c*.
of concretes (4) 79*f*. and masses (11) 247*b*.
of corundum ceramic (9) 211*d*.
of cristobalite (1) 29*c*.
effective, for heat transfer through transparent solids (11) 257*c*.
of elements (8) 187*h*.
of graphite (10) 230*f*.
of LiF, effect of dislocations (5) 108*c*.
Conductivity, thermal measurement (9) 205*c*.
of molding materials (6) 126*j*.
of Na W bronzes (5) 116*a*.
of oxide ceramic coating, plasma-sprayed (1) 4*c*.
of refractories, hot-wire determination (9) 196*d*.
of solid materials, measurement, P (9) 205*b*.
of solids (9) 204*j*.
of solid solutions, $CdSnAs_{2(1-x)}2CdSe_x$ (8) 187*h*.
of thin samples, measurement (8) 173*b*.
of UN (1) 20*a*.
of UO_2, at high temps. (2) 46*j*.
of Zr and HfO_2 compounds (1) 29*d*.
Conductors, electrical, explosion, for thin film deposition (2) 42*c*.
mixed, polarization measurements on (3) 76*a*.
polarization measurements, comments (8) 173*e*.
oxide-coated, connector for use with, P (6) 129*b*.
photo-, (ZnO-MgO):Fe,O, transient effect in (9) 215*j*.
Conductors, ionic, solid, P (1) 19*b*.
vitreous, polarization in, role of ionic diffusion in (8) 168*d*.
Conferences, cement, Japanese, B (5) 118*e*.
glass, IXth International, B (5) 117*b*.
International Ceramic Congress, 11th, B (1) 30*f*.
Contacts, Au and Aquadag (11) 249*b*.
composite, nonrectifying, for semiconductor devices, P (5) 102*e*.
composite Ag-CdO alloy, P (1) 17*a*.
electrical, materials of Ag-CdO containing additives, P (3) 69*f*.
materials, P (1) 18*c*.
to epitaxial GaAs, formation, P (2) 44*i*.
low-ohmic, to semiconductor device, P (8) 174*h*.
Ni-chrome ohmic, to p-type SiC, P (4) 86*g*.
ohmic, low impedance, P (2) 45*h*.
multiple alloy, for semiconductor device, P (1) 18*e*.
on semiconductors using In amalgam (1) 16*h*.
for Si semiconducting devices, P (2) 44*j*.
to ZnO (11) 249*h*.
pins, fastening to substrate, P (9) 200*g*.
semiconductor, electromigration-resistant, P (10) 227*b*.
semiconductor device, P (10) 227*j*.
to Si, high-temp. low-ohmic, P (5) 102*e*.
single-crystal Si, for integrated circuits, P (6) 130*e*.
Controls, circuits, in cement factories (3) 59*j*.
of heating, firing, and cooling zones (4) 89*i*.
process, batch, with minicomputers (2) 47*i*.
microwaves for (5) 104*b*.
Convection, in slag-porous ceramic reactions (1) 24*f*.
Conveyors, cement, CERA pneumatic (10) 218*a*.
elevator, for granular or pulverulent materials, P (1) 21*a*.
oscillating, for hot bulk material, P (7) 156*e*.
overhead, P (11) 252*j*.
pneumatic, and dust removal (2) 47*j*.
metering arrangements for, P (7) 156*b*.
shuttle, P (7) 156*f*.
for pulverized, granular, fibrous, or fluid products, P (4) 88*f*.
suspended, in ceramic industry (2) 41*e*.
vertical pneumatic, solid particle velocity in (11) 253*h*.
vibratory, P (5) 104*b*.
Coolers, for cement clinker, P (1) 22*j*.
for clinker, P (3) 60*d*.
grate (11) 255*c*. control, automatic and manual (3) 59*j*.
multistage, for cement clinker (10) 218*j*.
shaft, for cement clinker (10) 218*e*.
Cooling, apparatus, for outlet of rotary kiln, P (3) 72*j*.
arrangements, P (8) 178*f*.
assembly, for blast furnace shells, P (8) 172*b*.
cement clinker, P (8) 166*g*.
furnace bottom (7) 157*i*.
lime pebbles, P (8) 166*f*.
rate, effect on vitrification of Na phosphate melts (9) 209*h*.
rotary kiln outlets, with heat pipes (11) 254*j*.
specimen, in high-temp. microscopy, P (2) 49*a*.
Copper, atoms, transport in CdSe single crystal (9) 213*j*.
bromide, complex, formation in K borosilicate glasses (1) 7*i*.
chalcopyrite, magnetic transitions in (6) 137*h*.
chloride, reaction with Na, K, and uranyl chlorides in systems NaCl-$CuCl_2$, KCl-$CuCl_2$, and UO_2Cl_2-$CuCl_2$ (1) 27*d*.
Cu^{2+}, optical spectra in aluminate spinels (11) 259*b*.
$Cu_{1+y}Cr_2Te_4$, and $CuAg_xCr_2Te_4$, ferromagnetic (9) 210*c*.
$CuCr_2Se_{4-x}Br_x$, and $CuCr_2Se_{4-x}Cl_x$, magnetic and electrical properties (5) 111*j*.
$CuFe_2O_4$, electrical switching and memory phenomena in (11) 249*f*.
Cu(II), EPR, in studying structure of oxide glasses (11) 245*h*.
$Cu_4Mn_2Te_4$, crystal structure and magnetic properties (8) 180*h*.
$CuVO_3$(I), crystal structure (4) 91*e*.
diffusion, in ZnO single crystals (5) 108*e*.
ferrocyanide, and mixed with K, X-ray study (1) 29*h*.
films, removal from mica and use in Moire fringe electron microscope specimens (1) 22*c*.
fluorescence, in glass (8) 167*f*.
in glasses, spectroscopy and redox (6) 124*e*.
-ous chalcogenides, solid-solid transitions in, effect of pressure (4) 91*e*.
-ous chloride, second harmonic generation, electrooptic, and piezoelectric coeffs. (9) 207*f*.
-ous oxide, crystals, electroreflectance spectrum (9) 210*a*.
electrical conductivity and space charge (5) 108*j*; electrical conductivity (8) 187*f*.
electroabsorption spectra (8) 185*b*.
electron trapping in (9) 209*j*.
Copper -ous oxide *(continued)*
resonant Raman scattering in (9) 214*d*.
single crystals, Hall mobility and hole density in (8) 182*d*.
thermally stimulated currents in (5) 116*e*.
-ous selenide, physical quantities (5) 109*h*.
-ous telluride, thermoelectric properties and composition (5) 101*g*.
oxide, and ferrites, nonstoichiometry and defect structure in (4) 92*c*.
reaction with Ga oxide (1) 27*e*.
photodiffusion, and thermal diffusion into As_2S_3 glass (11) 244*e*.
pyroselenite, synthesis and properties (1) 28*a*.
substrates, Si_3N_4 coatings on (6) 129*f*.
tungstate, magnetic structure (8) 183*g*.
Cordierite, enthalpies, of formation and fusion (5) 109*h*.
transformation trillings in (8) 187*e*.
Cores, annular, of ferromagnetic ferrite for magnetic memory element, P (4) 86*d*.
ceramic, leachable, P (8) 172*d*.
cold setting, P (3) 65*g*.
fast baking, composition, P (7) 149*c*.
ferrite, fast magnetization reversal (3) 66*j*.
mfg. steps (7) 152*f*.
foundry, liquid mixture for, P (7) 149*g*.
magnet, P (4) 86*h*.
from soft magnetic ferrite material, P (6) 129*f*.
magnetic, firing, P (9) 206*a*.
MgO, for casting, P (2) 40*h*.
P (7) 149*c*.
refractory, P (1) 14*d*.
siliceous, removing from Ni and Co superalloy castings, P (2) 40*g*.
Corrosion, of concrete, phenol-induced (1) 3*b*.
of glass, environmental effects, kinetics (11) 244*f*.
by SiO_2 gel films (8) 168*f*.
and surface roughness (11) 245*g*.
hot seawater, cement mortar and concrete resistance to (5) 95*i*.
quartz glass, by simple glasses, boundary layers in (1) 5*h*.
-resistant, high-Cr refractory carbide alloy, P (6) 128*d*.
of Si_2N_2O powder, in O (8) 186*e*; in O (10) 239*d*.
by slag, of MgO-CaO refractories in BOF lining (3) 65*h*.
testing, of home laundry coatings (5) 96*g*.
tests, of MgO bricks in mixer (7) 148*h*.
Corundum, ceramics, aging (9) 207*i*.
porous, physical properties (9) 213*g*.
reaction with refractory metals (1) 13*a*.
stability in Pb-K alloy (1) 29*b*.
synthesis (1) 28*a*.
thermal conductivity (9) 211*d*.
diaspore-, equilibrium (3) 74*h*.
disorder in, ion-bombardment-induced (4) 90*j*.
gemstones, asteriated synthetic, P (7) 150*c*.
grain, phase boundary with bond in grinding wheels (9) 189*e*.
polycrystalline, habit, topotaxy, and texture (9) 214*b*.
pressed, electroconductivity during sintering (9) 212*a*.
single crystals, with small dislocation densities (8) 180*b*.
solubility, in HCl (10) 239*i*.
Ti^{3+} in, lattice-ion interactions (11) 258*f*.
Coupling, optical, of semiconductor lasers, P (2) 45*a*.
refractory, with C and Be friction surfaces, P (3) 65*e*.
Cracking, of bricks, due to rapid heating and cooling (1) 11*c*.
for stopper sleeve, prevention (1) 11*f*.
stress-corrosion, in plastic solids, and role of H (5) 114*g*.
subcritical, of opaque materials (2) 48*j*.
Cracks, in concrete, with closely spaced reinforcement (7) 142*d*.
formation, in chromite-magnesite bricks (6) 127*f*.
-formation resistance, of ceramic materials, and relation to thermal-shock resistance (4) 88*h*.
in ice, columnar-grained (5) 114*c*.
in LiF, single crystals, from spark discharges (5) 107*e*.
micro-, in ceramics (11) 253*j*.
propagation, in glass, effect of electrolyte pH (5) 97*j*.
in soda-lime silicate glass, effect of Na-H ion exchange (4) 80*h*.
thermal-shock, in UO_2, healing (7) 155*j*.
velocities, ultrasonic measuring (6) 133*g*.
Creep, of Al_2O_3, polycrystalline, effect of O partial pressure (4) 91*d*.
of Al_2O_3 ceramics, effect of crystal size (9) 209*j*.
of ceramics, of aluminomagnesia spinel (1) 11*d*.
compressive, of boehmite (7) 159*e*.
of CoO single crystals (7) 159*e*.
of high-Al_2O_3 castable refractories (9) 195*i*.
of rutile in vacuum (2) 51*h*; of rutile, correction (9) 208*i*.
of U-Pu carbides (5) 103*d*.
of concrete, heat-resistant (10) 218*g*.
curves, of single crystals (6) 137*a*.
diffusion, axial strain during, effect of grain-boundary sliding (5) 107*f*.
diffusional, of ionic solids, mass transport in (4) 92*i*.
drying, in portland cement paste and concrete (6) 121*b*.
flexural, of sapphire rods (2) 53*a*.
high-temp., of NaCl, single crystal (5) 110*j*.
test for quality of refractories (4) 83*j*.
hot, of high-Al_2O_3 bricks (9) 196*c*.
kinetics, of mullite, polycrystalline (2) 51*a*.
of mixed-oxide fuel pellets (7) 155*f*.
of nonmetals, polycrystalline, third-power stress dependence (4) 94*c*.
orientation, in hot-pressed Al_2O_3 during (8) 179*h*.
of oxide ceramics, relation to strength (9) 208*f*.

Creep of portland cement paste (2) 33*a*.
post-instantaneous, of glass specimens (11) 244*g*.
rate, dependence on porosity (1) 24*c*.
of refractories, for blast furnace stoves (1) 11*d*.
from fused oxides (1) 12*b*.
of refractory oxides, impure, high activation energies in (4) 92*g*.
superplasticity, and grain-boundary sliding (9) 215*e*.
of UC, hypostoichiometric (10) 230*j*.
of UO_2, radiation-induced (4) 87*j*.
of UO_2-PuO_2, irradiation effect (10) 230*d*.
of ZrO_2 (1) 24*b*.
Cristobalite, in SiO_2 bricks (6) 133*a*.
thermal conductivity (1) 29*c*.
Crushing, in fertilizer industry (11) 252*d*.
of limestone, P (1) 23*g*.
preliminary, cement clinker (6) 121*d*.
strength, of granular materials (11) 253*g*.
Crushing apparatus, cone, gap controlling device for, P (2) 50*i*.
for glass articles, P (11) 245*b*.
granulator, multicompartment fluid-bed (11) 252*h*.
gyratory, adjusting mechanisms, P (1) 23*e*.
P (10) 234*e*.
for hot Al_2O_3, P (9) 204*a*.
impact, P (11) 256*a*.
rotor construction for, P (2) 50*g*.
impactor, source test cascade, P (3) 72*h*.
jaw, centrifugal, P (1) 23*c*.
for melts, P (8) 177*d*.
pelletizer, P (8) 177*c*.
pulverizing, P (8) 179*c*.
slugger roll, use in cement industry (1) 3*h*.
Cryolite, molten, dissolution of Al_2O_3 in (7) 160*c*.
Crystal chemistry, of AB_2X_4 (X = S,Se,Te) compounds (6) 135*a*.
of clay minerals, surface (11) 257*c*.
in Eu-W-O system (2) 51*b*.
of Li (6) 135*b*.
of micas, trioctahedral (6) 135*b*.
of sorosilicates, Zr and Sc alkaline (8) 180*e*.
of sulfides (9) 208*h*.
Crystalline materials, bodies, growing from melt, P (1) 16*h*.
deposition, from gas phase, P (11) 250*e*.
epitaxial layers, growth by controlled autodoping, P (6) 130*b*.
removal of projections on, P (6) 130*b*.
inorganic, tables, B (10) 240*f*.
laser, and fluorescent, P (7) 153*e*.
member, crucible-free floating-zone melting, P (1) 17*b*.
microdrilling (7) 156*j*.
mono-, P (2) 45*h*.
rutile-type solutions, in $MgTa_2O_6$-$AlTaO_4$ system (9) 214*e*.
solids, precipitation in (4) 91*a*.
solutions, $CaAl_2O_4$-$MgAl_2O_4$, nonstoichiometry and electronic defects in (4) 92*d*.
paragonite-muscovite, mixing properties (1) 29*a*.
Crystallinity, field, action on Er^{3+} in Er_2O_2S (8) 179*g*.
layers, on corroded quartz glass (1) 5*h*.
phases, of glasses in system Li_2O-Tb_2O_3-SiO_2 (1) 5*f*.
relations, with thermal expansion coeff., in glass-ceramics (7) 146*d*.
solubility, in NaCl-KCl system, effect on high pressure (5) 108*f*.
structure, of $TeVO_4$, beta (6) 139*c*.
Crystallization, of belite, effect of gypsum (1) 2*d*.
of $BeSO_4$ (6) 134*d*.
capacity, of blast-furnace slag, effect on slag portland cement (1) 2*j*.
of Ca sulfoaluminate hydrate, in cement (4) 78*f*.
of cement stone, on carbonate substrate (9) 190*d*.
Cs dideuterium arsenate, P (11) 256*a*.
Czochralski, of GaAs using B_2O_3 sealed device, P (6) 129*b*.
extent, from submicrosecond optical pulses on memory materials (11) 258*f*.
of fiber-matrix system, in composite material (7) 160*a*.
fields, in system Ge-As-Te-S (2) 51*j*.
flux-pulling, of hexagonal ferrites (9) 199*c*.
in fused SiO_2, refractories, effect on property changes (3) 65*a*.
of garnet, kinetics (11) 258*e*.
hydrothermal, in CdO-GeO_2-LiCl-H_2O system (8) 182*i*.
kinetics, of $CdGeAs_2$ (5) 111*h*.
in Li Mg Zn silicates (6) 135*c*.
liquid phase, and chemical vapor, of semiconductors (10) 225*i*.
from melts, impurity trapping during (5) 110*h*.
of NaCl, from $MgCl_2$ solution, P (10) 234*i*.
quartz, hydrothermal (7) 160*d*.
re-, fusion-dissolution- (2) 53*d*.
of SiC during sintering (1) 27*h*.
in TiC (8) 184*b*.
in ZrC loosely poured powders (8) 179*j*.
of semiconductors (10) 227*b*.
Crystallography, of CSH(I), at room temp. (2) 32*j*.
data, for $RbNO_2$ and $CsNO_2$ (2) 54*a*.
defects, reducing in semiconductor structures, P (9) 201*h*.
devices, and techniques (9) 204*i*.
history (1) 21*j*.
orientation, effect on domain structure in FeSi (5) 110*j*.
properties, of alkali-alkaline earth niobates (2) 52*a*.
of metal-insulator transition in $V_{1-x}Nb_xO_2$ system (8) 183*c*.
of rare-earth Cr sulfides (11) 257*d*.
shear families, derived from ReO_3 structure type (1) 24*c*.
structure, of Li chromites-ferrites (5) 111*a*.
study, of $Ba_2(UMg)O_6$-$Ba_2(U_{2/3}Fe_{4/3})O_6$ system (5) 114*a*.
Crystals, with alpha-$NaFeO_2$ structure, Raman and ir spectra (5) 114*e*.
covalent, cohesive energy and compressibility (10) 238*e*.
crystallooptic study, of fluoroindates (5) 107*c*.
dislocation motion in (11) 259*c*.
dislocations, cloud formations around (8) 180*a*.
dynamics (7) 162*h*.
-field effects, in ReO_3 and perovskite structures (8) 180*e*.
field parameters, in Tm garnets (5) 107*b*.
-field splitting, of Tb^{3+} in Tb Al garnet (8) 180*f*.
formation, during C_3A hydration (8) 165*h*.
during C_4AF hydration (8) 165*i*.
growers, breakout protection for, P (2) 43*g*.
growing, apparatus, P (2) 43*a*.
growth, in aluminosilicate glass, kinetics (3) 62*i*.
dislocation mechanism, at low fracture density (8) 180*f*.
from fluxed melts (8) 176*j*.
from glass surface by electron beam bombardment (3) 62*c*.
internal stresses during (8) 183*b*.
from melt (9) 208*i*.
method, with controlled power reduction to heater system (2) 51*d*.
from molten melts, P (8) 177*e*.
in PbO-GeO_2 system (3) 67*g*.
selective liquid phase epitaxial process, P (5) 102*j*.
in system Bi_2O_3-WO_3 (1) 15*j*.
verneuil apparatus, P (2) 48*a*.
inspecting, P (9) 205*c*.
ionic, extreme-uv spectra (8) 181*e*.
paraelectric defects in (8) 187*g*.
lattice, anharmonicity, effects on longitudinal optic modes of cubic ionic solids (6) 136*e*.
defects, correlation with electrical properties of planar diodes (5) 106*d*.
distortion in Mn spinels $NiCr_xMn_{2-x}O_4$ (2) 51*f*.
energies of Ti_nO_{2n-1} shear phases (5) 111*b*.
mode, transverse optic, in PbTe (9) 210*b*.
periods, of IV and V transition metal monocarbides (9) 208*i*.
static, theory of NaCl (8) 181*c*.
lattice constants, of beta-eucryptite single crystals, thermal expansion (2) 55*i*.
in Li ferrites-aluminates (5) 107*c*.
measurements for stoichiometry in U-Pu oxides (7) 155*h*.
of $SrTiO_3$ (9) 211*f*.
of $ThSO_4$ (3) 76*a*.
lattice dynamics, of CaF_2 (11) 258*f*.
of MgF_2 (11) 257*a*.
of MgO, Al_2MgO_4, and Mg_2SiO_4 spinel (1) 25*j*.
of Na halides (8) 183*g*.
of NaCl, KCl, RbCl, and RbF (8) 183*g*.
of TeO_2 (9) 211*f*.
of wurtzite (10) 237*f*.
of ZnO and BeO (7) 161*i*.
of ZnS by neutron scattering (5) 111*a*.
lattice parameters, of Fe-Cr spinels (5) 112*g*.
of Ln_2MoO_6-type rare earth molybdates (2) 53*c*.
measurements, composition stability limits for $(Pb_{1-y}Sn_y)_{1-x}Te_x$ phase (5) 107*c*.
of rare-earth compounds (9) 215*b*.
relations in O perovskites (1) 27*f*.
and space group of $Ce(MoO_4)_2$ (9) 211*g*.
and structure, of $Mg(Cr_xAl_{2-x})O_4$ (11) 259*i*.
lattice vibrations, in $LiTaO_3$, ir study (8) 182*g*.
of $MgAl_2O_4$ spinel (8) 183*g*.
magnetic symmetry and transport properties (11) 258*h*.
mixed, growth in system $Bi_{12}SiO_{20}$-$Bi_{12}GeO_{20}$ (1) 25*a*.
modification, of $NbSe_3$ (9) 211*j*.
of β-M_2S_3[M = La, Ce, Pr, Nd], symmetry and morphology (1) 26*b*.
orientation, from Laue patterns, computers for (9) 204*h*.
oxidic, and V_2O_5-containing flux growth of, P (1) 18*g*.
perovskite-type, phase transition in (6) 139*j*.
plate-shaped, cutting into smaller pieces, P (11) 250*c*.
puller, automated (8) 176*j*.
pulling, apparatus, P (2) 43*a*.
system, P (1) 17*a*.
pyrochlore-type, order-disorder transformation in (1) 26*e*.
of refractory materials, lab arc furnace for (7) 157*i*.
rotation reversal in melt growth, periodic (1) 26*g*.
shape, effect on crystal growth rate (11) 253*e*.
single, from III-V compound melts, P (10) 228*c*.
large industrial, synthesis (5) 115*g*.
P (7) 153*h*.
pure, load-elongation and creep curves (6) 137*a*.
shock-wave compression, X-ray diffraction (10) 240*d*.
size, effect of creep of Al_2O_3 ceramics (9) 209*j*.
slip systems, in Al_2O_3 (4) 93*f*.
sorting, by size, P (1) 21*b*.
structure, analysis of fluorophlogopite (8) 180*g*.
of beta-ferric hydroxide (9) 208*e*.
of Bi_2Se_3(II) (8) 180*i*.
of compounds ABX_3 and A_2BX_6 (9) 209*e*.
of $Cu_4Mn_2Te_4$ (8) 180*h*.
dislocations in (3) 74*a*.
of $Fe_2Te_4O_{11}$ (9) 208*j*.
of $Li_2W_2O_7$ (8) 180*g*.
of Mn_2GeO_4 (7) 159*h*.
of Na hydrosilicate (8) 180*b*.
of $NaMn_7O_{12}$ (6) 136*c*.
of $RbH_3(SeO_3)_2$ (8) 182*h*.
of solid solutions of ferrites (7) 160*f*.
of X phase (Mn,Co,Si) (9) 209*a*.
Crystals structure *(continued)*
X-ray analysis, and goniometer for, P (5) 105*d*.
surface, orientation, X-ray diffractometer and laser (11) 253*d*.
oriented, devices for preparing (10) 225*h*.
topography, P (7) 157*f*.
twinning, deformation, in diamond (9) 209*c*.
deformation, in diamond crystals (4) 91*h*.
in *H*-Nb_2O_5 (4) 91*g*.
wafers, orienting, P (6) 133*e*.
X-ray diffraction grating, P (1) 22*f*.
Curing, effect, on hardened cement paste (7) 142*g*.
portland cement, by CO_2 (2) 32*a*.
steam, cements (11) 241*i*.
Curium, separation, P (10) 234*h*.
Currents, acoustoelectric, in photoconducting CdS (7) 150*f*.
dark, and photo-, of ZnO (5) 110*g*.
nonuniform flow, effective dimensions in InSb plasma (6) 137*a*.
thermally stimulated, in Cu_2O (5) 116*e*.
Cutting, table, for rock, P (9) 205*g*.
Cyanogen, reaction, with SiO_2 surfaces (6) 138*e*.

Damping, amplitude independent, in LiF, recovery (9) 210*j*.
domain wall motion, in rare-earth iron garnets (11) 257*g*.
for focusing laser beams, in semiconductors (10) 225*g*.
Data storage, automatic, for production control (9) 205*c*.
Data system, NBS, in physical sciences (6) 132*j*.
Dawsonite, conversion, to pseudoboehmite, P (9) 207*e*.
synthesis, and characterization (1) 23*g*.
Debye-Hueckel theory, application, to clay minerals (9) 207*i*.
Decomposition, of alkaline-earth carbonates, energy of activation for (7) 160*d*.
of cement, raw meals (10) 217*j*.
electrolytic, of solid solutions, ZrO_2-based (1) 25*b*.
glass, by aqueous solutions, dependence on pH (1) 6*b*.
of nitrates, and nitrites, high-temp. (10) 236*c*.
phase, in (W,Ti)C-Co alloys (6) 138*f*.
of Sc double selanates, and alkali metals (7) 159*i*.
of Se higher oxides, thermal analysis (9) 215*f*.
spinodal, thermodynamics (8) 183*c*.
thermal, of Al sulfate $Al_2(SO_4)_3$ (1) 29*d*.
of Cd ferrocyanide, products, ferromagnetic phases (7) 160*j*.
of fluorphlogopite crystals (9) 211*e*.
formation of SnO_2 films by (3) 75*d*.
of hydrocarbon to obtain C fibers (3) 64*j*.
of kaolinite in presence of nascent O (2) 54*b*.
of limestone and dolomite (6) 120*j*.
of Mg, Zn, and Cd peroxides (7) 163*e*.
of $MoCl_5$ (5) 116*b*.
of montmorillonite (4) 93*f*.
of $NaHCO_3$ by DTA, kinetics (7) 163*c*.
of Ni compounds (5) 113*f*.
of $PbCO_3$ (7) 163*d*.
of Pr ferrocyanides (7) 163*e*.
of Si_3N_4, kinetics and mechanism (8) 183*e*.
of sodalites (11) 259*e*.
topotactic, reactions of hydroxides and hydrous layer-lattice silicates (4) 94*d*.
of UO_3, during heating (5) 103*e*.
V_2O_5, electron microscopy (5) 109*i*.
of zircon concentrates, by soda ash (2) 52*b*.
of zircon sand, by MgO (3) 65*c*.
by MgO (9) 195*j*.
by TiO_2 (3) 65*d*.
Decoration, apparatus, for both sides of 3-dimensional article, P (10) 231*i*.
for printing tiles, P (1) 15*c*.
of dinnerware, problems (9) 198*j*.
enamel, on Al board, P (2) 34*i*.
glass, by evaporation of Au (1) 5*h*.
with metal, P (8) 170*g*.
by spraying with molten aerosols (1) 5*g*.
modern, on chinaware (7) 149*j*.
precious metal compositions, P (6) 126*c*.
in relief, P (9) 204*a*.
screen printing, color defects in (2) 41*c*.
effect of surface energies on line resolution in (1) 16*c*.
silkscreening, using high-temp. colors (2) 41*e*.
Defects, centers, in SiO_2, electronic structure (5) 109*j*.
crystal, in *H*-Nb_2O_5 (4) 91*g*.
in crystalline quartz, EPR of E′ vacancy centers (4) 91*j*.
determination, by acoustic emissions (9) 204*e*.
dirt, in enameling (7) 143*j*.
dunting, effect of setting in tunnel kilns (2) 49*g*.
electronic, in Co_2SiO_4 and $CoAl_2O_4$-$MgAl_2O_4$ crystalline solutions (4) 92*d*.
Griffith flaws, in brittle ceramics, correction (10) 235*f*.
mass, in CdS, vibrations (6) 140*c*.
in mixed crystals, ZnS/ZnSe (4) 91*a*.
nonstoichiometric, in sapphire (5) 112*c*.
ordering phenomena, in single crystals of refractory materials (4) 91*i*.
paraelectric, in ionic crystals (8) 187*g*.
point, of aluminophosphate glasses (6) 124*j*.
B (7) 164*d*.
phonon scattering by, in CaF_2, SrF_2, and BaF_2 (6) 138*g*.
in $SrTiO_3$ (6) 138*h*.
residual, in Gd Ga garnet substrates (8) 173*i*.
structure, of BaO, thermochemical study (8) 187*b*.
in CoO (5) 110*e*.
in Cu oxides and ferrites (4) 92*c*.
of fluorite compounds (7) 159*j*.

Defects structure *(continued)*
high-temp. of CoO (5) 110*a*.
of MnO (4) 91*f*.
of NiO (5) 107*g*.
of NiO-CoO solid solutions (5) 107*i*.
surface, of porcelain products (11) 248*e*.
and strength of fused quartz (8) 167*h*.
in ZnTe, high-temp. study (5) 110*c*.
Deflocculants, and dispersing agents, P (8) 177*c*.
Deformation, of $BaTiO_3$ single crystals (11) 257*h*.
in clay dispersions, magnetic treatment effect (11) 257*d*.
during enameling, of steel kettle cylinder (2) 34*d*.
elastic, in hardness testing (1) 6*j*.
high-temp., effect of internal corrosion in aluminosilicates (3) 65*g*.
of polycrystalline Fe_2O_3 (1) 25*c*.
linear, of cement mortars (3) 59*h*.
maps, to study in-reactor behavior of oxide fuels (10) 229*h*.
mechanisms, in carbides (7) 161*e*.
in ^{24}Mg and ^{28}Si nuclei, from electron scattering (5) 107*j*.
model, of UO_2, hyperstoichiometric (4) 87*h*.
plastic, of Al_2O_3 during abrasion (6) 138*h*.
of carbides during diamond grinding (11) 247*g*.
in diamond grains (10) 217*d*.
effect on F centers growth in KCl crystals (11) 258*a*.
in hot-pressing Al_2O_3 (9) 213*h*.
of MgO single crystals (5) 113*g*.
tensile, in electron microscope (11) 254*c*.
texture, of $BaO.6Fe_2O_3$ (11) 249*e*.
Degassing, arrangement, for electron beam tube, P (1) 17*b*.
Degradation, of glass, by liquid tempering (1) 5*i*.
Dehydration, catalytic, of methanol (2) 52*h*.
late-stage, in pelitic sediments, deeply buried (3) 75*j*.
of solutions, in fluidized-bed apparatus (4) 78*g*.
stages, of Al sulfate $Al_2(SO_4)_3$ (1) 29*d*.
thermal, of Cr hydroxide (2) 55*h*.
topotactic, of MoO_3 hydrates (4) 94*d*.
Delay lines, acoustic surface wave, P (7) 153*b*.
tourmaline as (11) 256*i*.
electroacoustical, adjusting transit time of piezoelectric ceramic substrate for, P (5) 102*d*.
piezoelectric ultrasonic, bonding materials effects (6) 128*h*.
ultrasonic, glasses for, P (1) 9*g*.
impedance matched, P (2) 44*b*.
P (1) 17*f*.
variable piezoelectric, P (10) 229*c*.
Densification, of CdMn ferrite (7) 151*d*.
in hot-pressing, glass filaments (8) 167*g*.
of Ni-carbide composites (8) 171*d*.
processes, in kaolin bodies (7) 159*j*.
Density, of Ag, correlation with grain size during sintering (1) 24*j*.
of Al_2O_3 ceramics, factors in (1) 15*c*.
band, of NiO (8) 181*e*.
bulk, of Na_2CO_3, increasing with Ca ion, P (3) 73*d*.
of rock or mineral fragments (6) 133*g*.
fluctuations, in K_2O-SiO_2 glasses (11) 244*f*.
of glass-ceramics, effect of composition (3) 61*g*.
of melts, in systems CaF_2 + CaO and CaF_2 + Al_2O_3 (7) 160*b*.
powder, of Al_2O_3 high purity reactive powders (1) 16*a*.
of Si-As-Te semiconductors, relation to energy-band gap (9) 210*c*.
Dental ceramics, cement, P (10) 225*f*.
porcelain, apparatus for molding and firing, P (3) 66*b*.
Deposition, apparatus, P (1) 17*b*.
of BN, isotropic, P (1) 14*g*.
chemical vapor, for magnetic garnet films (10) 226*d*.
P (2) 44*f*.
of phosphosilicate glasses (8) 167*c*.
rotary chamber process for (1) 16*a*.
of dispersions, P (7) 156*h*.
electro-, of metallic boride coatings, P (2) 34*h*.
of ZrB_2, P (5) 100*d*.
electroless, of Ni-Fe layers on substrate, P (8) 174*f*.
electron bombardment, of metal oxide film, P (3) 69*d*.
electrophoretic, of cathodoluminescent materials, P (5) 102*j*.
epitaxial, semiconductive layers, P (1) 17*g*.
vapor phase, for superlattice structure, P (7) 155*b*.
of films, metallic, apparatus for monitoring, P (2) 43*g*.
monitoring, P (9) 205*d*.
mandrel, separation from vapor phase deposited semiconductor body, P (1) 17*a*.
of materials, P (11) 252*i*.
method, P (2) 34*h*.
pyrolytic, plating by, P (2) 45*i*.
reactive sputter, of phosphosilicate glass, P (10) 222*g*.
of refractory metal, and metalloid carbides, P (7) 143*i*.
thin film, system, P (2) 45*i*.
vacuum, apparatus for, P (9) 200*g*.
vapor, apparatus, P (2) 46*a*.
apparatus, P (3) 71*h*.
apparatus with air mask, P (1) 10*f*.
of arsenosilicate glass films (9) 200*f*.
glass, on semiconductor elements, P (4) 86*c*.
offset top ejection apparatus, P (10) 228*h*.
P (3) 70*i*; P (9) 205*b*.
Desiccants, structural, molecular sieves for (9) 198*g*.
Design, color in (11) 260*a*.
pouring vessel, glass, P (1) 10*d*.
Detectors, cosmic ray, glass in (2) 35*h*.
electromagnetic, for conducting bodies, P (9) 205*e*.
electrooptical, P (10) 227*c*.
InSb ir-ray, P (7) 153*c*.
Detectors interface, P (9) 205*g*.
$KTaO_3$ uv, P (6) 129*g*.
laser image, and power level, P (10) 227*f*.
light, P (1) 17*b*.
phase-sensitive, P (7) 157*f*.
photo-, monolithic detector construction, P (3) 70*a*.
Si and Se, stability and temp. characteristics (10) 227*b*.
pyroelectric, P (9) 201*i*.
radiation, Ge-Li, P (2) 45*f*.
P (1) 19*b*; P (10) 233*a*.
semiconductor, P (10) 227*h*.
radon, portable (9) 204*f*.
scintillation, phototubes for, P (2) 39*a*.
thermoluminescent radiation, P (9) 202*e*.
uv radiation, P (8) 170*j*.
Detergents, effect, on porcelain, glass and Ag surfaces (9) 1.
Deuterium, sulfide, separation and conversion to D_2O, P (1) 20*e*.
Devitrification, of SiO_2 films (9) 199*g*.
Dialysis, electro-, for demineralizing water, P (9) 204*a*.
Diamonds, abrasives, and electroplated soft metal laps (6) 119*d*.
A centers in, polarization of luminescence (11) 259*b*.
band structure, and optical constants (8) 179*f*.
bit, P (11) 241*e*.
bulk modulus, first-principles calculation (6) 136*h*.
coated surface, P (5) 95*g*.
core bit, rotary, P (1) 1*f*.
crystals, deformation twinning in (4) 91*h*.
deformation twinning in (9) 209*c*.
disorder in, ion-bombardment-induced (4) 90*j*.
drills, precision orifice rings formed by (11) 241*f*.
electrical resistivity, effect of heavy neutron irradiation (1) 19*j*.
for etching, printed circuit boards (5) 95*f*.
fluorinated, and plain, chemical production, P (5) 95*f*.
growth, epitaxial, P (5) 95*g*.
heat sinks (5) 101*e*.
ir absorption, and Raman scattering in (8) 181*e*.
making, P (5) 95*g*.
mfg., apparatus for, P (3) 71*e*.
natural, N, H_2O, CO_2, methane, and A impurities in (3) 59*d*.
particle separator for, P (10) 232*b*.
polycrystalline, plastic deformation in (10) 217*d*.
Raman spectrum (6) 138*e*.
resistance, to abrasion (5) 95*h*.
structure, anharmonic interactions with crystals (6) 138*f*.
synthetic, P (10) 217*f*.
production, P (3) 59*e*.
semiconducting, impurity conduction in (11) 258*a*.
tools, in moon rock sawing and polishing (6) 119*e*.
trigons, and birefringence in (6) 119*f*.
Diaspore, -corundum, equilibrium (3) 74*h*.
Dickite, ground, negative surface charges (8) 184*e*.
hydroxyl orientation in (10) 236*h*.
Dielectrics, adhesion, with conductive layers, P (3) 69*e*.
anisotropy, and grain orientation (8) 180*c*.
artificial, microwave Faraday rotation in (1) 16*g*.
ceramic, boundary-layer structure for hf use (4) 85*b*.
high-permittivity temp.-stable, with low microwave loss (8) 173*g*.
synthesized, in MgO-CaO-TiO_2 system (9) 200*b*.
ceramic composition, P (8) 174*d*.
compositions, P (2) 43*c*.
constant, of flow of material, sensing variations in, P (9) 205*f*.
of frit capacitors, P (2) 44*d*.
of glass-ceramics, temp. stabilization (7) 146*a*.
of graphite in uv (7) 150*i*.
of $KNbO_3$ single crystals (3) 74*i*.
of KNO_3 and $NaNO_2$ (5) 115*h*.
of LiF, NaF, NaCl, NaBr, KCl, and KBr (8) 183*h*.
of organic and inorganic mixtures (7) 157*a*.
of $PbZr_{0.5}Ti_{0.5}O_3$, ZrO_2 effect (9) 211*f*.
at phase transition in U_4O_9 (7) 150*j*.
of $Pr_{1-x}Nd_xAlO_3$ system, anomalies in (4) 90*i*.
static, of SiC (8) 186*d*.
in system $MgO.SiO_2$-Al_2O_3 (2) 53*h*.
correlation, between powder and bulk permittivities and packing fractions, formula for (3) 75*d*.
data, deconvolution techniques (10) 225*i*.
glass-polysilicon isolation, P (1) 17*i*.
hysteresis, in $BiFeO_3$, single-crystal (7) 160*b*.
isolation processes, P (9) 200*c*.
losses, in As_2Se_3 glass (8) 167*i*.
materials, of Ba-Na-$NbTiO_3$, P (4) 86*g*.
ceramic niobate, P (4) 86*g*.
P (4) 81*h*.
of perovskite Ba-Pb Na niobate, P (5) 101*j*.
sputter depositing, P (2) 44*f*.
members, thickness, measuring rate of change, P (5) 105*c*.
P (8) 174*d*.
properties, of alkali-alkaline earth niobates (2) 52*a*.
of Al_2O_3, effect of Na_2O impurity (7) 150*j*.
of $BaTiO_3$, explosively compacted (3) 66*i*.
of $BaTiO_3$, single-domain melt-grown (4) 91*c*.
of K Bi niobate (8) 180*f*.
of $KTaO_3$ single crystals and $KTaO_3$.$NaTaO_3$ mixed crystals (11) 257*i*.
of $LiGaO_2$ (3) 68*h*.
of niobates and tungstates (5) 108*c*.
in $Pb(Zn_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ system (3) 74*j*.
of solid solutions in system $BaTiO_3$-$PbFe_{0.5}Nb_{0.5}O_3$ (8) 186*f*.
in $SrTiO_3$, boundary layer (3) 68*b*.
Dielectrics strength, in air of insulating disks, measurement device for (3) 72*a*.
studies, of $LiNbO_3$-$KNbO_3$ system (8) 188*b*.
of $Li(Ta_xSb_{1-x})O_3$ system (8) 188*a*.
transparent, laser damage in, ion beam polishing (10) 237*d*.
laser surface damage (10) 236*i*.
laser surface damage, asymmetry in (10) 237*c*.
Dies, graphite composite (11) 252*e*.
high pressure and high temp., for diamond synthesis, P (3) 71*g*.
press, ejecting workpieces from, P (8) 177*d*.
wire draw, Al_2O_3 ceramic for (7) 149*h*.
Diffraction, of laser beam, for particle size measurement (5) 104*g*.
single-crystal studies, simple heating stage for (2) 49*a*.
Diffractometers, heating stage (8) 177*i*.
in quantitative phase determination (11) 254*h*.
Diffusion, of alkali ions, in Na_2O-Cs_2O-SiO_2 glasses (5) 97*h*.
apparatus, for modifying property of article, P (8) 169*a*.
As, in Si using arsenosilicate glass sources (8) 167*b*.
coeff., for O in vitreous SiO_2 (7) 160*b*.
of Cr, in NiO crystals (8) 179*h*.
in crystallites, H-mordenite (2) 52*h*.
Cu, in ZnO single crystals (5) 108*e*.
of donors, in CdO (9) 209*f*.
double, into semiconductor substrate, P (11) 251*b*.
gases, in glass, short-time analysis (7) 159*i*.
He, in borosilicate glass, effect of alkali oxides (2) 35*h*.
hydrogen, in UO_2 single crystals (6) 131*a*.
inter-, in CoO-NiO solid solutions (4) 92*c*.
in system CaF_2-SrF_2 (5) 111*f*.
in system MgO-Al_2O_3 (5) 111*d*.
ionic, in beta-Al_2O_3 (9) 211*b*.
role in polarization in vitreous ionic conductors (8) 168*d*.
^{85}Kr, in KCl (8) 180*e*.
liquid phase, P (7) 153*e*.
mask barrier, forming on Si substrate, P (6) 130*a*.
mechanism, and kinetics, B (5) 117*b*.
of minority carriers, in semiconductors (1) 15*i*.
oxygen, in yellow PbO (9) 211*b*.
photo-, and thermal, of Ag and Cu into As_2S_3 glass (11) 244*e*.
pipe, in MgO (9) 209*f*.
process, for Ge device mfg., P (7) 153*d*.
of salts, in cement mortars (4) 78*h*.
self-, cation, in BaO (5) 106*g*.
cation, in MgO (5) 106*h*.
cation, in SrO (5) 106*i*.
C, in disordered V_6C_5 (8) 179*f*.
coeff. in vermiculite, determination by Moessbauer effect (6) 135*e*.
C, in WC (2) 51*d*.
of Na in glasses (6) 124*d*.
of O ion in $MgAl_2O_4$ (10) 239*b*.
O, in UO_2 (10) 230*j*.
in solids, measurement by neutron activation (6) 137*b*.
of U in UC_2 (9) 203*a*.
in slag-porous ceramic reactions (1) 24*f*.
in solid-solid reaction, effect on phase-boundary reactions (3) 75*c*.
studies, in nabal glasses (1) 6*i*.
surface, in cement paste and concrete (6) 121*b*.
of UO_2 (6) 131*d*.
in system K_2O-SrO-SiO_2, interdiffusion coeff., mobility model, electrostatic effects, multicomponent, corrections (1) 6*i*.
theory, in heterogeneous solids (8) 187*g*.
thermodynamics, in particle systems (8) 187*d*.
of Th in ThO_2, single crystals (1) 29*h*.
trace element, in ceramic substances (5) 108*f*.
tracer, in silicate glasses, relation to ion exchange (11) 245*a*.
vol, as densification rate-controlling step in sintering (9) 216*b*.
Zn, into semiconductor substrate, P (7) 153*j*.
Diffusivity, thermal, B (6) 140*h*.
Dilatometers, compact high-temp. (11) 253*b*.
measurements, of $LiNbO_3$ piezoelectric coeff. (8) 183*a*.
in problem solving (9) 205*b*.
Dilatometry, analysis, of glass, with DTA (7) 144*e*.
of Ba Na niobate phases (6) 135*f*.
of $Bi_4Ti_3O_{12}$-Bi_2MoO_6 system (7) 163*f*.
frost, for predicting frost resistance (9) 204*i*.
Dinnerware, casserole, two-part ceramic, P (8) 172*j*.
china, vitreous, from Hungarian raw materials (9) 198*e*.
chinaware, disposable (7) 150*c*.
modern decoration (7) 149*j*.
decoration, problems (9) 198*j*.
dish, dry-pressing in mold, P (6) 128*h*.
exhibition (1) 1*h*.
fine china, at Royal Doulton, change from oil to natural gas (2) 41*g*.
glazed, soluble Pb in, atomic absorption spectrometry (5) 101*c*.
industry, china, Homer Laughlin (7) 149*j*.
kilns, for fast firing (3) 66*d*.
plates, automatic mfg. (2) 41*a*.
Diodes, array targets, for electron-beam camera tubes, P (6) 129*g*.
avalanche, low-current low-noise, P (7) 153*e*.
P (3) 68*i*.
electroluminescent, configuration, P (3) 69*g*.
by glass dopant for GaP, P (11) 251*e*.
surface roughening, P (9) 202*c*.
GaAs, diffused (3) 67*c*.
N-type LSA, purity evaluation (7) 152*i*.

Diodes GaP, and GaAsP (11) 249*e*.
surface-barrier (11) 249*a*.
Gunn (7) 151*g*.
injection, electrohydrodynamic interaction (3) 67*a*.
laser, double heterostructure, P (1) 17*d*.
light-emitting, method, P (3) 69*f*.
negative resistance, P (2) 44*j*.
use in temp.-compensated light source, P (3) 70*f*.
luminescent, GaP, P (1) 18*c*.
microwave, P (8) 175*f*.
photo-, plural target array, P (2) 45*e*.
quadrant, P (5) 102*h*.
planar, structural studies, correlation of electrical properties with lattice defects (5) 106*d*.
pn junction, PbS, P (6) 130*f*.
Schottky, clipper device, P (10) 228*g*.
low-barrier-height GaAs microwave, P (5) 102*h*.
Schottky barrier, P (2) 45*b*; P (3) 70*i*; P (10) 228*f*.
semiconductor, electroluminescent, P (8) 175*e*.
P (3) 70*c*; P (9) 202*f*; P (10) 228*a*; P (11) 251*g*.
Si, high-power storage, P (4) 86*c*.
surface barrier, P (4) 87*a*; P (10) 229*g*.
tester, P (2) 43*c*.
tunnel, P (5) 102*d*.
varactors, microalloy epitaxial, P (1) 18*c*.
variable capacitance, P (10) 228*b*.
Zener, for integrated circuits, P (9) 202*i*.
P (7) 155*c*.
repairable, P (2) 45*b*.
Dislocations, in crystal structures (3) 74*a*.
damping, in MgO single crystal (9) 210*e*.
density, in Ge single crystals (5) 108*e*.
disclinations, in anisotropic and isotropic elasticity (11) 259*j*.
helical, in sapphire (6) 136*c*.
kinetics of etching, in CaF_2 single crystals (1) 25*h*.
in LiF, effect on thermal conductivity (5) 108*c*.
mechanism, of growth at low fracture density (8) 180*f*.
mobility, in BaF_2 single crystals (8) 180*j*.
motion, in crystal (11) 259*c*.
moving, frictional force coeff. in UO_2 (5) 110*c*.
in sintering (3) 75*b*.
structures, in MgO, creep-deformed polycrystalline (1) 24*g*.
Dispersion, clay, structure formation and deformation processes in (11) 257*d*.
of clays and pigments, with amino diphosphonates, P (5) 105*j*.
composition, P (1) 4*b*.
and deflocculant agents, P (8) 177*c*.
deposition of, P (7) 156*h*.
directional, of optical phonons in alpha-quartz (5) 108*g*.
of optical phonons in uniaxial crystals (5) 108*h*.
of granular oxide bodies, during pressing (1) 20*i*.
measurements, submarine telephone cable (1) 16*f*.
of stress-optic coeff., in glasses (7) 144*f*.
Display devices, cathode ray tube, [fiber optics], P (2) 43*h*.
dark trace, P (10) 227*i*.
ferroelectric ceramic optical, fine grain, P (2) 43*j*.
gaseous discharge, P (8) 169*i*.
with gaseous glow indicator tubes, P (11) 250*d*.
image panel, P (10) 227*f*.
integrated incandescent, P (6) 130*f*.
monolithic semiconductor, GaP, P (3) 70*a*.
panel, gas-discharge, P (4) 86*b*.
self-scanning plasma, P (7) 154*f*.
system, P (1) 17*c*.
Dissociation, thermal, of Co_4S_3, kinetics (7) 161*h*.
of hydroxl groups in silicates (4) 94*b*.
$ZnSiP_2$ (5) 116*b*.
Distortions, static, of MgO crystal, calculations (6) 135*i*.
Dolomite, burned, in mixer (7) 148*j*.
in clays (2) 48*g*.
crystals, calcite borders on (9) 207*b*.
zones (1) 23*j*.
dedolomitization (9) 206*j*.
epitaph, petrology and stratigraphy (9) 206*i*.
quantitative analysis, by ir spectrophotometry (11) 259*c*.
sintering, in shaft furnace, P (3) 73*h*.
thermal decomposition (6) 120*j*.
Dosimeters, properties, of Ag-activated glasses, radiophotoluminescence (3) 61*e*.
of Ag-activated phosphate glasses (3) 62*a*.
radiothermoluminescence, P (10) 228*d*.
Dosimetry, radiation, by solid-state effect (7) 157*f*.
Drilling, micro-, for ceramics and crystalline materials (7) 156*j*.
tool, P (3) 59*d*.
Drills, diamond, precision orifice rings formed by (11) 241*f*.
Dryers, blower apparatus for, P (8) 178*d*.
brick, high-speed (10) 233*i*.
defects in (10) 233*h*.
fluidized bed, dehydration of solutions in (4) 78*g*.
industrial, for heavy clay industry (6) 133*i*.
microwave, P (3) 73*a*.
regulation, and control (10) 233*i*.
for specimen, P (8) 178*a*.
spray, P (10) 232*a*.
Drying, Al_2O_3, fine-grained products (1) 15*a*.
behavior, of plasters (2) 32*g*.
ceramic product, improving (7) 156*b*.
cryochemical, of ceramic raw materials (9) 199*e*.
dielectric heat, elastomer-coated glass fibers, P (10) 222*j*.
dispersions, by atomizing, P (10) 232*c*.
flue gases for (10) 233*g*.
green ceramic, P (7) 158*b*.
hot-air, for magnesite bricks (6) 127*e*.
Drying principles and practice, B (7) 164*b*.
procedures, in ceramic industry (2) 49*e*.
properties, of raw materials for brick and tile (10) 223*e*.
pulverulent material, P (2) 48*a*.
or preheating, P (6) 134*a*.
rapid, of ceramic bodies (6) 134*b*.
rates, for porcelain, effect on heat consumption (2) 41*g*.
review (11) 255*d*.
slurry, satin white, by filtration, P (8) 177*d*.
spray, effect on plasticity of clays (2) 49*j*.
P (2) 48*c*.
steam, filter cake, P (2) 48*d*; filter cake, P (10) 232*a*.
structural clay products (9) 195*e*.
system, sequential, P (9) 206*c*.
Durability, chemical, of glass, B_2O_3 effect (11) 243*i*.
of glass, burial experiment (7) 141*f*.
of glass, K_2O-CaO-MgO-SiO_2 (11) 243*j*.
testing, glass grains for (5) 98*c*.
Dust, collector, P (8) 177*e*.
pneumatic system, P (8) 177*c*.
wet scrubber, P (2) 48*d*.
control, in cement industry (3) 59*h*.
cycles, in air-suspension preheater (6) 120*f*.
in electrostatic precipitators, P (6) 132*d*.
extraction, systems, P (9) 204*b*.
measurements and standards (1) 22*c*.
particles, collection by water sprays (11) 252*c*.
removal, and pneumatic conveyors (2) 47*j*.
silicogenic, MAK system evaluation (2) 47*j*.
SiO_2, and other material in air, P (9) 205*g*.
Dynamics, of rutile structure (11) 257*a*.
Dysprosium, compounds, ceramics based on (2) 51*g*.
$DyAlO_3$, magnetoelectric effect and critical behavior (9) 212*h*.
$DyPO_4$, magnetic structure (9) 213*a*.
$Dy_2Ti_2O_7$, quadrupole interactions and relaxation effects in (9) 214*f*.
$DyVO_4$, optical spectrum (8) 181*c*.
oxyselenide, magnetic properties (9) 212*c*.
phosphate, antiferromagnetic, magnetoelectric studies (7) 152*b*.
sulfide, synthesis and X-ray diffraction (9) 215*f*.
vanadate, crystallographic transitions in (9) 208*i*.
Jahn-Teller distortion in (7) 152*a*.
Jahn-Teller distortion in, elastic properties (9) 209*c*.
Jahn-Teller phase transitions in (9) 207*h*.
refinement of crystal structure (2) 54*j*.
specific heat (8) 186*h*.

Earthenware, Pb in, rapid screening (7) 150*c*.
plates, automatic line for (2) 41*a*.
tubings, use of bauxite bedrock clays in (1) 10*h*.
Efflorescence, in masonry, reduction (7) 142*j*.
pyrite, on brick surface (3) 64*g*.
Elasticity, anisotropic, and isotropic, disclinations in (11) 259*j*.
constants, adiabatic, of UC (6) 130*j*.
of CaO and SrO (8) 187*d*.
CaO and SrO single crystal, and pressure derivatives (5) 106*e*.
of $CaWO_4$ (8) 181*e*.
of Gd molybdate (7) 160*j*.
of kaolinite rods (8) 181*c*.
of RbCl, RbBr, and RbI (5) 114*b*.
of rutile (8) 187*e*.
of Se-Te alloy crystals (3) 74*d*.
of ZnO, measurement (8) 183*j*.
deformations, in hardness testing (1) 6*j*.
inelastic tunneling, due to vibrational modes of Y and Cr oxides (8) 182*c*.
moduli, of ceramic whiskers (8) 171*i*.
and order of antiferromagnetic transition in MnO (7) 160*j*.
of polycrystalline ferrites (6) 139*f*.
for predicting frost resistance (9) 204*i*.
relation to frost resistance of building materials (2) 39*f*.
of $SrTiO_3$ (7) 161*j*.
nonlinear, of fused SiO_2 at room temp. (1) 8*i*.
photo-, of As_2S_3 (9) 213*d*.
coeff., ultrasonic measurement (11) 254*e*.
constants of CaF_2 and BaF_2 (4) 92*h*.
effect of stress-induced optical activity in (1) 24*i*.
properties, of Gd_2O_3 (7) 160*a*.
of glass semiconductors (4) 86*c*.
of Jahn-Teller distortion in $DyVO_4$ (9) 209*c*.
of $LiGaO_2$ (3) 68*h*.
in Ni chromite (9) 209*c*.
of porous ceramics (1) 3*a*.
of Se-Te alloys, single-crystal (3) 76*c*.
of thin films (10) 226*g*.
of Zn chromite (8) 183*a*.
of refractories, heat insulating (1) 13*d*.
strain, interaction in perovskite-type crystals (6) 139*j*.
Young's modulus, of NaCl single crystals (11) 257*g*.
Elastic materials, elastomers, glass fiber-reinforced, P (3) 63*g*.
glass-fiber-reinforced, P (4) 81*b*; P (7) 147*a*; P (8) 170*a*.
Electrical properties, ac, of CeF_3 films (3) 66*f*.
of alloys, Hg_3Te_3-In_2Te_3 (5) 108*j*.
of alpha-Nb_2O_5, MnO, and CoO (11) 257*h*.
of $BaTiO_3$, improved (1) 16*d*.
of Ba_2MReO_6 ordered perovskites (6) 137*c*.
of CaO, and MgO (9) 209*e*.
of carbons, vitreous and common (10) 235*e*.
of $CaRuO_3$ and $SrRuO_3$, single crystals (1) 25*b*.
of CdO single crystals (3) 67*c*.
Electrical properties of CdS crystals (3) 74*d*.
of CdSe (7) 151*h*.
charge transport, in $CaWO_4$ (10) 235*e*.
of compacts, changes on heating (8) 173*h*.
of $CuCr_2Se_{4-x}Br_x$, and $CuCr_2Se_{4-x}Cl_x$ (5) 111*j*.
of $FeCr_2S_4$, and $CoCr_2S_4$ (9) 209*g*.
field gradient, and long-range-order parameter of ferroelectric $NaNO_2$ (6) 136*c*.
fields, intensity in semiconductors, measuring (3) 75*j*.
of forsterites (11) 257*e*.
of Ge-Se-In system (3) 74*d*.
of glass, As_2S_3-Ag (3) 61*j*.
As-Se (5) 97*f*.
As-Te-Ge (7) 144*b*.
chalcogenide, thin films (3) 61*j*.
fluorophosphate (6) 123*c*.
of HgTe (5) 116*d*.
of hydrides, of Ti, Hf, and Nb (9) 209*c*.
of Li_2O-Fe_2O_3-SiO_2 compositions (7) 152*a*.
of lock-on filament, in semiconductors (7) 151*b*.
of MnO (4) 91*f*.
of NbO (8) 181*h*.
of NiO (5) 107*g*.
of NiO grain boundaries (5) 109*d*.
of oxyfluoride ferrites (2) 55*i*.
of PbSe (7) 152*a*.
of PdSb and PtSb (2) 52*c*.
phenomena, in $BaTiO_3$ ceramics (8) 173*d*.
-physical, of Be compounds with B and C (5) 109*c*.
of planar diodes, correlation with lattice defects (5) 106*d*.
of PLZT ceramics, discussion (8) 173*b*.
effect of grain size and porosity (3) 66*h*.
pyro-, of PLZT La-doped ferroelectric ceramics (4) 85*g*.
of single crystals, of Sc_2S_3 and Sc_2Se_3 (5) 114*a*.
of $Sr(NO_3)_2$, $Ba(NO_3)_2$, and $Pb(NO_3)_2$ (2) 52*d*.
of transition metal oxides (1) 15*j*.
transport, of IrO_2 and RuO_2 (6) 136*b*.
of U oxycarbides (9) 209*g*.
of V_nO_{2n-1} (n = 3,4,...,8), single crystals (3) 75*e*.
V oxyfluoride bronzes (2) 52*c*.
of Zn- and Cd-doped films (8) 173*g*.
of ZnO, thin films (5) 101*e*.
of ZnO-Bi_2O_3 ceramics (8) 173*f*.
of ZnTe:Al (8) 182*f*.
of ZrH_2-TiH_2, ZrH_2-HfH_2, ZrH_2-NbH (9) 209*d*.
Electricity, analysis, of memory phenomenon in semiconductors (7) 151*a*.
changes, on surface of chalcogenide glasses (5) 97*e*.
dipole field, in $Fe_xGa_{2-x}O_3$ (7) 150*i*.
electrical analogy, of thermal conditions of bending roller (1) 7*b*.
field, effect on phase transitions in $Na(D_xH_{1-x})_3(SeO_3)_2$ crystals (8) 180*j*.
near surface of ferroelectrics (11) 258*b*.
forces, effect on Raman spectra in alpha quartz (6) 136*b*.
HVEM, damage studies in graphite (5) 110*e*.
probe, P (11) 250*d*.
pyro-, coeff. and permittivity in ferroelectrics (10) 226*e*.
space charge, of Cu_2O (5) 108*j*.
surface-charge layers, on ferroelectric $KNbO_3$ crystals (5) 115*e*.
Electrochemistry, electrolytic, treatment process (11) 252*g*.
interfacial, of hematite (2) 53*a*.
measurements, of surfaces of C fibers (8) 171*g*.
Electrodes, attaching to semiconductor, P (10) 227*i*.
battery, containing ZnO fibers, P (3) 65*e*.
bimetal, spinel surfaced, P (5) 101*i*.
carbon, and graphite, screw nipple connection for, P (8) 172*e*.
prebaked, joining, P (3) 65*f*.
use in electric arc stabilization in melting, P (5) 100*d*.
carbon joint, with undercut electrode sockets, P (4) 84*d*.
cathode sputtering, P (5) 101*j*.
Co negative, P (8) 174*b*.
constituent, stabilized ZrO_2 as (8) 169*e*.
consumable, arc remelting, P (11) 255*d*.
counter-, MnO_2 as, in thin-film capacitors (6) 129*h*.
effect, on glassmelting (11) 244*b*.
for elect.ochemical cells, P (8) 174*f*.
electrolytic capacitor, P (4) 86*j*.
in electron tube, dielectric coating for, P (1) 17*c*.
Fe, anodic oxidation (9) 199*b*.
flux-cored, tubular, for welding, P (9) 191*j*.
for welding, P (9) 191*j*.
in gas lasers, P (10) 227*a*.
glass, for determining pH value, P (5) 99*f*.
development of potential (4) 80*f*.
solid-state, P (6) 125*i*.
for glassmelting (7) 144*f*; (11) 244*b*. electric (2) 49*e*.
ionic, temp. control, P (1) 10*a*.
ion selective, inexpensive scale expansion for (7) 144*i*.
metal, P (4) 87*h*.
U-containing catalyst for, P (4) 87*h*.
MHD generator, P (1) 18*b*.
micro-, glass, resistance prediction (11) 245*b*.
nitrate ion selective, use in determining N oxides in combustion effluents (1) 21*i*.
ohmic contact, Au or Ag overlay for, P (6) 130*h*.
optimum configuration, for ceramic memories, P (9) 201*d*.
point, in solid oxide electrolyte cells (8) 177*j*.
refractory ceramic, in MHD generator (7) 152*d*.
of semiconductor device, P (8) 174*h*.
SnO_2, for lab studies of molten salt electrolysis (6) 132*j*.
solid-state target, for pickup tubes, P (7) 155*b*.

Index Guide, Pages 379-80

Electrodes spinel-surfaced, regenerating, P (4) 80*d*.
welding, Li-containing, P (10) 219*d*.
P (3) 60*g*.
ZrN, P (10) 222*g*.
Electrolysis, glow-discharge, free radical reactions in molten nitrates by (2) 53*c*.
for K^+ removal, from sheet glass (6) 124*a*.
molten salt, SnO_2 reference electrodes for lab studies (6) 132*j*.
Electrolytes, device, P (8) 174*g*.
effect, on C_3A paste (9) 190*g*.
electronic transport numbers, and thermodynamic measurements (2) 48*f*.
pH, effect on crack propagation in glass (5) 97*j*.
poly-, interaction with bentonite (7) 149*i*.
kaolinite clay swelling in presence of (7) 150*e*.
solid, low-temp. (2) 53*c*.
redox potentials of point defects in (8) 177*j*.
systems ZrO_2-Y_2O_3, ZrO_2-CaO, and ThO_2-Y_2O_3 as (8) 176*a*.
ZrO_2 solid, n-type conductivity in (6) 137*j*.
Electromotive force, in Al_2O_3, measurements (5) 112*h*.
determination, of Fe_2O_3 thermodynamic properties (7) 157*a*.
measurements, of O in gas mixtures (7) 156*j*.
of solid galvanic cells, application to problem of Ni oxide doping (1) 15*h*.
photo-, of galenite (6) 138*h*.
study, of Ga-Ga_2O_3 equilibrium (6) 136*e*.
thermal, of melts in system Cu-Tl-Te (1) 25*a*.
Electron diffraction, convergent-beam, study of $BaTiO_3$ (7) 152*d*.
of SmO (3) 74*e*.
superlattice lines, in Mg ferrite (1) 24*i*.
in Mg ferrite (1) 27*i*.
Electronic conductivity, in Ag_2Se-Ag_3PO_4 solid solutions (9) 214*h*.
Electronic equipment, abrading, apparatus for, P (2) 43*f*.
accelerometer, compression, P (5) 101*j*.
using $LiNbO_3$, P (8) 173*j*.
Bi titanate, FE-PC optical storage medium (4) 84*j*.
CdS, thin-film sustained conductivity, P (6) 130*b*.
CdTe devices, P (7) 153*a*.
ceramic electrical, P (2) 44*a*.
ceramic resistor roll, for copying machine, P (2) 43*h*.
charge-coupled, with resistor electrode, P (8) 174*a*.
chopper (7) 157*b*.
coil, laminated, P (8) 174*b*.
components, encapsulating, P (2) 43*f*.
with improved ionic stability, P (4) 86*j*.
for contouring surface, of thin elements, P (8) 173*j*.
Co-rare earth, intermetallic, P (3) 69*i*.
damping, P (9) 200*b*.
devices, broad-band tunable Raman-effect in optical fibers, P (3) 69*a*.
electron-voltaic effect, P (5) 102*b*.
digital signal multiplexing systems, P (8) 174*d*.
electrical, with ohmic or low loss contacts, P (6) 129*c*.
substrates, P (1) 17*d*.
electrical components, with attached lead assembly, P (4) 86*i*.
bonding to conductor areas, P (8) 174*a*.
enclosing, P (10) 228*e*.
electric motor, using ferrite stator, ferrite rotor, and photoelectric commutation, P (4) 86*i*.
electroconductive window, and solder for, P (9) 202*g*.
electron emissive, P (11) 250*e*.
fine-geometry self-aligned, P (7) 154*a*.
furnace boat, sliding, P (11) 251*b*.
gas discharge, for preparation and treatment of thin layers, P (9) 200*h*.
Ge device, diffusion process for, P (7) 153*d*.
glow discharge, workpiece support for, P (9) 202*h*.
hermetically sealed, P (11) 250*h*.
high resistivity, using Al_2O_3 films, P (2) 44*h*.
hyperfine geometry, P (6) 129*f*.
integrated-circuit, wire-bonded, P (1) 18*g*.
junction, Pb alloy Josephson, P (9) 200*j*.
junction device, and radiation-generating method of using, P (10) 227*h*.
magnetoresistance, P (11) 250*j*.
micro-, delineating small areas, P (5) 102*i*.
masking techniques used in making, P (2) 44*f*.
microwave phase-shift, P (10) 228*e*.
molding, P (10) 229*a*.
mounting, P (11) 250*f*.
optical line scanner, P (2) 45*a*.
with oxide films, P (9) 201*c*.
photocurrent, cross talk isolation, P (3) 70*d*.
photoreceptor, ambipolar, P (5) 101*i*.
photosensitive, and array, P (11) 251*a*.
pn junction, P (6) 130*i*.
potentiometer, semiconductor-type device, P (1) 19*f*.
power regulation, control, P (1) 17*g*.
for preparing oriented crystal surfaces, by lapping (10) 225*h*.
printing elements, by photoresist chemical etching system, P (9) 201*a*.
recording heads, glass-bonded, P (11) 250*b*.
reversible two-phase charge coupled, P (9) 202*a*.
Schottky barrier, P (11) 250*c*.
scintillation crystal structure, P (7) 154*f*.
shift register, operating by propagation of domains, P (9) 202*h*.
slicer, with automatic materials feed, P (9) 202*a*.
spark-gap, P (7) 155*c*.
stacking platforms, load-carrying, P (9) 200*j*.
Electronic equipment stepper motor, quartz-crystal-controlled, P (9) 201*j*.
storage device, light-sensitive, P (1) 17*b*.
thin-film ferroelectric-photoconductor (4) 85*b*.
storage elements, ferromagnetic thin-film, P (11) 250*g*.
storage system, P (10) 229*f*.
storage target, for memory, P (1) 19*c*.
supporting, nonporous vitreous body for, P (9) 201*c*.
and nonuniformly treating, P (1) 19*a*.
thermal storage, P (7) 155*e*.
thermionic, electron emitter, P (3) 70*f*.
thin-film components, interdiffusion rates between, P (11) 250*h*.
thin wave-absorptive wall, P (9) 200*e*.
transmitting valves, ceramic-metal seals in (3) 66*g*.
triac, P (9) 202*h*.
vapor growth, P (2) 46*a*.
voltage overload arrester, P (1) 19*e*.
wide-temp.-range, P (10) 229*e*.
Electronic properties, of ceramic $(V_{1-x}Cr_x)_2O_3$ (5) 114*b*.
of C fibers (3) 74*g*.
opto-, of CdS (3) 67*j*.
Electronics, ceramics, cationically conductive, P (6) 129*a*.
and ferrites in Spain (7) 151*c*.
materials, controlling properties (7) 150*f*.
packages, sealing in furnace (7) 152*j*.
quick grain diameter measuring (2) 42*g*.
thick films, and thin films (7) 152*a*.
charge densities, in semiconductors (7) 151*c*.
components, industry (7) 152*f*.
configuration, in solids (4) 85*e*.
dicing, materials with hexagonal crystal structure, P (8) 174*f*.
electrical, component package, P (2) 43*d*.
electrical ceramics, magnetic, and optical, B (6) 140*h*.
electroceramic, industry, nonsilicate bodies in (9) 199*i*.
impedance, positional dependency monolithic, P (4) 86*j*.
industry, autoramics in (2) 56*g*.
National Beryllia, Si crystal growth (11) 249*f*.
lead, attachment to pellets in wafer alignment, P (10) 228*a*.
liquid growth process, P (10) 228*g*.
materials, handbook, B (1) 30*j*; handbook, B (9) 216*e*.
III-V ternary semiconducting compounds, B (2) 57*g*.
properties of composite materials, B (10) 240*h*.
micro-, surface properties (11) 249*b*.
microdiffraction, for clay mineral identification (6) 132*h*.
newer ceramics for (2) 56*h*.
photodarkening effect, in As-Se-Ge films (8) 173*d*.
radiation-permeable base, supervising temp. variations, P (8) 175*e*.
surface waveguiding, in ceramics by selective poling, P (2) 45*i*.
tuning, individual device, P (7) 153*d*.
Electron probes, analysis, of glass, effect of grinding and polishing (1) 6*d*.
micro-, control for, P (9) 205*f*.
microanalysis, of bonding glasses to metals (6) 122*c*.
computers to evaluate data from (11) 254*f*.
of concentration profiles in glass (6) 122*h*.
of Mg and Fe in carbonate cements (6) 120*e*.
shale petrology by (1) 27*j*.
in study of basic refractory materials, B (2) 57*e*.
modifications, polarized light (3) 72*b*.
Electrons, analysis, and microscopy of orthopyroxene (8) 179*j*.
beam, bombardment, growth of crystals from glass surface by (3) 62*c*.
for measuring electric field intensity in semiconductors (3) 75*j*.
miniature directed source, P (11) 250*j*.
for recording information on orthoferrite layer, P (2) 45*j*.
recording materials, P (1) 17*f*.
discharge device, double layer heater coating for, P (1) 17*d*.
eliminating corona discharge (8) 170*c*.
P (6) 129*d*; P (9) 194*i*.
drift velocity, and hole, in CdSe (10) 236*e*.
emission, from alkali halides (11) 257*i*.
from $CaSO_4$ phosphors (4) 91*h*.
images on LiF (11) 257*j*.
secondary, of semiconducting (10) 221*d*.
secondary, coeff., of Pb silicate glasses (6) 123*b*.
glasses (10) 221*d*.
energy levels, at solid surfaces (3) 72*b*.
guns, for CRT, P (10) 227*b*.
P (10) 227*b*.
hopping, in ilvaite, Moessbauer effect observation (9) 213*d*.
irradiation, effect on emission spectra in CdTe (7) 150*i*.
mobility, in Ce dioxide (4) 91*g*.
multibeam gun structure, P (1) 19*b*.
multipliers, with cermet coatings, P (9) 202*b*.
in organic glasses (9) 193*h*.
photo-, Hall mobility in EuO (11) 257*j*.
ir absorption in CdSe (7) 161*f*.
theory, use in sintering ceramic materials (5) 116*c*.
transfer, and velocity field in GaAs (10) 235*h*.
transport, property measurements, specimen holder for (11) 254*c*.
trapping, in Cu_2O (9) 209*j*.
tunneling, and band structure of $SrTiO_3$ and $KTaO_3$ (8) 181*j*.
waves, modulation by laser beam (7) 152*e*.
Electrooptic properties, contrast observations, in Bi titanate films (10) 226*a*.
of $La_2Ti_2O_7$, single crystal (3) 67*b*.
of $(Pb,La)(Hf,Ti)O_3$ system (6) 129*c*.
of PLZT ceramics (4) 85*h*.
Electrooptic properties of Sr Ba niobate (10) 225*g*.
Electrooptics, ceramic devices, optical transmission system with, P (3) 70*c*.
coeff., of $AgGaS_2$ (11) 258*a*.
of CuCl and ZnS (9) 207*f*.
of $LiTaO_3$ (11) 259*d*.
coupled pair, P (2) 43*e*.
devices, for conversion of polarization components, P (2) 43*f*.
ferroelectric, P (10) 227*d*.
P (8) 174*g*.
effects, of hot-pressed ceramics in $Pb(Zn_{1/3}Nb_{2/3})O_3$ system (5) 109*j*.
elements, $LiTaO_3$ crystals for (3) 68*i*.
ferroelectric, strain biased, P (10) 229*f*.
light-beam deflection, with isosceles prism (7) 151*c*.
light scattering device, ferroelectric ceramic plate, P (2) 43*h*.
linear effect, in PLZT ceramics (4) 85*j*.
measurements, on Li and Pb germanates (7) 160*c*.
shutter, P (2) 43*e*.
Electrophoresis, dip-coating, coatings by, P (8) 167*a*.
in enameling, steel plates by (2) 34*h*.
for improving bentonites (2) 50*c*.
photoresist composition, P (9) 200*d*.
Electrostatic processes, coating, controlling deposit of material, P (8) 177*a*.
deposition, on coating surface of material, P (2) 45*f*.
of particles on substrates, P (1) 17*h*.
of powdered frit (8) 166*h*.
dry deposition, for enameling (7) 143*h*.
effects, on diffusion in system K_2O-SrO-SiO_2 (1) 6*i*.
enameling, holloware (10) 219*d*.
glazing, in porcelain industry (9) 197*i*.
gun, hand (5) 96*i*.
precipitator, dust in, P (6) 132*d*.
wet, P (6) 132*d*.
spray coating apparatus (9) 204*b*.
spray gun (2) 34*g*.
spraying, enamel on bathtubs (11) 243*c*.
Electrotechnology, ceramic materials for (4) 85*a*.
Elements, superheavy (6) 139*b*.
thermal conductivity (8) 187*h*.
trace, diffusion in ceramic substances (5) 108*f*.
Emeralds, single crystals, flux growth (5) 115*g*.
Emission, acoustic, for determining defects (9) 204*e*.
atomic, in chemical analysis (5) 104*h*.
control systems, automobile, Pt catalysts for exhaust purification (3) 66*c*.
photostimulated exoelectron, during thermal decomposition of Ni compounds (5) 113*f*.
properties, of SiC (8) 181*a*.
re-, coeff., effects of substrate temp. during rf sputtering of SiO_2 (5) 108*i*.
spontaneous, and stimulated, from CdSe (5) 114*f*.
stimulated, in chalcopyrite sulfides and selenides (10) 240*b*.
thermoelectronic, of refractory metal borides (10) 240*a*.
Emitters, electron, negative effective, P (2) 44*j*.
P (5) 102*a*.
Enameling, bath tubs, automatically (10) 219*c*.
blisters, prevention (7) 143*h*.
cooking device, self-cleaning, P (2) 34*j*.
direct-on, experiences with (7) 143*h*.
gas-firing (7) 143*j*.
precision operation (7) 143*g*.
production problems (4) 80*e*.
specific techniques for seam-welded liners in (4) 80*b*.
dirt defects in (7) 143*j*.
electrocoating (6) 122*b*.
ferrous articles, P (2) 34*d*.
growth (7) 143*i*.
inductive, and repairing of enamel surface (6) 122*c*.
linings, of hot water tanks and automotive exhausts (6) 122*a*.
modern, long experience (7) 143*h*.
relation, to cleaners and drawing compounds (4) 79*j*.
research, and glass (6) 122*a*.
sanitary ware, colorimetry (6) 122*d*.
spray, with electro gas dynamic system (2) 34*d*.
steel, and cast iron (2) 34*f*.
kettle cylinder, elastic stresses and deformations during (2) 34*d*.
stainless,special procedures for (4) 80*b*.
stove parts (3) 60*e*.
techniques, experimental, B (2) 57*j*.
vacuum method, for hollow vessels (10) 219*f*.
wide range of products (7) 143*g*.
Enameling industry, automating devices (2) 34*f*.
autoramics in (2) 56*g*.
challenges, environmental (5) 96*j*.
cyclographic study, of manual operations (6) 121*i*.
emission control, exhaust systems (5) 96*f*.
in France, range mfg. (11) 243*e*.
French, for range parts (8) 166*j*.
Glascote (9) 191*i*.
operations, research (2) 34*e*.
pollution control, air and water (5) 96*j*; air, with wet scrubbers (5) 97*b*.
process analysis (5) 97*a*.
product appearance, value of (5) 96*c*.
self-cleaning ovens (7) 143*g*.
selling, quality with enamel (11) 243*f*.
16,000 sq. ft. per day (7) 143*i*.
Enameling metals, cleaning, procedures (5) 96*g*.
direct-on, effects of Co deposition on adherence (2) 34*g*.
products, P (8) 166*j*.

Enameling metals steel, aluminized, architectural (5) 96*c*.
decarburized, effects of residual elements on etching and Ni deposition (4) 80*a*.
direct-on (1) 4*h*.
effect of microconstituents (4) 80*b*.
effects of cleaner-chemical residues (2) 34*i*.
electrocleaning (7) 143*i*.
by electrophoresis (2) 34*h*.
evaluating adherence (4) 80*c*.
fish-scaling (5) 96*j*.
H diffusion in sheet steel, relation to fish-scaling (5) 96*e*.
P (8) 166*j*.
removal of carbonaceous soils from (5) 96*i*.
strength retention in (5) 97*a*.
using electrolytic Ni preplate, P (7) 143*j*.
Enamels, acid-resistant, at high temps. and pressures (2) 34*c*.
on Al (7) 143*h*.
on bathtubs, electrostatic spraying (11) 243*c*.
boiler and storage tank, evaluation (1) 4*f*.
for bonding, ZrO_2 coatings to metal, P (4) 80*c*.
color control (5) 96*e*.
continuous cleaning, structural observations (3) 60*g*.
crystallized, for chemical apparatus (6) 121*j*.
in direct-fired furnaces, effect of furnace atm (1) 4*g*.
direct-on, adherence (4) 79*j*; adherence (5) 96*h*.
evaluation of adherence (5) 96*j*.
electrocoating (5) 96*h*.
enameled objects, impact test device for (5) 96*h*.
European style (7) 143*i*.
firing, in combustion atm (7) 143*i*.
faster (7) 143*h*.
inductive electrical (1) 4*f*.
on glass, competition by powder coatings (11) 244*b*.
for home appliances, threat of prepainted metals (4) 80*c*.
for home laundry, corrosion testing (5) 96*g*.
for metal substrates (1) 4*c*.
observation, with SEM (5) 96*h*.
opacity, effect of CeO_2 (6) 122*a*.
for ovens, continuous cleaning (10) 219*e*.
powdered, apparatus for applying, P (6) 122*c*.
properties, and characteristics (5) 96*d*.
comparison to competing surfaces (7) 143*g*.
refrigerator liners (8) 166*j*.
for self-cleaning oven, catalytic composition, P (6) 122*d*.
study, by optical and SEM (6) 121*i*.
TiO_2-opacified, color control and stabilization in (5) 96*f*.
scumming in (5) 96*d*.
viscosity, and thermal expansion, new constants (1) 4*d*.
white direct-on, microscopic examination (2) 34*j*.
Energy, activation, of $CdGeAs_2$ glass crystallization, DTA traces (9) 192*h*.
for decomposition of alkaline-earth carbonates (7) 160*d*.
high, in sintering and creep of impure refractory oxides (4) 92*g*.
band gap, in semiconductors and insulators (11) 249*c*.
in Si-As-Te semiconductors, relation to density (9) 210*c*.
in Si-As-Te semiconductors (9) 210*d*.
bands, in alkali halides, calculation (6) 135*g*.
electronic, in GeO_2 (5) 109*i*.
of LiCl (8) 181*b*.
in TX_2 compounds with pyrite, marcasite, and arsenopyrite structures (2) 52*h*.
of VO (8) 181*b*.
of circular domain walls (10) 235*h*.
core-electron levels, in Ga monochalcogenides (2) 56*e*.
formation, and migration, of vacancy in Si and Ge (10) 238*e*.
fracture-, of Al_2O_3, effect of microstructure on measurements (2) 52*a*.
measurement, notched-beam test for (11) 254*a*.
of Si nitrides (1) 16*a*.
free, of formation, calculation of (4) 93*d*.
of formation of Al hydroxides and oxide hydroxides (2) 53*a*.
of formation, of Bi_2O_3 (9) 210*i*.
of formation of IrO_2 (9) 210*i*.
of formation, of nitrides (8) 186*d*.
surface and grain-boundary, of UO_2 (6) 131*d*.
grain-boundary, to surface, ratio in UO_2 (8) 176*a*.
lattice, of Ti_nO_{2n-1} shear phases (5) 111*b*.
levels, of Fe group impurities in TiO_2 (7) 160*f*.
of oxides of Ca, Ti, Cr, Mn, and F (5) 116*f*.
microwave, converting to acoustic energy, apparatus for, P (4) 86*e*.
of mixing, in Ge and Si systems with groups III and V elements (5) 109*a*.
profile, of H_2O adsorption on montmorillonites (6) 136*f*.
surface, effect on growth rate of whiskers (8) 182*c*.
effect on line resolution in screen printing (1) 16*c*.
and interfacial, of U-UC system (1) 20*f*.
surface free, of wetting E-glass by vapors (3) 60*i*.
transfer, between luminescence centers in CdTe (11) 258*a*.
between Sm and Eu in phosphate glasses (1) 7*c*.
of Eu^{3+} and Cr^{3+} in Eu phosphate glass (5) 98*h*.
transport, by glass in cylindrical channels (1) 7*d*.
Enstatite, clino-, crystallographic orientation (8) 180*i*.
Fe in, polarized spectra (10) 238*d*.
Enthalpy, enthalpimetry, direct injection, for determination of SiO_2 (10) 232*g*.
of formation, of BeO(c) and BeF_2(c) (9) 210*e*.
of Cr(III) compounds (1) 28*i*.
and fusion, of cordierite (5) 109*h*.
of fusion, of Pb_2SiO_4 (2) 52*i*.
Enthalpy of glasses, measurement (2) 37*e*.
high-temp., of Na_2CrO_4 (6) 137*a*.
of solution, of alpha quartz in HF (9) 210*f*.
of BeO(c) in HF(aq) and HCl(aq) (9) 210*e*.
of sublimation, of red HgS (8) 186*h*.
of UB_2 (8) 176*b*.
of UO_2 (1) 19*i*.
of U-Pu oxides (10) 230*e*.
Entropy, change, of phase transitions in $TbFeO_3$, $YbFeO_3$, and alpha-Fe_2O_3 (7) 160*g*.
Equations, Dorn, empirical constants in (9) 210*b*.
Groeber diagrams, for predicting heat transfer in pressing glass (3) 62*i*.
Equilibrium, vapor-crystal, of HgTe (5) 116*d*.
Erbium, chromite, optical spectroscopy (7) 161*g*.
Er^{3+}, absorption and emission spectra in borate and phosphate glasses (2) 35*a*.
cathodoluminescence in YGaG and YAG (4) 91*a*.
cross section for stimulated emission with glass composition (5) 98*e*.
in Er_2O_2S, action of crystalline field on (8) 179*g*.
ErB_6, formation conditions (6) 135*i*.
$ErCrO_3$, magnetic phase transition in (8) 183*i*.
oxide, film, grain growth kinetics in (9) 211*a*.
oxyselenide, magnetic properties (9) 212*c*.
Erosion, of concrete, in hydraulic structures (3) 59*h*.
resistance, of brick and mortar for ladle lining (9) 196*e*.
Etch, patterns, on rare-earth orthoferrites (8) 181*d*.
stop, for KOH anisotropic etch (7) 153*g*.
Etchants, dislocation, for BeO (8) 173*b*.
Etching, anisotropic, of Si and Ge, P (9) 200*f*.
apparatus, fluidic masking, P (2) 43*j*.
configuration, of $PbMoO_4$ single crystals (3) 74*j*.
of decarburized enameling steel, effects of residual elements (4) 80*a*.
dislocations, in CaF_2 single crystals, kinetics (1) 25*h*.
films, insulating, P (4) 86*f*.
hillocks, on C faces of SiC (3) 74*j*.
ion, $LiNbO_3$ (7) 151*f*.
for thinning $LiNbO_3$ (5) 116*g*.
particle track (3) 72*h*.
problems, examination of surfaces (5) 96*j*.
rf sputter, P (1) 18*a*.
Si crystals, P (8) 174*g*.
Si_3N_4, P (4) 87*a*; P (5) 102*c*.
solution, Al, P (5) 101*h*.
-sputter technique, for recording holograms, P (9) 202*b*.
thin layers, by ion bombardment, P (4) 86*f*.
using etching mask, P (7) 153*g*.
Ettringite, formation, expansion mechanism of (7) 142*j*.
Sr and Ba substitution in (3) 60*b*.
Eucryptite, beta-, single crystals, thermal expansion of lattice constants (2) 55*i*.
Europium, anomaly, in plagioclase feldspar (11) 258*c*.
chalcogenides, compressibilities (7) 159*j*.
energy transfer, from Sm, in phosphate glasses (1) 7*c*.
Eu^{3+}, emission spectra in glasses (9) 192*d*.
optical spectra, relaxation and energy transfer in Eu phosphate glass (5) 98*h*.
Eu(II) selenide, oxidation (9) 213*i*.
$Eu_{0.63}Y_{2.35}Fe_{3.8}Ga_{1.2}O_{12}$ films, magnetic anisotropy (10) 226*d*.
Eu_2(II)SiO_4, ferromagnetic, luminescence properties (5) 111*f*.
Eu_2SiO_4, thermal oxidation (2) 55*j*.
monotelluride, transitions in (9) 214*c*.
monoxide, reaction with sesquioxides of rare earth elements (1) 27*e*.
-ous oxide, magnetophotoconductivity (7) 161*d*.
oxide, crystal growth parameters, relation to stoichiometry (8) 185*j*.
films, transparent (5) 101*j*; films, electrical conductivity (9) 199*j*.
Hall mobility of photoelectrons in (11) 257*j*.
ir reflectivity and coupled modes in (10) 237*b*.
thin films, transport properties (9) 215*j*.
selenide, antiferromagnetic phase in (9) 213*a*.
first-order phase transition in (8) 181*i*.
magnetic semiconductor, photoconductivity (7) 152*f*.
and rare-earth oxyselenides (10) 238*f*.
and telluride, Faraday effect (8) 181*f*; and telluride, magnetoreflectance in (8) 185*b*.
transient photoconductivity in (7) 163*i*.
sulfide, and telluride, photoluminescence (8) 181*b*.
thin films, magnetooptical properties (8) 173*b*.
telluride, absorption edge and photoconductivity (7) 163*i*.
antiferromagnetic and paramagnetic resonances in (9) 208*g*.
and chalcogenides, luminescence (7) 161*j*.
ir absorption in, minimized (7) 151*h*.
Eutectics, hot-pressed, of oxides and metal fibers (9) 211*c*.
Evaporation, coeffs., for simple substances (8) 186*c*.
of refractories, from fused oxides (1) 12*b*.
Excitons, bound, lifetimes in CdS (6) 136*j*.
-exciton interaction, in ZnO (9) 210*i*.
impact ionization, and free carriers via exciton-donor interaction in (5) 110*c*.
Expansion, of clay granules, P (3) 64*g*.
elastic, of granular oxide bodies during pressing (1) 20*i*.
frost, relation to frost resistance of building materials (2) 39*f*.
mechanism, of ettringite formation (7) 142*j*.
of portland cement pastes (6) 120*i*.
of SiC, by neutron irradiation (2) 46*c*.
thermal, anisotropy effects in $MgTi_2O_5$ (9) 211*f*.
Expansion thermal *(continued)*
of brickworks in heating (1) 13*h*.
of calcite (8) 182*a*.
coeff. of glass-ceramics of system Li_2O-Ga_2O_3-SiO_2 (7) 146*h*.
coeff.-crystallinity relations in Li_2O-Al_2O_3-SiO_2 glass-ceramics (7) 146*d*.
of composite of pyrolytic graphite, SiC, and constituents (5) 116*c*.
of C-fiber composites (10) 224*e*.
of enamels and glasses (1) 4*d*.
in fluorphlogopite and tetrasilicic mica sintering system (5) 116*e*.
of garnets (6) 139*e*.
of Ga_2O_3, alpha (6) 139*d*.
of lattice constants of beta-eucryptite single crystals (2) 55*i*.
lattice, high-temp. of mixed carbonitride and U carbonitride (2) 46*h*.
of Nb_2O_5, monoclinic alpha (9) 215*g*.
of Rh_2O_3 (8) 187*j*.
in SiO_2-Al_2O_3-K_2O-Na_2O glasses (6) 123*g*.
of TiB_2 (2) 55*j*.
in Y_2O_3-HfO_2 system (5) 116*e*.
of Zr carbides (6) 139*d*.
volume, in periclase-chrome refractories (1) 14*c*.
Extruders, P (9) 204*b*.
screw, P (7) 156*g*.
Extrusion, of Al_2O_3 powders (11) 246*j*.
can, P (2) 48*b*.
of glass (2) 36*d*; (7) 144*b*.
sheet materials, P (11) 252*h*.
stiff, automation for face brick (6) 126*e*.

Faraday effect, of EuSe and EuTe (8) 181*f*.
rotation, of Bi Ca V Fe garnet (9) 210*a*.
microwave, in artificial dielectrics (1) 16*g*.
Fatigue, acoustic, in TiB_2, Al_2O_3, and Si_3N_4 (6) 135*b*.
behavior, of glass filament-wound epoxy composites in H_2O (1) 7*g*.
of concrete, nonreinforced (11) 242*c*.
crack damage, in composites, nondestructive vibration tests (2) 37*h*.
cyclic, of Si_3N_4 (11) 257*f*.
dynamic, and static, damage to brittle materials (2) 48*g*.
effects, in PLZT fine-grained ferroelectric ceramic (4) 85*j*.
Fayalite, high-SiO_2, P (9) 207*c*.
Feeding apparatus, for gas furnace, P (7) 157*j*.
for pulverulent material, P (10) 232*b*.
vibratory, for granular materials, P (7) 156*f*.
P (10) 232*c*.
weigh-belt, computer check (7) 156*a*.
Feldspars, K-rich, structures (8) 186*h*.
plagioclase, Eu anomaly in (11) 258*c*.
recovery, from S. Carolina waste granite fines (1) 23*f*.
substitutes, ankavan alaskite minerals as (2) 49*j*.
Ferrimagnetism, ceramics, P (10) 227*d*.
properties, of perovskites (9) 210*c*.
Ferrimagnets, anti-, Neel-type, longitudinal and transversal magnetic fields (4) 93*i*.
Ferrites, Ba, presintering in rotary kilns (10) 226*f*.
and Sr, characterization and sintering behavior (5) 101*e*.
synthesis and sintering (8) 173*f*.
calcined, grinding eliminated in making magnets, P (7) 153*f*.
CdMn, formation and densification (7) 151*d*.
Co, magnetic recording tape, P (3) 69*c*.
coatings, on porcelain (7) 151*j*.
components, bonding, P (1) 18*b*.
from crystallization, of glass from system Fe_2O_3-BaO-B_2O_3 (7) 145*j*.
Cu, conductivity, effect of magnetic anisotropy (8) 181*b*.
critical behavior near Curie point (8) 180*d*.
nonstoichiometry and defect structure in (4) 92*c*.
Cu-Mn-Zn, cation distribution and Curie temp. in (5) 106*e*.
description (7) 150*i*.
dicalcium, refinement of crystal structure (2) 54*j*.
substitution of Mn ions for Fe ions in (3) 68*c*.
electronic, in Spain (7) 151*c*.
flux crystallizing, P (9) 201*g*.
hexa-, films (9) 200*a*.
hexagonal, flux-pulling crystallization (9) 199*c*.
Li, electron microscopy (2) 52*g*.
Hall effect in (7) 151*h*.
sintering, with fluxes (8) 173*e*.
Li chromites-, crystallographic structure (5) 111*a*.
Li Ti Bi Co, P (3) 69*b*.
magnetic (9) 199*f*. hard, P (6) 129*e*.
as magnetostrictive elements (2) 42*f*.
materials, industry (7) 150*h*.
memories (9) 199*g*.
mfg., at Ferronics (9) 199*b*.
Mg, electron diffraction superlattice lines in (1) 24*i*.
electron diffraction superlattice lines in (1) 27*i*.
magnetostriction and anisotropy, measurement (8) 183*j*.
microwave, hf (2) 42*h*.
Mn, acoustic relaxation in (5) 106*e*.
Cu(I) and (II), solid solutions (7) 160*f*.
ferromagnetic resonance (7) 151*b*.
sintering (7) 152*b*.
Mn-substituted hexagonal, NMR studies of ^{55}Mn in (5) 112*e*.
Mn Zn, composition during sintering (7) 152*h*.
magnetic properties, effect of Ti ions (9) 199*i*.
Ni, and Ni-Zn, for microwave systems in X-freq. band (2) 43*b*.

Ferrites Ni-Zn, hot-pressed, for magnetic heads (3) 67*h*.
properties (1) 16*b*.
nonstoichiometric, structural and phase relations in (5) 114*h*.
ortho-, crystals, magnetic reversal, hysteresis (8) 182*j*.
(Er,Y,Tm), single crystals, magnetization reversal (11) 249*c*.
fluoride substituted, magnetic properties (5) 112*b*.
rare-earth, etch patterns on (8) 181*d*.
recording information on, with electron beam, P (2) 45*j*.
single crystals, flux for growing, P (2) 44*i*.
single crystals, P (11) 250*g*.
Tm, Ho, optical spectra of ions in (7) 152*f*.
Y,Dy,Yb,Ho, magneto-optical properties (7) 152*b*.
oxyfluoride, electrical conductivity (8) 181*f*.
synthesis and magnetic and electrical properties (2) 55*i*.
P (10) 234*g*.
pastes, for screen-printed inductances (1) 16*i*.
perovskite-type, reduced, oxidation (5) 113*b*.
plate, microwave-absorbing, P (7) 154*g*.
polycrystalline, elastic moduli (6) 139*f*.
spin-wave transit time in (5) 110*f*.
powder, flame-sprayed, radiation shield, P (7) 146*g*.
production (8) 173*f*. by tape process (9) 200*d*.
raw material, for microwave use, P (11) 251*c*.
Sr, crystal, growth from Sr borate (10) 236*f*.
-titanate ceramics, bonding by hot-pressing (3) 67*d*.
uses, expanding (7) 151*j*.
for storing, erasing, and altering images (7) 151*a*.
Zn, magnetic structure, models (7) 152*e*.
Ferroelasticity, behavior, of PLZT ceramics (10) 226*a*.
effect, in La orthoferrite (9) 210*c*.
Ferroelastic materials, alpha-$Pb_3(PO_4)_2$ (9) 207*h*.
Ferroelectricity, ceramic plate, electrooptical light scattering device, P (2) 43*h*.
ceramics, compositions, P (2) 45*f*.
use of nonlinear interactions in, to microwave signal processing (4) 84*i*.
ceramic stack, P (2) 43*h*.
compositions, P (8) 174*h*.
devices, domain shifting, P (2) 43*i*.
domain reversal, in Li metatantalate (4) 85*e*.
domains, bubble, in magnetic film-substrate structures, P (8) 175*b*.
optical rotation, in $Pb_5Ge_3O_{11}$ (11) 258*h*.
domain structure, Landau-Lifshitz, in FeSi (5) 110*j*.
domain switching, in PLZT ceramics (4) 85*f*.
domain system, bubble, P (8) 174*g*.
domain walls, control in ferroelastic-ferroelectric crystals, P (8) 175*h*.
-ferroelastic crystal, phase transformation (5) 107*e*.
in GeTe (7) 152*j*.
light valve, electron beam controlled bistable, P (2) 43*e*.
light valve arrays, for optical memories (4) 85*g*.
memory array, piezoelectric response (4) 85*e*.
photodomain effect, in $BaTiO_3$ (4) 85*e*.
and piezoelectric composition, P (9) 200*e*.
review (11) 249*h*.
in $SrTiO_3$ (8) 186*e*.
thin-film device, P (8) 175*h*.
Ferroelectric materials, application, in Europe (4) 84*j*.
ceramics, elastic surface waves on (10) 225*j*.
P (1) 18*e*.
-ferromagnetic (2) 42*b*.
impurities in, vibrational spectra (8) 182*j*.
in light modulator, polarization-reflection type (4) 85*f*.
in optical memories, and displays (4) 85*g*.
of (Pb,La)(Hf,Ti)O_3 system (6) 129*c*.
Pb memory films, sputtered (4) 85*c*.
$5PbO.3GeO_2$ single crystals, optical activity (10) 237*i*.
$Pb_5(Ge,Si)_3O_{11}$ (5) 101*j*.
perovskite, thermodynamic theory of phase transition in (9) 215*j*.
pyroelectric coeff., and permittivity measurement (10) 226*e*.
$SrTeO_3$ (10) 237*f*.
surface, electric field near (11) 258*b*.
thin films, research status and device potential (4) 85*i*.
with W bronze crystal structure, polariton results in (10) 238*c*.
Ferromagnetic materials, alloys, nuclear spin relaxation of impurities in (6) 138*b*.
anti-, fluctuations in magnetic moment in (4) 91*i*.
$K_3Ni_2F_7$, magneto-optical properties and structure (10) 237*i*.
CrO_2, P (3) 70*i*.
ferroelectric- (2) 42*b*.
K_2CuF_4 (10) 237*h*.
magnetization curves, to determine time characteristics (2) 42*i*.
Ferromagnetism, anti-, in MnO, effect of crystal defects (7) 159*g*.
ordering in $MnNb_2O_6$ (9) 207*g*; ordering, of MnF_2, FeF_2, CoF_2, and NiF_2 (9) 208*f*.
phase in EuSe (9) 213*a*.
structure of $Ca_3Mn_2Ge_3O_{12}$, $Mn_3Al_2Ge_3O_{12}$, and $Ca_3Fe_2Ge_3O_{12}$ (9) 212*j*.
transition in MnO (7) 160*j*.
bubble domains, in magnetic film-substrate structures, P (10) 228*d*.
domains, structures in ferromagnets (2) 42*e*.
domain wall, circular, energies (10) 235*h*.
in $Gd_2(MoO_4)_3$ (9) 211*j*.
in $Gd_2(MoO_4)_3$, diffracted light from (9) 213*c*.
mobility in YIG (9) 212*j*.
Ferromagnetism domain wall *(continued)*
motion in rare-earth iron garnets, damping (11) 257*g*.
switching, in $KNBO_3$ single crystals (9) 212*b*.
velocity in Y-Eu garnet film (10) 227*f*.
in YGaIG crystals (10) 235*g*.
in-plane spectrum, of YIG films (6) 128*i*.
objects, small, device for collecting, P (11) 250*c*.
phases, in Cd ferrocyanide thermal decomposition products (7) 160*j*.
stimulated, effects of magnetic ordering in $RbNiF_3$ (7) 152*c*.
Ferromagnets, alpha-Fe_2O_3, and $FeBO_3$, acoustic resonance in (9) 207*i*.
anti-, Heisenberg, spin-wave impurity modes in (6) 136*a*.
magnetization and resonance in (5) 112*g*.
planar, $CsFeF_4$ (9) 199*f*.
domain width, thickness dependence, wedge-shaped single crystals used in measuring (2) 43*d*.
uniaxial, domain structures, domain width in (6) 139*j*.
effect of transverse magnetic field (7) 160*g*.
spin-wave theory in free-particle approximation (2) 42*j*.
Fibers, acrylic material, stabilized and carbonized, P (8) 172*b*.
alkali metal silicate, P (1) 10*e*.
alumina, sintered, P (3) 66*d*.
Al_2O_3-SiO_2, insulation materials from, P (8) 172*a*.
asbestos, dispersing, P (7) 159*a*.
dual treatment, P (5) 100*d*.
lehr roll millboard formed from, P (1) 9*j*.
properties, by turbidity measurement, P (3) 72*f*.
asbestos paper, reinforced, P (8) 172*d*.
B_4C, P (7) 149*a*.
carbon, coated with TiC, mechanical properties (1) 12*c*.
electronic properties (3) 74*g*.
and graphite, P (7) 149*d*.
with high Young's modulus, P (6) 128*a*.
longitudinally aligned, tapes of, P (2) 40*f*.
Ni coatings on (6) 127*b*.
oxidized, P (10) 224*e*.
P (7) 149*d*; P (7) 149*g*; P (8) 172*c*.
production, P (3) 65*h*.
pyrolytic, P (2) 40*i*.
-reinforced metal, P (7) 149*g*.
structure, P (2) 40*b*.
surface modification, P (7) 149*f*.
surface modification, P (10) 224*h*.
surfaces, electrochemical measurements (8) 171*g*.
by thermal decomposition of vaporized hydrocarbon (3) 64*j*.
treatment, P (7) 149*g*.
cellulosic, carbonizing, P (1) 14*d*.
composites, with brittle matrix (2) 40*a*.
diameter, effect on strength of composite materials (1) 11*h*.
glass, bonding resins to, P (3) 63*j*.
bundle, P (3) 63*g*.
cable, use in mfg. track vehicles, P (6) 125*d*.
as cement reinforcement (5) 95*i*.
coated, and coating composition, P (3) 64*b*.
coated strands, P (5) 99*c*.
coating composition, P (8) 169*e*.
to control machine noise (6) 124*c*.
core, devitrification, P (5) 99*d*.
cushioning material, P (9) 194*j*.
elastomer-coated, dielectric heat drying, P (10) 222*j*.
elements, construction member of, P (4) 81*g*.
energy-conducting, fused bundles, P (6) 125*h*.
fabrics, fabric effect for, P (7) 146*f*.
failure from heat and H_3PO_4 (6) 123*e*.
forming and coating process, P (6) 125*d*.
forming and supply package, P (1) 9*f*.
friction element, P (10) 222*i*.
fused-SiO_2-core, for optical wave guide (10) 220*e*.
heat- and abrasion-resistant textiles, P (4) 81*d*.
impregnating with synthetic resins, P (6) 125*a*.
laminar refractory structures for forming, P (1) 9*j*.
mats, P (7) 147*a*.
mfg. air pollution in, P (8) 169*d*.
mfg., and burner apparatus (7) 146*a*.
in molding compositions, P (11) 245*h*.
new E fleeces (4) 80*h*.
nonslip surface, P (2) 39*a*.
nonslumping package, P (8) 170*d*.
nonwoven reinforcement structure, P (6) 126*a*.
and nylon, for armor material, P (7) 147*d*.
for optical communication (11) 244*h*.
for optical transmission (11) 244*i*.
-organic, scrim for flooring, P (9) 194*e*.
packaging, P (1) 10*d*.
-plastic composites, high impact strength, P (2) 39*b*.
polyimide-resin-, cloth laminates for printed circuit boards, P (2) 39*b*.
preforms, P (5) 99*f*.
in propylene polymer composition, P (11) 245*j*.
-reinforced composite article, P (1) 9*f*.
-reinforced elastomers, P (3) 63*g*.
-reinforced elastomers, P (4) 81*b*.
-reinforced elastomers, P (7) 147*a*.
-reinforced elastomers, P (8) 170*a*.
-reinforced modules of synthetic resin, P (1) 10*d*.
-reinforced plastic articles, P (7) 147*d*.
-reinforced polypropylene molded article, P (9) 194*h*.
-reinforced polyvinyl chloride sheets, P (9) 194*g*.
-reinforced rods, connection for, P (1) 9*c*.
-reinforced thermoplastic cellular plastics, P (9) 194*d*.
-reinforced thermoplastic, P (5) 98*j*.
Fibers glass *(continued)*
-reinforced thermoplastics (7) 145*c*.
-reinforced tubes, P (9) 194*d*.
rods, connecting attachments to, P (10) 222*d*.
rods, mechanically gripped, effect of surface softening on tensile strength (2) 35*j*.
sizing and coating compositions, P (6) 126*d*.
strength, effect of surface area (6) 123*g*.
strength, polyester resin for (5) 98*d*.
subdividing into sections, P (4) 81*f*.
temp. profiles in spinning (3) 63*f*.
treatment, to use with epoxy resins, P (10) 223*b*.
from waste glass (6) 123*b*.
graphite (9) 196*f*. continuous length, P (7) 149*e*.
mechanical properties, effect of fiber diameter (2) 39*j*.
oxidatively treated, regenerating surface activity in, P (3) 65*i*.
P (2) 40*i*.
structure and mechanical properties (6) 131*b*.
graphitizing, P (2) 40*f*.
inorganic materials, flat bodies of, treating, P (11) 245*i*.
insulating, high temp., P (1) 9*i*.
as insulation, thermal, P (2) 40*d*.
length, suspended in liquid, determination, P (3) 72*f*.
material, removal from mineral ore, P (8) 178*j*.
-matrix system, in composite material, electron microscopy (7) 160*a*.
measuring, P (7) 157*e*.
mechanical properties, P (9) 205*b*.
metal, eutectics, hot-pressed (9) 211*c*.
metallic, and ceramic, production and properties (11) 247*j*.
MgO, P (5) 100*g*.
mineral, resistant to corrosion in cement medium, P (7) 143*d*.
optical, broad-band tunable Raman-effect devices in, P (3) 69*a*.
bundle scanning apparatus, optical system for, P (5) 99*e*.
bundles, P (5) 99*g*.
elongated flexible bundle, flexible protecting sheath of, P (1) 9*d*.
loss measurements (11) 244*a*.
low-loss joints between (11) 245*d*.
new (11) 244*b*.
P (9) 194*b*.
thermally fusing (11) 244*d*.
transmission (11) 245*c*.
wave guide, P (5) 98*j*.
wave guide, P (5) 99*d*.
wave guide economic, P (9) 194*b*.
wave guide for magneto-optic readout system (9) 194*h*.
wave guide materials, light transmission in (10) 220*c*.
optical devices, cemented, P (8) 170*a*.
optics, element, P (10) 222*g*.
encoding-decoding apparatus, P (2) 38*g*.
for facsimile transmission system, P (7) 146*g*.
image-transmitting bundles, P (1) 10*c*.
light-transmitting means, use in photometric analyzer, P (1) 22*e*.
photochromic, image storage device, P (3) 64*b*.
photochromic plate, P (5) 99*e*.
organic, vol shrinkage, matching to resin matrix in composites, P (8) 172*e*.
phenolic, carbonization and hot stretching (6) 127*c*.
-reinforced, insulating segments, P (9) 197*f*.
-reinforced article, P (7) 156*c*.
sheet material, coating, P (11) 245*i*.
SiC and Al_2O_3, alignment and orientation, P (2) 40*a*.
silica, compacts, sintering (5) 100*h*.
Cr oxide coating for, P (7) 146*b*.
unclad, from vitreous SiO_2, spectral losses (11) 245*e*.
viscose, P (11) 245*i*.
vitreous, bonded, P (2) 39*d*.
ZnO, and battery electrode containing, P (3) 65*e*.
Filaments, Be reinforcement, high-strength B on, P (10) 224*b*.
boron, SiC coated, strengthening, P (2) 40*g*.
carbon, from coal-tar pitch, P (6) 128*b*.
P (1) 14*e*.
treatment, P (2) 40*d*.
coating apparatus, P (9) 200*f*.
coating method, P (2) 40*e*.
continuous, P (9) 194*a*.
fibrous metal, P (2) 40*d*.
fine, from vitreous materials, P (8) 170*i*.
glass, hot-pressing, densification in (8) 167*g*.
graphite, carbide coatings for (1) 4*d*.
lock-on, in amorphous semiconductors (7) 151*b*.
Ti, P (7) 155*b*.
TiC-sheathed Ti, P (8) 175*i*.
from vitreous materials, P (7) 156*c*.
Films, anodic, on Ta, impurity distributions in (6) 128*j*.
chalcogenide, optical memory, voltage effect on (11) 249*i*.
CVD, thermal stresses in (9) 200*d*.
dark, on surface of white slag glass-ceramic (7) 145*e*.
deposition, monitoring, P (9) 205*d*.
electron-scattering-prevention, P (1) 17*f*.
epitaxial, phased growth, P (2) 44*d*.
process and products, P (1) 17*g*.
Ge-doped epitaxial, by molecular beam method, P (11) 250*g*.
insulating, etching, P (4) 86*f*.
light-emitting, treatment to extend life, P (4) 87*c*.
magnetic, P (2) 44*e*.
metal, crystal growth of Si and Ge in (11) 249*d*.
metallic, deposition, apparatus for monitoring, P (2) 43*g*.
photochromic, on glass substrates, P (1) 10*c*.

Films powder, particle size measurement by (5) 104*j*.
refractory metal, refractory metal nitride resistor, P (5) 102*i*.
superconducting, types I and II, flux flow in (6) 136*h*.
thick, pastes (9) 196*j*.
and thin, electronics feature (7) 152*a*.
thickness, X-ray determination using glassy halo (7) 146*g*.
thin, application to articles, P (8) 174*c*.
of chalcogenide system Ge-As-Se, memory switching in (10) 225*j*.
deposition by electrical explosion conductors (2) 42*c*.
laser machining (10) 226*j*.
metallic, adhesion failures on ferrite substrates (11) 248*j*.
nondestructive testing (10) 226*g*.
optical constants (4) 89*g*.
optics (8) 173*h*.
polymer, quantitative analysis of electron microscopic images on (10) 232*i*.
single-crystal, sputtering process for, P (8) 175*g*.
sputtering deposition apparatus (11) 249*j*.
studies, of SiO_2 reduction by Al (5) 116*g*.
on support, P (9) 201*h*.
Ta_2O_5, by sputtering technique (2) 42*e*.
ultrafine, aging (7) 150*g*.
vacuum-codeposited, delta-(Mn-Al) structure in (6) 129*d*.
Zn- and Cd-doped, electrical properties (8) 173*g*.
ZnO, transparent, P (2) 44*j*.
Filters, aid, diatomaceous earth-containing mixture as, P (9) 204*a*.
for air, super clean compressed (1) 21*b*.
cake, controlling thickness and compressing, P (4) 88*g*.
removal by liquid injection, P (1) 21*c*.
steam drying, P (2) 48*d*.
ceramic, energy trapped type, P (11) 250*c*.
Christiansen, spectral transmission (11) 254*d*.
clay drainpipe (11) 252*j*.
coupled mode, and width extensional resonator, P (2) 46*a*.
crystal, assembly, P (7) 153*c*.
frequency adjusting and assembling, P (1) 16*h*.
electromechanical, P (1) 17*e*.
fibrous media, graded, P (1) 10*e*.
glass, color, for under daylight color fluorescent light, P (4) 81*b*.
color, P (5) 99*e*.
interference, P (9) 201*d*.
liquid, absorbance standards (4) 89*c*.
monolithic crystal, P (7) 152*j*.
multilayer, P (9) 194*e*.
needle felt, to prevent air pollution in heavy clay industry (4) 82*h*.
in nuclear reactors, for blanket gas, P (9) 203*b*.
optical, ferroelectric-type, P (9) 200*e*.
with pneumatic cleaning, for cement industry (10) 218*g*.
press, extrusion, P (9) 204*b*.
resonator, monolithic coupled crystal, P (1) 18*c*.
rf, coated ferrite, P (10) 227*h*.
sintered, with straight holes, P (11) 248*i*.
uv, Si film as, P (10) 227*g*.
YIG (7) 152*h*. temp. stabilized composite, P (5) 103*a*.
Filtration, Al_2O_3, P (8) 178*j*.
ultra, for reducing coating materials consumption (2) 48*c*.
Firing, air, excess, cuts cycle (9) 205*j*.
binders, study in Czechoslovakia (2) 34*a*.
clays, for roofing tiles, phase sequence in (3) 64*h*.
continuous reduction, P (8) 178*e*.
defects, in circular and tunnel kilns, detection (4) 89*j*.
degree, for clinker (2) 32*c*.
dental porcelain, P (3) 66*b*.
electrical, of enamel (1) 4*f*.
gas (11) 255*a*.
granulated raw mixtures, effect of gypsum (1) 3*c*.
magnetic cores, P (9) 206*a*.
natural gas, forehearth conversion to (5) 105*g*.
in glass furnaces (4) 90*c*.
for Staffordshire blue bricks (1) 22*h*.
oil, need not dirty air (4) 90*a*.
optimum curve, from green bricks (10) 223*d*.
portland cement clinker, optimum conditions (2) 34*a*.
pre-, Al_2O_3, effect on properties of slips (1) 15*a*.
range, rationalization in porcelain industry (10) 225*b*.
reduction, for porcelain (2) 41*a*.
shaped ceramic articles, P (11) 255*f*.
systematic, prerequisites (4) 90*a*.
technique, to prevent bubbles in glaze (10) 225*a*.
in tunnel kiln (2) 49*e*.
in whiteware industry (10) 224*j*.
zone, limiting apparatus, P (7) 158*b*.
Fission products, effect, on ratio of grain-boundary energy to surface energy in UO_2 (8) 176*a*.
-gas atoms, resolution from bubbles during irradiation of UO_2 (10) 230*h*.
solid, incorporation in sol-gel processed spherical fuel particles (1) 20*b*.
Flames, monitor system, radiation sensors, P (1) 22*h*.
retention head assembly, P (9) 206*b*.
Flotation, in concentration, of spodumene, P (5) 105*i*.
kaolin, P (10) 234*f*.
of SiO_2, P (10) 234*j*.
Flow, fluid, indication, P (7) 157*d*.
measurement, heated sensors for (11) 253*i*.
non-Newtonian, in ducts of unusual cross section, predicting (2) 48*a*.
plastic, during hot-pressing (1) 26*h*.
properties, of clay and enamel suspensions (1) 21*f*.
Flow solid-liquid, in noncircular pipes (7) 156*c*.
streams, measurement of particle size and solids in, P (6) 132*c*.
Fluorescence, Cu, in glass (8) 167*f*.
of glasses, in system Li_2O-Tb_2O_3-SiO_2 (1) 5*f*.
materials, with optical frequency conversion, P (4) 81*a*.
of Mn^{2+}, in glasses, effect of temp. (5) 97*c*.
polarized, study of Cr^{3+} through phase transition in $SrTiO_3$ (7) 162*e*.
surface, in glasses (9) 192*b*.
of ThO_2 (4) 87*h*.
Fluorides, additives, effect during sintering Al_2O_3-containing charges (2) 33*j*.
in cement mfg. (10) 218*e*.
in raw materials, clinker, and cement (11) 241*i*.
silico, effect on Ca silicates, aluminates, and aluminoferrite (10) 217*i*.
Fluorination, kinetics, of W-Re melts (5) 111*i*.
Fluorine, by-product, fluosilicic acid from AlF_3 and CaF_2 (8) 178*j*.
in slag glasses, effect on viscosity (1) 6*c*.
Fluorite, compounds, with excess anions, defect structure (7) 159*j*.
Fluxes, for arc welding (1) 4*h*.
borate, in whiteware compositions, P (3) 66*c*.
content, effects on MgO-dolomite bricks (7) 148*f*.
crystallizing, ferrites, spinels, and garnets, P (9) 201*g*.
effect, on creep of high-Al_2O_3 bricks (9) 196*c*.
electro-, slags and remelting, P (7) 149*c*.
flow, in types I and II superconducting films (6) 136*h*.
for growing single crystals, of garnet or orthoferrites, P (2) 44*i*.
low-melting, for porcelain, ceramics, glass, and enamels, glasses of system RO-R_2O-SiO_2 as basis (2) 36*e*.
oxide, effect on electrical properties of forsterites (11) 257*e*.
Foamed ceramics, bodies, P (10) 223*f*.
brittle clay, shaping by crushing with roller, P (10) 223*f*.
Foams, material, high-strength, P (8) 170*d*.
introducing additives into mixture, P (7) 156*f*.
silicate, from alkali metal silicates, P (10) 234*g*.
Forsterite, body, electrical properties (11) 257*e*.
contact interreaction, with chrome spinel (6) 135*i*.
piezooptic behavior (8) 185*a*.
Fracture, Al_2O_3, effects of porosity (8) 181*c*.
of cement, and concrete, hardened (11) 242*c*.
and concrete under high sustained load (11) 242*f*.
of concrete, fiber-reinforced, model (11) 242*e*.
load tests (11) 242*a*.
under uniaxial loading; under compressive loads (11) 242*d*.
effects, in SiC (2) 55*d*.
energy, of BeO (6) 140*c*.
of Si nitrides (1) 16*a*.
of Si_3N_4 (11) 259*d*.
-energy measurement, notched-beam test for (11) 254*a*.
fatigue, of basic and fireclay refractories (5) 100*d*.
glass, ion-exchanged (8) 168*j*.
optical, relation with abrasion and microindentation hardness (1) 8*g*.
Hertzian, of C (10) 236*i*.
mechanics, relation to mirror surfaces of fractured brittle materials (6) 138*f*.
noncatastrophic, in Al_2O_3, dependence on grain size (8) 180*d*.
of nonmetals, and composites, B (1) 30*e*.
studies, of C fiber/Ni composites (2) 40*i*.
of TaC and HfC (7) 162*e*.
toughness, of Al_2O_3, correction (9) 210*h*.
of Al_2O_3, polycrystalline (4) 91*i*.
of cement paste and mortars (11) 242*g*.
of transparent brittle solids, from ruby laser (11) 258*j*.
UO_2, effect of impurity particles (1) 20*c*.
work-of-, of refractories, measurement (10) 223*j*.
Frequencies, second harmonic generation, of CuCl and ZnS (9) 207*f*.
valence-band, in Ga monochalcogenides (2) 56*e*.
Friction, of ceramics (1) 1*e*.
coeffs., of B and Si carbides (8) 187*c*.
disk, C core segmented, P (4) 84*c*.
C, oxidation barrier for, P (1) 14*b*.
elements, from compositions containing microspheres, P (8) 172*b*.
facings, P (5) 99*d*.
internal, in ferroelectrics (5) 111*j*.
of glass, effect of ion exchange (6) 123*i*.
of inorganic polymers and glasses (7) 144*j*.
of NaCl single crystals (11) 257*g*.
mechanisms, containing Si_3N_4, P (3) 65*f*.
surfaces, C and Be, coupling with, P (3) 65*e*.
Frits, for art potter (4) 77*g*.
glaze, zircon-containing, effect of RO element (9) 198*a*.
and glaze production (4) 84*e*.
powdered, electrostatic deposition (8) 166*h*.
processing, emission control in (5) 96*i*.
spraying, electro gas dynamic (5) 97*b*.
Frost resistance, of building materials, prediction (9) 204*i*.
relation to pore structure, modulus of elasticity, and frost expansion (2) 39*f*.
of cement stone (11) 242*a*.
of clay concrete, expanded (11) 242*i*.
freezing, effect on mechanical response of hardened cement paste (4) 78*i*.
of water sorbed by cement stone (11) 242*h*.
tests, for paving materials (2) 48*h*.
of tile, relation to clay (11) 246*e*.
relation to clay (11) 246*f*.
Fuel elements, failed, detecting and locating, P (10) 231*b*.
nuclear, and nuclear reactor fuel, P (5) 103*g*.
P (2) 47*c*.
removing C from, P (5) 103*f*.
with sintered UO_2 fuel, P (5) 103*g*.
vented, P (2) 47*f*.
in nuclear reactor, detecting and monitoring failure, P (9) 203*a*.
for high temp., P (3) 71*c*.
P (2) 47*d*; P (6) 131*i*.
P (9) 203*b*.
for reactor, high-temp., P (9) 203*c*.
nondestructive consumption testing, P (6) 131*h*.
Fuels, bundle, with removable rods, P (10) 231*a*.
coal, dry separation of pyrite from (1) 23*d*.
pyrolysis and coal oil hydrotreating (11) 255*b*.
slack and coke, effect on cement raw meals (10) 217*i*.
-dispensing apparatus, control system, P (10) 234*b*.
failure (9) 205*j*.
gas, shortage (9) 205*j*.
injection valves, P (11) 255*b*.
liquid, gasifying, P (3) 73*a*.
in regenerative glass furnaces (2) 49*g*.
metals, and minerals, B (10) 240*h*.
mixed (U,Pu) oxide materials, thermal gradient (2) 46*h*.
redistribution of Pu and U in thermal (2) 46*h*.
nuclear, assay system, P (4) 88*a*.
assembly, P (1) 20*f*.
brittle-to-ductile transition in (8) 176*e*.
-containing bodies, P (4) 87*h*.
controlled calcination, P (1) 20*e*.
homogenization and mixing, P (10) 231*d*.
irradiated, P (5) 103*h*.
kernel, multilayer coating on, P (9) 203*c*.
with minimum-gas-release properties, P (1) 20*g*.
P (4) 87*i*; P (4) 87*j*; P (10) 231*c*.
pellets, P (9) 203*b*.
pellets, P (11) 251*i*.
pins, sheared segments, leaching core material from, P (8) 176*f*.
plate, gradient-type, P (2) 47*a*.
pressing process, P (7) 155*i*.
reactor pins, P (8) 176*h*.
sintering concepts (9) 203*a*.
sticks, bonded-particle, P (5) 103*j*.
thermal neutron absorber in, P (8) 176*g*.
(U,Pu) oxide, composition changes in (10) 229*j*.
(U,Pu) oxide, in-reactor behavior (10) 229*h*.
vitroceramic, coatings for (10) 229*j*.
at Westinghouse (9) 202*j*.
nuclear reactor, and fuel element, P (5) 103*g*.
oxide, hot-pressing (9) 203*a*.
redistribution of U and Pu during evaporation in (8) 176*a*.
particles, pyrolytic SiC coatings of, strength for high-temp. gas-cooled reactors (2) 46*i*.
sol-gel processed spherical, incorporation of solid fission products in (1) 20*b*.
pellets, mixed-oxide, U, Pu, creep (7) 155*f*.
pin spacer structure, P (6) 131*i*.
reactor, pressure tube bundle, P (1) 20*g*.
recovery system, irradiated, P (5) 103*e*.
rod, loading, P (9) 203*d*.
with porous plug, P (2) 47*b*.
uranium, or U-Pu nitride, P (4) 88*a*.
or U-Pu nitride, P (10) 231*e*.
Furnaces, atmosphere, effect on enamels in direct-fired furnaces (1) 4*g*.
effect on glass melting-fining rate (7) 144*f*.
blast, construction, mechanization (9) 196*e*.
bottom, cooling (7) 157*i*.
charging, P (7) 158*a*.
conditioning, problems in operation with refractory body (1) 22*i*.
construction, standardized shapes for (10) 233*i*.
cupola, gas-fired, P (9) 206*c*.
diffusion, loader, P (6) 134*b*.
electric, P (7) 158*b*.
vibration casting methods for (9) 196*i*.
electric arc, P (8) 178*f*.
electric melting, P (3) 72*j*.
ferroalloy, melting low-P Mn slag, skin in bath of (1) 13*j*.
flue devices, balanced, P (8) 178*d*.
gas, apparatus for feeding, P (7) 157*j*.
gas diffusion, P (9) 200*g*.
with gas-fired ir burners, P (9) 206*b*.
glass, conversion from light oil to natural gas (1) 8*h*.
direct-heated (2) 49*f*.
electrically heated, calculation of characteristics (1) 5*j*.
electric, history (11) 244*j*.
electric melting (3) 61*g*.
electric melting (8) 167*e*.
electric, P (7) 147*b*.
electric, temp. and convective flow profiles for (8) 167*d*.
for heating and bending plates for windshields, P (2) 38*g*.
lip tile, P (9) 194*d*.
natural gas firing in (4) 90*c*.
P (7) 147*b*.
regenerative, liquid fuel in (2) 49*g*.
for striation-free quartz tubing, P (6) 125*c*.
throat designs improved (2) 36*d*.
glassmelting, electric, electrodes in (2) 49*e*.
electric, P (10) 222*e*.
flow channel support, P (11) 245*d*.

Furnaces glassmelting *(continued)*
P (9) 194*e*.
resistance, calculation by Brillant method (1) 5*a*.
glass tank, flat, natural gas firing for (1) 5*b*.
heat engineering factors (2) 36*j*.
heating, use of O_2 (1) 9*f*.
hotter (7) 144*d*.
interfact temp. and tank life (3) 62*e*.
melting costs (6) 123*j*.
natural gas and oil-fired, design and operation (1) 6*h*.
natural gas fired, for containers in Holland (1) 7*f*.
Pb model (11) 245*f*.
gradient, with controllable gaseous atm (2) 49*h*.
high-pressure, loading, P (10) 234*a*.
high-temp. (9) 205*i*. from castable ZrO_2 (10) 233*i*.
induction melting, inverter for (5) 105*f*.
lab arc, for crystals of refractory materials (7) 157*i*.
melting, vacuum induction, P (4) 84*c*.
modular heater, P (8) 178*f*.
P (7) 158*c*.
pit, electrically heated, P (7) 158*b*.
recuperators, ceramic, P (7) 158*a*.
refractory regenerative, P (7) 158*c*; P (9) 206*b*.
rotary, alkalis circulation in (9) 189*i*.
hollow tire, P (1) 22*i*.
material movement in, calculation using radioactive isotopes (2) 32*e*.
supporting device for, P (5) 105*g*.
rotary chamber, chemical vapor deposition in (1) 16*a*.
rotary drum, P (9) 206*c*.
shaft, heating with fuel gas, P (4) 90*c*.
SiC, P (2) 49*h*.
for sintering powder, P (3) 73*a*.
tank, Uniflow (1) 5*a*.
temp. control in, P (8) 178*g*.
tubulous, for heating, P (11) 255*h*.
vacuum, P (9) 206*d*.
wall, calculation of one-dimensional, non-stationary temp. gradients in (2) 49*e*.
wall construction, P (3) 73*a*.
Fusibility, in systems $SeCl_4$-MCl_n, [M = Bi, Sb, Mo] (1) 25*j*.
Fusion, -dissolution-recrystallization (2) 53*d*.

Gadolinium, Gd^{3+}, centers in $LiNbO_3$, EPR (9) 210*g*.
energy transfer for Tl^+ to, in glasses (10) 220*b*.
$GdCoO_3$, physical properties (5) 109*i*.
Gd^{3+}-Gd^{3+} exchange coupling, in ionic rare earth insulators (9) 210*j*.
$Gd_2(MoO_4)_3$, crystals, phase boundaries (9) 213*e*.
diffracted light from domain wall in (9) 213*c*.
domain wall structure in (9) 211*j*.
ferroelectric, model for (8) 184*a*.
surface acoustic wave velocities (11) 259*g*.
X-ray diffraction (8) 188*b*.
$Gd_2Sr_3(BO_3)_4$, X-ray diffraction and space groups (9) 216*a*.
molybdate, domain wall motion in (4) 84*j*.
elastic constants (7) 160*j*.
ferroelastic-ferroelectric (7) 150*h*.
ferroelectric, far-ir soft mode in (9) 213*c*.
optical properties, and device applications (4) 85*b*.
single crystal, microwave power control by applying stress to, P (4) 86*h*.
orthoferrite, magnetic interactions in (11) 258*h*.
oxide, elastic properties (7) 160*a*.
oxyselenide, magnetic properties (9) 212*c*.
phosphide, phase, homogeneity region (7) 160*i*.
sublattice, relaxation in Gd Fe garnet (8) 182*a*.
Gages, absolute-pressure, for high-pressure calibration (11) 253*j*.
magnetic thickness, magnets for, P (2) 49*b*.
for moisture weight, in bulk material on conveyor, P (11) 254*d*.
radiowave level (2) 48*i*.
strain, protection for (6) 133*h*.
semiconductor, engineering applications (1) 21*j*.
sensing elements (3) 72*c*.
use in medical field (1) 21*b*.
Gallium, arsenide, Czochralski crystallization, P (6) 129*b*.
electron transfer and velocity field in (10) 235*h*.
epitaxial, forming contacts to, P (2) 44*i*.
epitaxial growth (7) 151*f*.
and GaP slices, polishing and shaping (6) 129*b*.
heteroepitaxial, on Al_2O_3 (8) 173*g*.
highly pure Si-free, P (1) 18*g*.
n-type, velocity-field characteristic (6) 139*h*.
O-poor, using Al with Si or Ge as dopant, P (7) 154*d*.
passivation with Si_3N_4 (3) 68*b*.
positron lifetime spectra in (9) 215*c*.
precipitating Ni on (5) 107*a*.
properties, $AsCl_3$ temp. dependence (6) 135*c*.
semiconductor planar surfaces, polishing, P (9) 201*g*.
single crystal growth (10) 227*d*.
vapor phase epitaxial growth (10) 236*a*.
whiskers, growth rate (8) 182*c*.
ZnSe epitaxial deposits on (5) 101*f*.
$GaFeO_3$, crystal, electron resonance spectrum (7) 160*c*.
β-Ga_2O_3, luminescence (4) 92*e*.
Ga_2O_3, beta-, magnetic interactions in solid solutions of ferric oxide in (8) 181*i*.
-Ga_2O_3 equilibrium, emf investigation (6) 136*e*.
$Ga_{2-x}Fe_xO_3$ crystals, vapor transport growth (8) 187*j*.
MBO_3 calcite-type borate (9) 212*j*.
monochalcogenides, valence-band structures and core-electron energy levels in (2) 56*e*.

Gallium monochalcogenides *(continued)*
oxide, reaction with oxides of Ni, Co, Cu, Zn, and Cd (1) 27*e*.
phosphide, coatings, P (1) 18*a*.
jet thinning, and electrochemically formed tunnels in (6) 128*j*.
luminescent properties (8) 173*c*.
radiative centers in, physics (7) 162*e*.
semiconducting, by vapor growth method, P (1) 18*e*.
sintered specimens (10) 224*e*.
tabular crystals, by reaction of phosphine with Ga (4) 80*j*.
vapor transport growth, P (6) 130*h*.
sesquioxide, alpha, thermal expansion (6) 139*d*.
effect on immiscibility temp. of glasses (6) 123*c*.
sulfate, mixture with In sulfate and salts (9) 204*g*.
titanate (7) 151*e*.
Garnets, Bi Ca V Fe, Faraday rotation (9) 210*a*.
Ca-V, as microwave materials (1) 16*c*.
$Ca_2^{2+}V^{5+}$-substituted, magnetic inhomogeneity (4) 92*g*.
$Ca_3Cr_2(GeO_4)_3$, magnetic structure and space group (9) 212*f*.
$Ca_3Fe_2(GeO_4)_3$, magnetic structure and space group (9) 212*f*.
$Ca_3Fe_2Ge_3O_{12}$, antiferromagnetic structure (9) 212*j*.
$Ca_3Mn_2Ge_3O_{12}$, antiferromagnetic structure (9) 212*j*.
crystallization, kinetics (11) 258*e*.
description (7) 150*i*.
DyAlG, resonance electronic Raman effect in (9) 214*c*.
epitaxial, isothermal growth (1) 25*g*.
Fe, crystals for magneto-optic light modulators (11) 258*c*.
ferrimagnetic, cation distribution in (5) 106*e*.
films, magnetic anisotropy in (10) 226*c*.
magnetic anisotropy in (10) 226*g*.
magnetic bubble mobility in (10) 226*e*.
magnetooptic wave guides (10) 227*d*.
optical wave guides (10) 226*j*.
flux crystallizing, P (9) 201*g*.
Ga, single-crystal, growth, P (7) 155*d*.
gabbro-, granulite-eclogite transition, equilibrium data (4) 91*b*.
GaIG, and YIG, films, domain structure (10) 226*g*.
Gd Fe, relaxation of Gd sublattice in (8) 182*a*.
Gd Ga crystal, X-ray topographic analysis of dislocations and growth bands in (5) 116*j*.
Gd:Ga:YIG, magnetic films, by rf sputtering (10) 226*c*.
lime, of India (7) 158*i*.
magnetic films, by chemical vapor deposition (10) 226*d*.
liquid phase epitaxial growth kinetics (5) 101*i*.
magnetic properties, at hf (2) 42*h*.
$Mn_3Al_2Ge_3O_{12}$, antiferromagnetic structure (9) 212*j*.
natural, optical absorption spectra of Fe^{3+} in (6) 138*d*.
Nd-small rare earth-Ga, magnetic properties (4) 92*f*.
oscillator strengths in (11) 257*e*.
paramagnetic almandine, interactions of Al and Si in (9) 211*d*.
Pr-small rare earth-Ga (4) 92*h*.
rare-earth iron, domain wall motion in, damping (11) 257*g*.
hyperfield acting on ^{119}Sn in (9) 214*j*.
raw material, for microwave use, P (11) 251*c*.
RIG, neutron diffraction study (8) 184*f*.
O parameter refinement and magnetic moments (8) 185*e*.
silicate, spin-allowed bands of Fe^{2+} in (5) 111*g*.
synthetic, ir spectra (5) 111*c*.
transition metal ions in, electronic spectra (3) 74*g*.
single crystals, flux for growing, P (2) 44*i*.
for stable pigments (2) 41*j*.
structure, coordination numbers of ions in (8) 187*g*.
crystallographic sites, filling by rare earth (9) 208*c*.
defect, vanadates with (8) 187*i*.
Tb Al, crystal-field splitting of Tb^{3+} in (8) 180*f*.
tetrahedral sites in, noncubic anisotropy from (10) 236*d*.
thermal expansion (6) 139*e*.
thin films, composition, by radioactive tracer (5) 104*h*.
growth from supercooled melts (10) 226*b*.
thin layers, thermomagnetic recording (10) 227*e*.
Tm, crystal field parameters in (5) 107*b*.
YAG, films, site preferences for Nd^{3+} in (1) 27*a*.
optical quantum generation of Cr^{3+} ions in (9) 213*h*.
YbIG, specific heat (9) 215*c*.
Y-Eu film, velocity of domain wall in (10) 227*f*.
YGaG, and YAG, Er^{3+} cathodoluminescence in (4) 91*a*.
YGaIG, crystals, domain walls in (10) 235*g*.
YIG, films, in-plane ferromagnetic spectrum (6) 128*i*.
gas phase transport by HCL (4) 91*j*.
GdIG, and TbIG, dense forms (3) 74*f*.
hot-pressed (6) 129*e*.
independent grain behavior of magnons in (10) 236*j*.
ir-light scattering from spin waves in (10) 239*a*.
magnetic anisotropy and magnetic anneal in (11) 258*g*.
magnetization in (8) 182*h*.
magnetostriction constants (5) 112*h*.
magneto-optical coeff. (9) 215*b*.
negative resistance in (10) 227*e*.
optical properties (8) 185*b*.
relaxation of ^{57}Fe nuclei in (5) 111*c*.
single crystal, magnetic domain structure in (1) 16*e*.
spin waves in (8) 186*j*.
spin-wave spectroscopy in (8) 182*e*.
stripe domain wall mobility in (9) 212*j*.
Gases, analysis, P (9) 205*h*.
content, of glasses, vacuum hot extraction measurement (11) 253*g*.
desulfurization (11) 255*b*.
-detecting element, P (10) 233*b*.
detection, and component measurement, P (2) 45*d*.

Gases diffusion, in glass, short-time analyses (7) 159*i*.
discharge, ions of, bombardment of glasses (7) 144*a*.
discharge device, cold cathode, P (2) 45*h*.
dielectric layer, applying phosphor particles to, P (2) 39*b*.
dissolved in glass, determination by high-temp. vacuum extraction and gas chromatography (2) 35*f*.
entrained, in liquid, measuring, P (9) 203*a*.
exhaust, combustion, catalysts for treating, P (2) 50*d*.
desulfurization, adsorption device, P (6) 134*a*.
desulfurization, P (6) 134*b*.
exit, from suspension preheaters (11) 255*a*.
fission bubbles, nucleation, and migration in UO_2 (5) 103*f*.
flow, adjuster, P (11) 255*c*.
from container, regulation, P (11) 255*a*.
flue, application to drying (10) 233*g*.
desulfurization, P (1) 22*h*.
scrubbing with limestone slurry (1) 21*g*.
SO_2-containing, cleaning, P (4) 88*e*.
treating, P (1) 22*j*.
treatment with gas-liquid spray contactor (11) 252*c*.
fuel, shortage (9) 205*j*.
gaseous reduction, of Fe oxides (7) 161*c*.
gaspeite, stability in inert atm (10) 239*a*.
heat exchange, with granular materials, P (7) 157*j*.
kiln, reactions, and ring formation (3) 60*b*.
mixture, maintaining constant temp., P (11) 255*f*.
natural, change from oil speeds fine china production (2) 41*g*.
for flat glass tanks (1) 5*b*.
phase ion interchange, in solids, P (8) 170*h*.
solubility, relation to structures of glasses and liquids (2) 36*e*.
stack, removing SO_2 from (1) 22*i*.
SO_2 removal from, P (8) 177*f*.
waste, catalyst for purification, P (11) 256*g*.
Gems, -stones, asteriated synthetic corundum, P (7) 150*c*.
Generators, high-freq. signal, microcircuit, P (7) 153*b*.
high-voltage, using piezoelectric transformers, P (11) 250*h*.
MHD, refractory ceramic electrode in (7) 152*d*.
thermal-electric, P (10) 229*a*.
Geology, Buenos Aires Province (7) 158*h*.
and industrial development (2) 56*g*.
of kaolin deposit, in Germany (9) 210*j*.
and phosphate deposits (10) 234*f*.
of Th-bearing veins (10) 234*e*.
of Washington (6) 134*g*.
Germanates, olivine, spinel, and phenacite structures in (6) 139*g*.
Germanium, crystal growth, in metal films (11) 249*d*.
dioxide, abrasive composition, P (11) 241*f*.
in aqueous solutions, ir spectra (4) 92*j*.
electronic energy bands and optical transitions in (5) 109*i*.
optical transition strengths in (9) 211*i*.
Raman spectra (6) 138*e*.
rf sputtering, P (8) 175*a*.
single-crystal tetragonal, ir reflectance (3) 75*d*.
vibrational properties (2) 56*b*.
disulfide, reaction with chlorides and oxychlorides of Fe (5) 114*f*.
epitaxial ZnSe on (5) 101*f*.
etching, anisotropic, P (9) 200*f*.
Ge-As-Se, chalcogenide system, atomic distribution in (1) 5*c*.
lattice vibration spectra in, and energies of vacancy in (10) 238*e*.
preparation, P (3) 70*f*.
single crystals, density of dislocations in (5) 108*e*.
slices, polishing and shaping (6) 129*b*.
submillimeter wave modulation, by free-carrier absorption in (1) 27*h*.
surface, clean, chemical behavior (7) 159*i*.
telluride, phonon mode and ferroelectricity in (7) 152*j*.
whiskers, growth rate (8) 182*c*.
Gettering, junction, in Si crystal, P (2) 45*i*.
Getters, Hg-dispensing, in fluorescent lamps, P (8) 170*a*.
-sputtering apparatus, P (1) 9*e*.
Gibbs energy, for alkali halide systems (2) 53*g*.
Glass, adherence, to gold, P (8) 170*a*.
alkali aluminoborosilicate, AgX liquid particles growth in (7) 144*f*.
alkali aluminosilicate, and alkali aluminogermanate (10) 220*e*.
alkali borate, Co^{2+} spectrum in, effect of temp. (4) 80*g*.
N into (2) 36*e*.
optical properties of Ni in (6) 122*j*.
with Cr, spectrophotometry (3) 63*d*.
alkali halide-alkali borate, ESR of Cl and Br atoms in (9) 209*i*.
alkali metal silicate, finely divided, P (9) 194*c*.
alkali silicate, phase separation in, effect of Pt (2) 35*j*.
strengthening, P (10) 222*g*.
structural changes in, flotation study (7) 145*f*.
Al silicate, interaction, system SiO_2-Al_2O_3-Li_2O (4) 80*e*.
aluminate, and aluminosilicate, SiO_2 effect (7) 144*i*.
aluminophosphate, chemically resistant, P (10) 222*f*.
^{57}Fe in, Moessbauer study (6) 124*f*.
physical processes in (11) 244*f*.
point defects and radiation breakdown (6) 124*j*.
aluminosilicate, alkaline earth, opalizable, P (4) 81*j*.
low-expansion, P (6) 125*g*.
relaxation times in, comment (11) 243*h*.
transition metal ion substitution in (10) 221*j*.
ZnO-containing, kinetics of crystal growth in (3) 62*i*.
amber, composition (6) 122*h*.
ampoules, opening in noncontaminating manner, P (6) 125*j*.
analysis, with SEM (5) 97*h*.
annealing, in fused cast refractory body, P (7) 147*c*.

Glass applying electroconductive heating circuits to, P (7) 146*j*.
applying heating circuits, electroplating, P (3) 63*a*.
armorplate, hard faced plastic, P (2) 38*i*.
arsenic, physical properties (7) 145*g*.
arsenosilicate films, vapor deposition and properties (9) 200*f*.
arsenosilicate sources, As diffusion in Si using (8) 167*b*.
articles, blow-molded, colored and/or printed labels to, P (8) 169*g*.
F surface treatment, P (4) 81*f*.
glass-encapsulated, chemically strengthened, P (8) 169*f*.
with heat-reflecting film, P (9) 194*d*.
with light-dispersing surface layer, P (7) 147*i*.
modifying property by diffusion, P (8) 169*a*.
P (5) 99*b*; P (9) 194*c*.
pressure molding, P (7) 147*c*.
with roughened enamel surface, P (3) 63*f*.
strengthened, P (11) 246*a*.
As-S, thermal properties (4) 81*c*.
As-Se, electrical properties (5) 97*f*.
As-S-Ge, refractive index change in (10) 220*j*.
As-Te-Ge, electrical and thermal properties (7) 144*b*.
surface conduction, effect of water (8) 167*j*.
As-Te-I, and As-Te-Ge, surface electrical switching in (9) 193*j*.
As_2Se_3, dielectric losses in (8) 167*i*.
softening temp. (7) 145*d*.
As_2S_3, Ag and Cu photodiffusion and thermal diffusion into (11) 244*e*.
and As_2Se_3, interband spectra (9) 192*i*.
As_2S_3-Ag, electrical properties (3) 61*j*.
and AZS refractories interface, diffusion phenomenon at (10) 223*j*.
ball valve, P (10) 222*h*.
of basaltic composition, valance of S in (3) 63*i*.
batch, feeding, P (7) 147*g*.
handling (2) 36*j*.
preparation process (10) 231*f*.
smelting with sulfate (2) 38*c*.
binary, immiscibility, effect of third component (1) 6*h*.
metastable immiscibility boundaries (8) 167*d*.
blow-molded articles, applying labels to, P (10) 222*d*.
bombardment, with ions of active gases (7) 144*a*.
bonding polymers to, P (11) 245*a*.
borate, and phosphate, Tm^{3+} and Er^{3+} absorption and emission spectra in (2) 35*a*; and phosphate, crystal field and impurity-ligand bond in (10) 219*g*.
photochromic, containing Ag halides (1) 8*a*.
boric, B in, determination by neutron absorption method (1) 6*e*.
boric acid in, differential-photometric determination (10) 220*a*.
borosilicate, B coordination in, NMR (6) 125*a*.
birefringence in, effect of thermomechanical action (1) 6*g*.
for fiber optical waveguides (8) 167*b*.
He diffusion in, effect of alkali oxides (2) 35*h*.
ion exchange reactions with molten salts in (8) 168*a*.
phase separation with P_2O_5 (9) 192*e*.
phosphate, and aluminoborophosphate (6) 122*f*.
strengthening with LiOH and/or KOH, P (2) 39*d*.
borosilicate crown, extended transition range (4) 80*h*.
borosilicate opal, durable, P (8) 169*h*.
P (7) 146*a*.
bottles, blown, with chime in shoulder portion, P (9) 194*b*.
coating, P (9) 193*h*.
history, B (5) 118*g*.
powder coating (9) 192*g*.
production of (11) 243*h*.
soda pop, strength (8) 167*i*.
spicule formation in solutions in (5) 98*a*.
stones in, and correction of surface refractory cord problem (7) 145*j*.
B_2O_3, optical determination of OH in (11) 244*d*.
relaxation of vol and index of refraction in (7) 145*i*.
B_2O_3-SiO_2-PbO-Fe_2O_3, magnetically ordered (8) 168*d*.
Ca Mg aluminosilicate, crystallization, effect of (10) 219*h*.
CaO-Al_2O_3-MgO-SiO_2, crystallization, Fe and Cr effect (3) 61*h*.
cavity structure, P (8) 169*e*.
Cd borate, S solubility in, and properties of S-containing glass (2) 38*g*.
$CdGeAs_2$, crystallization, DTA traces of activation energy (9) 192*h*.
Ce in, reduces decolorizer cost (7) 144*c*.
chalcogenide, in As-Se system, electrical and optical properties of thin films (3) 61*j*.
atomic reorientation rates in (9) 192*b*.
electrical conductivity (8) 167*d*.
electrical conductivity (8) 167*f*.
electrical changes on surface (5) 97*e*.
films, threshold switching in (10) 221*i*.
parasitic absorption bands in (3) 62*h*.
properties (10) 219*h*.
charge, electromagnetic drive of metering devices for (9) 192*g*.
chemical durability, burial experiment (7) 141*f*.
B_2O_3 effect (11) 243*i*.
chemically hardened, stress and concentration in (4) 81*b*.
cleaning composition for, organic, P (3) 63*c*.
cloth, adhesion to rubber, P (2) 39*a*.
Co, new for medical lamps (2) 37*h*.
coating, semitransparent colored, P (5) 99*f*.
colored, with Bi sulfoselenides, spectral study (1) 8*i*.

Glass colored *(continued)*
Dubal's techniques (8) 169*i*.
color indicator, Co as (3) 60*j*.
colorless, limestone for (5) 98*e*.
commercial, structural-chemical nature and stability (9) 193*d*.
ultrasonic characteristics (8) 169*g*.
composition, and articles from, P (9) 193*j*.
computerized prediction from properties (3) 61*c*.
for electrical insulators, and effect of trivalent cations on mixed alkali effect (3) 62*e*.
of Li aluminosilicate system (7) 144*h*.
P (8) 170*a*; P (9) 194*d*.
review (6) 124*d*.
and structure, correlation with state of luminescence centers (1) 5*d*.
for ultrasonic delayed action lines, P (7) 147*a*.
X-ray-absorbing, P (7) 147*h*.
compressible material, packaging, P (6) 126*c*.
concentration profiles (6) 122*h*.
containers, for aerosols, P (6) 125*d*.
bonding to cup-shaped fitment, P (11) 245*h*.
coating interior surfaces, P (8) 170*f*.
coating, P (1) 10*a*.
coating, P (5) 99*a*.
double gob, machine for (7) 145*f*.
for food, standards (10) 221*g*.
high-strength frangible (11) 244*j*.
P (11) 245*e*.
plastic-covered, P (9) 194*g*.
plastic-encased, P (2) 39*b*.
sealed, for elemental Na, P (10) 222*f*.
stress relaxation modulus (11) 245*f*.
cordierite, crystallization, review (7) 145*j*.
corrosion, environmental effects, kinetics (11) 244*f*.
by SiO_2 gel films (8) 168*f*.
and surface roughness (11) 245*g*.
in cosmic ray detectors, on moon (2) 35*h*.
Cr-, interface (9) 192*c*.
crack propagation in, effect of electrolyte pH (5) 97*j*.
crystallization, controlled, viscosimetry (6) 125*h*.
details of process (1) 8*b*.
effect of additives P_2O_5, Cr_2O_3, and Mn_2O_3 (1) 6*b*.
surface, with high Al_2O_3 and Fe_2O_3 (7) 145*h*.
from system Fe_2O_3-BaO-B_2O_3, ferrites from (7) 145*j*.
in system Ge-As-S (7) 144*d*.
in system MgO-Al_2O_3-SiO_2-TiO_2, liquation during (7) 144*j*.
TiO_2-containing (3) 61*d*.
crystallized, fine structure and properties (6) 123*e*.
microstructure and mechanical strength (10) 221*a*.
transmission electron microscopy (7) 146*d*.
Cu-As-Se, memory effect in (7) 144*i*.
switching phenomena in (3) 63*e*.
Cu fluorescence in (8) 167*f*.
cutting, thermally directed, P (8) 170*j*.
decomposable, P (8) 169*g*.
decomposition, by aqueous solutions, dependence on pH (1) 6*b*.
defects, detecting on surfaces, P (11) 245*f*.
terminology, B (9) 216*h*.
for delay lines, P (1) 9*g*.
design, twenty-five-year study (1) 7*d*.
diaphragms, plugging by distilled water (3) 62*i*.
diffusion of gases in, short-time analyses (7) 159*i*.
dissolving, in HF, mechanical stress effect (11) 243*j*.
DTA, and dilatometric analysis (7) 144*e*.
dynamics (8) 167*i*.
E-, surface free energy of wetting by vapors (3) 60*i*.
electrical resistance, dependence on temp. and tension in above-room-temp. regions (1) 5*j*.
electronic conductivity, and use in electronics (1) 7*e*.
electron probe analysis, effect of grinding and polishing (1) 6*d*.
elongated clad member, P (8) 170*b*.
for encapsulating, semiconductor devices, P (7) 153*j*.
energy transport by, in cylindrical channels (1) 7*d*.
Eu^{3+} emission spectra in (9) 192*d*.
Eu phosphate, optical spectra, relaxation and energy transfer of Eu^{3+} and Cr^{3+} in (5) 98*h*.
extrusion (2) 36*d*; (7) 144*b*.
fabric, for casts, bandages, P (1) 10*b*.
faceplate, multielement conductive, P (2) 39*a*.
failure, prevention by proof-testing (6) 124*b*.
Faraday rotation, P (5) 99*c*.
Fe-containing, viscosity and crystallization (9) 193*a*.
feeding and forming, with computer control (3) 61*e*.
and fine ceramics, B (11) 260*d*.
flashbulb, combustion, P (7) 146*c*.
flat, acoustic insulating properties (11) 243*g*.
mfg., P (1) 10*d*.
optical quality, measurement with profiloscope (3) 62*d*.
P (5) 99*j*; P (8) 170*f*; P (10) 222*b*.
float, double line production (11) 243*j*.
mfg. (10) 220*d*.
P (3) 63*j*; P (9) 194*b*; P (9) 194*h*.
fluoramphibole composition, structural changes in (7) 145*g*.
fluorescence, surface (9) 192*b*.
fluorescence of Mn^{2+} in, effect of temp. (5) 97*c*.
fluoride melts, fold formation on (10) 221*f*.
fluoroberyllate, of system BeF_2-KF-AlF_3-YF_3 (6) 123*g*.
fluorophosphate, alkali-free, electrical properties (6) 123*c*.
foamed porcelainlike shaped articles, P (10) 223*a*.
foam pellets, and matrix of foamed binder, P (8) 170*d*.

Glass footed, manual production improved (5) 98*g*.
formation, in system Ge-S-I (6) 123*j*.
in systems Tl-B-S and Tl-B-Se (6) 136*a*.
-forming, ability vs local order and covalent character in As-Te system (10) 220*f*.
-forming systems, immiscibility in (11) 244*i*.
fractions, from municipal-incinerator residues, uses (8) 167*j*.
fracture, by ruby laser (11) 258*j*.
fractured, mirror surfaces, relation to fracture mechanics (6) 138*f*.
frit, -ceramic powder composition, P (4) 81*c*.
gas content, vacuum hot extraction measurement (11) 253*g*.
gaseous inclusions, mass spectrometer analysis (5) 97*c*.
gases dissolved in, determination by high-temp. vacuum extraction and gas chromatography (2) 35*f*.
GeO_2, and B_2O_3-GeO_2 network, depolymerization by Sb_2O_3 (7) 144*d*.
germanate, mixed-cation, effect of pseudo-alkali cations on network depolymerization in (2) 36*g*.
glassy states, characteristics (1) 9*i*.
glazed unit, multiple, P (3) 64*a*.
multiple, P (9) 194*f*.
welded double, P (1) 10*f*.
gob, triple, to increase production (2) 38*j*.
grains, for durability testing (5) 98*c*.
hardness, elastic deformations in testing (1) 6*j*.
Hg apparatus, measuring liquid vapor pressure (3) 60*i*.
high-alkali, EPR spectrum (5) 98*f*.
with high coeff. of absorption, for ir radiation, P (2) 38*h*.
high-Pb, for TV neck tubes, P (7) 147*b*.
hollow, articles, P (11) 245*j*.
homogeneity, determination by Shelyubskii's method (4) 80*j*.
quantitative determination (10) 219*i*.
relation to use (1) 5*b*.
Shelyubskii's method of determination (10) 221*d*.
hot, coloring (6) 123*f*.
temp. measurements in (6) 123*d*.
imaging and development, xerographic, P (5) 99*j*.
inorganic, energy transfer for Tl^+ to Ge^{3+} in (10) 220*b*.
melts, molecular-kinetic processes in (10) 220*g*.
inorganic ions in, fluorescence standard reference materials (5) 104*f*.
inorganic oxide, cation vibrations in (9) 192*c*.
internal friction (7) 144*j*.
ion conducting, thermoelectric effects in (11) 245*g*.
ion exchange, effect on internal friction (6) 123*i*.
ion-exchanged, strength and fracture behavior (8) 168*j*.
ion-exchange-strengthened, electrically heated, P (7) 147*c*.
ir and Raman spectra (2) 36*h*.
-iron systems, interfacial reactions and wetting behavior (3) 60*f*.
ir spectra, at high pressures (5) 98*a*.
kaolinite, recrystallization (10) 221*j*.
K borosilicate, Cu bromide complex formation and structural changes in (1) 7*i*.
for kinescope bulbs, P (4) 81*a*.
K_2O-CaO-MgO-SiO_2, chemical durability (11) 243*j*.
K_2O-SiO_2, equilibrium compressibilities and density fluctuations in (11) 244*f*.
Rayleigh and Brillouin scattering in (11) 244*j*.
laminated, multilayer bodies, P (9) 194*c*.
panel, P (10) 222*g*.
safety, P (9) 194*g*.
transparent structure, P (3) 64*b*.
laminates, fatigue crack damage in, nondestructive vibration tests (2) 37*h*.
subsurface-fortified, P (10) 222*e*.
Li-Al silicate, photochemical reactions in (10) 221*a*.
light-sensitive components, effect of glass-forming compounds (3) 62*b*.
-lined, tanks, for potable hot water (8) 166*d*.
Li_2O-Al_2O_3-SiO_2, nucleation efficiency in (2) 37*i*.
Li_2O-containing, viscosity melting and firing times reduced (3) 62*a*.
Li silicate, crystal nucleation in (2) 35*b*.
Li_2O-SiO_2, liquid phase separation and crystal nucleation in (8) 168*b*.
$Li_6Si_2O_7$, structure (6) 125*a*.
long-loaded specimens, post-instantaneous creep (11) 244*g*.
luminescent (2) 37*d*.
machining, by ion sputtering (7) 144*e*.
-making, DTA in (1) 22*f*.
history, B (5) 117*d*.
mass transport (11) 245*i*.
-melting, defects, effect of materials mixing and sizing (7) 145*a*.
electric (11) 244*j*.
electrical, electrode effect, model (11) 244*b*.
electrode (7) 144*f*.
electrodes for (11) 244*b*.
improved time (2) 36*a*.
$MoSi_2$ in (9) 192*d*.
rasorite effect (6) 124*c*.
at Underwood (7) 146*e*.
melts, bubbles in (1) 5*d*.
composition variation (5) 98*d*.
dissolution of vitreous SiO_2 in (1) 6*a*.
inhomogeneities, lab-scale, photographing and interpreting (1) 8*a*.
physical solubilities of He, Ne, and N in (2) 37*g*.
and refractories, heterogeneous layer between (10) 221*e*.
silicate and borate, immiscibility in vitron theory (9) 192*j*.
SO_3 from furnace atm to (1) 6*f*.

Glass melts *(continued)*
surface tension, measuring (1) 8*f*.
-to-metal, adherence, effect of CdO and SnO_2, and temp. (9) 191*i*.
contact conditions in forming hot viscous glass (3) 62*f*.
effect of CdO and SnO_2 (11) 243*e*.
interface reactions and adherence, effect of composition (3) 60*f*.
to metal bonding, electron-microprobe study (6) 122*c*.
-metal module, for integral mounting to substrate, P (8) 175*h*.
metaphosphate, Ag-activated, dosimeter properties (3) 61*e*.
Mexican, in lighting fixtures (7) 145*d*.
mfg., fuel ashes and slags in (1) 9*f*.
P (9) 194*e*; P (10) 222*i*.
from prereacted batch and composition, P (8) 170*b*.
system, P (5) 99*f*.
Mg high polyphosphate, thermal properties and crystallization (10) 221*h*.
microanalysis, with electron microprobe (10) 220*e*.
microspheres, coatings, reflex-reflective characteristics (4) 81*a*.
hollow, and composites, P (11) 245*g*.
hollow, from shirasu (7) 144*g*.
mixed-alkali, Na self-diffusion in (6) 124*d*.
mixed alkali effect in (5) 98*b*.
model, for study of natural and technological processes (1) 7*a*.
molten, and additives, homogenization, P (7) 147*h*.
gob distribution system, P (7) 147*b*.
temp., measurement by Pt thermocouples (10) 220*h*.
$MO.P_2O_5$, Fe spectroscopy and redox in (6) 124*h*.
multiband-transmitting, low-expansion, P (10) 222*a*.
nabal, diffusion studies in (1) 6*i*.
Na borate, structural characteristics (6) 124*j*.
Na borosilicate, anomalous birefringence in (6) 122*g*.
B coordination in (1) 5*f*.
glassy phase separation in (2) 36*i*.
phase-separated, leaching (10) 220*j*.
segregation of rare-earth activator in liquation (7) 145*b*.
ultrasonic loss in (9) 193*j*.
Na-Fe-SiO_2, wetting and adherence to steel (10) 219*e*.
Na phosphate, heat of solution (6) 123*c*.
with metal ion impurities, uv transparency (1) 9*e*.
stress relaxation mechanism (8) 169*c*.
Na silicate, He migration in (6) 123*b*.
Na-Ti silicate, ESR spectra (5) 97*h*.
Na_2O-Al_2O_3-SiO_2 and Na_2O-CaO-SiO_2, relation to microindentation hardness (3) 63*c*.
Na_2O-B_2O_3, and Na_2O-NaCl-B_2O_3, uv absorption of Bi(III) in (6) 125*f*.
Na_2O-Cs_2O-SiO_2, diffusion of alkali ions in (5) 97*h*.
Na_2O-PbO-SiO_2, Fe and Cu spectroscopy and redox in (6) 124*e*.
Na_2O-SiO_2, immiscibility temp. (6) 123*c*.
nucleation process in (1) 8*j*.
viscosity (5) 98*f*.
Na_2O-TiO_2-SiO_2, property-composition-substructure relations in (11) 244*i*.
X-ray diffraction studies (5) 98*i*.
Na_2O-WO_3-SiO_2, radiation color centers in (5) 98*g*.
$Na_2O.3SiO_2$, electrical relaxation in (3) 61*b*.
network, vibrational characteristics, relation to glass transition temp., correction (11) 245*b*.
neutral gray, P (7) 147*b*.
nose caps, for missiles and rockets, P (6) 125*i*.
objects, metal coatings on, chemical deposition, P (8) 169*f*.
opal, chemical durability, P (10) 222*e*.
optical, abrasion, microindentation hardness, and maximum fracture velocity in (1) 8*g*.
with anomalous partial dispersion, P (1) 10*c*.
attenuation limits in wave guide materials (10) 220*c*.
comprising AlF_3, P (6) 126*b*.
diffraction grid, P (8) 170*e*.
electrostriction and Kerr effect in (10) 221*c*.
elements, P (8) 170*e*.
elements with aspherical surfaces, P (3) 64*c*.
fluorophosphate, P (10) 222*a*.
fresnelled element matrix, P (10) 222*f*.
with high refractive index and high color dispersion, P (3) 64*a*.
high-index, P (1) 9*h*.
lens, Fresnel aspheric, P (10) 222*h*.
lenses, finish polishing, P (5) 99*f*.
lenticular grid for display apparatus, P (10) 222*i*.
levitation by radiation pressure (10) 220*j*.
materials, laser induced damage in (2) 37*c*.
P (5) 99*e*; P (8) 170*e*; P (10) 222*i*.
phosphate, P (3) 64*d*.
reticles, star tracking, P (2) 39*c*.
scanner, flying-spot, P (10) 222*g*.
smoothly granulated surface, P (6) 126*a*.
stress-optic coeff. in, dispersion (7) 144*f*.
surface deterioration by acidic vapor (7) 145*i*.
surface, X-ray reflection efficiency, P (2) 49*a*.
wave guides, attenuation in (10) 222*a*.
optical properties, with NiO coating (9) 192*d*.
organic, trapped free radicals and electrons in (9) 193*h*.
oxide, containing Ag or Ar spheres (6) 122*i*.
melts, liquid-liquid phase transitions in, study by viscosity measurements (2) 36*j*.
optical properties of Tl, Pb, and Bi in (8) 168*j*.
of system P_2O_5-Al_2O_3-Cs_2O, structure (11) 245*h*.
P (7) 146*i*.

Glass Pb, batch, thermal analysis (8) 169*d*.
Pb bismuthate, ir-transmissive, P (7) 147*c*.
Pb borate, and Pb silicate, spectrophotometry (7) 145*f*.
Pb crystal, physical properties (3) 63*g*.
Pb-Ge, crystallization, ir spectroscopy and electron microscopy (6) 125*b*.
Pb silicate, anionic conductivity in (3) 60*i*.
coeff. of secondary electron emission (6) 123*b*.
electron emission spectroscopy (9) 192*h*.
of phase As_2Se_3-Tl, optical properties (6) 124*h*.
phase-separated, lasing in (3) 62*a*.
small-angle X-ray scattering and scattering of visible light by (2) 38*f*.
phase separation in (10) 220*h*.
phosphate, Ag-activated, dosimeter properties, effect of melting and heat treatment (3) 62*a*.
batched with nitrite, P (10) 223*c*.
energy transfer between Sm and Eu in (1) 7*c*.
forming to inoculate water, P (7) 147*h*.
optical spectra of Yb^{3+} in (5) 98*c*.
silicate, and germanate, Yb^{3+} coordination in (4) 80*h*.
phosphosilicate, chemical vapor deposition (8) 167*c*.
reactive sputter deposition, P (10) 222*g*.
photochromic, darkening, factors affecting (9) 193*c*.
high refractive index, P (3) 63*h*.
thermally darkening, P (9) 195*c*.
phototropic, activated by TlCl (1) 8*b*.
P (8) 170*f*.
physical properties, B (11) 260*e*.
plate, handling and cutting system, P (10) 222*j*.
stress distribution in (7) 145*f*.
tempered, residual stress in (8) 168*d*.
thickness, measuring, P (7) 147*a*.
polymeric coatings on (8) 168*c*.
pouring vessel, P (1) 10*d*.
powders, fast-setting hydraulic cements from, P (7) 146*g*.
in preparation of radioactive tracers (1) 7*b*.
pressing, heat transfer occurring in, predictions by Groeber diagrams (3) 62*i*.
process, P (8) 170*g*.
products, checking and control, new techniques (3) 60*i*.
properties, changes due to external thermomechanical action (1) 5*b*.
ion-exchange study (9) 192*i*.
polymer theory (10) 221*c*.
Pyrex, ion exchange with eutectic LiCl-KCl (3) 62*g*.
P_2O_5, colorless, P (11) 245*a*.
quartz, corrosion by simple glasses, boundary layers in (1) 5*h*.
viscosity and structure (5) 98*j*.
quenched, internal stresses in (9) 193*f*.
radiophotoluminescent, dosimeter properties (10) 221*h*.
raw materials, control (3) 63*c*.
preparation (11) 244*i*.
reaction with H_2O, kinetics (1) 7*i*.
recycling (2) 38*b*.
reflective signs, P (7) 147*d*.
-reinforced, injection-molding pellet, P (4) 81*c*.
research, and enameling (6) 122*a*.
Five-Year Plan (10) 220*g*.
twenty-five years (1) 9*d*.
ribbon, float process, P (6) 125*c*.
ribbonlike, P (9) 194*h*.
safety, interlayer, P (6) 126*d*.
P (5) 99*i*.
sand, batching, moisture-corrected (1) 8*g*.
scattered light photoelasticity, by Ar ion laser (8) 168*g*.
sciences, progress in (1) 8*e*.
semiconducting, endotherm in switch-on process in (3) 61*d*.
endotherm in switch-on process in (5) 97*d*.
low cost electronics from (7) 145*c*.
with low resistance, P (5) 99*h*.
preswitching phenomena in (8) 168*a*.
secondary electron emission (10) 221*d*.
semiconductor, magnetic susceptibility (6) 122*j*.
shaping, P (8) 170*b*.
sheet, bending, P (11) 245*a*.
bent tempered (9) 194*h*.
bonded fibrous material, P (7) 146*j*.
of circular cone geometry, light deviation by (11) 259*c*.
compression sagging, P (8) 169*g*.
cutting, P (6) 125*i*; cutting, P (11) 245*b*.
developments in last 25 years (1) 9*b*.
drawing, P (9) 194*a*.
ducted assembly and composite article, P (10) 222*f*.
float, 1/4 mile long (7) 145*h*.
heating and bending, P (1) 9*h*.
ion-exchanged, removal of K^+ by electrolysis (6) 124*a*.
liquid quenching, P (4) 81*h*.
mechanical properties (1) 8*c*.
molding compound and materials of, P (9) 194*j*.
with outline shapes, P (6) 125*g*.
packages, P (4) 81*j*.
press shaping, P (5) 99*c*.
stain retardant and separator interleaving material for, P (7) 146*c*.
stresses in, calculation (1) 5*a*.
supporting with tongs for heat-treating, P (8) 170*c*.
tempering with liquid flows, P (7) 147*g*.
thickness control, P (7) 147*e*.
treating during shaping and cooling, P (6) 126*b*.
treatment, P (8) 170*j*.
vertical drawing, flow and edge control in, P (1) 9*e*.
signal, color specifications (9) 193*g*.

Glass silicate, chemical stability, B (8) 188*h*.
chemically strengthening, P (11) 245*e*.
complex, undulating structure in (7) 146*e*.
dealkalization (11) 244*i*.
electrical and mechanical relaxations in (7) 144*a*.
and germania, crystalline ordering in (4) 80*h*.
germania, and Na silicate, Raman spectra (4) 81*a*.
mobilities of cations Li^+ and Na^+ in (3) 61*a*.
mobility of Li^+ and Na^+ ions in (10) 219*j*.
Na-K exchange in (11) 244*b*.
Pb and soda-Ca, spectral transmission, effect of colorants (2) 35*i*.
phosphate, and borate, Er^{3+} cross section for stimulated emission with (5) 98*e*.
ratio of concentration of Fe^{2+}/Fe^{3+} in (4) 80*j*.
shear modulus and ultrasound attenuation in (6) 125*e*.
structure (10) 221*e*.
tracer diffusion and ion exchange in (11) 245*a*.
vibrational spectra (2) 38*j*.
silvering, stabilization of solutions, P (7) 147*f*.
SiO_2, fused, and silicate, vacuum uv absorption in (5) 98*d*.
SiO_2-Al_2O_3-K_2O-Na_2O, thermal expansion and formation on leucite in (6) 123*g*.
in SiO_2 bricks (6) 133*a*.
slag, chemical nonuniformity (7) 144*c*.
processing, P (4) 81*i*.
in system Na_2O-CaO-Al_2O_3-SiO_2, effect of F on viscosity (1) 6*c*.
of system SiO_2-Al_2O_3-CaO-Na_2O, viscosity (9) 193*b*.
thermographic study (1) 9*c*.
$Sn_x(As_2Se_3)_{1-x}$, Moessbauer study (6) 124*d*.
SnO_2 conducting films on (6) 124*a*.
soda borosilicate, tie lines (3) 61*e*.
soda-lime, melting-fining rate (7) 144*f*.
powder, reactions with water, to produce cements (5) 95*i*.
stress corrosion susceptibility (8) 169*b*.
subcritical cracking (2) 48*j*.
surface reactivity (6) 125*d*.
soda-lime-silica, chemical analysis (11) 243*i*.
crack propagation in, effect of Na-H ion exchange (4) 80*h*.
Na silicate for (3) 62*c*.
strength and thermal-stress resistance (7) 144*g*.
soda-silica, interaction of ions and formation of Ag colloids in (11) 244*d*.
phase-separated, properties (2) 37*i*.
solder, Al_2O_3 to Nb metal seals formed by (8) 169*e*.
and glass-crystalline cements (7) 145*e*.
P (9) 195*a*.
solder-stop, nonflow, P (3) 64*a*.
soluble, as binding agent of concrete (10) 218*i*.
specific heat, and enthalpy (2) 37*e*.
spodumene in, substitute for petalite (7) 145*f*.
Sr borate, ESR of Mn^{2+} in (3) 61*b*.
strength, correlation with glassy microphases (3) 61*c*.
effect of surface microstructure (8) 167*d*.
strengthening, by dynamic hydrothermal method (8) 169*a*.
and increasing scratch resistance, P (10) 222*h*.
stress relaxation function (9) 193*d*.
stronger (7) 144*i*.
structure, conversions, luminescence in study of (1) 8*a*.
and liquids, relation to gas solubility (2) 36*e*.
and phase separation, studies (1) 9*j*.
properties, crystallization, phase separation, information review (2) 38*b*.
X-ray emission spectroscopy (3) 60*i*.
submicrostructures, coalescence of second phase particles in phase separation (2) 35*g*.
substrates, with electrically conductive surface, P (3) 63*e*.
film thickness, X-ray determination (7) 146*g*.
photochromic films on, P (1) 10*c*.
sulfide, Ag-containing, properties (6) 124*b*.
surface, crystal growth from, by electron beam bombardment (3) 62*c*.
degradation by liquid tempering (1) 5*i*.
detergent effect (9) 1.
light guide paths comprising densified regions in, P (6) 125*f*.
mechanical properties (9) 192*c*.
metal decorations on, P (8) 170*g*.
reaction with polymeric coating (9) 192*g*.
$SnCl_2$ conductive coating on, P (5) 99*b*.
structure, X-ray spectral study (9) 193*c*.
treatment, P (1) 10*g*.
treatment, P (5) 99*i*.
treatment with molten materials, P (8) 170*i*.
surface films, effect on laser damage (7) 144*j*.
surface layer, effect of alcohol (3) 61*f*.
synthesis, for coordinated seal with Kovar (8) 169*c*.
synthetic, similar to blast-furnace slags, hydration products (7) 142*f*.
system, $Al(PO_3)_3$-BaF_2-RF_2 (R = Mg, Ca, Sr), formation and properties (1) 8*e*.
As-Se, crystallization (2) 51*j*.
As-Se-I, crystallization (2) 35*d*.
As-Se-Tl, microheterogeneous (2) 37*f*.
As_2S_3-Tl_2S, and As_2Se_3-Tl_2Se, viscosity (1) 7*g*.
Ge + As + Te, electrical conductivity of melts in (2) 36*a*.
Ge-As-Te memory switching, forming region and DTA survey in (2) 36*g*.
$Ge_{30}Se_{70-x}Te_x$, switching phenomena in (5) 98*a*.
Li_2O-Tb_2O_3-SiO_2, crystalline phases and fluorescence (1) 5*f*.
M_2O-In_2O_3-GeO_2 (M = Li,Na,K) (8) 168*b*.

Glass system *(continued)*
- Na_2O-Al_2O_3-SiO_2, X-ray diffraction studies (1) 9*j*.
- Na_2O-BaO-SiO_2, immiscibility, nucleation, and crystal growth in (2) 36*b*.
- Na_2O-CaO-SiO_2, crystal growth in (9) 192*f*.
- Na_2O-PbO-SiO_2, ultrasonic speed (9) 193*h*.
- $Na_2Si_2O_5$-$BaSi_2O_5$, phase equilibria and crystallization kinetics (6) 124*h*.
- phase-separated (2) 37*j*.
- R_2O-Al_2O_3-SiO_2, acid resistance (2) 35*b*.
- RO-R_2O-SiO_2, as basis of low-melting fluxes for porcelain, ceramics, glass, and enamels (2) 36*e*.
- Sb-Ge,Se, effect of replacing Ge by Sn on glass formation and physicochemical properties (1) 6*e*.
- SiO_2-Al_2O_3-CaO-Na_2O, crystallization and viscosity properties (8) 167*f*.
- SiO_2-Al_2O_3-MgO-B_2O_3-TiO_2-Li_2O, vitrification and properties (7) 146*f*.
- SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO, viscosity-temp. relations in (1) 9*g*; SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO, viscosity-temp. relations in, correction (8) 169*i*.
- SiO_2-CaO-$MgO_A$$l_2O_3$-$Fe_2O_3$, crystallization (8) 167*c*.

technical, hardening stresses in (1) 7*f*.
tempered, residual stresses in (9) 193*a*.
- stress state, tensometric study (1) 9*b*.

tempering, in liquid, P (2) 39*e*.
thermometer bulb, P (9) 194*d*.
thin, circular plates, mechanical strength (3) 61*d*.
^{47}Ti and ^{49}Ti hyperfine lines in (9) 193*b*.
TiO_2-SiO_2, neon migration in (7) 145*e*.
- P (1) 10*f*.

Ti silicate, refractivity variation from heat treatment (2) 38*c*.
toughening, P (9) 195*a*.
transition metal ions, magnetic properties (3) 62*b*.
transparent articles, P (7) 147*g*.
transparent heat-ray-reflecting, sputtering method for, P (3) 64*d*.
treatment, P (1) 10*e*; P (9) 195*a*.
TV funnel mold ring, P (4) 81*h*.
use, potential (6) 123*a*.
viscosity, new constants (1) 4*d*.
viscous, hot, sliding on metal surfaces (1) 8*d*.
vitreous phase, in technical materials, B (6) 140*j*.
V phosphate, NMR (4) 80*i*.
W adherence to, P (8) 174*d*.
-ware, damage in dishwashers (2) 35*e*.
- glazing, gas burner for, P (5) 99*e*.
- hand-cut crystal, production costs lowered (8) 168*f*.
- laboratory, valve for, P (2) 39*d*.
- phase-separated industrial pressed, surface defects (1) 8*j*.
- strengthening, P (7) 147*f*.
- table, marketing (6) 123*g*.

waste, as flux for brick clays (5) 100*a*.
- glass wool from (6) 123*b*.

from wastes, of nonferrous metallurgy plants (8) 168*a*.
water-soluble, polymer coatings for (6) 125*i*.
window, float-bath structure, P (7) 147*h*.
windshields, laminated safety float, P (4) 81*e*.
- safety, P (2) 39*c*.

working, and treatment, heat exchange problems (1) 8*c*.
-works, mathematical models in (7) 145*b*.
Yb-Tb and Yb-Lu activated, cooperative processes in (11) 243*i*.

Glass, electroless Ni plating on, P (1) 9*d*.

Glass-ceramics, analysis, with SEM (5) 97*h*.
articles, P (2) 38*h*; P (8) 169*j*.
- reduced SiO_2-nucleated, P (5) 99*g*.

body, P (7) 146*i*.
carrier particles, in electrostatographic developer, P (7) 146*f*.
cementing method, low-expansion, P (5) 99*i*.
chemical nonuniformity (7) 144*c*.
coatings, acid-resistant (2) 35*c*.
- heat-resistant (1) 4*e*.
- reaction with Ti (2) 34*e*.

containing mullite, P (8) 170*a*.
containing pollucite, P (7) 146*j*.
dielectric constant, temp. stabilization (7) 146*a*.
with different crystallization extents, P (11) 245*f*.
ferrimagnetic, P (3) 63*f*.
ferro-, properties (7) 145*h*.
high quartz solid solution, density, effect of composition (3) 61*g*.
- function of mixed oxide nucleating agents in (1) 7*j*.

Li_2O-Al_2O_3-SiO_2, thermal expansion coeff.-crystallinity relations in (7) 146*d*.
machinable (1) 8*b*.
materials, corundum-based, sintering (1) 7*h*.
- P (8) 169*j*.

mfg., fuel ashes and slags in (1) 9*f*.
from MgO-Al_2O_3-SiO_2 system (7) 145*j*.
mica, P (1) 10*b*.
microstructure, and bending strength (8) 168*f*.
- formation of (5) 97*i*.

opaque, subcritical cracking (2) 48*j*.
photo-, fine structure (5) 97*e*.
with reflective surface, P (10) 222*h*.
research, and enamels (6) 122*a*.
sintered, synthesis (1) 8*c*.
slag, with different Fe_2O_3/MgO ratios (8) 168*h*.
$SrTiO_3$, applications (4) 86*b*.
of system Li_2O-Ga_2O_3-SiO_2, thermal distribution (7) 146*b*.
in system SrO-Al_2O_3-SiO_2-TiO_2, synthesis (9) 193*e*.
tetrasilicic mica, method, P (8) 170*i*.

Glass-ceramics from wastes, of nonferrous metallurgy plants (8) 168*a*.
white-slag, crystallization from ZnS melt in (9) 192*e*.
- dark film on surface (7) 145*e*.

Zerodur, telescope mirror blank cast in (4) 80*g*.

Glass industry, accident prevention (2) 56*h*.
autoramics in (2) 56*g*.
batch plant, automated, for better quality (7) 144*a*.
bottles, nonreturnable, legislative effects (9) 192*b*.
Boussois, specialty and windshields (8) 168*j*.
Brockway Pomona (7) 144*c*.
combustion pollution in (8) 167*c*.
computer systems in (3) 62*b*.
container, breakage problems (3) 63*d*.
- future (11) 244*f*.

economics, in Rocky Mountain area (6) 123*a*.
German, price list of 18th century (10) 220*b*.
hollow, developments since World War II (1) 9*a*.
L-O-F, water pollution controls (7) 144*h*.
mathematical methods in (7) 145*a*.
modernization (7) 145*e*.
pollution, reduction by pyrodecomposition (6) 122*g*.
protection equipment, for workers (11) 244*b*.
refractory materials for, review (9) 192*i*.
sheet, data logging system in (6) 122*g*.
synthetic mullite materials in (6) 127*e*.
table, automatic mixing of batch and presses speed production (2) 35*e*.
Wheaton, automated batching in (9) 192*b*.

Glassmaking equipment, for advancing strand, P (10) 222*b*.
for annealing, conveying, transferring, and spraying ware, P (10) 222*b*.
for arranging articles, in staggered rows, P (7) 146*g*.
automatic, for bottles, P (3) 63*b*.
- tube-transfer fire-polishing, P (4) 81*e*.

bath, for use installation for sheet, P (7) 146*j*.
for beaded filament-coil components, for lamps, P (8) 170*i*.
for bending, hot tubes, P (9) 193*e*.
- press, sheets, P (9) 193*g*.
- ribbon, P (10) 222*b*.
- sheet, P (5) 98*j*.
- and tempering sheets, P (8) 170*g*.

bending roller, Libbey-Owens, electrical analogy of thermal conditions (1) 7*b*.
for beveling edges, of TV picture tube funnel, P (10) 222*d*.
for blending, molten, P (7) 147*d*.
blow head, P (8) 169*d*.
blow molding, hollow bodies, P (9) 193*h*.
- P (9) 193*h*.
- safety device for, P (9) 194*j*.

bottle crusher, hydraulic powered, for recycling, P (4) 81*e*.
- P (5) 99*a*.

for bulbs, mold operating mechanism for, P (1) 10*b*.
burner, for making glass wool, P (7) 146*a*.
chopper, for linear material, P (8) 169*f*.
for coating, surfaces, P (7) 147*e*.
for containers, flaw inspection, P (9) 19.
- P (3) 64*a*.

for controlling, flow of batch in furnace, P (10) 222*d*.
conveyor, for sheets, P (2) 38*e*.
- for sheets, P (7) 146*h*.
- for sheets through bending and tempering stations, P (5) 98*j*.
- textured roll, and finishing method, P (7) 147*g*.

for cutting, noncontact thermal, P (3) 64*e*.
- P (7) 146*d*; P (9) 194*a*; P (10) 222*f*.
- ribbon, P (3) 63*b*.
- sheet, P (3) 63*j*.
- table, P (10) 222*i*.
- tubes, P (5) 99*j*.

for detecting, container cracks, P (1) 9*f*.
- defects in sheet, P (9) 194*i*.
- flaws, radiation-sensitive, P (10) 223*a*.
- optical flaws, P (9) 194*i*.

for determining contours, P (9) 194*i*.
dimpling glassware, P (3) 63*h*.
for dispensing, InI_3 pellets into lamps, P (8) 170*g*.
draw pot skimmer, P (3) 63*d*.
for embedding metal pins, in panel, P (3) 63*j*.
for faceplates, P.
feeder, plunger support for, P (5) 99*f*.
for feeding, and orienting bottles, P (7) 146*h*.
- rods, P (9) 193*e*.
- scoring, and breaking tubing, P (6) 125*g*.

for fiber optic, light pipes, P (3) 63*j*.
for fibers, cushioning material, P (9) 194*j*.
- impregnating with synthetic resins, P (6) 125*a*.
- level control means, P (8) 170*e*.
- P (2) 38*e*; P (3) 64*a*; P (4) 81*e*; P (9) 194*j*.
- preform, P (9) 193*f*.
- providing controlled quench in, P (2) 38*j*.

for fine filaments, from vitreous materials, P (8) 170*i*.
for flat, P (7) 147*f*.
for float, edge-roll machine in, P (4) 81*j*.
- P (10) 222*c*.
- wire insertion, P (7) 146*h*.

float chamber, P (5) 99*e*.
forehearth, addition section, P (7) 146*h*.
forming, safety valve system for, P (9) 194*j*.
for forming finish, on container, P (8) 170*h*.
for fracture control, P (3) 63*i*.
frequency-measuring, in temp.-measuring method, P (9) 195*b*.

Glassmaking equipment for generating gaseous blast, P (9) 193*e*.
for glazing units, all-glass multiple sheet, P (5) 99*a*.
- hermetically sealed, P (9) 193*g*.

gobs, and parisons, scrubbers and drills (8) 167*h*.
for gripping bottles, P (5) 99*g*.
handling, articles, P (8) 169*a*.
- plate, power unit for, P (9) 194*g*.

header system, for multibore tubing, P (10) 222*j*.
for homogenizing, viscous molten, P (10) 222*d*.
ignition flash, control means for, P (1) 9*i*.
for incising web, P (3) 63*j*.
for inspecting, bottle, P (9) 194*j*.
- bottle, P (10) 222*e*.
- bottles, P (7) 147*g*.
- for bottles, P (8) 169*d*.
- dielectric members, P (4) 81*f*.
- P (6) 125*e*.

jar handling system, P (7) 147*b*.
for lapping, of optical surfaces, P (9) 193*e*.
for leaching, films, P (9) 193*f*.
lehrs, heating section, P (10) 222*a*.
- radio telemetry to measure temp. in (6) 123*j*.
- roll millboard from asbestos fibers, P (1) 9*j*.

liquid flow, proportioning system, P (3) 63*i*.
liquid quenching, sheets, P (8) 169*j*.
locating devices, P (2) 39*e*.
in melters, to transfer particulate material, P (11) 245*a*.
-melting, P (11) 245*d*.
mold-lubrication, funnel-arm-mounted, P (7) 146*i*.
mold opening, multiple-cavity, P (7) 147*b*.
for monitoring, configuration of ribbon, P (7) 146*h*.
motors for, improved (2) 35*f*.
for multibore tubing, P (10) 222*c*.
for multiple sheet glazing units, P (7) 146*i*.
operating time, optimization (10) 220*j*.
orifice ring, precision, formed by diamond drills (11) 241*f*.
for packaging, linear material, P (2) 38*e*.
- linear material, P (6) 125*b*.

packing sheet, P (3) 63*i*.
for panes, P (2) 38*d*.
pickup and transfer, of containers on conveyors, P (7) 146*i*.
plate stacking, P (11) 245*h*.
pneumatic article spreader, P (1) 10*c*.
for pressed articles, with hot polishing (2) 35*e*.
for processing, molded bodies, P (8) 170*i*.
for recovering, discrete gobs of molten glass, P (8) 170*j*.
for ribbon, surface-modified, P (10) 223*a*.
ribbon forming, removal of glass article from, P (8) 170*h*.
rolling, P (3) 63*h*.
for sealed tubular bodies, and packaging, P (9) 194*a*.
severing sheet, P (3) 64*e*.
for shaping, hollow bodies, by plurality of jets, P (3) 64*c*.
- sheets, P (2) 39*e*.

for shearing, uniform charges from molten stream, P (9) 193*g*.
for sheet, continuous, P (10) 222*c*.
- conveyed, controlling temp., P (10) 222*b*.
- crystalline material from glass band, P (7) 147*f*.
- handling, P (1) 10*a*.
- to keep stacks in spaced relation, P (11) 245*j*.
- P (7) 147*c*; P (11) 245*d*.
- shaping frame, P (10) 222*i*.

for spheres, P (10) 222*c*.
spinner, for fiberizing molten mineral material, P (4) 81*g*.
stirrer, in glass tank (8) 177*j*.
strand guide, P (10) 223*a*.
for stream feeder, P (10) 222*c*.
tempering, die construction, P (3) 63*h*.
for thermal severing, directional control, P (4) 81*h*.
for thermoplastic materials, P (8) 170*f*.
tongs, for suspending sheets, P (10) 223*a*.
tool holder, P (6) 126*a*.
transfer mechanism, P (2) 38*i*.
for transporting ware, P (5) 99*a*.
triple gob, to increase production (2) 38*j*.
two-piece lens, P (1) 10*f*.
vapor deposition, with air mask, P (1) 10*f*.
-ware, article handling, P (1) 9*b*.
weir-like body, entending from below into moving molten glass, P (2) 39*e*.
for wet strandlike material, P (6) 125*a*.
for winding, filaments, P (3) 63*a*.
windshield, blanks, P (3) 64*c*.

Glazes, alkaline (4) 77*f*.
from Barnard slip (4) 77*i*.
brown glost firing, bubbles in, and firing problems (10) 225*a*.
calculation, B (4) 94*h*.
ceramic, B (6) 140*f*.
- and composition (2) 41*b*.
- properties, effect of particle size distribution of nonplastic glaze constituents (2) 41*e*.

Co blues, at cone 9 (4) 77*i*.
components, calculators (2) 31*h*.
Cu reds, local reduction (4) 78*a*.
electroconductive, P (2) 41*a*.
firing properties (11) 248*d*.
frit, wall tile, Sb-Pb yellow for (9) 198*f*.
and frit production (4) 84*e*.
fritted, leadless, bright opaque (9) 198*a*.
- opaque (9) 198*h*.

lead, review (6) 128*e*.
mat (9) 198*i*.
porcelain, bubble formation in, firing atm effect (9) 198*f*.

Glazes porcelain *(continued)*
surface attack by detergents (10) 225*c*.
for potter, and clays, B (9) 216*d*.
raku, reduction (4) 78*b*.
reduction (2) 41*b*.
semiconducting, for high tension porcelain insulation (5) 101*c*.
for high voltage insulators (10) 225*c*.
semicrystalline, for whiteware bodies, low expansion (4) 84*f*.
spectrum, using wood ash (2) 31*h*.
suspensions, segregation during formation of glaze layers (4) 84*e*.
and volcanic ash bodies (4) 78*c*.
yellow (4) 78*d*.
Glazing, automatic, insulators (7) 149*i*.
dust (4) 77*j*.
easy (9) 198*b*.
for strengthening, ceramic material, P (5) 101*c*.
Gold, adherence, to insulating layer on semiconductor substrate, P (6) 129*i*.
evaporation, for decorating glass surfaces (1) 5*h*.
glass adherence to, P (8) 170*a*.
Goniometers, technique, for study of orientation (1) 21*j*.
X-ray, for X-ray analysis of crystal structure, P (5) 105*d*.
Grain boundaries, grooving, in CoO (8) 182*b*.
NiO, electrical properties (5) 109*d*.
segregation, in Al_2O_3, MgO-doped (1) 25*j*.
sliding, effect on axial strain during diffusion creep (5) 107*f*.
superplasticity, and creep (9) 215*e*.
Grain growth, experiments, B (7) 164*d*.
isothermal, of PLZT ceramics (10) 226*h*.
and sintering in ThO_2 and ThO_2-CaO (2) 46*j*.
kinetics, in Er_2O_3 film (9) 211*a*.
of MgO, effects of B_2O_3 (7) 162*b*.
of oxides, interrelation of pore and grain size during (6) 136*f*.
in (W,Ti)C-Co alloys (6) 138*f*.
Granite, machining, P (8) 177*g*.
Granular materials, conveyance, hydraulic (2) 47*g*.
conveying, elevator for, P (1) 21*a*.
crushing strength, device for measuring (11) 253*g*.
extraction, with liquid extractant, P (7) 156*h*.
feeding, vibratory, P (7) 156*f*.
fine, heat exchange with gas, P (7) 157*j*.
high density, effect on reaction rate of mineralization (1) 3*e*.
homogenizing, container for, P (11) 252*g*.
mixer for, P (7) 156*e*.
mixing, vibrating trough for, P (1) 21*d*.
molding, P (3) 71*h*; P (7) 156*d*; P (9) 204*b*.
oxide bodies, dispersion and elastic expansion (1) 20*i*.
penetration, with wedge-shaped tools (10) 231*i*.
pourable, screening, P (7) 156*c*.
preparation, continuous, P (5) 104*b*.
raw mixtures, firing, effect of gypsum (1) 3*c*.
screening, P (11) 253*a*.
separator for, P (8) 177*d*.
solids, spreading appliance for, P (8) 177*e*.
storage, in silos (4) 88*d*.
and water mixture, water separating from, P (8) 177*g*.
Graphite, articles, joining, P (6) 128*b*.
oxidation-resistant, P (4) 84*b*.
coatings on (8) 171*h*.
dielectric constant, in uv (7) 150*i*.
disk, with removable wear faces, P (5) 100*e*.
dry lubricated materials, members, and systems, P (11) 247*g*.
electron-irradiated, thermoelectric power (8) 173*f*.
filaments, carbide coatings for (1) 4*d*.
foils, single crystal, HVEM damage studies (5) 110*e*.
graphitizing, fibers, P (2) 40*f*.
low-grade, origin and beneficiation (7) 158*g*.
magnetoresistance (9) 211*h*.
new products (4) 82*j*.
oxidation-resistant, compositions, P (6) 134*g*.
polycrystalline, porosity effects in (1) 24*g*.
products, P (4) 87*g*.
pyrolytic (7) 158*h*. coating articles with, P (7) 149*b*.
electron-irradiation damage and recovery in (10) 230*i*.
and metallic members, joined body, P (5) 100*f*.
P (7) 149*c*.
-Br residual compounds, resistivity (7) 151*i*.
reactor-grade, electrical resistivity (10) 231*b*.
electrical resistivity and thermal conductivity (10) 230*f*.
research, in Germany (2) 40*g*.
resistance heater, test capsule, P (11) 248*b*.
single crystals, growth (2) 53*d*.
Graphitization, of carbon, precipitating through UC_2 reaction with N (2) 46*d*.
Grinding, cement, optimization of fineness of raw material mixture (2) 33*e*.
diamond, of high-Al_2O_3 and magnesite-chromite products (1) 11*f*.
Grinding apparatus, abrading, for electrical and electronic components, P (2) 43*f*.
P (7) 141*d*; P (8) 165*e*.
-blender, tiltable, P (2) 50*h*.
drill bits, diamond, P (4) 77*e*.
fluid energy, for increasing bulk density, P (10) 232*a*.
for glass, bottoms of drinking glasses, P (1) 9*b*.
impact, operation, P (6) 132*c*.
members, P (11) 241*e*.
for mineral materials, P (6) 132*b*.
P (9) 204*c*.
and polishing, P (8) 165*e*.
wheels, abrading, P (10) 217*e*.
Grinding apparatus wheels *(continued)*
abrasive, dressing, P (9) 189*f*.
abrasive, modular, P (2) 31*d*.
abrasive, reinforced, P (6) 119*f*.
abrasive, segmental, P (11) 241*f*.
Al bond, for glass (8) 165*d*.
buffing, P (8) 165*e*.
cup, P (6) 119*f*.
cutting-off, with metal-coated sides, P (1) 1*f*.
diamond, for Al_2O_3 (5) 95*f*.
diamond, effect of wheel speed (11) 241*d*.
diamond, measuring wear (5) 95*g*.
diamond-impregnated, in crystal glass cutting (8) 168*f*.
efficiency as function of vol parameter for new texture standard (2) 31*d*.
fiber-reinforced, P (1) 1*g*.
forming relief portions in periphery, P (4) 77*d*.
mfg., P (1) 1*e*; mfg. at Norton (11) 241*e*.
packaging, P (7) 141*e*.
phase boundary between corundum grain and bond in (9) 189*e*.
rotary finishing, P (1) 1*f*.
selection (9) 189*e*.
"shop floor" balanced (5) 95*g*.
throwing, distribution system, P (10) 217*d*.
WC for floor grinding machine, P (10) 217*e*.
Grinding (comminution), Al_2O_3, alpha-, powder, effect of pressing and sintering behavior (6) 135*e*.
Al_2O_3-SiO_2 ores, P (8) 179*b*.
analysis, by apparent energy efficiency (7) 156*a*.
automated (9) 206*e*.
batch, model (6) 132*f*.
solution of equation (4) 88*c*.
of calcite, effect on equilibrium and heat of thermal dissociation (11) 257*b*.
CaO, and SiO_2, effect on surface properties (8) 165*h*.
cement, body size and hardening (8) 166*a*.
effect of circulating load (6) 120*h*.
noise suppression in (9) 216*c*.
optimization of plants (6) 121*d*.
and storage (6) 120*i*.
cement clinker, effect of organosilicon compounds (1) 2*e*.
with liquid aids (11) 241*g*.
of clays, solid-state reactions resulting (3) 71*f*.
closed-circuit, with tube mill and nonideal classifier (4) 88*c*.
continuous, mathematical description (2) 47*h*.
effect, on AlF_3 and kaolinite reaction (4) 83*i*.
fine, efficiency limits (9) 203*i*.
fineness, automatic apparatus for determining (7) 156*j*.
grindability, of cement clinker (10) 218*f*.
heat sensitive material, P (7) 156*a*.
of massicot-litharge, kinetics of transformation (3) 75*i*.
open-circuit (6) 120*f*.
particle-size distribution in (11) 254*a*.
particulate solids, P (2) 48*d*.
process, and particle size distribution (3) 71*e*.
raw materials, for cement, P (5) 96*a*.
spark electrochemical, and lyophilization, for large surface area solids or deposits (2) 48*b*.
system, high capacity, for clay (1) 20*i*.
ultrasonic (7) 156*e*.
wet, pigments, P (11) 256*e*.
Grinding (material removal), damage to ceramics, and effect on metal-ceramic joins (4) 84*j*.
diamond, effect on carbide strength (11) 241*e*.
plastic deformation of carbides during (11) 247*g*.
form, of ceramic seals (1) 1*e*.
glass, effect on electron probe analysis (1) 6*d*.
steel balls (5) 95*f*.
surface, with high peripheral speeds (9) 189*e*.
wheel formulation (5) 95*e*.
Gruneisen constant, parameters, of elastic waves in calcite (8) 182*a*.
mode, for single-crystal Al_2O_3 (4) 92*i*.
of $SrTiO_3$ (4) 92*b*.
Gunning, aspects (7) 148*d*.
heat, steelmaking converter (7) 148*c*.
refractory materials, and machine for (9) 196*f*.
steelmaking ladles (11) 247*b*.
Gypsum, calcination, by cross-flow process (9) 189*j*.
kettle for (2) 50*d*.
effect, on cement properties (2) 33*a*.
on crystallization of belite and properties of cement (1) 2*d*.
on firing granulated raw mixtures (1) 3*c*.
of salts (5) 95*j*.
heat of setting, measurement (9) 190*i*.
and phospho-, chemical wastes (9) 191*d*.
effect on clinker and slag minerals and glasses from (9) 189*j*.
processing to anhydrite (9) 191*f*.
phosphoric acid-, sludge (9) 191*e*.
plasters, beta-hemihydrate preparation and properties (8) 166*a*.
setting theory (8) 166*f*.
plates, apparatus for, P (9) 191*f*.
radiation damage in (4) 93*a*.
role, in jet cement (1) 3*i*.
strength, ball impact test (9) 204*h*.
transformation, into fluorite (8) 166*d*.

Hafnium, carbide, plastic flow and fracture (7) 162*e*.
disulfide, thin single crystals, electrical conductivity (5) 108*j*.
$HfCl_4.POCl_3$, heat of formation (7) 159*h*.
Hafnium hydride, electrical, magnetic, and galvanomagnetic properties (9) 209*c*.
nitride, O solubility in (2) 54*a*.
-ZrB_2 compositions, densification and wear resistance (5) 100*c*.
oxide, -SiO_2 thin films, phase transformation in (5) 113*c*.
thermal-shock-resistant ceramic material, P (4) 84*h*.
-W, unidirectional solidification (6) 131*g*.
and Zr compounds, thermal conductivity (1) 29*d*.
oxycarbide, cubic (5) 107*d*.
perrhenates, study by vibrational spectroscopy (2) 55*a*.
separation, from Zr, P (9) 207*e*.
-TaN layer, deposition by reactive sputtering, P (7) 153*i*.
Halides, alkali, crystals, krypton adsorption on (2) 50*i*.
crystals, optical dielectric strength (10) 237*j*.
electron emission from (11) 257*i*.
electron Hall mobility in (8) 182*f*.
emission mechanisms of F centers in (10) 235*g*.
energy bands in, calculation (6) 135*g*.
liquid, interionic distances in (4) 92*c*.
radiation hardening (9) 214*g*.
strengthening by divalent-ion additions (8) 186*e*.
two-electron F′ centers in (6) 139*j*.
binary, crystal structure transformations in (2) 51*h*.
Cd, Cd-Zn, and Hg phosphide, P (7) 154*g*.
Hall effect, in $CdGe_xAs_2$ (2) 53*g*.
in Li ferrite (7) 151*h*.
measurement, by high-pressure apparatus (9) 204*g*.
mobility, in CoO (5) 110*e*.
in Cu_2O single crystals (8) 182*d*.
electron, in alkali halides (8) 182*f*.
of MnO (9) 211*c*.
of photoelectrons in EuO (11) 257*j*.
p-type to n-type, transition in Co oxide (7) 163*i*.
in semiconductor materials (6) 136*b*.
in TlS, $TlS_{0.5}Se_{0.5}$, and TlSe (5) 109*e*.
Halloysite, hydration states, stability fields (4) 93*j*.
morphology (5) 112*a*.
Halogens, centers, in CsBr (8) 183*c*.
Hardening, cement, portland, composition and role of liquid phase during (1) 2*g*.
portland, solidification (3) 60*e*.
concrete, P (3) 60*c*.
metal oxide pellets, P (8) 177*a*.
radiation, of alkali halides and MgO (9) 214*g*.
Hardness, of Al_2O_3, environment-sensitive (6) 136*f*.
anisotropy, and brittle-to-ductile transition in carbides (7) 161*e*.
of glass, optical, relation with abrasion and maximum fracture velocity (1) 8*g*.
hot, of U-Pu carbides (5) 103*d*.
micro-, of Ca silicate hydrates and portlandite crystal concretions (1) 3*j*.
load dependence, effect of microstresses (2) 48*j*.
of NaCl, KCl, KBr, KI crystals (7) 162*c*.
of porous inorganic materials (4) 79*i*.
microindentation, relation to glass composition (3) 63*c*.
of sintered materials, measurement (8) 177*j*.
testing, elastic deformations in (1) 6*j*.
testing machines, P (7) 157*d*.
Health, conditions, in British pottery industry, improved (1) 14*h*.
hearing loss, prevention in mineral industry (6) 140*d*.
lead poisoning, from glazes (6) 128*e*.
SO_2 removal, from stack gases, P (8) 177*f*.
Heat, capacity, of Cr(III) compounds (1) 28*i*.
low-temp., of Na_2CrO_4 (6) 137*a*.
of Mo sulfides (1) 25*b*.
of ReO_3 (8) 183*i*.
of $TmAsO_4$ (10) 236*g*.
of UN (1) 20*a*.
of US (8) 176*c*.
of V and Nb carbides (5) 110*g*.
consumption, for porcelain, effect of drying rates (2) 41*g*.
content, of minerals, microcalorimetry (7) 157*d*.
dissolution, of $3CaO.SiO_2$ (1) 2*c*.
effects, in amorphous-semiconductor switching (10) 239*i*.
of Mg sulfate (10) 236*h*.
exchange, between granular material and gas, P (7) 157*j*.
problems in working glass (1) 8*c*.
exchangers, kilns with, alkali and chloride cycles in (1) 2*a*.
P (7) 158*d*; P (8) 178*g*; P (8) 178*h*; P (10) 234*c*; P (11) 255*c*.
regulating devices for blowers in, P (11) 255*i*.
in sputtering deposition apparatus, P (11) 249*j*.
and thermal storage system, P (11) 255*g*.
tubular, P (8) 178*h*.
flow, in sand molds (6) 126*j*.
of formation, of $AlCl_3.POCl_3$ (1) 24*f*.
of $MCl_4.POCl_3$ (M = Ti,Zr,Hf) (7) 159*h*.
of rare-earth zirconates (7) 161*e*.
of Ti_nO_{2n-1} shear phases (5) 111*b*.
of fusion, of absorbed water of synthetic zeolite (8) 186*i*.
of hydrolysis, of Th carbides (2) 46*f*.
of immersion, of MgO in cyclohexane (2) 53*i*.
insulation pipe shell, P (10) 234*a*.
reactions, between M^{II} sulfates and acid orthophosphates (8) 187*a*.
-recoverable products, P (8) 179*a*.
removal, in exothermic chemical reactions, P (8) 177*d*.
separation, of two tubes, P (10) 234*b*.
sinks, diamond (5) 101*e*; diamond, P (7) 154*c*.
of solution, of Na phosphate glasses (6) 123*c*.
specific, of alpha-Al_2O_3 (11) 256*j*.

Heat specific *(continued)*
of Dy vanadate (8) 186.
of glasses, calculation (2) 37*e*.
of noncrystalline carbons (9) 215*a*.
of synthetic zeolite (8) 186*i*.
of YbIG (9) 215*b*.
transfer, coeff. in cooling furnace, calorimetry (10) 232*g*.
handbook, B (8) 188*i*.
in pressing glass, predictions by Groeber diagrams (3) 62*i*.
thermal convective, by air in small cells (1) 22*f*.
-treating apparatus (11) 255*h*.
treatment, of ceramic bodies (6) 134*b*.
effect on crystallization of glasses (8) 167*c*.
effect on dosimeter properties of phosphate glasses (3) 62*a*.
effect on F center growth in KCl crystals (6) 136*a*.
effect on hardened cement paste (7) 142*g*.
effect on Li chromites-ferrites (5) 111*a*.
effect on magnetic properties of $CdCr_2S_4$ (8) 173*c*.
effect on MgO (7) 162*d*.
effect on optical property in semiconductors (8) 181*a*.
effect on solid solutions of ferrites (7) 160*f*.
of HgSe in Se atm (6) 139*e*.
high-enthalpy, P (8) 178*f*.
of molten carbonaceous materials, P (6) 128*a*.
Heaters, bonded, cathode, and control electrode structure, P (3) 68*j*.
coil support, P (6) 128*a*.
contact, for quartz crystals in evacuated enclosures, P (5) 102*a*.
dark coatings, with W, P (9) 201*c*.
linear, thermal conductivity of solids by (9) 204*j*.
pre-, air-suspension, dust effects (6) 120*f*.
exit gases from (11) 255*a*.
shaft and cooler, for burning lime (11) 241*h*.
radiant, high-temp. gas-fired, P (7) 158*a*.
P (1) 10*e*.
for raw materials, particulate, P (5) 105*g*.
Heating, and/or coating articles, P (2) 44*g*.
device, P (10) 234*d*.
specimen, for X-ray, P (8) 178*a*.
electrical surface, P (10) 234*b*.
high-temp., effect on $MoSi_2$ heating elements (8) 171*e*.
induction, enameling and repairing of enamel surface by (6) 122*c*.
pre-, or drying pulverulent material, P (6) 134*a*.
simple stage, for single-crystal diffraction studies (2) 49*a*.
Heating elements, ceramic, density increased to extend life, P (8) 172*a*.
electric, P (8) 178*g*; P (11) 250*b*.
ir, directional, P (2) 43*d*.
$MoSi_2$, structure and properties (8) 171*e*.
P (8) 178*d*; (8) 178*h*.
vitreous coating for, P (3) 60*f*.
ZrO_2, in high-temp. furnace (10) 233*i*.
structural changes in (7) 148*e*.
Helium, diffusion, in borosilicate glass, effect of alkali oxides (2) 35*h*.
in glass, short-time analysis (7) 159*i*.
He(I), photoelectron spectra of OsO_4 and RuO_4 (10) 236*i*.
migration, in Na silicate glasses (6) 123*b*.
physical solubility, in glass melts (2) 37*g*.
Hematite, interfacial electrochemistry (2) 53*a*.
maghemite to, isothermal transformation (10) 235*b*.
to magnetite reduction, in CO atms (6) 136*h*.
Morin transition in (9) 212*g*.
Heterogeneity, in glass, determination by Sheljubskii's method (4) 80*j*.
glass melt, lab-scale, photographing and interpreting (1) 8*a*.
magnetic, of $Ca_3^{2+}V^{3+}$-substituted garnets (4) 92*g*.
Holmium, orthomanganite, magnetic properties (8) 183*e*.
oxyselenide, magnetic properties and structure (9) 212*c*.
vanadate, refinement of crystal structure (2) 54*j*.
Holography, acoustical (5) 105*b*.
for acoustical NDT (6) 132*g*.
Q-switched lasers in, P (9) 200*j*.
quality control tool (9) 204*h*.
understanding (7) 157*b*.
Homogeneity, of cement, bulk delivery (4) 78*h*.
of glass, quantitative determination (10) 219*i*.
Shelyubskii's method of determination (10) 221*d*.
region, of GdP phase (7) 160*i*.
of Zr oxynitride (5) 110*d*.
Homogenization, of granular material, container for, P (11) 252*g*.
Humidity, relative, analog circuits for calculating, P (6) 133*d*.
sensors, P (3) 72*e*; P (7) 157*d*.
relative, P (3) 72*h*.
Hydrates, oxy-, P (10) 234*g*.
Hydration, of CaO (8) 165*g*.
of $11CaO.7Al_2O_3.CaF_2$ (4) 78*i*.
in $CaSO_4$-H_2O system, sedimentation determination (9) 191*a*.
of Ca_2SiO_4, beta (5) 95*i*.
of cement, effect of cement grout density (2) 32*h*.
change of liquid phase composition during (1) 2*g*.
pastes, effect of lime (7) 142*i*.
portland pastes (6) 120*i*.
portland pastes; portland, phases formed during (7) 142*c*.
portland pastes (9) 190*c*.
portland pastes, depth of (10) 217*i*.
of C_3A, additive effect on reactions (8) 166*h*.
effect of additives (1) 3*i*.
effect of triethanolamine (7) 141*i*.
kinetics of crystal formation during (8) 165*h*.
Hydration of C_3S, $Ca(OH)_2$ crystals grown during (3) 59*h*.
effect of temp. and $NaNO_2$ (9) 190*i*.
effect of triethanolamine (9) 211*g*.
liquid phase during (9) 190*b*.
pastes (9) 190*d*.
pastes, SEM (7) 142*e*.
of C_4AF, crystal formation during (8) 165*i*.
decay, of CaO refractories (9) 196*f*.
during cement curing, ir spectroscopy (4) 78*j*.
expansibility, of Ca sulfoaluminate clinkers (11) 242*i*.
heat of, of cement, kinetics (10) 218*h*.
of portland cement, pastes and mortars, effects of aluminate and sulfate (4) 78*e*.
pastes, effects of admixtures (1) 2*j*.
products, of glasses similar to blast-furnace slags (7) 142*f*.
of portland cements (6) 121*c*.
rates, of minerals (1) 3*b*.
of silicates, P (6) 121*g*.
states, of halloysite, stability fields (4) 93*j*.
suspension, of C_3S at constant pH (9) 191*a*.
temp., of concrete (2) 33*e*.
Hydraulic properties, of blast furnace slag, MnO effect (10) 217*j*.
of cements, high-Al_2O_3 (11) 247*c*.
Hydrochloric acid, solutions, solubility of kyanite, corundum, quartz, and SiO_2 in (10) 239*i*.
Hydrodynamics, electro-, interaction of 2 injection diodes (3) 67*a*.
experiments, on shape of skimmer damper in iron trough of blast furnace (1) 12*g*.
in fractionation, of Se (4) 90*e*.
Hydrofluoric acid, enthalpy of solution of alpha quartz in (9) 210*f*.
Hydrogen, atoms, in alkaline earth fluorides (8) 182*e*.
channeling in KCl with (11) 259*f*.
bond studies (8) 182*h*.
chloride, gas phase transport of YIG by (4) 91*j*.
diffusion, and solubility in UO_2 single crystals (6) 131*a*.
fluoride, (aq) and HCl(aq), enthalpies of solution of BeO(c) in (9) 210*e*.
from fluosilicic acid, P (1) 24*b*.
gaseous reactivity with AlF_3 (11) 258*d*.
high-pressure purification, P (1) 23*f*.
by hydrothermal process, P (6) 134*f*.
H_2TiO_3, precipitating, P (1) 23*i*.
-mordenite crystallites, diffusion, reaction, and fouling in (2) 52*f*.
role, in stress-corrosion cracking in plastic solids (5) 114*g*.
sulfide, eliminating from gaseous mixtures, P (7) 158*c*.
Hydrogen ion concentration, effect, on glass decomposition (1) 6*b*.
measuring, P (1) 22*e*.
meter, solid state (5) 105*e*.
Hydrometers, analysis, combined with sieve analysis of soils (3) 72*c*.
Hydrothermal process, for Na silicate (8) 178*i*.
treatment, of glass to strengthen (8) 169*a*.
Hydroxides, in B_2O_3 glass, optical determination (11) 244*d*.
groups, in allophane (4) 92*d*.
Hydroxyls, groups, in silicates, thermal dissociation (4) 94*b*.
orientation, in kaolinite, dickite, and nacrite (10) 236*h*.
Hysteresis, of magnetic reversal, in orthoferrite crystals (8) 182*j*.

Ice, columnar-grained, failure (5) 114*c*.
Illite, properties, from Le Puy (9) 206*f*.
Ilmenite, conversion, to rutile by carbonyl process (6) 134*e*.
synthesis, high-pressure, and magnetic properties (5) 110*i*.
TiO_2 concentrates, and Fe oxide pigments from, P (9) 207*c*.
Ilvaite, electron hopping in, Moessbauer effect observation (9) 213*d*.
Image devices, solid-state, with FET sensor, P (7) 155*b*.
Image displays, cathodochromic, selective erasure (1) 16*a*.
Immiscibility, of glass, effect of third component (1) 6*h*.
in glass-forming systems (11) 244*i*.
in glass melts, vitron theory (9) 192*j*.
in Na_2O-BaO-SiO_2 system (2) 36*b*.
temperature, metastable, of binary glasses (8) 167*d*.
of Na_2O-SiO_2 glasses (6) 123*c*.
Imogolite, morphology (5) 112*a*.
Impact, projectile, strength degradation by (9) 215*d*.
test device, for enameled objects (5) 96*h*.
testing (4) 89*a*.
Impregnation, of ceramic goods, P (10) 232*b*.
Impurities, conduction, in VO_2 (5) 110*g*.
control, in sapphire whiskers (6) 127*j*.
distributions, in anodic films on Ta (6) 128*j*.
effect, on high temp. properties of Si_3N_4 (10) 223*i*.
on magnetite transition temp. (6) 136*d*.
on mechanical Q factor of PLZT ceramics (3) 66*h*.
on UO_2 fracture (1) 20*c*.
EPR, in MgO (11) 259*e*.
Fe group, energy levels in TiO_2 (7) 160*f*.
motion, in quartz, observation with Raman effect (5) 108*g*.
in quartz sand and alumina, spectral analysis (2) 49*a*.
thermally diffused, effects on propagation of elastic surface waves on ferroelectrics (10) 225*j*.
trapping, during crystallization from melts (5) 110*h*.
in ZnSe, ZnTe, CdTe, optical properties (4) 92*f*.
Indialite, synthetic, P (5) 100*j*.
Indium, amalgam, used for ohmic contacts on semiconductors (1) 16*h*.
antimonide, formation in thin films, kinetics (4) 85*i*.
n-, negative photoconductivity in (6) 137*e*.
Indium antimonide *(continued)*
n-type, pinch effect in (6) 138*c*.
plasma, effective cross section of pinch channel in (6) 137*a*.
as standard for ^{121}Sb Moessbauer spectroscopy (2) 49*b*.
chlorides, lower, reaction with chlorides of Sn and Pb (1) 27*f*.
reaction with Li and Na chlorides (7) 162*j*.
$In_{2-x}Sn_xO_{3-y}$, films, highly conductive transparent (10) 236*j*.
iodides, lower, reaction with alkali-metal iodides (10) 238*j*.
molybdate, reaction with molybdates of Li, Na, and K (2) 54*f*.
monoiodide, reaction with iodides of Zn, Pb, Mn, and Al (7) 162*h*.
phosphide, sintered specimens (10) 224*e*.
velocity/field measurements (11) 249*b*.
sulfate, mixture with Ga sulfate and salts (9) 204*g*.
tribromide, reaction with CsBr (7) 162*h*.
tungstates, thermal stability and molybdates (9) 215*h*.
Infrared techniques, measurements, of EuO crystal growth (8) 185*j*.
study, of BF_3 reactions on SiO_2 (2) 53*j*.
of lattice vibrations in $LiTaO_3$ (8) 182*g*.
as tool, in problem solving, B (4) 94*g*.
Inorganic materials, compounds, P (9) 207*a*.
crystal data, tables, B (10) 240*f*.
layers, deposition on semiconductor bodies, P (8) 174*c*.
and organic mixtures, dielectric constants (7) 157*a*.
oxides, P (7) 159*a*.
porous, microhardness (4) 79*i*.
Instruments, actuator, temp.-responsive, P (7) 157*g*.
beam balances, P (9) 205*f*.
Blaine, air permeability tester for surface area (7) 156*i*.
automatic and continuous (7) 156*i*.
collector, rotary sample, P (6) 133*f*.
commercial, atomic absorption, B (2) 57*f*.
Coulter study, self-cleaning aperture tube for, P (10) 233*f*.
counter, preselector, P (11) 254*f*.
electronic chopper (7) 157*b*.
for measuring, dielectric strength of insulating disks (3) 72*a*.
and proportioning, for analysis (7) 157*f*.
straightness, in shafts and beams, P (10) 233*b*.
thixotropy (9) 205*a*.
for optical-mechanical picture-field scanning, P (11) 254*e*.
penetrometer, use in powder pressing tile (6) 133*b*.
Insulation, acoustical, of flat glass, 05 (11) 243*g*.
Insulation, electrical, micaceous, P (3) 70*c*.
porous ceramic, P (2) 42*a*.
Insulation, thermal, elements, P (8) 172*f*.
fibrous, P (2) 40*d*.
phosphogypsum, chemical wastes of (9) 191*d*.
sheet material, feeding and wrapping, P (3) 65*g*.
Insulators, electrical, ceramic, impregnated, P (1) 15*d*.
compound, P (11) 248*h*.
Cr^{3+}-containing, absorption spectrum (9) 216*b*.
energy band gaps in (11) 249*c*.
forsterite porcelain, using domestic quartz (9) 199*f*.
glass, composition for (3) 62*e*.
glazing, automatic (7) 149*i*.
high tension, strengthened by zircon and Al_2O_3 (2) 41*h*.
high voltage, P (8) 174*j*.
semiconducting glazes for (10) 225*c*.
industry (11) 248*c*; (11) 248*d*.
ionic rare earth, Gd^{3+}-Gd^{3+} exchange coupling in (9) 210*j*.
Lapp (9) 198*d*.
line post, P (6) 128*f*.
porcelain for, P (8) 172*i*.
thermionic, P (9) 202*e*.
X-rays from, P (7) 153*a*.
Insulators, thermal, properties, effect of H_3PO_4 and phosphate additives (7) 148*f*.
Iodine, bromide, reaction with CsBr (10) 238*i*.
chloride, reaction with Rb and Cs chlorides (10) 238*i*.
Ions, active gases, bombardment of glasses (7) 144*a*.
alkali, diffusion in Na_2O-Ca_2O-SiO_2 glasses (5) 97*h*.
anions, effect on hot-pressing MgO (5) 108*a*.
$P_3O_{10}^{5-}$, stretching force constants (4) 91*a*.
quantitative determination, P (7) 157*e*.
vacancy processes after bleaching for irradiation of NaCl (8) 179*h*.
beam, polishing to increase dielectric surface strength (10) 237*d*.
bombardment, increase in electrical conductivity of MoO_3 and V_2O_5 by (8) 182*a*.
-induced disorder in zircon, corundum, and diamond (4) 90*j*.
cations, in Cu-Mn-Zn ferrites (5) 106*e*.
diffusion in (Co,Ni)O crystals (11) 256*i*.
distribution in $Fe_xGa_{2-x}O_3$ (7) 150*i*.
distribution in Mn spinels $NiCr_xMn_{2-x}O_4$ (2) 51*f*.
distributions in $(Mn,Fe)_3O_4$ (9) 211*i*.
divalent impurity, effect on F center growth in KCl crystals (6) 136*a*.
effect on properties of kaolinite (11) 257*b*.
equilibrium distribution in Ni, Cu, and Zn aluminate spinels (4) 91*c*.
exchange capacity, pH-dependent charge components, of montronite (8) 179*f*.
exchange, for determining sulfates in cements (3) 59*j*.
exchange selectivity in mica and vermiculite (5) 106*f*.
in ferrimagnetic garnets (5) 106*e*.
metallic, recovery, P (9) 207*b*.
migration and valencies in $Mn_xFe_{3-x}O_4$ (5) 106*f*.
of mineralizers, effect on liquid-phase viscosity of cement clinker (1) 2*a*.
pseudo-alkali, effect on network depolymerization in mix-

Ions cations *(continued)*
ed-cation germanate glasses (2) 36*g*.
self-diffusion in BaO (5) 106*g*.
self-diffusion in MgO (5) 106*h*.
self-diffusion in SrO (5) 106*i*.
charge-compensating, radiation-induced movement in CaF_2 (4) 93*b*.
damage, in quartz (9) 211*a*.
exchange, analysis of Ga and In sulfates and salts (9) 204*g*.
between Pyrex glass and eutectic LiCl-KCl (3) 62*g*.
of glass, effect on internal friction (6) 123*i*.
Na-H, effect on crack propagation in soda-lime silicate glass (4) 80*h*.
process for clay, P (7) 159*b*.
reactions with molten salts in glasses (8) 168*a*.
selective, for isolation of Sr and Ba, P (3) 73*g*.
in silicate glasses, relation to tracer diffusion (11) 245*a*.
for strengthening ceramics, P (9) 199*a*.
study of glass properties (9) 192*i*.
in garnet structure, coordination numbers (8) 187*g*.
hydroxyl, *ir* spectra in apatites (2) 53*j*.
implantation, screen for, P (9) 202*a*.
impurity, in $BaTiO_3$ (11) 253*d*.
inorganic, in glasses and polycrystalline pellets as fluorescence standard reference materials (5) 104*f*.
interionic distances, in liquid alkali halides (4) 92*c*.
ionic solids, diffusional creep, mass transport in (4) 92*i*.
mobile, reducing contamination in SiO_2, P (1) 18*a*.
motion, in ammonium tungsten bronze, NMR study (4) 92*b*.
polyvalent, interactions with Ag^+ ions in glass (11) 244*d*.
rare-earth, effect on $BaTiO_3$ electrical conductivity (7) 151*a*.
effect on phases in systems Na_2WO_4-$R_2(WO_4)_3$ (R = rare earth elements (5) 108*g*.
in orthoferrites, optical spectra (7) 152*f*.
sputtering, glass machining by (7) 144*e*.
stabilizing, effect on alite strength (5) 110*i*.
transport, in SiO_2 (1) 7*h*.
Iridium, dioxide, electrical transport properties (6) 136*b*.
free energy of formation (9) 210*i*.
$(IrPy_4Cl_2)Cl$, trans-, exchange reactions in (5) 109*i*.
Ir_4Zn_{22}, structure (2) 54*i*.
vapors, condensation, aging of ultrathin films from (7) 150*g*.
Iron, absorption, by Pt capsules during rock-melting (8) 179*e*.
Al_2O_3/, ratio in raw mixes (9) 189*h*.
in Apollo 14 samples, cathode ray polarography (5) 104*i*.
articles, enameling, P (3) 60*g*.
beta-ferric hydroxide, crystal structure change (9) 208*e*.
cast, enameling (2) 34*f*.
chlorides, and oxychlorides, reaction with GeS_2 (5) 114*f*.
content, of talc in system $Mg_3Si_4O_{10}(OH)_2$-$Fe_3Si_4O_{10}(OH)_2$ (1) 25*f*.
cordierite, oxidation (6) 138*f*.
effect, on crystallization of CaO-Al_2O_3-MgO-SiO_2 glasses (3) 61*h*.
^{57}Fe, in aluminophosphate glass (6) 124*f*.
in CaO crystals, Moessbauer study (9) 212*f*.
Moessbauer study of $M_2(M')B_2$ borides (8) 181*g*.
nuclei, relaxation in YIG (5) 111*c*.
$FeBO_3$, antiferromagnetic resonance in (9) 207*h*.
$FeCO_3$, Moessbauer line width (9) 207*g*.
$FeCr_2Se_4$, magnetic properties (4) 92*e*.
$FeCr_2S_4$, electrical properties (9) 209*g*.
(Fe)Fe_2Se_4, magnetic structure (6) 137*h*.
$Fe_xGa_{2-x}O_3$, cation distribution and dipole field in (7) 150*i*.
$FeMnGeO_4$, olivine-spinel transformation in (5) 112*f*.
(Fe,Mn)WO_4, mixed crystals, magnetic phases in (9) 208*h*.
$Fe_{0.9}Nb_{1.1}O_4$, magnetic structure (9) 212*e*.
$Fe_{1-x}O$, Neel temp. dependence (9) 212*i*.
$FePO_4.2H_2O$, thermal analysis (9) 215*g*.
Fe-Pt carbide, from Fe carbonyl in CO gas (5) 110*a*.
ferromagnesian olivines, magnetic study (8) 183*h*.
ferrous metals, refractory coating and die-casting, P (9) 197*c*.
FeSi, Landau-Lifshitz domain structure in (5) 110*j*.
single crystals, wedge-shaped, use in measuring thickness dependence of domain width in ferromagnets (2) 43*d*.
$FeTaO_4$, polymorphic transition (9) 213*b*.
$FeTiTO_5$, (T = rare earth) X-ray and neutron study (4) 94*c*.
Fe^{2+}, in carbonate cements, electron microprobe analysis (6) 120*e*.
and Fe^{3+} ions, contribution to magnetic anisotropy of $Mg_xMn_{0.6}Fe_{2.4-x}O_4$ (11) 257*b*.
in $Ni_xFe_{3-x}O_4$, Moessbauer studies (8) 184*d*.
spin-allowed bands, in silicate garnets (5) 111*g*.
Fe_2TeO_6, magnetoelectric and Moessbauer studies (9) 212*h*.
$Fe_2Te_4O_{11}$, crystal structure (9) 208*j*.
Fe^{3+}, in anatase, EPR (5) 109*f*.
covalency parameters in oxide environment (5) 107*a*.
EPR in SnO_2 (8) 181*h*.
ions in and on surface of Al_2O_3 and SiO_2 (2) 54*c*.
in $LiNbO_3$, EPR (9) 210*g*.
magnetic interaction with Ni^{2+} ions in oxyspinels (9) 212*c*.
optical absorption spectra, in garnets (6) 138*d*.
in TiO_2, EPR (8) 181*b*.
Fe_3O_4, superparamagnetic, Moessbauer spectra (10) 237*c*.
Fe_3S_4, magnetic structure (7) 161*c*.
Fe^{3+} ($3d^5$), in $SrTiO_3$ (9) 213*d*.
films, single-crystal, 180° domain walls in (7) 159*d*.
thick, magnetic contrast and domain walls in (5) 111*h*.
in glasses, spectroscopy and redox (6) 124*e*.
-ic borate, anisotropy in (9) 213*d*.
-ic oxide, alpha-, entropy change of spin reorientation phase transitions in (7) 160*g*.
alpha, H_2O vapor absorption on (2) 50*j*.

Iron -ic oxide *(continued)*
alpha, microcrystals, quadrupole interaction in (10) 235*a*.
alpha, thin films, P (3) 70*h*.
gamma, particles as magnetic recording material, P (7) 154*e*.
polycrystalline, high-temp. deformation (1) 25*c*.
thermodynamic properties, by emf method (7) 157*a*.
ions, linewidth, in MgO (9) 215*b*.
substitution of Mn ions for, in dicalcium ferrite (3) 68*c*.
metaborate, magnetic structure (7) 161*c*.
-ous fluoride, antiferromagnetic ordering (9) 208*f*.
oxidation, in ferric sulfate etching solution, electrolytic cell for (4) 80*b*.
oxide, behavior in reducing atm (9) 197*i*.
for coloring porcelain (1) 14*i*.
effect on CaO and MgO particle growth in dolomite (6) 135*g*.
gaseous reduction (7) 161*c*.
magnetic particles, P (11) 250*g*.
X-ray Kβ emission spectra and energy levels (5) 116*f*.
phosphide, structural and magnetic properties (2) 54*h*.
polarized spectra, in enstatite and olivine (10) 238*d*.
pyrrhotite, hexagonal and monoclinic, Ni distribution in (6) 137*h*.
magnetic transitions in (6) 137*h*.
synthetic, properties (6) 140*b*.
removal, from spodumene by reduction process, P (3) 73*g*.
siderite, crystals, vibration anisotropy of Fe atoms in (7) 161*g*.
-kaolinite mixtures, DTA (2) 52*f*.
spectrophotometric analysis, comparison with Fe_2O_3 titration (6) 132*g*.
spectroscopy, and redox in $MO.P_2O_5$ glasses (6) 124*h*.
sulfide, tetragonal, bonding in (2) 51*c*.
thiospinel nuclei, pyrrhotite growth on (8) 185*f*.
trivalent, ferrocyanide, X-ray study (1) 29*h*.
nitroprussides (7) 161*f*.
valence and coordination, in oxidic compounds (5) 108*b*.
Irradiation, effect, on creep of UO_2-PuO_2 (10) 230*d*.
in SiO_2 polymorphs (9) 211*c*.
on specific vol and viscosity of Al silicate glazes (10) 230*a*.
on transmission electron microscopy of U_3Si (6) 131*e*.
electron-, damage and recovery in pyrolytic graphite (10) 230*i*.
exposure, of light-sensitive glass, effect on structure of photoglass-ceramics (5) 97*e*.
fast-neutron, effect on graphite fiber (6) 131*b*.
fission fragment, effect on SiC oxidation by O (2) 46*b*.
masked, for measuring self-diffusion in solids (6) 137*b*.
of NaCl, anion-vacancy processes occurring after bleaching for (8) 179*h*.
neutron, SiC expansion by (2) 46*c*.
test facility, P (6) 131*j*.
of UO_2, resolution of fission-gas atoms from bubbles during (10) 230*h*.
Isomorphism, of Zn-Mn ions, in Na_2ZnGeO_4 crystals (8) 183*d*.
Isotopes, enrichment process, for lanthanide and actinide elements, P (4) 87*f*.
power source, thermal, P (4) 87*g*.
radioactive, for calculation of material movement in rotary furnaces (2) 32*e*.
for studying refractory wear in metallurgical furnaces (1) 12*e*.

Jahn-Teller effect, cooperative, in spinel and perovskite systems (4) 91*d*.
distortion, in Dy vanadate (7) 152*a*.
in $DyVO_4$, elastic properties (9) 209*c*.
in Ni chromite (9) 209*c*.
phase transitions, in $DyVO_4$ and $TbVO_4$ (9) 207*h*.
Joints, electrode C, with undercut electrode sockets, P (4) 84*d*.
Junctions, electrode-C-electrode, P (8) 174*e*.
GaSb pn, diffusion current in (10) 226*e*.
gettering, passivating, and locating in Si crystal, P (2) 45*i*.
Josephson, P (2) 44*c*.
pn, devices, from type conversion in ZnTe, P (8) 175*b*.
forming in semiconductor material, P (3) 70*h*.
in Hg Cd telluride, P (10) 228*j*.
and p-typeness, P (3) 69*j*.
in ZnSe, P (10) 229*e*.

Kaolin, bodies, densification processes in (7) 159*j*.
clay, in Siegen district (2) 50*e*.
deposits, in Germany (9) 210*j*.
of India (7) 158*f*.
dried, strength, relation with porcelain (1) 15*f*.
English china clay, tube filter press (2) 47*h*.
flotation, P (10) 234*f*.
meta-, -kaolinite reaction, ir spectroscopy (3) 75*e*.
mining, quality control (7) 158*h*.
Podborany, mineralogical composition (9) 212*d*.
preparation, process model (10) 234*g*.
quality, evaluation method (1) 21*b*.
Kaolinite, dehydroxylation, in presence of nascent O, spectrophotometry (2) 54*b*.
Egyptian, surface structure, radiation effect (3) 74*c*.
ground, negative surface charges (8) 184*e*.
hydroxyl orientation in (10) 236*h*.
-metakaolin reaction, ir spectroscopy (3) 75*e*.
-montmorillonite, X-ray diffraction profiles for (8) 179*e*.
Na, liquid movement through (6) 136*j*.
physicochemical properties (11) 257*b*.
-pyrophyllite, hydrothermal reaction (2) 53*i*.
quartz-type structures from, by solid state reaction (6) 137*c*.

Kaolinite reaction with AlF_3, effect of grinding (4) 83*i*.
rods, elastic moduli (8) 181*c*.
siderite-, mixtures, DTA (2) 52*f*.
Kerr effect, application, to electric conduction in $BaTiO_3$ single crystals (5) 115*d*.
Kieselguhr, mixture, as filtering aid or filler, P (9) 204*a*.
purification, P (9) 207*d*.
Kiln furniture, mfg. (9) 196*d*.
flexibility in (11) 247*a*.
needs (9) 205*i*.
plate, P (9) 197*b*.
Si_3N_4, P (3) 65*j*.
Kilns, art pottery, portable gas-fired, P (11) 255*e*.
for bricks, large perforated (3) 72*j*.
cars, guncreting sides (1) 12*e*.
periodic, for clayware industry (7) 157*j*.
refractories in (1) 13*b*.
cement, adherence tester in heat exchanger (10) 218*d*.
control circuits for (3) 59*j*.
mathematical model for behavior (10) 218*h*.
operation of, P (1) 4*a*.
reactions in (11) 255*f*.
rings in, removal (3) 60*b*.
chain hanger, P (9) 206*a*.
circular, and tunnel, detection of firing defects in (4) 89*i*.
design, arcing microwaves in (7) 157*i*.
double inclined, for lime burning (11) 255*e*.
for fast firing tile, dinnerware, and sanitaryware (3) 66*d*.
gases, reactions, and ring formation (3) 60*b*.
ring and coating prevention (6) 121*e*.
glassmelting, heating (3) 61*d*.
for heat treatment, P (8) 178*e*.
high-temp., for sintering electronic ceramic bodies (4) 90*a*.
impulse burner (11) 255*a*.
Lepol, reducing alkali cycle in (6) 121*b*.
muffle, P (7) 158*b*.
oil-fired (2) 48*f*.
open, rapid heating, for sanitary ware (6) 133*i*.
operation, P (9) 206*b*.
preheater, coatings in (10) 233*g*.
control concept for (9) 190*d*.
4000-ton (11) 255*g*.
ring removal (6) 120*g*.
suspension, constant fuel rate (6) 121*d*.
suspension, reduction of alkali and Cl cycles in (6) 121*g*.
pusher, for ceramic lamp bases (11) 248*d*.
rapid-firing, for firing and high-fire decoration of porcelain (4) 84*e*.
reconstruction (9) 205*i*.
roller hearth, gas-fired, for fast firing high-Al_2O_3 substrates (1) 22*h*.
rotary, alkali and chloride cycles in (1) 2*a*.
for bloated clay product, P (1) 11*b*.
for carbonization of coal, P (8) 178*g*.
in cement industry, testing ovality (10) 219*a*.
cement, ring removal (6) 120*d*.
computer control system (10) 218*a*.
control system, P (8) 178*f*.
design, P (2) 49*h*.
fuel delivery system for, P (11) 255*b*.
for granular bloated product, P (4) 90*d*.
outlet, cooling apparatus for, P (3) 72*j*.
outlets, cooling with heat pipes (11) 254*j*.
precooler, P (11) 255*f*.
for presintering Ba ferrite (10) 226*f*.
seal, P (2) 49*h*.
seal, P (7) 158*a*.
shaft, cupola (11) 254*j*.
discharge mechanism for, P (3) 72*j*.
lime, P (5) 96*b*.
quality of burned limes in (6) 121*e*.
shuttle, in heavy-clay industry (11) 255*e*.
vs beehive kilns (9) 205*j*.
single-chamber, P (10) 234*a*.
sintering, continuous 1700°C (7) 157*i*.
suspension preheated, SO_2 behavior in (6) 120*b*.
suspension preheater, ring formations in (1) 3*g*.
tunnel, automatic control (6) 133*j*.
automatic operation (4) 89*h*.
Baukasten method of building (9) 205*i*.
or bell-type (9) 205*i*.
for brick (9) 195*f*.
construction (10) 233*i*.
construction, latest developments (6) 133*j*.
density of setting in (10) 233*h*.
designed around delivery pack (11) 246*g*.
effect of setting on flow of gases and quality of ware in (2) 49*g*.
electrical ceiling heating in, P (10) 234*b*.
flow distribution in, effect of marginal gaps (4) 89*j*.
high-capacity (6) 134*b*.
model of distribution of gas flow and heat exchange in (4) 89*i*.
P (10) 234*c*.
setting for quality and kiln size (10) 223*d*.
temp. distribution in (4) 90*a*.
trolley, supporting tiles on, P (11) 255*g*.
wet, automation (11) 254*i*.
Kinetics, of age strengthening, in Mg-Al spinel single crystals (6) 136*g*.
chemisorption, of O at surface of ZnO single crystals (8) 182*e*.
creep, of mullite, polycrystalline (2) 51*a*.
Kinetics of crystal formation, during hydration of C_3A (8) 165*h*.
of crystal growth, in aluminosilicate glass (3) 62*i*.
of crystallization, of $CdGeAs_2$ (5) 111*h*.
of garnet (11) 258*e*.
in system $Na_2Si_2O_5$-$BaSi_2O_5$ (6) 124*h*.
of dry-milling, of fused quartz (1) 20*j*.
of etching dislocations, in CaF_2 single crystals (1) 25*h*.
of fluorination, of W-Re melts (5) 111*i*.
of formation, of Li titanates (5) 111*j*.
of $NiTiO_3$ (1) 25*i*.
of Sr metazirconate (1) 25*h*.
of U_3Si in U_3Si alloy (7) 155*g*.
gas-solid reaction, for spherical particles (9) 209*a*.
of glass corrosion (11) 244*f*.
grain growth, in Er_2O_3 film (9) 211*a*.
of growth, of bismuthine single crystals (8) 183*e*.
liquid phase epitaxial, of magnetic garnet films (5) 101*i*.
heat of hydration, of cement (10) 218*h*.
hematite-to-magnetite reduction (6) 136*h*.
of InAs formation, in thin films (4) 85*i*.
of nitridation, of Si powder compacts (10) 237*d*.
of nitriding, Al in mixtures of BN and Al (1) 25*j*.
parabolic powder (8) 180*f*.
of phase transitions, of $BaTiO_3$ (7) 161*h*.
of photo-induced edge shift, in optical transmission of As_2S_3 film (9) 211*d*.
in processing, modern ceramic, B (5) 117*b*.
of reaction, of H_2O with glass (1) 7*i*.
of UO_2, NpO_2, and $(U,Pu)O_2$ with F and Cl derivatives (8) 176*d*.
reequilibration, for NiO single crystals (8) 185*h*.
sintering, of belite-aluminoferrite cement (1) 3*i*.
of Li_4SiO_4-Zn_2SiO_4 compositions (5) 111*j*.
modified equation (11) 258*i*.
pressure, of mullite (11) 247*h*.
of TiB_2 (3) 74*b*.
of solid-state reactions, of particulate ensembles with size distributions (3) 75*i*.
of thermal decomposition, of fluorphlogopite crystals (9) 211*e*.
$NaHCO_3$, by DTA (7) 163*c*.
of Si_3N_4 (8) 183*e*.
of thermal dissociation, of Co_4S_3 (7) 161*h*.
of thermal growth, of SiO_2 ultrathin layers on Si (9) 199*d*.
transformation, of massicot-litharge during communination (3) 75*i*.
of UO_2-C N_2 reaction (1) 20*c*.
Knudsen measurements, of Mn(II) telluride sublimation (8) 183*f*.
Krypton, adsorption, on alkali halide crystals (2) 50*i*.
for study of micropore structure (10) 232*h*.
difluoride, crystal structure (4) 91*f*.
^{85}Kr, diffusion in KCl (8) 180*e*.
Kyanite, -bearing materials, beneficiation (9) 206*f*.
solubility, in HCl (10) 239*i*.

Laboratory equipment, glass, mixing valve for, P (11) 254*h*.
valve for, P (2) 39*d*.
Laminates, steel, graphite, and phenolic asbestos, P (7) 149*f*.
Lamps, Al_2O_3 ceramic, P (7) 152*j*.
arc, compact metal halide, P (5) 99*c*.
high-intensity, P (8) 174*j*.
sealed high-pressure, P (5) 99*h*.
assembly, P (9) 194*g*.
dc fluorescent, P (5) 99*c*.
discharge, ceramic, end cap configuration for, P (10) 227*c*.
oblong, vibration-reducing assembly for, P (4) 82*b*.
P (4) 81*i*.
short arc, P (3) 64*c*.
using mixture of fluorescent materials, P (4) 81*h*.
dispensing InI_3 pellets into, P (8) 170*g*.
electric, beaded filament-coil components for, P (8) 170*i*.
P (2) 38*f*.
with resilient base, P (4) 81*j*.
small, P (2) 38*j*.
subminiature, P (6) 125*j*.
or tube, P (7) 146*e*.
electric discharge, high-pressure, P (4) 81*d*; high-pressure, P (9) 194*g*.
P (7) 146*d*; P (8) 174*e*; P (11) 246*b*.
with electric discharge tube, high-pressure, P (5) 99*g*.
electric filament, or discharge, P (9) 194*b*.
miniature, P (9) 194*b*.
electric incandescent, P (5) 99*d*; P (6) 125*b*; P (7) 146*e*.
filament, automatic transferring equipment, P (1) 9*c*.
flash, coaxial, P (7) 146*c*.
filling, P (10) 222*b*.
P (2) 38*g*; P (4) 81*j*.
photographic, P (8) 170*f*.
fluorescent, amalgam housing means for, P (1) 9*b*.
aperture, P (6) 125*j*.
apparatus for, P (3) 63*a*.
general illumination, P (11) 245*c*.
hf, inverter apparatus for, P (4) 81*e*.
Hg-dispensing getters in, P (8) 170*a*.
P (4) 81*a*; P (11) 245*c*.
short wavelength, P (9) 195*a*.
glass for, controls (7) 144*c*.
halogen, P (6) 125*e*.
halogen-filament, P (4) 81*c*; P (10) 222*j*.
halogen motorcar, P (9) 194*f*.
Hg vapor discharge, low-pressure, P (5) 99*i*.
Lamps Hg vapor discharge *(continued)*
P (8) 170*f*; P (10) 222*j*; P (11) 245*e*.
Hg vapor halide, high-pressure, P (5) 99*h*.
incandescent, compact single-ended, P (3) 63*d*.
halogen-cycle, P (8) 170*c*.
halogen-cycle, P (9) 194*f*.
halogen, P (8) 170*c*.
halogen regenerative-cycle, P (4) 81*d*.
miniature, P (8) 170*d*.
miniature, P (11) 245*g*.
P (1) 10*c*; P (8) 170*d*.
shatter-resistant, P (5) 99*i*.
lighting fixtures, Mexican glass in (7) 145*d*.
medical, Co glass for (2) 37*h*.
metal-halide discharge, P (5) 99*a*.
metal-vapor, hermetic end seals for, P (6) 125*e*.
Na vapor, starting means, P (7) 147*e*.
with phosphor compositions, luminescent, P (1) 17*b*.
photoflash, P (4) 81*j*; P (6) 126*c*; P (7) 147*c*; P (9) 194*f*.
press seal for, P (10) 222*j*.
projection filament, P (4) 82*a*.
semiconductor, P (7) 155*a*.
short-arc, current-rated, P (3) 63*d*.
SiC, P (5) 103*b*.
tubular, support for filament body of, P (9) 195*b*.
tubular envelope, uniformly coating with phosphor, P (10) 222*h*.
vapor, P (4) 82*b*.
W halogen, with W mesh deflector, P (6) 126*b*.
Lanthanides, elements, isotope enrichment process for, P (4) 87*f*.
group elements, separation from aqueous solution, P (1) 20*g*.
Y separation from, P (7) 159*a*.
Lanthanum, compounds, water-soluble, in PZT ceramics, P (6) 130*g*.
$La_2Ba_3(BO_3)_4$, and $La_2Sr_3(BO_3)_4$ X-ray diffraction and space groups (9) 216*a*.
LaB_4, single-crystal, growth and properties (2) 53*f*.
La_2CuO_4, and $LaSrVO_4$, structure (10) 239*b*.
$La_2(MoO_4)_3$, cell dimensions (2) 51*f*.
$LaRu_xGa_{1-x}O_3$, perovskites (9) 214*b*.
β - La_2S_3 crystals, morphology and symmetry (1) 26*b*.
$La_2Ti_2O_7$, single crystal, electrooptic and piezoelectric properties (3) 67*b*.
molybdates, double, reaction with alkali metal molybdates in melts (1) 27*d*.
orthoferrite, ferroelastic effect in (9) 210*c*.
oxide, powders, properties (9) 214*d*.
reactions with NH_4F (5) 116*f*.
oxysulfide, photoconductivity and luminescence in (10) 238*c*.
trivalent, mixed ferrocyanides, of Cs and Ce (5) 116*f*.
Lapping, devices, for preparing oriented crystal surfaces (10) 225*h*.
Lasers, action, continuous, in $YAlO_3$ (1) 15*i*.
in NdP_5O_{14} crystal and glass (10) 237*e*.
advanced, pumping techniques for (1) 8*d*.
Ar ion, scattered light photoelasticity of glass by (8) 168*g*.
assembly, P (11) 250*j*.
beams, diffraction, for particle size measurement (5) 104*g*.
focusing in semiconductors (10) 225*g*.
to measure flame temps. (8) 177*j*.
modulation of electron waves by (7) 152*e*.
Cd Sn phosphide, P (11) 251*b*.
CO_2, sawing Al_2O_3 substrates with (7) 152*j*.
study of materials (9) 204*h*.
for crystal's surface orientation (11) 253*d*.
damage, in glasses, effect of surface films (7) 144*j*.
in $LiNbO_3$ (10) 235*f*.
in $LiNbO_3$, control (6) 135*j*.
in optical materials (2) 37*c*.
in transparent dielectrics (10) 236*i*.
in transparent dielectrics (10) 237*d*.
in transparent dielectrics, asymmetry in (10) 237*c*.
to transparent substrate (10) 219*j*.
devices, athermally stable, P (2) 38*f*.
high-power segmented, P (5) 99*h*.
electrical discharge, stabilized optimizable gaseous, P (6) 130*f*.
emission, in ZnO (9) 210*i*.
fiber optic, system, P (8) 169*h*.
with fluorescence suppression means, P (9) 200*i*.
focused CO_2, pyrolytic C rods formed by heating with (1) 25*i*.
Fresnel optics in, P (3) 63*i*.
GaAs, semiconductor devices, P (2) 44*b*.
GaAs arrays, one-dimensional (7) 151*i*.
gas, modulating, P (10) 228*c*.
P (10) 227*e*.
gas discharge, P (9) 194*c*.
tube for, P (3) 69*h*.
glass, of increased heat dissipation capability, P (1) 9*g*.
liquid-cooled segmented, P (9) 194*h*.
Nd, P (5) 99*d*; Nd, P (6) 126*a*.
nonlinear loss in (10) 220*j*.
peripherally multiarcuate disk, P (2) 38*d*.
phase separation in (3) 62*a*.
resistant to internal damage, P (6) 126*a*.
segmented, P (5) 99*h*.
technology (7) 151*j*.
Yb, P (8) 171*a*.
hardening coatings with, P (10) 228*b*.
heterostructure, double, properties (1) 27*a*.
indirect transition, free exciton, P (5) 102*d*.
-induced, self-focusing in ADP and KD, P (1) 16*e*.
surface and bulk damage (10) 235*c*.

Lasers injection, low threshold stripe geometry, P (2) 44*d*.
P (11) 250*i*.
for machining ceramics (9) 203*i*.
materials, determining presence of stimulated emission or measuring net gain in, P (6) 129*j*.
measurement, of surface-wave scatter losses in piezoelectric ceramics (10) 226*i*.
multirod, single-pump source, P (2) 44*i*.
Nd^{3+}:YAG, higher-order mode-locking and separation of mode-locked states in (3) 75*h*.
oxyapatite, Ca-Y silicate, P (4) 86*g*.
P (1) 18*h*.
P (10) 227*g*.
platelet semiconductive, P (10) 228*j*.
polarization junction, P (10) 228*a*.
polygonal cross-section, cladding, P (7) 147*f*.
Q-switched, coherence extender for, P (9) 200*j*.
diode, P (1) 18*c*.
P (10) 228*d*.
photoelastic mode locking, P (7) 154*j*.
stabilizing, P (10) 228*b*.
YAG beam, machining of thin films (10) 226*j*.
radiation, protection from, P (7) 154*c*.
rectangular disk, P (5) 99*g*.
rods, lens balanced, P (2) 39*c*.
ruby, Cr^{2+} concentrations in (3) 76*b*.
ruby, coherence controlled, P (2) 43*i*.
Q-switched, fracture of glass by (11) 258*j*.
segmented, apparatus, P (3) 70*j*.
Se ion, broad spectrum, P (3) 69*a*.
semiconductor, devices, P (2) 45*e*.
dynamic FM control of transverse modes, P (7) 153*e*.
mode locking in, P (3) 69*j*.
optical coupling, P (2) 45*a*.
P (7) 155*a*.
semiconductor GaAlAs, P (10) 229*a*.
semiconductor injection, minor lobe suppression in, P (10) 228*f*.
P (10) 229*a*.
semiconductor material for, P (11) 250*f*.
solid-state, compact end-pumped, P (11) 250*b*.
specular reflectometer, for ceramic surface diagnostics (4) 89*c*.
spiking behavior (10) 221*e*.
-stimulated ordnance initiation device, P (7) 147*c*.
systems, and control, P (9) 200*i*.
thin-film, parallel overgrowth for use as, P (8) 175*i*.
tunable, P (10) 229*d*.
thin film ring, P (10) 229*b*.
tube end piece, window for, P (5) 103*b*.
using phosphate base laser glass, P (8) 170*e*.
window assembly, metal-glass, P (6) 125*h*.
writing, P (10) 227*g*.
with $YAlO_3$:Nd^{3+} active medium, P (6) 129*h*.
Leaching, alkaline, V compounds by, P (5) 105*j*.
continuous, titaniferous materials, P (6) 134*g*.
core material, from sheared segments of nuclear fuel pins, P (8) 176*f*.
Na borosilicate glass (10) 220*j*.
U ore, in situ, P (4) 88*a*.
Lead, alpha-$Pb_3(PO_4)_2$, ferroelastic (9) 207*h*.
carbonate, thermal decomposition (7) 163*d*.
chloride, reaction with lower chlorides of In (1) 27*f*.
in earthenware, rapid screening (7) 150*c*.
galena, hot-pressed powders, semiconducting properties (9) 200*a*.
galenite, photoelectromotive force (6) 138*h*.
germanate, electrooptic measurements (7) 160*c*.
quasi-elastic scattering in (9) 214*f*.
Raman scattering in (9) 214*g*.
hydroxyapatite, oxyapatite, and alkali apatites (8) 182*f*.
iodide, reaction with InI (7) 162*h*.
magnesioniobate, solid-state reactions on formation (8) 181*i*.
materials, for electrotechnology (4) 85*a*.
memory films, ferroelectric, sputtered (4) 85*c*.
molybdate, single crystals, etch configuration and sign of Z axis (3) 74*j*.
nitrate, electrical properties (2) 52*d*.
optical properties, in oxide glasses (8) 168*j*.
orthosilicate, reaction with K_2CO_3, B (7) 164*h*.
oxide, massicot-litharge transformation during comminution, kinetics (3) 75*i*.
thin films, by reactive cathodic sputtering (3) 67*i*.
thin films, optical absorption in (5) 112*f*.
yellow, ionic conduction and O diffusion in (9) 211*b*.
$PbCrO_3$ perovskite (2) 53*g*.
$PbLaTiNbO_7$, with pyrochlore-type crystal structure (5) 107*d*.
$5PbO.3GeO_2$ crystal, ferroelectric (10) 226*j*.
$Pb_5P_4O_{15}$, crystal growth and properties (1) 24*c*.
$PbSeO_3$, crystal structure (11) 257*e*.
Pb_2SiO_4, enthalpy of fusion (2) 52*i*.
$(Pb_{1-y}Sn_y)_{1-x}Te_x$, rock-salt-structure phase (5) 107*d*.
$PbZr_{0.5}Ti_{0.5}O_3$, microstructure and dielectric constant (9) 211*f*.
Pb^{2+}, oxides, fluorides, or oxide fluorides, bond lengths and angles in (8) 186*f*.
Pb^{3+}, in ThO_2, ESR (8) 181*d*.
$Pb_5(GeO_4)(VO_4)_2$, for acoustooptic device (10) 237*e*.
$Pb_5(Ge,Si)_3O_{11}$, ferroelectrics (5) 101*j*.
$Pb_5Ge_3O_{11}$, ferroelectric optical rotation domains in (11) 258*h*.
Lead PLZT, ceramics, atm sintering (10) 226*e*.
ceramics, electrical and optical properties, discussion (8) 173*b*.
ceramics, ferroelastic behavior (10) 226*a*.
ceramics, ferroelectric domain switching in (4) 85*f*.
ceramics, isothermal grain growth (10) 226*h*.
ceramics, La-doped ferroelectric, pyroelectric properties (4) 85*g*.
ceramics, linear electrooptic effect in (4) 85*j*.
ceramics, optical and electrooptic properties (4) 85*h*.
cold-pressing and low-temp. sintering (1) 15*i*.
electrical and optical properties, effect of grain size and porosity (3) 66*h*.
fine-grained ferroelectric ceramics, fatiguing effects in (4) 85*j*.
light scattering by pores in (8) 173*i*.
mechanical quality factor, effects of impurities (3) 66*h*.
O-depleted, properties (4) 85*f*.
phase relations in (8) 173*c*.
transparent electrooptic ceramics, by atm sintering (3) 67*c*.
PZT, ceramics, water-soluble La compounds in, P (6) 130*g*.
internal friction in (5) 111*f*.
selenide, crystals, mobility of free carriers in (8) 184*j*.
electrical properties (7) 152*a*.
soluble, in glazed tableware, atomic absorption spectrometry (5) 101*c*.
sulfide, and telluride, piezobirefringence (8) 173*h*.
thermal analytical characterization (1) 29*c*.
telluride, p-type, transport properties (8) 186*b*.
transverse optic lattice mode in (9) 210*b*.
tetraalkyl, steam distillation, montmorillonite clays in, P (4) 90*g*.
titanate, ceramics, electromechanical properties (11) 249*g*.
defect (9) 209*c*.
emission of light by surface microplasma of (8) 181*j*.
ferroelectric crystals, depolarization (8) 180*b*.
ferroelectric, optical properties (10) 226*h*.
ferroelectric-paraelectric phase transition in (9) 199*b*.
piezoelectric properties, effects of additives (3) 66*f*.
zirconate ceramics, piezoelectric, stabilization effects in (4) 86*a*.
zirconate, Raman spectrum (9) 214*i*.
thermoelectric effect in (6) 139*h*.
Leucite, formation, in SiO_2-Al_2O_3-K_2O-Na_2O glasses (6) 123*g*.
Ligands, dissimilar, compatibility (5) 107*b*.
Light, deviation, by sheets with circular cone geometry (11) 259*c*.
emission, by surface microplasma of (Ba,Pb)TiO_3 (8) 181*j*; by surface microplasma of (Ba,Pb)TiO_3 (10) 235*f*.
sources, temp.-compensated, using light-emitting diode, P (3) 70*f*.
tubular radioactive, P (4) 81*i*.
Lignosulfonates, adsorption, by montmorillonite (3) 73*i*.
Lime, burning, with shaft preheater and shaft cooler (11) 241*h*.
calcination, P (10) 219*a*.
calcined pebbles, cooling, P (8) 166*f*.
effect, on hydration of pastes (7) 142*i*.
magnesian, magnesian limestones for (7) 143*a*.
milling, with sand, effect on strength of lime-sand bond (1) 2*d*.
plant, burning in (10) 217*g*.
powder, in mixer (7) 148*j*.
production, properties, use, B (10) 240*i*.
reactivity, testing methods (6) 133*d*.
-sand products, $Ca(OH)_2$ in (10) 218*j*.
-SiO_2 ratio, effects on physical properties of MgO-chrome ore compositions (1) 11*j*.
slaked, plaster properties (1) 3*d*.
technology (9) 190*d*.
Limestone, calcination, error in (9) 191*f*.
P (7) 143*d*.
for colorless glasses (5) 98*e*.
granulation, P (1) 23*g*.
magnesian, use in making magnesian limes (7) 143*a*.
quality, effect of quarrying (11) 255*i*.
thermal decomposition (6) 120*j*.
Liquids, liquation, during glass crystallization (7) 144*j*.
mixing with solids, P (8) 177*b*.
movement, through kaolinite (6) 136*j*.
simple, structure and properties (2) 54*j*.
transmittance, spectrophotometer for measuring (4) 88*h*.
viscous, stirring (8) 177*j*.
Liquides, relations, in portion of garnet-flux system (1) 25*g*.
Lithium, aluminate, target, defective, detecting in reactor, P (2) 47*b*.
borohydride, reaction with $NaBH_4$ (5) 114*h*.
carbonate, and TiO_2 mixture, titanates in (7) 163*g*.
chloride, energy bands and optical properties (8) 181*b*.
-KCL, eutectic, ion exchange with Pyrex glass (3) 62*g*.
reaction with In chlorides (7) 162*j*.
reaction with K borohydride (1) 27*f*.
crystal chemistry (6) 135*b*.
fluoride, amplitude independent damping in, recovery (9) 210*j*.
crystals, Debye-Hueckel cloud formations in (8) 180*a*.
dielectric constant (8) 183*h*.
electron-emission images on (11) 257*j*.
:Mg^{2+} crystals, thermoluminescence (11) 257*i*.
single crystals, spark discharges damage in (5) 107*e*.
thermal conductivity, effect of dislocations (5) 108*c*.
thermoluminescence in (3) 68*e*.
thermoluminescent, optical absorption (11) 256*h*.
V_3 band in (8) 188*a*.
Lithium germanate, electrooptic measurements (7) 160*c*.
halide, crystals, local orbitals for (8) 186*d*.
Li^+, holes trapped at, in Al_2O_3, ESR (9) 209*j*.
mobilities in silicate glasses (3) 61*a*.
mobility in silicate glasses (10) 219*j*.
paraelectric resonance, in KCl (6) 135*g*.
Li_3AlO_3, and Li_5AlO_4, preparation, characterization, and thermal behavior (7) 162*f*.
Li_2BeF_4, molten, equilibria of SiF_4 with SiO_2, Be_2SiO_4 and BeO in (1) 25*c*.
$LiFe_5O_8$, precipitation in alpha $LiFeO_2$ (2) 52*g*.
short-range order in (7) 162*f*.
$LiGaO_2$, piezoelectric, elastic, and dielectric properties (3) 68*h*.
$Li_2Si_2O_5$, crystalline (7) 159*i*.
Li_2SO_4, phase transformations in (8) 185*g*.
$Li_2W_2O_7$, crystal structure (8) 180*g*.
Li_3VO_4, crystal structure refinement (9) 214*j*.
Li_4SiO_4-Zn_2SiO_4, compositions, kinetics of sintering and physical properties (5) 111*j*.
metaphosphate, reaction with Bi_2O_3 (7) 162*j*.
metatantalate, ferroelectric domain reversal in (4) 85*e*.
Mg Zn silicates, crystallization in (6) 135*c*.
microprobe, nuclear, P (4) 87*g*.
molybdate, reaction with Cr molybdate (10) 238*j*.
reaction with $InMoO_4$ (2) 54*f*.
niobate, elastic wave propagation in (8) 180*i*.
far-ir radiation by picosecond light pulses in (10) 236*c*.
ferroelectric crystals, depolarization (8) 180*b*.
Fe^{3+} and Mn^{2+} in, EPR (9) 210*g*.
:Fe^{3+}, EPR (9) 209*h*.
Gd^{3+} centers in, EPR (9) 210*g*.
ion-etching (7) 151*f*.
laser damage in (10) 235*f*.
laser damage in, control (6) 135*j*.
and $LiIO_3$ crystals, generation of harmonics in (10) 239*e*.
luminescence from (10) 226*c*.
piezoelectric coeff., dilatometer measurements (8) 183*a*.
piezoelectric polarization (9) 215*c*.
Rayleigh wave guidance on (10) 238*g*.
single crystals, residual stresses in (8) 186*b*.
soft mode in (9) 215*e*.
and tantalate, optical wave-guiding layers in (10) 238*a*.
thinning by ion etching for acousto-optic deflectors (5) 116*g*.
vibrational spectra (11) 259*h*.
oxide, in glass, reduces melting viscosity and firing times (3) 62*a*.
vibrational and electronic oscillator strengths (5) 116*e*.
in silicate rocks, atomic absorption analysis (5) 104*j*.
tantalate, anomalous attenuation in (5) 106*c*.
crystals, precision machining (3) 68*i*.
electrooptic coeff. (11) 259*d*.
ferroelectric (8) 181*g*.
lattice vibrations in, ir study (8) 182*g*.
light extinction, thermal effects on (5) 114*a*.
tetrachloroaluminate, and dichloroxyaluminate (7) 163*c*.
tetrafluoroaluminate, equilibrium pressure (8) 181*d*.
titanates, kinetics of formation (5) 111*j*.
$V_1(Li^+)$ center, in KCl:Li^+, EPR optical and absorption studies (8) 181*i*.
Luminescence, of alkaline earth Zr silicates (9) 211*j*.
of $(Br^-)_2$ centers, in NaCl:Br (6) 134*j*.
in CaF_2:Ce:Mn phosphors (11) 249*f*.
cathodo-, of $AgGaS_2$ (10) 240*a*.
Er^{3+}, in YGaG and YAG (4) 91*a*.
of willemite single crystals (9) 199*d*.
of CdS (9) 215*a*.
centers, of glasses, correlation with composition and structure (1) 5*d*.
charge-transfer, Cr^{3+}, in MgO (5) 107*a*.
device, electrically, P (10) 227*j*.
of donor-acceptor pairs, in cubic SiC (8) 183*j*.
effect, in CaO (9) 212*a*.
efficiency, of conduction electrons in ZnO crystals (9) 212*a*.
electro-, ac, of CdS:Cu powder phosphors (3) 67*i*.
dc, of CdS:Cu powder phosphors (3) 67*j*.
dc, of ZnS:TbF_3 thin films (8) 173*b*.
device, GaP, P (1) 17*e*.
device, P (3) 69*g*.
device, P (8) 174*f*.
devices, P (8) 174*i*.
$GaAs_{1-x}P_x$ device, P (7) 153*j*.
of EuTe, and chalcogenides (7) 161*j*.
of β-Ga_2O_3 (4) 92*e*.
in KBr:I, from bound excitons (6) 136*f*.
in La oxysulfide (10) 238*c*.
from $LiNbO_3$ (10) 226*c*.
in MgO (8) 187*b*.
in phosphors, stimulating, P (6) 130*g*.
photo-, and electro-, of ZnTe, effect of annealing (5) 108*a*.
of EuS and EuTe (8) 181*b*.
ir emission band in ZnO (8) 183*d*.
in TiO_2 films (9) 213*d*.
of ZrO_2 anodic layers (3) 68*d*.
polarization, angstrom centers in diamond (11) 259*b*.
properties, of $Eu_2(II)SiO_4$ monochinic phase (5) 111*f*.
of GaP (8) 173*c*.
radiophoto-, of ag-activated dosimeter glasses (3) 61*e*.
radiothermo-, materials and dosimeters, P (10) 228*d*.
study, of glass structure change (1) 8*a*.
of $ZnSe_{1-x}S_x$ crystals (5) 111*g*.

Luminescence thermo-, of C_3S (9) 190*f*.
dating of baked clay balls of Poverty Point culture (2) 31*i*.
dating of Colombian pottery (2) 31*j*.
dating, error limits in (2) 31*g*.
dating, at Riso (2) 31*h*.
in LiF (3) 58*e*.
of LiF:Mg^{2+} crystals (11) 257*i*.
of quartz crystals (6) 135*j*.
of sapphire, P (8) 178*b*.
testing of Hui-Hsien objects (2) 31*g*.
of thiogallate phosphors (9) 212*b*.
Tm centers, in ZnSe crystals (8) 183*j*.
yellow, of ZnO (7) 164*a*.
in ZnTe (5) 111*c*.
Luminescent materials, cathodo-, electrophoretic deposition, P (5) 102*j*.
oxysulfide, P (4) 86*h*.
silicate, activated by bivalent Eu, P (6) 130*e*.
Lyophilization, to obtain surface area solids (2) 48*b*.

Machinery and equipment, autoclaymation (2) 47*h*.
autoramics, in electronics, glass, enamel, and whiteware industries (2) 56*g*.
for clay, extraction and conveying (2) 48*b*.
review (3) 64*f*.
concentration control, P (8) 177*c*.
for continuous sheet, by filtration of particles in suspension in liquid, P (10) 231*i*.
cutting, sheet material, P (11) 252*g*.
design, human factors (7) 156*b*.
engineering, and bulk materials flow (2) 47*i*.
fork-lift truck, for weigh batching (11) 252*h*.
for forming ceramic walls, P (7) 156*h*.
gear reducer (9) 203*f*.
packing, P (10) 232*a*.
for packing stacks, of tiles or bricks (2) 47*i*.
rollers, vibrating, P (9) 204*d*.
scrubbers, particle collection and pressure drop (5) 104*b*.
silo discharge control, P (7) 156*h*.
slingers, cam-guided, P (8) 177*b*.
sphering, continuous, P (10) 232*a*.
spreading, for granular solids, P (8) 177*e*.
swaging, for tubular workpieces, P (11) 253*a*.
transport, P (7) 156*h*.
trimming, for ceramic molded articles, P (8) 177*g*.
vacuum work chambers, optical viewing system for, P (2) 48*c*.
valve bag applicator, P (1) 21*d*.
vat, differential-effect backing, P (3) 71*e*.
Machining, granite, marble, P (8) 177*g*.
machinability, of Al_2O_3 (6) 136*f*.
MgO, surface work hardening, and strength (11) 258*g*.
Magmas, effect of H_2O, on composition (1) 24*j*.
Magnesite, hydro-, with modified morphology, P (7) 149*d*.
quantitative analysis, by ir spectrophotometry (11) 259*c*.
Satkinsk, obtaining dense powder from (1) 12*f*.
single crystals, hydrothermal growth (8) 182*i*.
sintering, in shaft furnace, P (3) 73*h*.
Magnesium, aluminate, single crystal, self-diffusion of O ion in (10) 239*b*.
spinel, lattice vibrations (8) 183*g*.
arsenate, crystal structure (11) 257*d*.
behavior, reprocessing Al_2O_3-containing material (1) 23*b*.
chloride, effect on solid-state reaction in MgO-Al_2O_3 system (5) 108*f*.
dititanate, thermal expansion anisotropy effects in (9) 211*f*.
ferrite, electron diffraction superlattice lines in (1) 24*i*.
electron diffraction superlattice lines in (1) 27*i*.
fluoride, crystals, directional dispersion of optical phonons in (5) 108*h*.
crystals, M centers in (8) 183*j*.
lattice dynamics (11) 257*a*.
reaction with Al and Si (10) 238*h*.
gallate, single crystals, Czochralski growth (10) 226*d*.
^{24}Mg, deformations in, from electron scattering (5) 107*j*.
$Mg_xMn_{0.6}Fe_{2.4-x}O_4$, magnetic anisotropy (11) 257*b*.
$MgMnGeO_4$, olivine-spinel transformation in (5) 112*f*.
Mg^{2+}, in carbonate cements, electron microprobe analysis (6) 120*e*.
holes trapped at, in Al_2O_3, ESR (9) 209*j*.
Mg_2SiO_4, polymorphs, crystal structures (2) 51*i*.
Mg_2SnO_4, short-range order in (7) 162*f*.
Mg_3TeO_6, vibrational spectrum (4) 94*b*.
molybdate, ir reflection bands (10) 235*h*.
oxide, acoustic paramagnetic resonance of V^{3+} in (11) 259*j*.
active, P (1) 24*a*.
Al_2MgO_4, and Mg_2SiO_4 spinel, lattice dynamics (1) 25*j*.
calcined, P (5) 100*i*.
calcined, surface properties (8) 186*i*.
cation self-diffusion in (5) 106*h*.
ceramics, whiskers into (9) 195*g*.
Cl and O adsorption on (11) 257*b*.
clinker components studied by EPMA (5) 100*d*.
coatings, P (2) 34*i*.
compaction, triaxial (10) 231*j*.
compositions, shaped, P (11) 247*j*.
cores, P (7) 149*c*.
creep-deformed polycrystalline, dislocation structures in (1) 24*g*.
crystal, static distortion, calculations (6) 135*h*.
crystals, positron annihilation in (11) 256*h*.
Cr^{3+} charge-transfer luminescence in (5) 107*a*.
decomposition of zircon sand by (3) 65*c*.
distribution in system MgO-Al_2O_3-ZrO_2 (7) 160*d*.

Magnesium oxide *(continued)*
effect on MgO-dolomite bricks (7) 148*f*.
effect on sintering portland cement clinker (10) 218*c*.
electrical properties (9) 209*f*.
electro-, thermal aftertreatment, P (7) 149*a*.
EPR of Cr^+ in (9) 209*h*.
EPR of impurities in (11) 259*e*.
EPR spectrum of Ti^{3+} in orthorhombic symmetry in (5) 109*e*.
F^+ and F^- centers in (6) 136*g*.
F bands, vibronic aspects (8) 188*a*.
fibrous, growth via vapor phase (10) 236*d*.
fibrous, P (5) 100*g*.
fluorescence and absorption spectra of Ni^{2+} in (11) 258*i*.
grain growth, effects of B_2O_3 (7) 162*b*.
heats of immersion in cyclohexane (2) 53*i*.
hot-pressing, effect of anions (5) 108*a*.
and LiF-doped, initial sintering (8) 182*g*.
linewidth of Fe group ions in (9) 215*b*.
longitudinal optical mode freq. in, ir spectroscopy (5) 104*j*.
luminescence in (8) 187*b*.
machining, surface work hardening, and strength (11) 258*g*.
microwave photon-phonon double-quantum detection in (5) 113*b*.
optical study of V^- center in (5) 113*b*.
$^{17}O_2^-$ adsorbed on (10) 237*g*.
particles, growth in calcined dolomite (6) 135*g*.
pipe diffusion in (9) 209*f*.
polycrystalline, effect of thermal treatment (7) 162*d*.
powders, O_2^- species adsorbed on, ESR (10) 235*j*.
powders, crystal growth in (2) 51*c*.
powders, electrofused, dispersion during pressing (1) 11*g*.
properties, effect of thermal aging (1) 12*a*.
radiation hardening (9) 214*g*.
Rebinder effects in (6) 137*c*.
relation between precursor and microstructure in (10) 239*a*.
single crystal, dislocation damping in (9) 210*e*.
single crystals, plastic deformation (5) 113*g*.
sintered body, effects of B_2O_3 (7) 148*h*.
supports for catalysts in hydrocarbon reforming, P (3) 73*f*.
trapped-hole centers containing Li in (5) 116*j*.
vapor pressures, measurement by free-evaporation methods (4) 89*e*.
peroxide, thermal decomposition and structure (7) 163*e*.
silicate, and tobermite, paragenesis (7) 143*b*.
sulfate, heat effects (10) 236*h*.
tetrafluoroborate, chemical transformations during heating (1) 24*g*.
Magnetic materials, bibliography, and tabulation of magnetic transition temps., B 7 (5) 117*e*.
Co ferrite system powder, P (9) 200*j*.
Fe oxide particles, P (11) 250*g*.
magnetizable, mixed oxides, P (10) 228*c*.
NiFe alloy thin layers, X-ray spectrum analysis (3) 68*f*.
powders, P (2) 44*a*; P (9) 201*d*.
Magnetic properties, of ACr_2Se_4, (A = Fe,Co,Ni) and $NiCr_2S_4$ (4) 92*e*.
anisotropic permanent, body with, P (7) 154*b*.
anisotropy, effect on conductivity of Cu ferrite (8) 181*b*.
of Ba ferrite, hot-pressed (8) 173*j*.
of BaO.$6Fe_2O_3$ (11) 249*e*.
of Ba_2FeUO_6 (8) 183*b*.
of Ba_2MReO_6 ordered perovskites (6) 137*c*.
in $Bi_9Ti_3Fe_5O_{27}$ (8) 173*a*.
of CaF_2 crystals (8) 183*f*.
of $CdCr_2S_4$ single crystals (8) 173*c*.
of CoVSb, CoTiSb, and NiTiSb (5) 111*j*.
of $CrMn_2O_4$ (5) 114*j*.
of Cr_3Te_4, in ferromagnetic region (6) 137*f*.
of $CuCr_2Se_{4-x}Br_x$, and $CuCr_2Se_{4-x}Cl_x$ (5) 111*f*.
of $Cu_4Mn_2Te_4$ (8) 180*h*.
domain, bubble, in $YFeO_3$, detection by SEM (1) 24*e*.
bubble system, P (5) 102*i*.
patterns in $BiTiO_3$, white-light reading (4) 85*d*.
structure and polarization reversal in ferroelectric $BiTiO_3$ films (4) 85*d*.
structure, effect on elastic wave propagation in $LiNbO_3$ (8) 180*i*.
structure in YIG (1) 16*e*.
wall, and contrast in thick Fe films (5) 111*h*.
wall motion in Gd molybdate (4) 84*j*.
wall, self-biasing single, P (2) 45*c*.
width in domain structures of ferromagnets (6) 139*j*.
in $FeCr_2O_4$-Fe_3O_4 system (5) 112*d*.
of FeP (2) 54*h*.
field, dependence of metal-insulator "Mott transition" in VO_2 (11) 258*g*.
effect on diffusion of minority carriers in semiconductors (1) 15*i*.
effects on GaAs (10) 235*h*.
longitudinal and transversal, of Neel-type antiferrimagnet (4) 93*i*.
Moessbauer experiments (3) 67*e*.
transverse, effect on uniaxial ferromagnet (7) 160*g*.
and galvano-, of hydrides of Ti, Hf, and Nb (9) 209*c*.
of ZrH_2-TiH_2, ZrH_2-HfH_2, ZrH_2-NbH (9) 209*d*.
galvanomagnetic effect, in TlBr (6) 136*j*.
of garnets, Nd-small rare earth-Ga (4) 92*f*.
of glass, containing transition metal ions (3) 62*b*.
of ilmenite, and $MnVO_3$ (5) 110*i*.
interaction, between Fe^{3+} and Ni^{2+} ions in oxyspinels (9) 212*c*.
in Gd orthoferrite (11) 258*h*.

Magnetic properties of K_2CuF_4 (10) 237*h*.
of Li_2O-Fe_2O_3-SiO_2 compositions (7) 152*a*.
of metal-insulator transition, in $V_{1-x}Nb_xO_2$ system (8) 183*e*.
of Mn Zn ferrites, effect of Ti ions (9) 199*i*.
ordering, effect on photoluminescence of EuS and EuTe (8) 181*b*.
in phases based on Cr_2O_3, V_2O_3, and TiO_2 (1) 26*c*.
in Tb^{3+} in $Tb_3Fe_5O_{12}$ (7) 161*j*.
of orthoferrites, fluoride substituted (5) 112*b*.
of oxyfluoride ferrites (2) 55*i*.
of oxyselenides, of Gd, Tb, Dy, Ho, Er, and Tm (9) 212*c*.
of oxysulfides, rare-earth (4) 92*f*.
of PdSb and PtSb (2) 52*c*.
of $RbFeF_4$ (9) 212*b*.
of solid solutions, of ferrites of Mn, Cu(I), and Cu(II) (7) 160*f*.
of spinel, garnet, and ferrites (2) 42*h*.
of $SrCo_{1-x}Fe_xO_{3-y}$ system (10) 237*h*.
structure, in $Ca_3Fe_{2-x}Al_xO_5$ system (4) 92*g*.
of compositions MFe_2Se_4 (M = Ti,V,Cr,(Fe),Co,Ni) (6) 137*h*.
of $DyPO_4$ (9) 213*a*.
of $FeBO_3$ (7) 161*c*.
of $Fe_{0.9}Nb_{1.1}O_4$ (9) 212*e*.
of Ho_2O_2Se and Yb_2O_2Se (9) 212*c*.
of Mn_3O_4 (5) 114*c*.
of $MnTa_2O_6$ and $CoNb_2O_6$ (9) 212*d*.
of $NiMn_2O_4$ cubic spinel (4) 92*g*.
and space group of garnet $Ca_3Fe_2(GeO_4)_3$ and $Ca_3Cr_2(GeO_4)_3$ (9) 212*f*.
of spinel Fe_3S_4 (7) 161*c*.
of $SrCoO_{2.5}$ (10) 237*h*.
of $SrFeO_3$ (10) 237*i*.
of TbO_2 (9) 212*f*.
susceptibility, of $NbSe_2$ (5) 111*c*.
of $NiAs_2O_4$ and $NiSb_2O_4$ (9) 212*g*.
of O_2SbF_5 (5) 112*e*.
of Os(III) and Os(IV) chlorides (7) 161*d*.
of ReO_3 (4) 92*h*.
of semiconductor glasses (6) 122*j*.
in tourmaline mineral group (5) 112*f*.
of transition metal salts (9) 212*h*.
symmetry, and transport, of crystals (11) 258*h*.
of $TbFe_{1-x}Co_xO_3$, solid solution (8) 183*g*.
of $TbPO_4$ (9) 212*d*.
of $TmFeO_3$ (5) 113*a*.
transitions, in sulfide minerals (6) 137*h*.
of V oxyfluoride bronzes (2) 52*c*.
of $YMnO_3$, $HoMnO_3$, and $YbMnO_3$ (8) 183*e*.
of zeolites, CoY and CoA (4) 92*h*.
of Zn chromite (8) 183*a*.
of $ZnCr_2Se_4$ (8) 183*d*.
Magnetism, anisotropic structures, in spinels (5) 106*h*.
anisotropy, in Heisenberg linear chair antiferromagnet Cs-$MnCl_3.2H_2O$ (7) 162*d*.
anneal, and anisotropy in YIG (11) 258*g*.
Brillouin zone, evidence in EuSe and EuTe (8) 181*f*.
bubble device, P (2) 44*d*.
bubble mobility, in garnet films (10) 226*e*.
ceramics, electrical, and optical, B (6) 140*h*.
coating compositions, P (7) 153*f*.
constants, of alpha-Al_2O_3:Co^{2+}, H^+ (10) 236*a*.
devices, using garnet epitaxial materials, P (10) 228*d*.
domain, motion, eddy-current-limited, analysis (11) 256*h*.
propagation arrangement, P (2) 44*e*.
structure, of GaIG and YIG films (10) 226*g*.
wall, asymmetric 180°, in Fe films (7) 159*f*.
electro-, drive of metering devices for glass charge (9) 192*g*.
films, P (2) 44*e*.
film-substrate structures, bubble domains in, P (8) 175*b*.
head, assembly, using TiO_2 and $BaTiO_3$ slider, P (9) 200*j*.
thin-film P (5) 102*b*.
heating, in single-crystal NiO (7) 151*j*.
interactions, in corundum-hematite solid solutions, EPR (8) 183*a*.
magnetization reversal, of rare-earth orthoferrite single crystals (11) 249*c*.
magnetoreflectance, in EuSe and EuTe (8) 185*b*.
magnetostatic field, effect on fast magnetization reversal of ferrite cores (3) 66*j*.
magnetostriction, constants, of YIG crystal specimens (5) 112*h*.
measuring method (5) 104*i*.
of Mg ferrite, measurement (8) 183*j*.
magnetostrictive elements, ferrites as (2) 42*f*.
memory, thin film plated wire, P (8) 174*c*.
moments, in antiferromagnets, fluctuations in (4) 91*i*.
of RIG (8) 185*e*.
order, in Ca_2MnO_4 (8) 187*e*.
phases, in mixed crystals (Fe,Mn)WO_4 (9) 208*h*.
recording, material, powder of γ Fe_2O_3 particles, P (7) 154*e*.
media, abrasion-resistant, P (8) 174*c*.
media, P (1) 17*c*.
media, P (8) 174*b*.
medium, P (3) 69*f*.
recording tape, Co ferrite (3) 69*c*.
P (7) 153*f*.
space group, of Ca_2FeAlO_5 (9) 212*d*.
structure, in $Ca_3Fe_{2-x}Al_xO_5$ system (8) 183*g*.
of $CoWO_4$, $NiWO_4$, and $CuWO_4$ (8) 183*g*.
of Ho_2O_2Se and Yb_2O_2Se (9) 212*c*.
of Mn_2GeO_4 (7) 159*h*.
of $PrFeO_3$ and $NdFeO_3$ (9) 211*i*.
of Zn ferrite, models (7) 152*e*.

Magnetism study, of ferromagnesian olivines (8) 183*h*.
superparamagnetic phase, in $BiFeO_3$ (9) 211*a*.
thermo-, recording, in thin garnet layers (10) 227*e*.
treatment, effect on clay dispersions (11) 257*d*.
Magnetite, electrical conductivity (8) 181*f*.
insulating phase, NM and Moessbauer effect (9) 211*a*.
Moessbauer measurements (7) 161*e*.
optical properties (9) 213*g*.
optic spin waves in (9) 213*i*.
thermoelectric power (8) 173*g*.
transition temp., impurity effects (6) 136*d*.
-wustite boundary, long-range order-disorder problem (10) 237*g*.
Magnetization, in antiferromagnets (5) 112*g*.
curves, for determining time characteristics (2) 42*i*.
of Fe-Cr spinels (5) 112*g*, effect of crystallographic phase transitions (3) 75*b*.
low-temp., of $TmFeO_3$ (8) 183*j*.
sublattice, in $YbFeO_3$ and $YFeO_3$ (7) 162*h*.
in YIG (8) 182*h*.
Magnetoelectric effect, measurements, of antiferromagnetic ordering in $MnNb_2O_6$ (9) 207*g*.
study, of $DyPO_4$, antiferromagnetic (7) 152*b*.
of Fe_2TeO_6 (9) 212*h*.
in $MnGeO_3$ (9) 212*i*.
Magnetoelectric materials, $A_2M_4O_9$, (A = Ta,Ng; M = Mn,Co) (9) 213*b*.
Magneto-optical devices, readout system, P (9) 194*h*.
Magneto-optical materials, $CdCr_2S_4$ (10) 236*e*.
hot-pressed, $CoCr_2S_4$ (4) 85*h*.
Magneto-optical properties, coeff., in YIG (9) 215*b*.
of EuS thin films (8) 173*b*.
of $K_3Ni_2F_7$, and structure (10) 237*i*.
of orthoferrites (7) 152*b*.
of Yb chalcogenide, thin films (8) 185*d*.
Magnetoplastic effect, in Ni, and Ni-Co alloy single crystals (6) 137*j*.
Magnetoplumbites, description (7) 150*i*.
Magnets, anisotropic, grinding calcined ferrite eliminated in making, P (7) 153*f*.
ceramic (7) 150*i*.
ceramic permanent (9) 199*g*.
electro-, device with metal oxide varistor core, P (4) 86*j*.
head, P (4) 86*e*.
in thickness gages, P (2) 49*b*.
Magnons, independent grain behavior, in YIG (10) 236*j*.
Manganese, as coactivator, in system LiF-Mg (3) 68*e*.
difluoride, antiferromagnetic ordering (9) 208*f*.
dioxide, activated, P (2) 50*e*.
as counterelectrodes in capacitors (6) 129*h*.
iodide, reaction with InI (7) 162*h*.
ions, substitution for Fe ions in dicalcium ferrite (3) 68*c*.
$MnAu_2$, spiral phase, magnetic resonance in (7) 161*a*.
(Mn,Co,Si) X phase, crystal structure (9) 209*a*.
$MnCr_2O_4$, ^{55}Mn NMR study of (9) 212*c*.
$MnFe_2O_4$, Moessbauer effect in (8) 184*a*.
$MnFe_{2-x}Sc_xO_4$, Moessbauer effect study (9) 212*f*.
$(Mn,Fe)_3O_4$, ir absorption spectra and cation distributions in (9) 211*i*.
$Mn_xFe_{3-x}O_4$, cation migration and valencies, and cubic-tetragonal transition in (5) 106*f*.
$MnGeO_3$, magnetoelectric study (9) 212*i*.
$MnNb_2O_6$, antiferromagnetic ordering in (9) 207*g*.
$MnSiO_3$-$MgSiO_3$ join, rhodonite-pyroxmangite peritectic along (4) 93*c*.
$MnTa_2O_6$, magnetic structure (9) 212*d*.
Mn(II) telluride, Knudsen measurements of sublimation (8) 183*f*.
$MnTiTO_5$, (T = rare earth), X-ray and neutron study (4) 94*c*.
Mn^{2+}, in $Cd_{1-x}Mg_xTe$ mixed single crystals, EPR (6) 136*g*.
EPR in $ZnAl_2O_4$ (9) 209*h*.
ESR in single-crystal CaS (3) 74*i*.
ESR in Sr borate compounds and glasses (3) 61*b*.
fluorescence in glasses, effect of temp. (5) 97*c*.
ions in and on surface of Al_2O_3 and SiO_2 (2) 54*c*.
in $LiNbO_3$, EPR (9) 210*g*.
Mn_2GeO_4, crystal and magnetic structures (7) 159*h*.
Mn_2O_3, effect on glass crystallization (1) 6*b*.
Mn^{3+}, absorption in pink and black tourmalines (6) 136*a*.
ions, contribution to magnetic anisotropy of $Mg_xMn_{0.6}Fe_{2.4-x}O_4$ (11) 257*b*.
Mn_3AlC, and Mn_3GaC, NMR ferromagnetic (6) 137*j*.
Mn_3O_4, properties and magnetic structure (5) 114*c*.
single crystals, growth (7) 161*e*.
Mn^{4+}, covalency parameters in oxide environment (5) 107*a*.
^{54}Mn, carrier-free, by bombardment of Cr (6) 138*b*.
^{55}Mn, NMR studies, in Ba Zn ferrite (5) 112*e*.
oxide, antiferromagnetic transition in (7) 160*j*.
crystal defects in (7) 159*g*.
effect on hydraulic properties of blast furnace slag (10) 217*j*.
electrical conductivity (4) 91*e*.
electrical properties (11) 257*h*.
electrical properties and defect structure (4) 91*f*.
electrotransmission spectra (9) 210*b*.
Hall mobility (9) 211*c*.
Neel temp. dependence (9) 212*i*.
spin waves in (9) 211*e*.
spin waves in (9) 215*c*.
X-ray Kβ emission spectra and energy levels (5) 116*f*.
slag, low-P, skin in bath of ferroalloy furnace melting (1) 13*j*.
titanate, antiferromagnetic character (7) 152*g*.
Manganese vanadate, high-pressure synthesis and magnetic properties (5) 110*i*.
Manganite, structure, anisotropic magnetic (5) 106*h*.
Marble, machining, P (8) 177*g*.
Masers, with F-centered crystal, P (9) 201*b*.
Masks and masking, aperture, for color CRT, P (9) 193*d*.
closable area, of container during coating, P (10) 232*b*.
color kinescope screen and, P (8) 170*j*.
conveyor, coating apparatus with, P (9) 200*j*.
diffusion barrier, on Si substrate, P (5) 102*a*.
etch-resistant, P (9) 200*d*.
for exposing photoresist to light, P (7) 153*g*.
fluidic, apparatus for etching, P (2) 43*j*.
method, for making semiconductor device, P (8) 174*c*.
in microelectronic components, P (2) 44*f*.
for ornament glass articles, P (2) 39*d*.
photographic, in making microelectronic circuits, P (6) 130*c*.
optimized glass, P (8) 175*f*.
on wafer surface, P (11) 250*a*.
photolithographic, of semiconductor material, P (2) 45*c*.
for semiconductor components, P (7) 154*e*.
shadow, high-resolution, P (5) 102*e*.
P (7) 155*a*.
Mass transfer, in diffusional creep, of ionic solids (4) 92*i*.
in fractionation, of Se (4) 90*e*.
Materials, amorphous, Third International Conference, B (1) 29*j*.
amphibolitic tectonic block, paragenetic relations in (9) 206*h*.
ceramic, crack-formation resistance, and relation to thermal-shock resistance (4) 88*h*.
feeding and storage methods (9) 203*h*.
mechanical strength, porosity effect (10) 237*a*.
P (9) 203*b*.
processing (2) 56*g*.
from Quinua, Peru, mineralogical analysis (2) 31*e*.
finely divided solid mixture, grading, P (11) 252*f*.
loose, sampling, mechanization and automation, B (4) 94*e*.
mixable, moistening, P (9) 205*c*.
ocean engineering, study of behavior (1) 22*e*.
paving, freeze-thaw durability testing (2) 48*h*.
raw, Al_2O_3-containing, hydrochemical reprocessing, behavior of Mg during (1) 23*b*.
ceramic, mineral composition by microscopy (10) 232*e*.
from Chlumcany deposit (2) 50*e*.
control (9) 206*h*.
dressing with hydrocyclones (9) 206*j*.
science, annual review, B (3) 76*f*.
and technology, B (5) 118*d*.
and technology, B (11) 260*i*.
technical, vitreous phase in, B (6) 140*j*.
technology, B (8) 188*h*.
Materials handling, of ceramic goods, P (11) 252*i*.
control, costs cut (11) 252*g*.
conveying, dense-phase (9) 203*f*.
devices, for guiding material to screw conveyor, P (1) 21*a*.
dried articles, in preparation for firing, P (9) 203*i*.
feeding, sheets to processing equipment, P (9) 204*b*.
hydraulic, of granular materials in vertical pipes (2) 47*g*.
pallets, shrink-film packing (4) 88*g*.
pneumatic (2) 48*a*.
research (10) 231*i*, solid-liquid flow in pipes (7) 156*c*.
stacked, P (10) 232*c*.
supply system, P (8) 177*b*.
Mathematics, -statistical experimental planning (11) 260*a*.
Measurement, devices, P (11) 254*d*.
of light reflection, suspended particle, P (3) 72*h*.
quick, of grain diameter, in electroceramics (2) 42*g*.
Mechanical properties, of aggregates (1) 3*j*.
of BaF_2 single crystals, effect of additives (8) 180*j*.
of BeO, irradiated (7) 155*h*.
bulk modulus, of diamond, first-principles calculation (6) 136*h*.
of ceramics (1) 21*i*.
of C fibers, coated with TiC (1) 12*c*.
/Ni composites (2) 40*i*.
electro-, of $PbTiO_3$ ceramics (11) 249*g*.
in system $PbTiO_3$-$Pb(Cd_{0.5}W_{0.5})O_3$ (5) 109*g*.
of fiber, P (9) 205*b*.
of glass, modified surface (9) 192*c*.
sheet (1) 8*c*.
of graphite fibers, effect of fiber diameter (2) 39*j*.
high-modulus (6) 131*b*.
high temp., of magnesite-chrome refractories (2) 40*c*.
of mullite (1) 27*i*.
of portland cement concrete (10) 218*e*.
of portlandite, single crystals (2) 33*a*.
of SiO_2 and W fibers composite (7) 162*f*.
structural-, of cement suspensions (4) 79*e*.
of thermoplastics, glass-fiber-reinforced (7) 145*c*.
ultrasonic investigation, B (11) 260*i*.
Melting, CsCl, effect of pressure (5) 108*g*.
electric arc, electric arc stabilization (5) 100*d*.
induction, and electromagnetic stirring, P (9) 204*c*.
levitation, of UC (2) 46*c*.
partial, of H_2O-rich basalts (1) 26*a*.
of phosphate glasses, effect on dosimeter properties (3) 62*a*.
point, congruent, of CeN (3) 74*d*.
porous body, initial stage (11) 258*b*.
re-, electroflux, P (7) 149*c*.
Melts, alkali aluminosilicate, and alkali aluminogermanate (10) 220*f*.
equivalent vol, of reciprocal pairs of salts 2Na,Sr||2F,2Cl (9) 210*i*.
Melts metal, contact phenomena in, B (1) 30*a*.
nature, in system PCl_5-PCl_3 (5) 113*c*.
W-Re, kinetics of fluorination (5) 111*i*.
Memory, double junction read only, P (9) 200*c*.
effect, in Cu-As-Se glasses (7) 144*i*.
polarized, on Se-SnO_2 system (7) 152*g*.
ferroelectric array, piezoelectric response (4) 85*e*.
magnetic, P (9) 201*a*.
magneto-optical material, $CoCr_2S_4$ (10) 226*d*.
materials, submicrosecond optical pulses on, crystallization from (11) 258*f*.
MOS dynamic, P (3) 70*b*.
optical chalcogenide films, voltage effect on (11) 249*i*.
phenomena, in $CuFe_2O_4$ (11) 249*f*.
in semiconductors, analyses (7) 151*a*.
semiconductor, two-terminal dual pnp transistor, P (1) 19*c*.
in semiconductor films (10) 227*e*.
storage target for, P (1) 19*c*.
superconducting array, P (3) 70*e*.
three-D coaxial construction, P (3) 70*h*.
Memory devices, low-voltage charge storage, P (8) 174*b*.
magnetic, annular core for, P (4) 86*d*.
magnetostatically coupled thin-film, P (2) 44*f*.
nonvolatile, P (9) 201*c*.
with PbO_2 particles in, P (6) 129*i*.
semiconductor, P (6) 130*d*.
Si_3N_4 films for, magnetic thin film, P (2) 44*b*.
thin-film, driving technique for, P (3) 69*e*.
magnetic, P (2) 44*b*.
nondestructive readout, P (2) 45*a*.
Mercury, chalcogenides, phase transitions in (10) 238*d*.
cinnabar, acoustooptical material (10) 235*b*.
$HgTiO_3$, and $HgPbO_3$ (10) 236*j*.
$Hg_{1-x}Cd_xTe$, crystal growth (3) 74*e*.
epitaxial layers, P (7) 154*a*.
-ic oxide, shell, forming on C particles, P (2) 40*f*.
phosphide halides, P (7) 154*g*.
selenide, synthesis by reaction of Hg oxides with Se (5) 113*j*.
thermal treatment in Se atm (6) 139*e*.
sulfide, red, equilibrium and free surface pressures and enthalpies of sublimation (8) 186*h*.
telluride, vapor-crystal equilibrium and electrical properties (5) 116*d*.
Merwinite, atomic arrangement (3) 74*b*.
Metallography, quantitative stereometric, B (2) 58*a*.
Metals, carbides, removing from furnace systems, P (1) 14*d*.
-ceramic inserts, obtained by hot-pressing (3) 71*h*.
-containing materials, precipitation processes for, P (6) 132*a*.
hot, siliceous composition for marking, P (8) 167*a*.
liquid, reaction with steel-casting nozzles for continuous steel casting (1) 13*b*.
minerals, and fuels, B (10) 240*h*.
molten, wetting of solids by, B (1) 30*a*.
nitrides, preparation, P (1) 14*c*.
non-, fracture, B (1) 30*e*.
particles, contact electric resistance (10) 225*i*.
powders, catalytic coatings containing (5) 96*c*.
recovery, from waste phosphate sludge (1) 23*f*.
surface, mixture for protecting during casting, P (1) 14*a*.
sliding hot viscous glass on (1) 8*d*.
transition, carbides (8) 171*e*.
and carbides, hot-pressing (8) 171*i*.
chemistry, B (5) 118*j*.
compounds with C and N (9) 212*h*.
dichalcogenides, chemical bonding and structure in (9) 208*f*.
halides, exchange reactions with alkaline earth metal oxides (7) 160*h*.
ion substitution in aluminosilicate glass (10) 21.
ions, electronic spectra in silicate garnets (3) 74*g*.
ions, in glass, relation to structure and magnetic properties (3) 62*b*.
monocarbides, IV and V, lattice periods (9) 208*i*.
oxides, electrical properties (1) 15*j*.
powder, and carbides of, particle size enlargement, P (10) 224*d*.
salts, magnetic susceptibility (9) 212*h*.
uni- and divalent, chlorides, reaction with PCl_5 (5) 114*g*.
Methane, impurity, in natural diamonds (3) 59*d*.
Mica, beneficiation (7) 158*i*.
cation exchange, selectivity in (5) 106*f*.
celadonite, solid solution and stability (7) 158*e*.
fluorphlogopite, crystal structure analysis (8) 180*g*.
crystals, thermal decomposition, kinetics (9) 211*e*.
and tetrasilicic, sintering system, thermal expansion and solid solubility in (5) 116*e*.
plus quartz, high-temp. stability (8) 182*g*.
removing Cu or Ag (111), single crystal films from (1) 22*c*.
structure (6) 138*j*.
study, by SEM (11) 259*h*.
transformation, vermiculites or smectites (6) 136*g*.
trioctahedral, crystal chemistry and vermiculitization (6) 135*b*.
ultradisintegration, and agglomeration, P (6) 134*i*.
-vermiculite, mineral, acid treatment, for porous products (6) 126*h*.
Microscopes, in cement clinker sintering process (10) 232*d*.
electron, examination of fission-gas bubbles in UO_2 (1) 19*h*.
specimen-positioning device for, P (10) 233*e*.
tensile deformation in (11) 254*c*.
exoelectron, for imaging of surfaces (11) 253*d*.
MHO-2 high-temp., in study of sintering silicate systems (10) 233*i*.

Microscopes scanning electron, analysis of glass and glass-ceramics with (5) 97*h*.
-energy dispersive X-ray spectrometer combination for study of hydrated cement pastes (2) 33*g*.
observing enamels with (5) 96*h*.
scanning ion (4) 89*b*.
scanning X-ray, using synchrotron radiation (5) 105*d*.
Microscopy, electron, and analysis of orthopyroxene (8) 179*j*.
of crystal formation during C_4AF hydration (8) 165*i*.
of crystallization during C_3A hydration (8) 165*h*.
of Dunvegan formation in British Columbia (9) 204*g*.
of fiber-matrix system in composite material (7) 160*a*.
of glass (10) 220*e*.
of Li ferrites (2) 52*g*.
mass thickness in, new recording method (10) 232*i*.
of Nb oxides (4) 91*g*.
of Pb-Ge glass crystallization (6) 125*b*.
of portland-cement clinker structure (9) 190*a*.
of quartz grain surface textures (6) 134*f*.
of reduced WO_3 and related systems (1) 24*c*.
of solid solutions and crystallographic shear structures in system TiO_2-Cr_2O_3 (1) 28*b*.
of solid solutions and crystallographic shear structures (2) 52*h*.
for studying chemically active materials (3) 72*b*.
TRANSMISSIONUS (6) 131*e*.
transmission, hydraulic-type tensile device for (3) 72*d*.
transmission, of unfired ceramics (7) 163*j*.
of V_2O_5 decomposition (5) 109*i*.
high-temp., quenching and cooling specimen in, P (2) 49*a*.
optical, and scanning electron, of enamel (6) 121*i*.
phase contrast, for mineral composition of ceramic raw materials (10) 232*e*.
of refractories, degenerate (3) 65*h*.
scanning electron, of C_3S pastes microstructure (7) 142*e*.
for detection of bubble domains in $YFeO_3$ (1) 24*e*.
and light optical, of minerals (9) 204*h*.
for measurement of dihedral angles (6) 132*i*.
of micas (11) 259*h*.
of quartz in sandstones (6) 135*f*.
of topological properties, of sintered materials (9) 204*g*.
transmission electron, of partially crystallized glasses (7) 146*d*.
Migration, neon, in TiO_2-SiO_2 glasses (7) 145*e*.
Milling, Al_2O_3, effect on properties of slips (1) 15*a*.
clinkers, Na acetate as grinding aid in (3) 59*g*.
dry, fused quartz, kinetics (1) 20*j*.
jet, rate, solid concentration effect (9) 203*f*.
lime, with sand, effect on strength of lime-sand bond (1) 2*d*.
Mills, ball, balls for, P (9) 203*j*.
metal-clad lining in (3) 60*c*.
sizing (9) 203*f*.
comminution, P (8) 179*a*.
crushing, P (8) 177*c*.
grinding, autogenous, P (10) 231*j*.
controlling grind in, P (5) 104*a*.
P (2) 48*b*.
sound method and system for controlling, P (1) 21*c*.
hammer, antislug device for, P (10) 234*i*.
horizontal, lubrication system for, P (7) 156*b*.
jet, fluidized bed, P (9) 204*c*.
P (8) 177*b*.
pan, P (10) 232*a*.
rotary, trunnion liner and seal for, P (10) 232*c*.
stepped fluid energy, P (8) 177*e*.
stirring and grinding agitating, P (8) 177*f*.
tube, controlling, P (1) 21*d*.
fineness of material from (7) 156*j*.
vibrating, low-temp. grinding in, P (9) 204*a*.
Mineralization, reaction rate, effect of high density granules (1) 3*e*.
Mineralizers, cations and anions, effect on liquid-phase viscosity of cement clinker (1) 2*a*.
for decreasing firing temp., of hard porcelain (9) 197*j*.
F-containing, effect on clinker formation (2) 32*j*.
Mineralogy, analysis, of ceramic materials from Peru (2) 31*e*.
of clays, from India (6) 137*d*.
of SiC (7) 148*d*.
Minerals, allanites, and monazites from Romania (11) 256*d*.
analyses, free energies of formation calculated (4) 93*d*.
ankavan alaskite, as substitutes for feldspars (2) 49*j*.
clinker, and slag, and glasses from, effect of phosphogypsum (9) 189*j*.
composition, of ceramic raw materials by microscopy (10) 232*e*.
cutter picks, P (9) 207*b*.
distribution, patterns (9) 206*h*.
formation, relation of mean atomic vol and atomic-ion packing (7) 162*c*.
fragments, bulk densities (6) 133*g*.
grain, electron probe modifications using polarized light for examination (3) 72*b*.
heat content, microcalorimetry (7) 157*d*.
heavy, segregation (11) 255*j*.
identification, by far ir interferometric spectroscopy (2) 49*b*.
industrial, 1971 review (9) 206*f*.
industry, preventing hearing loss in (6) 140*d*.
technology and trends (11) 256*d*.
Na, Mg, Al, and Si, chemical bonds in (11) 259*i*.
ore, removing fibrous materials from, P (8) 178*j*.
resources, in Buenos Aires (8) 178*i*.
estimating tonnage (6) 133*d*.
resources data bank, CRIB (11) 255*i*.
Minerals rockforming, optical determination, B (1) 30*c*.
study, by light optical and SEM (9) 204*h*.
thin sections, mechanical preparation (10) 232*e*.
yearbook, area reports, domestic, B (8) 188*f*.
area reports, international, B (8) 188*g*.
metals and fuels, B (10) 240*h*.
metals, minerals, and fuels, B (8) 188*e*.
Mineral wool, attenuating, P (8) 169*a*.
cements with, high corrosion resistance, P (9) 197*d*.
nonfibrous substance in (1) 6*g*.
Mines and mining, ball clays and kaolins, quality control (7) 158*h*.
clay, Missouri law (6) 134*h*.
minerals, P (11) 256*c*.
Sm_2O_3, selective stripping techniques (1) 23*e*.
system and apparatus, P (8) 179*d*.
Mirrors, telescope blank, casting (4) 80*g*.
Miscibility, gap, of spinels $Mn_xFe_{3-x}O_{4+\gamma}$ (8) 184*i*.
in system PbO-B_2O_3 (6) 137*e*.
Mixers, cement, dolomite and powder lime in (7) 148*j*.
raw meal, system (10) 218*f*.
comminutor, P (10) 234*i*.
for granulated material, P (7) 156*e*.
grinder-, tiltable, P (2) 50*h*.
high shear, for making SiO_2 gels, P (4) 88*f*.
operation, at Refractories Combine (1) 12*g*.
P (10) 231*j*; (11) 252*i*.
for powdered fissile materials, P (11) 251*j*.
research, P (1) 22*e*.
sample, and metering, P (11) 253*a*.
vibrating trough, for granular and/or pulverized bulk material, P (1) 21*d*.
Mixing, bed, design (10) 231*g*.
control, by process computer in cement works (6) 120*c*.
dynamics, effect on cement slurry and hardened cement (10) 217*h*.
electromagnetic, and induction melting, P (9) 204*c*.
microstratified (1) 20*i*.
solid particles, in motionless mixer (4) 88*f*.
solids, with liquids, P (8) 177*b*.
Mobility, of free carriers, in PbSe crystals (8) 184*j*.
ionic, in microcapillaries (2) 53*b*.
Models, for $Gd_2(MoO_4)_3$, ferroelectric (8) 184*a*.
kinetic, for synthesis of (U,Pu)O_{2-y} (10) 230*h*.
of magnetic structure, of Zn ferrite (7) 152*e*.
mathematical, for behavior of cement kilns (10) 218*h*.
for concrete aggregate-producing plants (3) 59*h*.
for electrical melting glass (11) 244*b*.
in glassworks (7) 145*b*.
mobility, for diffusion in system K_2O-SrO-SiO_2 (1) 6*i*.
Modifications, high-temp., of γ Na_2BeF_4 (1) 25*c*.
Modulation, submillimeter wave, by free-carrier absorption in Ge (1) 27*h*.
Modulators, light, polarization-reflection type, using ferroelectrics (4) 85*f*.
$LiNbO_3$ electrooptic light, thin-film (10) 240*b*.
magneto-optic light, Fe garnet crystals for (11) 258*c*.
$SrNbO_3$ electrooptic, P (10) 229*g*.
Moessbauer effect, in $Bi_9Ti_3Fe_5O_{27}$ (8) 173*a*.
in determination, of self-diffusion coeff. in vermiculite (6) 135*e*.
experiments, in magnetic fields (3) 67*e*.
line width, of $FeCO_3$ (9) 207*g*.
measurements, of $BiFeO_3$ and $BiFeO_3$-$PbZrO_3$ (5) 112*i*.
of magnetite (7) 161*e*.
in $Sn_x(As_2Se_3)_{1-x}$ glasses (6) 124*d*.
in $MnFe_2O_4$ (8) 184*a*.
observation, of electron hopping in ilvaite (9) 213*d*.
in solid solutions, CaO.6Al_2O_3-CaO.6Fe_2O_3 (4) 92*j*.
study, of blockage temps. of magnetic clusters in solid solution $Ba(Fe_{0.35}Al_{0.65})_2O_4$ (8) 184*b*.
of charge transfer process in system $Zn_xFe_{3-x}O_4$ (5) 112*i*.
of Fe^{2+} ions in $Ni_xFe_{3-x}O_4$ (8) 184*d*.
of ^{57}Fe in aluminophosphate glass (6) 124*f*.
of ^{57}Fe in CaO crystals (9) 212*f*.
^{57}Fe of $M_2(M')B_2$ borides (8) 181*g*.
of Fe_2TeO_6 (9) 212*h*.
of insulating phase of magnetite (9) 211*a*.
of $MnFe_{2-x}Sc_xO_4$ (9) 212*f*.
of ^{170}Yb in Yb_2O_2S and Yb_2O_2Se (9) 212*f*.
of ^{119}Sn hyperfine nuclear structure in alpha-Fe_2O_3 (5) 112*j*.
^{119}Sn, of transitions in $BaTiO_3$ (9) 214*h*.
of superparamagnetic phase in $BiFeO_3$ (9) 211*a*.
in systems, Li ferrite-aluminate (4) 92*j*.
for thickness measurements, P (6) 133*g*.
Moisture, absorption, of ball clays (2) 40*d*.
in bulk material, on conveyor, gage for, P (11) 254*d*.
condensing steam, use for air cleaning (2) 48*c*.
content, of building materials, measurement (8) 177*h*.
continuous measurement in production line (4) 89*f*.
control, during tempering of clay (10) 231*h*.
for dry-press mixes (11) 252*f*.
measurement, in glass sand (1) 22*a*.
moistening, mixable materials, P (9) 205*c*.
-sensing element, P (11) 254*e*.
tester, for granular mineral building materials (1) 21*e*.
Molding, articles, and reclaiming foundry sand, P (9) 197*a*.
centrifugal, of ceramic tubes containing metal fibers, P (1) 14*e*.
ceramics, shrinkage controlled (1) 20*j*.
compositions, containing glass fibers, P (11) 245*h*.
Molding crockery, flat, P (9) 198*j*.
dental porcelain, P (3) 66*b*.
electronic components, P (10) 229*a*.
granular material, P (7) 156*d*.
powders, or granular material, P (3) 71*h*.
or granular material, P (9) 204*b*.
pressure, glass articles, P (7) 147*c*.
Molds, charging material into, P (8) 177*a*.
clay injection, P (1) 21*d*.
for continuous casting machines, P (11) 252*j*.
filling, P (7) 156*f*.
foundry, cold setting, P (3) 65*g*.
composition, P (6) 127*j*.
and foundry molding compositions, P (7) 149*a*.
liquid mixture for, P (7) 149*g*.
glass, materials (10) 219*h*.
for vacuum forming, P (8) 170*d*.
graphite risering, P (9) 197*b*.
heat-insulating composition for, P (7) 149*d*.
for hollow ware, P (1) 15*f*.
production, P (1) 14*d*.
ingot, hot top heat insulation board, P (10) 224*a*; hot topping, P (11) 247*h*.
investment, P (11) 247*i*.
isostatic, P (8) 177*f*.
plaster, compositions, P (11) 243*b*.
refractory-coated, casting with, P (8) 172*e*.
sand, heat flow in (6) 126*j*.
shell, apparatus for forming, P (6) 127*j*.
expansible, P (7) 149*c*.
investment, P (10) 224*b*.
P (5) 101*a*.
refractory support for, P (8) 172*d*.
Molecules, ethanediol, adsorbed on phyllites, structure (6) 138*i*.
less polar, sorption with zeolites, P (8) 179*d*.
nonpolar, selective sorption, P (6) 134*h*.
orbital theory, in calculating Si–O bond length, Si–O–Si angle, and bond overlap populations (5) 107*a*.
oxygen, enhance electrical conduction in ZnO crystals (5) 109*d*.
Molybdates, double, of alkali and alkaline earth elements (5) 108*h*.
of heavy alkali and rare-earth elements (5) 108*i*.
$K_5R(MoO_4)_4$ (2) 52*h*.
of Rb and rare-earth elements (5) 108*j*.
Molybdenum, carbide, hot-pressed, microstructure (9) 196*i*.
dioxide, Raman spectra (9) 214*h*.
disilicide, blanks, structure and properties (9) 195*h*.
in glass melting (9) 192*d*.
disulfide, diselenide, and ditelluride, crystals, electrical conductivity (5) 108*j*.
Mo_8P_5, crystal structure (2) 51*g*.
$Mo_xV_{1-x}O_2$, crystals, metal-semiconductor transition in (9) 212*d*.
pentachloride, reaction with chlorides of elements (5) 114*g*.
thermal decomposition (5) 116*b*.
pentavalent, paramagnetic absorption in TiO_2 (10) 238*c*.
selenide, reaction with gaseous bromine (5) 114*h*.
sulfide, selenide, and telluride, Raman spectra (9) 211*e*.
superconducting ternary, heat capacity (1) 25*b*.
trioxide, effect on surface properties of molten silicates (2) 52*a*.
electrical conductivity, bombardment-enhanced (8) 182*a*.
hydrates, topotactic dehydration (4) 94*d*.
purification, P (3) 73*g*.
reaction with $Bi_4Ti_3O_{12}$ (1) 29*h*.
whiskers, bulk nature (9) 209*b*.
whiskers, modulus of elasticity (8) 171*i*.
Montmorillonite, adsorption, of lignosulfonates (3) 73*i*.
crystals, swelling (6) 139*b*.
fluoro-, sheets, adsorbed water between (11) 259*c*.
or illite-montmorillonite, late-stage dehydration (3) 75*j*.
polystyrene-, complexes (6) 136*i*.
potassium-, apparent and partial molal vols (8) 179*i*.
singly charged, H_2O adsorption on, energy profile (6) 136*f*.
thermal decomposition (4) 93*f*.
transformation, in presence of K_2CO_3 (6) 137*e*.
Mordenite, siliceous, synthesis (11) 256*d*.
Morphology, of allophane, imogolite, and halloysite (5) 112*a*.
of aluminosalicylate complex (7) 142*h*.
internal, of synthetic quartz crystals (6) 135*c*.
of U_3S_5 crystals (7) 161*f*.
Mortars, cement, diffusion of salts in (4) 78*h*.
linear deformation during storage (3) 59*h*.
and plaster, waterproofing (4) 79*h*.
porosity measurements (4) 79*d*.
resistance to hot seawater corrosion (5) 95*i*.
concrete, properties, effect of melamine resin solutions (2) 33*b*.
fly ash in (5) 96*a*.
fracture toughness (11) 242*g*.
grouting composition, P (4) 84*f*.
highly refractory, for bonding Al_2O_3 refractory (1) 12*g*.
long-set aggregate, retarded gypsum plaster for, P (7) 143*e*.
masonry, testing for mortar group II (11) 242*e*.
quality, in masonry construction (8) 165*j*.
strength, effect of lignite fly ashes (2) 33*h*.
Mullite, -corundum porcelains (9) 196*a*.
exchange relations, with aluminosilicates (3) 65*g*.
fine grained, pressure sintering kinetics (11) 247*h*.
synthesis (11) 247*a*.
formation, in stoneware body (9) 198*d*.
new process (7) 158*e*.

Index Guide, Pages 379-80

Mullite polycrystalline, creep kinetics (2) 51*a*.
synthesis, and mechanical properties (1) 27*i*.

Nacrite, hydroxyl orientation in (10) 236*h*.
Naphtha, hydrodesulfurization, P (10) 234*f*.
Neodymium, disulfide, crystal structure (5) 107*b*.
double molybdate, reaction with $CaMoO_4$ (5) 114*f*.
$NdFeO_3$, magnetic structure (9) 211*i*.
β-Nd_2O_3 crystals, morphology and symmetry (1) 26*b*.
and Nd oxide, optical absorption (8) 184*i*.
$Nd_2(MoO_4)_3$, cell dimensions (2) 51*f*.
Nd^{3+}, in YAG films (1) 27*a*.
orthochromite, optical spectroscopy (9) 213*h*.
ultraphosphate, crystal and glass, laser action in (10) 237*e*.
Neon, migration, in TiO_2-SiO_2 glasses (7) 145*e*.
in vitreous SiO_2 (8) 168*h*.
physical solubility, in glass melts (2) 37*g*.
Nepheline, -kalsilite exsolution (3) 75*a*.
Neptunium, dioxide, reaction with F and Cl derivatives (8) 176*d*.
Nernst effect, in Cd_3As_2-NiAs (5) 112*b*.
Neutrons, -absorbing material, P (3) 71*c*.
absorption, for determination of B in boric glasses (1) 6*e*.
activation, for measuring self-diffusion in solids (6) 137*b*.
activation analysis, of faience beads (2) 31*f*.
diffraction, of antiferromagnetic structure of $Ca_3Mn_2Ge_3O_{12}$, $Ca_3Fe_2Ge_3O_{12}$, and $Mn_3Al_2Ge_3O_{12}$ (9) 212*j*.
of ferroelectric $BiFeO_3$ (5) 109*j*.
of ferromanganite spinels (6) 140*a*.
of magnetic structure of $DyPO_4$ (9) 213*a*.
of O parameter refinement and magnetic moments of RIG (8) 185*e*.
of phase transition in U_4O_9 phase (5) 103*g*.
of solid solutions $Cr_xTi_{2-x}O_3$ and $Cr_xV_{2-x}O_3$ (7) 164*a*.
structure of $BaCeO_3$, $BaPrO_3$, and $BaTbO_3$ by (1) 27*f*.
studies, of magnetic ordering in phases based on Cr_2O_3, V_2O_3, and TiO_2 (1) 26*c*.
study of Cr_2As (6) 137*f*.
study of magnetic structures of $PrFeO_3$ and $NdFeO_3$ (9) 211*i*.
study of RIG (8) 184*f*.
flux, monitoring with ceramic neutron flux monitor, P (6) 131*j*.
irradiation, effect on NaCl single crystals (11) 257*g*.
effect on electrical resistivity of diamond (1) 19*j*.
probes, use to measure moisture in glass sand (1) 22*a*.
study, of $ATiTO_3$ (A = Cr,Mn,Fe; T = rare earth (4) 94*c*.
Nickel, in Apollo 14 samples, cathode ray polarography (5) 104*i*.
chromite, elastic properties and Jahn-Teller effect in (9) 209*c*.
coatings, on C fibers (6) 127*b*.
compounds, nonmetallic, thermal decomposition (5) 113*f*.
deposition, effects of residual elements in decarburized enameling steel (4) 80*a*.
distribution, in pyrrhotite (6) 137*h*.
/Fe layers, deposition on substrate, P (8) 174*f*.
ferrocyanide, improvements (1) 29*h*.
Fe, thin films, magnetoresistance in, angular dependence (4) 90*i*.
films, annealing behavior of induced anisotropy in (5) 106*h*.
fluoride, antiferromagnetic ordering (9) 208*f*.
metaniobate, and metatantalate, electronic spectra (5) 109*j*.
monoxide, and Al_2O_3 bicrystals, growth by floating zone method (1) 24*c*.
Co and Ni diffusion in, effects of Co additions (5) 107*i*.
crystals, Cr tracer diffusion in (8) 179*h*.
defect structure and electrical properties (5) 107*g*.
effect on sintering ThO_2 and ThO_2-Y_2O_3 (8) 180*a*.
extreme-uv absorption and band density (8) 181*e*.
grain boundaries, electrical properties (5) 109*d*.
$NiAs_2O_4$, and $NiSb_2O_4$, magnetic susceptibility (9) 212*g*.
$NiCr_2Se_4$, and $NiCr_2S_4$, magnetic properties (4) 92*e*.
$NiFe_2Se_4$, magnetic structure (6) 137*h*.
$Ni_xFe_{3-x}O_4$, Fe^{2+} ions in, Moessbauer studies (8) 184*d*.
$Ni_{0.55}Se_{0.08}Te_{0.37}$, crystal structure (2) 51*g*.
Ni_3TeO_6, vibrational spectrum (4) 94*b*.
NiTiSb, magnetic properties (5) 111*j*.
Ni^{2+}, fluorescence and absorption spectra in MgO (11) 258*i*.
magnetic interaction with Fe^{3+} ions in oxyspinels (9) 212*c*.
optical spectra in aluminate spinels (11) 259*b*.
Ni^{3+}, EPR in SnO_2 (5) 109*e*.
oxide, crystals, by chemical transport (5) 110*e*.
electrotransmission spectra (9) 210*b*.
insulator-metal transition in (9) 211*i*.
Neel temp. dependence (9) 212*i*.
optical properties (8) 185*a*.
reaction with Ga oxide (1) 27*e*.
single crystal, reequilibration kinetics for (8) 185*h*.
single-crystal, magnetic heating in (7) 151*j*.
sintering in Ar and O (8) 186*g*.
precipitation, on GaAs (5) 107*a*.
single crystals, magnetoplastic effect in (6) 137*j*.
slag, effective in portland cement (2) 33*d*.
titanate, kinetics of formation (1) 25*i*.
tungstate, magnetic structure (8) 183*g*.
Niobates, alkali-alkaline earth, crystallographic, dielectric, and optical properties (2) 52*a*.
binary and ternary divalent, in solid state (2) 51*b*.
dielectric properties (5) 108*c*.
oxybromo-, of alkali metals, properties (5) 114*d*.
Niobium, carbide, heat capacity and ir absorption spectra (5) 110*g*.
plastic deformation during grinding (11) 247*g*.
diselenide, magnetic susceptibilities (5) 111*c*.
Niobium diselenide *(continued)*
single crystals, oxidation (5) 111*b*.
thin single crystals, electrical conductivity (5) 108*j*.
hydride, electrical, magnetic, and galvanomagnetic properties (9) 209*c*.
$NbSe_2$, optical properties and superconductivity (8) 185*b*.
optical reflectivity, anisotropy in (9) 207*j*.
resistivity, anisotropy in (5) 106*h*.
Nb_2O_5, alpha, electrical properties (11) 257*h*.
oxide, electrical properties (8) 181*h*.
electron microscopy, twinning and defects in (4) 91*g*.
pentoxide, monoclinic alpha, thermal expansion (9) 215*g*.
reaction with Sc_2O_3 (2) 54*g*.
selenide, crystal modification and superconductive transition temp. (9) 211*j*.
superconductivity in (9) 214*c*.
separation, from Ti chlorination residues (1) 23*g*.
Nitrates, high-temp. properties, and decomposition (10) 236*c*.
molten, free radical reactions in, by glow-discharge electrolysis (2) 53*c*.
and nitrites, properties (11) 258*j*.
Nitrides, formation, free energy of (8) 186*d*.
metal, preparation, P (1) 14*c*.
nitriding, of Al, AlN whiskers grown during (8) 182*c*.
Al in mixtures of BN and Al, kinetics (1) 25*j*.
of Si, effect of O impurities (4) 91*d*.
of Si powder compacts, kinetics (10) 237*d*.
for surface of machine parts, P (6) 128*b*.
Nitrites, high-temp. properties, and decomposition (10) 236*c*.
and nitrates, properties (11) 258*j*.
Nitrogen, adsorption, on cement pastes (11) 242*j*.
equilibrium pressures, of U sesquinitride (10) 230*f*.
impurity, in natural diamonds (3) 59*d*.
incorporation, into alkali borate glasses (2) 36*e*.
oxide, in combustion effluents (1) 21*i*.
suppressing formation, and burner for, P (8) 178*e*.
physical solubility, in glass melts (2) 37*g*.
reaction with UC_2, graphitization of free C precipitating through (2) 46*d*.
Noise, machine, glass fibers to control (6) 124*c*.
prevention, in mineral industry (6) 140*d*.
suppression, at grinding mills (9) 216*c*.
Nomenclature, of glass defects, B (9) 216*h*.
Nontronite, acid character, pH-dependent component of C.E.C. (8) 179*f*.
Nuclear materials, muon, capture by complex nuclei (3) 71*d*.
particle tracks, etched, geometry control, P (5) 103*e*.
powdered fissile, mixing device for, P (11) 251*j*.
Nucleation, action, of Ti(IV) hydroxide particles, effect on TiO_2 preparation (4) 90*g*.
of bubbles, and re-solution effects in UO_2 (8) 176*g*.
crystal, in Li silicate glasses (2) 35*b*.
in Li_2O-SiO_2 glasses (8) 168*b*.
efficiency, in Li_2O-Al_2O_3-SiO_2 glasses (2) 37*i*.
in Na_2O-BaO-SiO_2 system (2) 36*b*.
process, in Na_2O-SiO_2 glass (1) 8*j*.

Oil, gas, cracking with zeolite and nonzeolite catalyst, P (3) 73*f*.
Olivine, Fe in, polarized spectra (10) 238*d*.
hydrothermal alteration (9) 211*c*.
in Mg-Fe-O-SiO_2 system (10) 236*b*.
Si-O distances in, variation of (5) 116*d*.
-spinel transformation, in $MgMnGeO_4$, $FeMnGeO_4$, and $CoMnGeO_4$ (5) 112*f*.
Optical devices, for indicating binary signals, P (7) 157*d*.
$KNbO_3$ single crystal for (3) 63*a*.
memories, and displays, ferroelectrics in (4) 85*g*.
ferroelectric light valve arrays for (4) 85*g*.
transmission system, with electrooptic ceramic devices, P (3) 70*c*.
Optical materials, ceramics, electrical, and magnetic, B (6) 140*h*.
Optical properties, activity, of Fe group selenate crystals (5) 112*g*.
of alkali-alkaline earth niobates (2) 52*a*.
attenuation, in bulk fused SiO_2 (10) 221*j*.
of $CaWO_4$ (8) 186*d*.
of CdO (9) 213*g*.
constants, of diamond (8) 179*f*.
of thin films (4) 89*g*.
dichroism, in $KNiF_3$ (9) 215*d*.
of tourmaline (5) 108*c*.
far ir, and microwave, of As_2Se_3 (8) 181*f*.
of flat glass, measurement with profiloscope (3) 62*d*.
gap, in As_2Se_3 (8) 185*e*.
of $GdMoO_3$ (4) 85*b*.
of glass, chalcogenide, thin films (3) 61*j*.
with NiO coating (9) 192*d*.
of phase As_2Se-Tl (6) 124*h*.
of impurities, in ZnSe, ZnTe, CdTe (4) 92*f*.
induction, and detection of phase transition in VO_2 (8) 184*j*.
of LiCl (8) 181*b*.
of magnetite (9) 213*g*.
mode freq., ir spectroscopy (5) 104*j*.
of $NbSe_2$ (8) 185*b*.
of Ni, in alkali borate glasses (6) 122*j*.
of NiO and CoO (8) 185*a*.
nonlinear susceptibilities, of quartz, and NH and K dihydrogen phosphates (6) 138*e*.
of 5PbO.3GeO_2 single crystals (10) 237*i*.
of $PbTiO_3$, ferroelectric (10) 226*h*.
of PLZT ceramics (4) 85*h*, discussion (8) 173*b*.
effect of grain size and porosity (3) 66*h*.
quantum generation, of Cr^{3+} in YAG (9) 213*h*.

Optical properties of rare-earth Cr sulfides (11) 257*d*.
of Rb and Cs halides (8) 185*a*.
response, of WSe_2 (8) 185*c*.
in semiconductors (8) 181*a*.
of Si, SiO, SiO_x, and SiO_2 (5) 113*a*.
of SiC, nonlinear (10) 237*h*.
of single crystals, of Sc_2S_3 and Sc_2Se_3 (5) 114*a*.
of SiO_2, effects of substrate temp. during rf sputtering (5) 108*i*.
study, of domain structure in $KNbO_3$ single crystals (6) 138*e*.
of excited state of V^- center in MgO (5) 113*b*.
of interactions of ions and formation of Ag colloids in glass (11) 244*d*.
of sodalite (9) 213*g*.
susceptibilities, of BeO, nonlinear (10) 237*j*.
of Tl, Pb, and Bi in oxide glasses (8) 168*j*.
of UN (8) 176*h*.
of V_2O_3, Cr-doped (7) 152*e*.
wave-guiding layers, in $LiNbO_3$ and $LiTaO_3$ (10) 238*a*.
of Yb chalcogenide thin films (8) 185*d*.
of YIG (8) 185*b*.
of Y_2O_3, ThO_2-doped (7) 144*d*.
of ZnO, thin films (5) 101*e*.
Optics, optical activity, stress-induced, effect in photoelasticity (1) 24*j*.
of polycrystalline minerals (7) 161*h*.
thin-film (8) 173*h*.
Organic materials, effect, on bloating capacity of clay rocks (7) 147*j*.
and inorganic mixtures, dielectric constants (7) 157*a*.
Orientation, crystallographic, of clinoenstatite (8) 180*i*.
grain, and dielectric anisotropy (8) 180*c*.
preferred, in hot-pressed Al_2O_3 during creep (8) 179*h*.
re-, atomic rates, in chalcogenide glasses (9) 192*b*.
Oscillators, CdS acoustoelectric platelet, current saturation in (10) 226*g*.
crystal-controlled, P (11) 250*c*.
microwave, P (2) 44*g*.
semiconductor, P (4) 87*e*.
strengths, in garnets (11) 257*e*.
Osmium, Os(III), and Os(IV) chlorides, magnetic susceptibility (7) 161*d*.
tetraoxide, He(I) photoelectron spectra (10) 236*i*.
Ovens, cleaning, continuous, enamels for (10) 219*e*.
self-cleaning, catalytic composition for, P (6) 122*d*.
P (9) 192*a*.
Oxidation, of almandine, and Fe cordierite (6) 138*f*.
anodic, of Fe electrode (9) 199*b*.
catalyst for, P (11) 256*g*.
of cemented carbides, B (7) 164*h*.
effect, on $MoSi_2$ (9) 195*h*.
of Eu(II) selenide, and rare-earth oxyselenides (9) 213*i*.
of Fe, in ferric sulfate etching solution, electrolytic cell for (4) 80*b*.
of $NbSe_2$, single crystals (5) 111*b*.
of opaque oxides, during magmatic differentiation (8) 185*d*.
process, P (11) 252*j*.
properties, of $(U,Pu)O_2$ solid solutions (4) 87*i*.
reduction, effects on EPR spectra in SnO_2 crystals (5) 109*e*.
electrical porcelain (11) 248*f*.
of Fe and Cu in glasses (6) 124*e*.
of Fe in $MO.P_2O_5$ glasses (6) 124*h*.
potentials of point defects in electrolyte (8) 177*j*.
reactions, glass-metal (3) 60*f*.
reactions in BOF refractories (4) 83*g*.
in systems $ReCl_5$-UO_2Cl_2 ($UOCl_3$) (2) 53*e*.
resistance, of Cr-containing bodies, P (3) 65*d*.
-resistant, graphite compositions, P (6) 134*g*.
of semiconductive alloys, P (7) 154*i*.
SiC, by O, effect of fission fragment irradiation (2) 46*b*.
of Si_2ON_2 (9) 213*j*.
thermal, of Eu_2SiO_4 (2) 55*j*.
of Ti oxycarbides, carbonitrides, and oxynitrides (8) 185*d*.
vacancies, in ferrites (5) 113*b*.
of ZrB_2, SiC effect (10) 223*i*.
Oxides, ceramics, characteristic data (10) 232*e*.
coating, plasma-sprayed, thermal conductivity (1) 4*c*.
creep and prolonged strength (9) 208*f*.
dense, rupture strength (1) 27*i*.
electrical conductivity (1) 25*a*.
hot-pressing, P (8) 177*a*.
pure, impact strength (1) 12*i*.
films, protective, and structures with, P (9) 201*c*.
hot-pressing, through polymorphic phase change, P (2) 40*j*.
inorganic, P (7) 159*a*.
metal, film, depositing by electron bombardment, P (3) 69*d*.
grain growth, interrelation of pore size and grain size during (6) 136*f*.
grains, P (8) 176*h*.
P (10) 234*h*.
pellets, agglomerating and hardening, P (8) 177*a*.
submicron particles, P (10) 234*i*.
surface electronic structure (2) 55*c*.
very high purity articles, P (2) 50*f*.
mixed, containing Al_2O_3, P (8) 179*b*.
magnetizable, P (10) 228*c*.
P (7) 159*c*.
nucleating agents, function in glass-ceramics (1) 7*j*.
opaque, oxidation during magmatic differentiation (8) 185*d*.
polycrystalline, mass transport and chemical reaction in (10) 237*j*.
positron lifetimes in (6) 138*i*.
powders, polydisperse, pressing (1) 20*j*.

Oxides of rare-earth elements, polymorphism (8) 185*c*.
solid, reaction with silicate melts (1) 26*a*.
surfaces, geometrical structure and chemistry, effect on adsorption properties (2) 52*a*.
thin films, stored charges in (3) 68*a*.
Ti-containing, compounds, ESR spectra (5) 97*h*.
Oxygen, activity, of amber glass melt (6) 122*h*.
and phase boundaries in wustite (4) 93*b*.
adsorption, on MgO (11) 257*b*.
chemisorption kinetics, at surface of ZnO single crystals (8) 182*e*.
content, of alpha Si_3N_4 (8) 185*e*.
diffusion, in yellow PbO (9) 211*b*.
diffusion coeff., in vitreous SiO_2 (7) 160*b*.
displacement energy, in ZnO (9) 213*a*.
in gas mixtures, emf measurements (7) 156*j*.
in heating, glass tank furnaces (1) 9*f*.
impurities, effect on nitridation of Si (4) 91*d*.
ion, self-diffusion in $MgAl_2O_4$ (10) 239*b*.
/metal ratios for U, Pu, and (U,Pu) mixed oxides (1) 19*i*.
nuclei, in $^{17}O_2^-$ adsorbed on MgO and ZnO (10) 237*g*.
O_2SbF_6, magnetic susceptibility (5) 112*e*.
O_2^- species, adsorbed on MgO powders, ESR (10) 235*j*.
paramagnetic centers, adsorbed on TiO_2 and SnO_2 (10) 238*b*.
parameter refinement, of RIG (8) 185*e*.
partial pressure, effect on creep of polycrystalline Al_2O_3 (4) 91*d*.
potential, -composition data for mixed U-Pu oxides (4) 91*g*.
pressure, effect on ZnO sintering (6) 135*i*.
/rare gas mixtures, combustion of Zr droplets in (8) 180*a*.
reduction, in actinide oxides, P (6) 131*j*.
self-diffusion, in UO_2 (10) 230*j*.
solubility, in HfN (2) 54*a*.
in ZrC (1) 27*c*.
transport, and charge storage in Ca orthovanadate (9) 213*b*.

Packaging, compressible material, P (6) 126*c*.
powdered material, automatic apparatus, P (4) 88*f*.
shrink-film, of pallets and irregular ware (4) 88*g*.
Palladium, antimonide, electrical and magnetic properties (2) 52*c*.
in decorating compositions, P (6) 126*c*.
Particles, in aggregated disperse systems, cohesive forces between (11) 253*j*.
analysis, electronic apparatus, P (5) 105*c*.
noise-free, P (10) 233*c*.
characteristics, optical determination, P (7) 157*c*.
coating, process and apparatus, P (9) 204*c*.
concentration, in fluid suspension, P (9) 205*a*.
of suspension passing through sensing zone, P (9) 205*a*.
dispersing, apparatus for, P (9) 203*i*.
elongated, scattering and emission of radiation by (1) 13*h*.
fine, classifying, P (8) 179*b*.
metal oxide, P (8) 176*h*.
microscopic, detecting and sizing, P (9) 205*h*.
particulate ensembles, with size distributions, kinetics of solid-state reactions (3) 75*i*.
raw materials, heating, P (5) 105*g*.
rotary arcual sampler for, P (8) 178*a*.
sensing apparatus, and flow direction collar for, P (9) 205*e*.
separation, from gases, P (9) 204*d*.
size, of Al_2O_3 high purity reactive powders (1) 16*a*.
analyses, by electromagnetic surface measurements (6) 132*e*.
analysis, P (10) 233*d*.
analysis, rapid (2) 48*i*.
analyzing apparatus, P (1) 22*d*.
correlation with density during Ag sintering (1) 24*j*.
determination methods (11) 253*c*.
effect on electrical and optical properties of PLZT ceramics (3) 66*h*.
effect on $MgTi_2O_5$ properties (9) 211*f*.
effect on noncatastrophic failure in Al_2O_3 (8) 180*d*.
effect on precipitator design (2) 47*h*.
effect on properties of PLZT ceramics, discussion (8) 173*b*.
interrelation with pore size during grain growth of oxides (6) 136*f*.
measurement, Andreasen method (5) 104*e*.
measurement by laser beam diffraction (5) 104*g*.
measurement by powder film method (5) 104*j*.
measurement with II-MC computer (5) 105*a*.
measuring apparatus, P (3) 72*g*.
in multiple process flow streams, P (6) 132*c*.
of powders, effect on sintering kinetics of TiB_2 (3) 74*b*.
-strength-porosity functions of ceramics (11) 257*g*.
in suspension, measuring and/or monitoring, P (3) 72*f*.
of transition metal powder and carbides of, P (10) 224*d*.
size distribution, analysis, P (9) 205*e*.
of clays, effect on properties of structural ceramics (2) 39*h*.
determination, P (6) 132*d*.
effect on packing properties in roseki refractories (8) 171*g*.
effect on stoneware pipes (4) 82*f*; effects in initial-stage sintering (10) 235*b*.
in grinding (11) 254*b*.
and grinding process (3) 71*e*.
measurement apparatus, P (10) 233*c*.
of nonplastic components, effect on porcelain properties (2) 41*c*.
of nonplastic glaze constituents, effect on ceramic glazes (2) 41*e*.
of raw meals and cements (2) 33*f*.
relation to porcelain microstructure (2) 41*c*.
Particles size distribution *(continued)*
of UO_2 and quartz agglomerated powders (3) 71*a*.
solid, dwell time in vertical cyclones (4) 88*e*.
mean size, P (11) 254*c*.
mixing in motionless mixer (4) 88*f*.
solid material, inspection system, P (11) 254*f*.
spherical, of dissimilar phases, associations between (2) 50*j*.
gas-solid reaction kinetics (9) 209*a*.
parabolic kinetics (8) 180*f*.
study, apparatus, aperture tube assembly for, P (10) 233*f*.
suspended, apparatus for analyzing, P (1) 22*b*.
in electric field weight-change measurements (11) 254*h*.
light reflection measurement, P (3) 72*h*.
suspension, larger than separator fractionation, discharge (4) 88*i*.
systems, thermodynamics of diffusion in (8) 187*d*.
water content, measuring, P (7) 157*e*.
Pegmatites, Tanco, at Manitoba (1) 23*h*.
Perlite, bloatability, lab. testing (1) 11*b*.
in floor tile mfg. (3) 66*a*.
minerals, bloating properties (2) 39*f*.
ore, deposits near Legaspi City (3) 73*d*.
Permeability, of sand, Holocene (9) 206*h*.
unconsolidated (9) 206*g*.
Perovskites, Ba_2MReO_6 ordered (6) 137*c*.
Cr^{3+}, Fe^{3+}, and Mn^{4+} covalency parameters in (5) 107*a*.
ferrimagnetic properties (9) 210*c*.
$GdCoO_3$, physical properties (5) 109*i*.
hydrothermal synthesis, P (2) 50*i*.
ordered, electronic and vibrational spectra (9) 210*a*.
oxygen, lattice parameter relations and ionic radii in (1) 27*f*.
structures, crystal-field effects in (8) 180*e*.
Petalite, cookeite in, from Africa (9) 208*f*.
spodumene, and clay, ceramics from, P (1) 15*c*.
Petrography, of clinker formation (9) 191*d*.
of magnesite-chrome refractories (2) 40*c*.
Petrology, carbonate, ultrathin sections in (9) 205*c*.
of dolomite (9) 206*i*.
of kaolin deposit, in Germany (9) 210*j*.
Phase equilibria, arithmetical solution (9) 208*a*.
boundaries, between corundum grain and bond in grinding wheels (9) 189*e*.
CrO_2-Cr_2O_3, under high O_2 pressures (6) 135*j*.
in $Gd_2(MoO_4)_3$ crystals (9) 213*e*.
mangetite-wustite, order-disorder problem (10) 237*g*.
and O activities in wustite (4) 93*b*.
reactions, effect on diffusion in solid-solid reaction (3) 75*c*.
calcite-aragonite (2) 51*c*.
chemical, calculation in geochemical systems (9) 208*e*.
computer calculations, of silicate phases (2) 56*a*.
diagrams, of binary systems of chlorides of rare-earth elements and alkaline-earth metals (7) 161*j*.
of Bi_2O_3-Ga_2O_3 system (5) 113*d*.
of Bi_2O_3-MoO_3 system (5) 113*c*.
of Bi_2O_3-ZnO system (5) 113*d*.
of CaF_2-GdF_3 system (9) 208*j*.
of CaF_2-SmF_3 and CaF_2-DyF_3 systems (9) 208*a*.
of CeO_2-ZrO_2 system, electrical conductivity measurements (5) 111*g*.
of $(CsPO_3)_n$-$[Ba(PO_3)_2]$ system (9) 213*b*.
derivation by translation method (5) 107*i*.
GaAs-GaP (9) 214*i*.
Ga-GaAs-GaP (9) 210*j*.
geological, interpretation, B (4) 94*i*.
of $KAlCl_4$-$KFeCl_4$-K_2NbOCl_5 system (7) 161*h*.
of KBH_4-KCl-KBr system (1) 26*g*.
of K_2TeO_3-TeO_2 system (1) 26*g*.
of Li(Na,K,Rb,Cs)Br-$SnBr_2$ systems (1) 26*i*.
of Li_2CO_3-Li_2O system (5) 113*e*.
of Na^+, K^+||TiF_6^{2-}, Cl system (1) 26*g*.
Na-beta-Al_2O_3, two phases (9) 210*f*.
of $NaVO_3$-KVO_3 system (9) 213*c*.
of Na_2CO_3-Na_2S system (7) 161*j*.
of Na_2TiF_6-NaCl and Na_2TiF_6-K_2TiF_6 systems (1) 26*i*.
of Na_2WO_4-$R_2(WO_4)_3$ systems (5) 113*g*.
of Na_2WO_4-$R_2(WO_4)_3$ systems (5) 113*h*.
of Na_2WO_4-$Sc_2(WO_4)_3$ system (5) 113*e*.
of PbO-MoO_3 system (5) 113*f*.
of PbO-$PbSiO_3$-$PbCrO_4$ system (10) 238*g*.
in PCl_5-PCl_3 system (5) 113*c*.
for $RbNO_2$ and $CsNO_2$ (2) 54*a*.
of systems with chemical compounds (5) 113*j*.
of systems M_2X-Sb_2X_3[M = alkali metals; X = S,Se], DTA (7) 160*f*.
and transition, in U_4O_9 phase, X-ray study (7) 164*a*.
UC-UC_2 metastable (2) 46*d*.
U-Si (2) 47*e*.
U-UO_2-UN_2 (8) 176*c*.
formation, in Na_2O-BaO-SiO_2-H_2O system (10) 238*i*.
Ga-Ga_2O_3, emf investigation (6) 136*e*.
in melts, of lower chlorides of Ti with NaCl (2) 52*i*.
in processing, modern ceramic, B (5) 117*b*.
in refractories (2) 40*f*.
relations, of aluminous Fe biotites in $KAlSi_3O_8$-$KAlSiO_4$-Al_2O_3-Fe-O-H (10) 238*j*.
during synthesis and air cooling of spinel solid solutions in Mn_3O_4-$CuFe_2O_4$ system (5) 113*a*.
in MgO systems (5) 113*b*.
in MgO-B_2O_3 system and effects of B_2O_3 on MgO grain growth (7) 162*b*.
in PLZT (8) 173*c*.
in Sc oxide-actinide (Th or Am) oxides systems (10) 230*d*.
and transformations in system PbTe-GeTe (8) 185*f*.
Phase equilibria relations *(continued)*
in UO_2-$UO_{2.67}$-ThO_2 and UO_{2+x}-NpO_2 systems (10) 230*b*.
separation, of borosilicate glass with P_2O_5 (9) 192*e*.
in NiO-CoO solid solution single crystals (8) 185*f*.
of SiF_4 with SiO_2, Be_2SiO_4, and BeO in molten Li_2BeF_4 (1) 25*c*.
stability, in $ThGeO_4$ system (5) 113*b*.
studies, of stability of garnet and plagioclase (4) 91*b*.
subsystem, $BaO.Fe_2O_3$-$BaO.6Fe_2O_3$ (10) 238*i*.
systems, AgCl-$CdCl_2$-TlCl (1) 28*c*.
Ag-Sb-Se, interactions in section Ag_2Se-Sb_2Se_3 (7) 161*f*; Ag-Sb-Se, reactions in (7) 162*a*.
$AlCl_3$-AlI_3 and $AlBr_3$-AlI_3 (2) 55*d*.
alkali halide, Gibbs energy for (2) 53*g*.
alkali metal metaborate (1) 26*j*.
alkali metal oxygen (5) 106*f*.
Al_2O_3-Nb_2O_5 (7) 162*a*.
As_2Se_3-As_2Te (1) 28*c*.
As_2S_3-Sb_2S_3 system (9) 208*c*.
$BaLiF_3$-KMF_3 [M = Mg, Ni, Co, Zn, Mn, Cd, Ca] (1) 28*d*.
BaO-CeO_2 (6) 138*g*.
BaO-CeO_2-TiO_2, subsolidus (2) 55*b*.
BaO-SrO-SiO_2 (1) 26*b*.
BaO-TiO_2-SiO_2 (5) 115*j*.
$BaSiO_3$-Nd_2SiO_5 (10) 238*h*.
$BaTiO_3$-$PbFe_{0.5}Nb_{0.5}O_3$, solid solutions in (5) 109*g*.
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})$ (6) 139*e*.
$Ba_2(UMg)O_6$-$Ba_2(U_{2/3}Fe_{4/3})O_6$, crystallographic study (5) 114*a*.
$BiFeO_3$-$PbZrO_3$, Moessbauer measurements (5) 112*i*.
binary F, melting temp. and eutectic composition (5) 114*g*.
binary of Li metaphosphates with metaphosphates of alkaline-earth metals (1) 26*a*.
Bi_2O_3-SiO_2 and Bi_2O_3-GeO_2 (1) 25*e*.
Bi_2O_3-MoO_3 (1) 26*g*.
$Bi_4Ti_3O_{12}$-Bi_2MoO_6, thermal and dilatometric study (7) 163*f*.
B_2O_3-Na_2O, relation between critical cooling rate and phase diagram (2) 54*j*.
CaF_2+CaO and CaF_2+Al_2O_3, density of melts in (7) 160*b*.
CaF_2-LaF_3 and CaF_2-NdF_3, diagrams (2) 52*e*.
CaF_2-SrF_2, interdiffusion in (5) 111*f*.
Ca,Mg,Ba||F, DTA study (2) 521.
GaP-I and GaP-Ga-I, transport in (5) 109*f*.
CaO-MgO-Fe oxide, refractory phases (2) 52*b*.
CaO-BaO-Al_2O_3, research (5) 114*j*.
CaO-Nd_2O_3-Al_2O_3 (5) 116*h*.
CaO-SiO_2-H_2O (1) 25*j*.
$Ca(PO_3)_2$-$Ba(PO_3)_2$ and $Cd(PO_3)_2$-$Ba(PO_3)_2$, compound formation in (1) 24*i*.
of carbonates of Li, Na, Rb, and Cs, ternary (1) 25*j*.
$CaSiO_3$-$FeSiO_3$-$MgSiO_3$, pyroxene stability in (8) 186*a*.
$Ca_2Fe_{2-x}Al_xO_5$, magnetic structures in (4) 92*g*; $Ca_2Fe_{2-x}Al_xO_5$, magnetic structures in (8) 183*g*.
$CdBO_3$-ABO_3 (A = Sr, Ba; B = Hf, Ti, Sn), X-ray phase study (2) 56*c*.
$CdBr_2$-MBr [M = Li, Na, K, Rb, Cs] (1) 28*f*.
$CdCl_2$-CdS, diagram (2) 54*a*.
$CdHfO_3$-$AHfO_3$ and $CdHfO_3$-$CdBO_3$ [A = Ca, Sr, Ba, Pb; B = Zr, Sn], X-ray study (1) 29*i*.
CdI_2-$CdCl_2$, Tl_2Br_2-$CdBr_2$, and Tl_2Cl_2-$CdCl_2$ vol properties of melts in (1) 29*d*.
CdO-GeO_2-LiCl-H_2O, crystallization in (8) 182*i*.
CdSe-SiO_x, properties, investigation by MIS structure capacitance measurement method (3) 67*b*.
of chlorides and bromides of K, Rb, and Cs (6) 139*e*.
of chlorides and iodides of Na and Rb (9) 214*j*.
solubility and polymorphism in (1) 27*b*.
$CoCl_2$(NiCl$_2$)-RbCl, compound formation in (1) 24*i*.
Co-O-Na (9) 215*f*.
Cr-N, thermodynamic properties (4) 93*c*.
Cr_2O_3-V_2O_3 and Cr_2O_3-TiO_2 neutron diffraction studies (1) 26*c*.
Cs,Al||Cl,I (2) 55*j*.
$CsCdBr_3$-$CsHgBr_3$-$CsPbBr_3$, thermal analysis (5) 115*j*.
CsCl-$BaCl_2$, Rb(Cs)Cl-$HgCl_2$, K(Rb,Tl)Cl-$NiCl_2$, and Tl-Cl-$CoCl_2$ (1) 28*g*.
$CsPbCl_3$-$CsPbBr_3$-$CsPbI_3$ (1) 28*j*.
Cu-Tl-Te, electrical conductivity and thermal emf of melts in (1) 25*a*.
$Cu_{2-x}Ag_xSe$, metal-nonmetal transition in (10) 237*b*.
Eu-Fe-O (1) 28*c*.
Eu-W-O, crystal chemistry (2) 51*b*.
$FeCr_2O_4$-Fe_3O_4, magnetic properties and site distributions in (5) 112*d*.
Fe-Li-O (2) 54*d*.
FeO-Na_2O-SiO_2, diagram (3) 60*f*.
Fe_2O_3-TiO_2 (2) 52*h*.
of fluorides and chlorides of Li, Na, and Al (5) 108*c*.
of fluorides and chlorides of Na and Al (5) 115*h*.
of fluorides and chlorides of Na and Ba (1) 25*d*.
forsterite-diopside-akermanite-leucite (2) 55*j*.
forsterite-diopside-SiO_2, liquidus relations in (2) 52*d*.
Ga-Al-Cl (1) 28*e*.
Ga_2O_3-TiO_2 (2) 52*h*.
Ge and Si with groups III and V elements (5) 109*a*.
$GeBr_4$ with CBr_4, $SiBr_4$, $TiBr_4$, and $SnBr_4$ (5) 115*d*.
$GeCl_4$ with BCl_3, $TiCl_4$, and $SnCl_4$ (1) 28*g*.
$GeCl_4$-CCl_4 and $SiCl_4$-$GeCl_4$ (5) 115*e*.
GeS_2-In_2S_3-GeS (5) 115*a*.
Ge-As-Te-S, crystallization fields in (2) 51*j*.

Phase equilibria systems *(continued)*
- Ge-Se-In, switching phenomena in (6) 139*c*.
- HfO_2-MO, comparison with ZrO_2-based systems (4) 92*a*.
- HfO_2-Er_2O_3 (1) 28*e*.
- HfO_2-$Y_2Si_2O_7$ (1) 26*c*.
- Ho_2O_3-Fe_2O_3 and Pr_2O_3-Fe_2O_3, solid-phase relations in (1) 27*b*.
- $InBr_3$-NaBr (5) 115*b*.
- In-O, thermodynamic properties (1) 29*f*.
- In_2S_3-NiS (1) 28*f*.
- irreversible reciprocal, of chlorides and nitrates of Li and K (9) 211*c*.
- $(KBO_2)_4$-$(K_2SO_4)_2$-$K_4P_2O_7$ (2) 55*a*.
- K,Ca,Ba||F,Cl, quaternary (1) 29*f*.
- $KCdBr_3$-$RbCdBr_3$-$CsCdBr_3$ (5) 115*i*.
- KCl-KF-K_2NbF_7 (7) 163*a*.
- KF-Nb_2O_5 (1) 25*b*.
- $KGaCl_4$-Ga_3Cl_4-$GaCl_3$ (2) 55*a*.
- of K metaphosphate, pyrophosphate, and metavanadate, ternary (1) 28*j*.
- of K sulfates, metaphosphates, orthophosphates, tetraborates, and pyrophosphates, ternary (1) 29*a*.
- K_2O-Li_2O-TiO_2 (6) 135*b*.
- K_2O-MoO_3-P_2O_5 (1) 28*f*.
- K_2O-P_2O_5-B_2O_3 (1) 28*g*.
- K_2SO_4-Ce_2SO_4 (9) 215*g*.
- La_2O_3-GeO_2, physical-chemical study (9) 213*f*.
- $LiBO_2$-Al_2O_3 (7) 163*a*.
- Li_2Cl_2-Na_2Cl_2-$K_2Cl_2Li_2SO_4$ (1) 27*c*.
- Li ferrite-aluminate, Moessbauer study (4) 92*j*.
- Li ferrites-aluminates, lattice constant in (5) 107*c*.
- Li,Na||Cl,WO_4 (5) 114*i*.
- Li^+, Na^+ PO_3^-,BO_2^- (1) 28*g*.
- $LiNbO_3$-$KNbO_3$, X-ray diffraction and dielectric studies (8) 188*b*.
- $Li(Ta_xSb_{1-x})O_3$, X-ray diffraction and dielectric studies (8) 188*a*.
- Li_2CrO_4-LiOH-H_2O and LiBr-Li_2CrO_4-H_2O, solubility in (2) 54*a*.
- $GaCl_3$-$AlCl_3$-CsCl, thermal analysis (1) 29*b*.
- $GaCl_3$-$FeCl_3$-NaCl, thermal analysis (1) 29*c*.
- $GaCl_3$-$MgCl_2$-KCl (5) 115*a*.
- Li_2O-Fe_2O_3-SiO_2, magnetic, electrical, and physical properties (7) 152*a*.
- Li_4SiO_4-Mg_2SiO_4-Zn_2SiO_4 (6) 135*c*.
- $Ln_2(MoO_4)_3$-K_2MoO_4 [Ln = Gd, Dy, Ho, Er, Y] (1) 29*e*.
- MCl-NaCl-$CrCl_3$ (M = K,Rb,Cs) (7) 163*f*.
- metaborates and orthophosphates of Li and Cs and of K and Na (7) 163*a*.
- of metaborates and orthophosphates of Li and K (2) 54*i*.
- metal-carbide, sintering (11) 259*e*.
- MF-InF_3 (M = Rb, Cs, Tl) (10) 239*g*.
- MgO-Al_2O_3, effect of $MgCl_2$ on solid-state reaction in (5) 108*f*; MgO-Al_2O_3, interdiffusion studies (5) 111*d*.
- MgO-Al_2O_3-ZrO_2, MgO distribution in (7) 160*e*.
- MgO-CaO-TiO_2, ceramic dielectrics in (9) 200*b*.
- MgO.SiO_2-Al_2O_3, composition and dielectric constants (2) 53*h*.
- $Mg_3Si_4O_{10}(OH)_2$-$Fe_3Si_4O_{10}(OH)_2$, Fe content of talc in (1) 25*f*.
- $MgTa_2O_6$-$AlTaO_4$ (9) 214*e*.
- $MgTeO_3$-TeO_2 and $SrTeO_3$-TeO_2 (5) 115*f*.
- Mg-Fe-O-SiO_2, activity-composition relations (10) 236*b*.
- mineral equilibria in (7) 160*h*.
- MI-TeI_4 (7) 163*h*.
- MI_2-TeI_4 (7) 163*i*.
- Mn-Ti-Fe-O, during dissociation of spinel oxides (2) 54*b*.
- MoO_2-FeO-Fe_3O_4 (4) 92*g*.
- MoO_3-BaO (2) 55*b*.
- MoO_3-CeO_2 (2) 55*c*.
- MoO_3-$MMoO_4$ (M = Mg, Ca, Sr, Ba), diagrams (2) 54*a*.
- MoO_3-$WOCl_4$, exchange reactions in (1) 25*d*.
- MoO_3-ZrO_2 (1) 28*h*.
- $M_4P_2O_7$-MBO_2 and M_3PO_4-MBO_2[M = Li,Na,K] (1) 28*g*.
- Na||F,Cl,Br,I (7) 163*d*.
- of Na and K metavanadates and phosphates (1) 25*d*.
- $NaAlSi_3O_8$-$KAlSi_3O_8$-Al_2O_3-H_2O (1) 29*a*.
- Na_2BeF_4-Na_2SO_4, temp.-concentration projection of phase diagram (1) 29*b*.
- NaBr-CsBr-$AlBr_3$ (2) 55*c*.
- Na,Ca||SO_4,PO_3 (1) 28*h*.
- NaCl-CsCl-$AlCl_3$ (1) 28*i*.
- NaCl-$CuCl_2$, KCl-$CuCl_2$, and UO_2Cl_2-$CuCl_2$, reactions in (1) 27*d*.
- NaCl-KCl, crystalline solubility in (5) 108*f*.
- Na_2CO_3-Na_2S, diagram (2) 53*j*.
- Na_2CO_3-Na_2SO_4-K_2CrO_4 (1) 28*i*.
- Na,Cs||F,Cl (7) 162*c*.
- Na,Cs,Rb||Cl (1) 28*i*.
- NaF-AlF_3, thermodynamics (7) 163*i*.
- NaI-CsI-AlI_3, KI-CsI-AlI_3, and RbI-CsI-AlI_3 (1) 28*h*.
- Na,K,Mg,Ca|Cl,SO_4, literature review (6) 138*c*.
- $NaMgF_3$-MMgF$_3$[M = K,Rb,Cs] (7) 159*h*.
- $Na_2O.4B_2O_3$-$Li_2O.SiO_2$ (1) 26*a*.
- Na,Rb||Br,Cl and Rb,Cs||Br,Cl (1) 28*h*.
- Na,Rb,Cs||Cl and K,Rb,Cs||Br, ternary (1) 29*a*.
- Na,Tl,Ca||SO_4 (1) 28*j*.
- Na,Zn||PO_3,O and K,Zn||PO_3,O, surface and volume properties of melts in (1) 27*i*.
- Na_2O-CaO-SiO_2, formation of compounds in (10) 239*j*.
- Na_3S-Sb_2O_3, X-ray diffraction (9) 216*b*.
- Na_3S-Sb_2S_3, study by nuclear quadrupole resonance (7) 162*g*; Na_3S-Sb_2S_3 (7) 163*e*.

Phase equilibria systems *(continued)*
- Na_2WO_4-$R_2(WO_4)_3$ (R = rare-earth elements) (5) 108*g*.
- Na_3AlF_6-CaF_2, study by DTA in sealed crucible (4) 93*d*.
- $Nd_2(WO_4)_3$-NaNd$(WO_4)_2$, solid solutions in (1) 24*i*.
- nepheline-diopside-sanidine, significance to genesis of melilite- and olivine-bearing alkaline rocks (1) 28*j*.
- structures $NiNb_2O_6$-NiF_2, transformations of columbite and trirutile (4) 93*e*.
- NiO, Al_2O_3, Fe_2O_3, and Fe_2O_3-Cr_2O_3 (7) 162*b*.
- NiO-CaO, directional solidification in (4) 91*c*.
- NiO-MgO-GeO_2 and CoO-MgO-GeO_2 (6) 139*g*.
- NiO-ZnO-GeO_2 and CoO-ZnO-GeO_2 (6) 139*g*.
- Ni-S-Te (2) 55*d*.
- Ni-V-O (11) 258*c*.
- $PbCl_2$-MCl, vapor pressure over salt mixture melts in (9) 216*a*.
- PbF_2-B_2O_3, physical-chemical study (9) 213*g*.
- $GaBr_3$-NaBr and InI_3-NaI, physicochemical study (1) 26*g*.
- PbO-B_2O_3, miscibility gap in (6) 137*e*.
- PbO-PbSiO$_3$-$PbSO_4$ (9) 215*g*.
- PbO-PbSiO$_3$-$PbMoO_4$ (5) 115*i*.
- PbO-PbSiO$_3$-$PbWO_4$ (7) 163*b*.
- PbO-P_2O_5, PbO-As_2O_3, and PbO-V_2O_5, compounds in (4) 91*c*.
- PbO-SiO_2, thermodynamic relations (10) 235*d*.
- PbO-SiO_2-Fe_2O_3, electric conductance and structure (10) 235*c*.
- PbTe-MgTe alloy, physical properties (8) 185*i*.
- $PbTiO_3$-$Pb(Cd_{0.5}W_{0.5})O_3$, electromechanical properties (5) 109*g*.
- $Pb(Zn_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1F}32_3Nb_{2/3})O_3PbTiO_3$, dielectric and piezoelectric properties (3) 74*j*.
- $PbZrO_3$-$SrCu_{0.33}Nb_{0.67}O_3$ (8) 187*c*.
- $Pb(Zn_{1/3}Nb_{2/3})O_3$, electrooptic effects of hot-pressed ceramics in (5) 109*j*.
- $Pb_{1-x}Ba_xTiO_3$ ferroelectric, Raman scattering in (8) 185*g*.
- PCl_3-$AsCl_3$-$GaCl_3$, liquid-vapor (2) 53*b*.
- PCl_3-$GaCl_3$, chemical reactions in (5) 107*b*.
- PdO-PbO (1) 28*a*.
- picrochromite-C_2S (11) 242*a*.
- $Pr_{1-x}Nd_xAlO_3$, dielectric constant, anomalies in (4) 90*i*.
- quaternary, of fluorides and chlorides of Li, Na, and K (2) 54*e*.
- reciprocal, diagonal cross sections (1) 29*c*.
- $ReCl_5$-$ReCl_3$ (1) 26*d*.
- $ReCl_5$-UO_2Cl_2 ($UOCl_3$), oxidation-reduction in (2) 53*e*.
- $ReCl_5$-WO_2Cl_2, reactions in (2) 54*h*.
- ReO_3-$MoCl_5$ (2) 54*i*.
- ScF_3-TlF (5) 115*c*.
- Sc_2O_3-ZrO_2 (7) 163*e*.
- $SeCl_4$-MCl_n[M = Bi(III), Sb(III), Mo(V)] fusibility in (1) 25*j*.
- Se-SnO_2, polarized memory effect (7) 152*g*.
- SiO_2-H_2O (9) 210*h*.
- Si-Al-Mg, transformations in (6) 139*i*.
- Si-O-N (8) 186*e*; Si-O-N (10) 239*d*.
- Si_2Cl_6 with $TiCl_4$ and $SnCl_4$ (9) 215*j*.
- Si_3N_4-AlN-Al_2O_3, solid solution in (8) 186*h*.
- Si_3N_4-Al_2O_3, hot-pressing (10) 236*f*.
- Si_3N_4-Al_2O_3-Ga_2O_3, solid solution in (5) 114*e*.
- Si_3N_4-SiC composite, strength (10) 235*h*.
- slip, in Al_2O_3, correction (9) 214*h*.
- $SnBr_2$-RbBr, vapor pressure and composition in (5) 108*b*.
- $SnCl_2$-(Rb,Cs)Cl, vapor pressure and composition in (1) 24*f*.
- Sn^{2+}, Sn^{4+}, Sb^{3+}, Sb^{5+}||Cl (9) 215*h*.
- spinel and perovskite, Jahn-Teller effect in (4) 91*d*.
- $SrCo_{1-x}Fe_xO_{3-y}$, magnetic properties (10) 237*h*.
- solubility and polymorphism in (1) 27*b*.
- SrO-BaO-Al_2O_3 (4) 93*g*.
- SrO-BaO-Al_2O_3 (4) 93*g*.
- Sr_2SiO_4-Sr_2GeO_4-Ba_2GeO_4-Ba_2SiO_4, solid (1) 27*b*; Sr_2SiO_4-Sr_2GeO_4-Ba_2GeO_4-Ba_2SiO_4, solid (4) 91*e*.
- $Sr_yM_{1-y}FeO_{2.5-x}Sr_yM_{1-y}FeO_{3-x}$ (6) 139*e*.
- Ta_2O_5-Gd_2O_3 (1) 28*b*.
- ternary, of chlorides of Na, K, and Sr (2) 55*g*.
- ThO_2-lanthanide oxide (1) 26*e*.
- III-d ternary (10) 238*c*.
- of magnetic ordering in (1) 26*c*.
- TiO_2-Cr_2O_3, electron microscopy of solid solutions and crystallographic shear structures (1) 28*b*.
- Ti-C-O (11) 259*h*.
- Ti-Zr-O, transformations in metallic alloys in (4) 94*a*.
- Tl-B-S and Tl-B-Se, glass formation in (6) 136*a*.
- Tl_2MoO_4-MoO_3 (7) 163*f*.
- tungstates and fluorides of Li and Na (9) 215*e*.
- two-phase disperse (11) 259*g*.
- UC-W (2) 47*d*.
- UN-UC-Fe (10) 230*a*.
- U-Pu-C-O, U-C-O, Pu-C-O, and U-Pu-C-O (10) 240*c*.
- U-S and U-Se (5) 115*f*.
- $V_{1-x}Nb_xO_2$, metal-insulator transition in (8) 183*c*.
- V_2O_5-ZnO, composition and diagram (7) 161*h*.
- Y_2O_3-Al_2O_3 and Y_2O_3-Ga_2O_3, solid-phase reactions in (2) 55*b*.
- Y_2O_3-HfO_2, thermal expansion in (5) 116*e*.
- Y_2O_3-YF_3, intermediate fluorite-related phases in (4) 92*d*.
- $Zn_xFe_{3-x}O_4$, Moessbauer studies of charge transfer process in (5) 112*i*.
- ZrO_2-MeO_n, solid solutions of oxides in (5) 110*a*.
- ZrO_2-Yb_2O_3, Zr ceramics in, relations and properties (1) 26*f*.
- Zr-Y-H (9) 215*j*.

Phase equilibria systems *(continued)*
- Zr-O-C, thermodynamic study (9) 208*d*.
- Zr-S, ZrS phase in (8) 185*d*.
- (Pb,La)(Hf,Ti)O_3, material and electrooptic properties (6) 129*c*.
- 2Li,2K,Ca||2F,2Cl (7) 163*b*.
- 2Li,2Na,Ba||2F,2Cl (5) 115*j*.
- 2Li,2Na,2Ba||2F,2Cl, internal cross sections (9) 211*j*.
- 3CaO.Al_2O_3-CaO.$2H_2O$-H_2O, thermodynamics (10) 240*a*.
- $3Na^+$,Al^{3+}||3Cl$^-$,3I$^-$ (5) 115*c*.
- transformations, during clinker formation by dry method (2) 33*h*.
- of ferroelectric-ferroelastic crystal (5) 107*e*.
- high-temp., of chromite in vacuum (1) 25*d*.
- in Li_2SO_4 (8) 185*g*.
- of ZrO_2 single crystals (10) 238*a*.
- in ZrO_2-SiO_2 and HfO_2-SiO_2 thin films (5) 113*c*.
- transitions, of Ba Na niobate, dilatometry (6) 135*f*.
- of $BaTiO_3$, kinetics (7) 161*h*.
- beta→alpha in $UO_2(OH)_2$ (2) 54*j*.
- cooperative phenomena near, B (6) 140*g*.
- crystallographic in $DyVO_4$ and $TbVO_4$ (9) 208*i*.
- effect on magnetization of Fe-Cr spinels (3) 75*b*.
- in EuSe (8) 181*i*.
- ferroelectric, in KNO_3 (8) 185*e*.
- ferroelectric-paraelectric, in $LiTaO_3$ (9) 212*h*.
- ferroelectric-paraelectric, in Pb titanate (9) 199*b*.
- in Hg chalcogenides (10) 238*b*.
- Jahn-Teller, in $DyVO_4$ and $TbVO_4$ (9) 207*h*.
- liquid-liquid, in oxide melts, study by viscosity measurements (2) 36*j*.
- magnetic, in $ErCrO_3$ (8) 183*i*.
- metal-antiferromagnetic insulator, of V_2O_3 (9) 212*c*.
- metal-semiconductor, in $Mo_xV_{1-x}O_2$ crystals (9) 212*d*.
- Morin, in hematite (9) 212*g*.
- in $Na(D_xH_{1-x})_3(SeO_3)_2$ crystals (8) 180*j*.
- in perovskite ferroelectrics (9) 215*j*.
- in perovskite-type crystals (6) 139*j*.
- polymorphic of $FeTaO_4$ (9) 213*b*.
- in rare earth monotellurides (9) 214*c*.
- in rare-earth vanadates (8) 185*h*.
- semiconductor-metal, of SmS; semiconductor-metal, in SmS-SmSe mixed crystals (9) 214*e*.
- in solid solutions of VO_2 with TiO_2, NbO_2, and MoO_2 (5) 113*d*.
- in solid--BaF_2 (8) 185*e*.
- in $SrTiO_3$ (8) 180*j*.
- in $SrTiO_3$ (8) 185*g*.
- structural, in $SrTiO_3$ (9) 207*g*.
- structural, in $SrTiO_3$ (9) 209*f*.
- of system from metastable to stable state (5) 116*i*.
- in $TbFeO_3$, $YbFeO_3$, and alpha-Fe_2O_3 (7) 160*g*.
- V dioxide (6) 139*c*.

Phases, composition, of blast-furnace slag, effect on slag portland cement (1) 2*j*.
- formation, in (CaO + MgO)/SiO_2 = 0.5 and 0.8 (1) 25*h*.
- liquid, composition, change during cement hydration (1) 2*g*.
- role in cement hardening (1) 2*g*.
- micro-, glassy, correlation with glass strength (3) 61*c*.
- properties, of Hg_3Te_3-In_2Te_3 alloys (5) 108*j*.
- relations, for CO_2 and H_2O with 8 minerals (1) 25*e*.
- during carbothermic reduction of UO_2 (1) 19*g*.
- in ferrites, nonstoichiometric (5) 114*h*.
- separation, in alkali silicate glasses, effect of Pt (2) 35*j*.
- effect on He migration in glasses (6) 123*b*.
- glassy, in Na borosilicate glasses (2) 36*i*.
- in laser glass (3) 62*a*.
- liquid, in Li_2O-SiO_2 glasses (8) 168*b*.
- studies (2) 37*j*.
- solid, reactions during formation of Sr monoaluminate (5) 114*d*.

Phonons, behavior, in $Gd_2(MoO_4)_3$ (7) 150*h*.
- optical, of CaO, SrO, BaO (8) 184*j*.
- directional dispersion in alpha-quartz (5) 108*g*.
- line widths and freq. in ZnSe and ZnTe (7) 163*j*.

Phosphates, additives, effect on thermal insulators (7) 148*e*.
- deposits (10) 234*f*.
- recovery, from waste phosphate sludge (1) 23*f*.

Phosphoric acid, -gypsum sludge (9) 191*e*.
- in thermal insulators, effect on strength (7) 148*f*.
- wet-process, mfg., P (10) 234*j*.
- U recovery from, P (5) 103*i*.

Phosphorimetry, increased precision (5) 105*a*.

Phosphors, alkaline-earth metal halophosphate, homogeneous precipitation, P (3) 69*j*.
- Ca Al fluoride, of Ba and Sr, P (2) 43*g*.
- CaF_2:Ce:Mn, luminescence in (11) 249*f*.
- $CaSO_4$, exoelectron emission from (4) 91*h*.
- CdS:Cu powder, ac electroluminescence (3) 67*i*.
- dc electroluminescence (3) 67*j*.
- coating, for tubular lamp envelope, P (10) 222*h*.
- CRT, controlled particle-size range, P (7) 153*g*.
- fast, for color TV (7) 151*j*.
- haloapatite, spherical particles, P (4) 86*c*.
- halophosphate, treatment process, P (7) 153*j*.
- La Ce Th phosphate, P (1) 18*h*.
- $LaGaO_3$, Bi^{3+} center in (1) 24*c*.
- $LiYF_4$:Yb,Ho, ir to green conversion in (8) 182*f*.
- luminescence in, stimulating, P (6) 130*g*.
- luminescent, P (7) 153*f*.
- materials, agglomeration, P (3) 68*h*.
- $NaYF_4$:Yb,Er (10) 237*d*.
- oxysulfide, rare-earth-activated, P (3) 70*f*.

Phosphors particles, applying to dielectric layer of gaseous discharge device, P (2) 39*b*.
preparation, P (1) 19*a*.
rare earth, P (5) 102*i*; P (6) 130*f*; P (10) 228*e*.
for X-ray conversion screens, P (7) 154*d*.
slurries, stabilization, P (1) 19*b*.
sulfide, P (3) 70*f*.
thiogallate, luminescence and structural properties (9) 212*b*.
Y oxychloride, red luminescent, P (7) 154*e*.
Y_2O_3, S-modified, P (7) 155*c*.
YVO_4, P (10) 228*d*.
Phosphorus, emitter concentration, for transistors (9) 200*d*.
pentachloride, reaction with chlorides of uni- and divalent metals (5) 114*g*.
pentoxide, effect on glass crystallization (1) 6*b*.
effect on portland cement clinker (9) 190*h*.
for phase separation of borosilicate glass (9) 192*e*.
removal, use of industrial waste for (4) 88*g*.
slags, structure and activity, dependence on content of P compounds (2) 32*d*.
Photochemistry, reactions, in Li-Al silicate glass (10) 221*a*.
Photoconductivity, defect, of Ta_2O_5 films (10) 225*h*.
device, P (10) 222*a*.
of EuTe (7) 163*i*.
in La oxysulfide (10) 238*c*.
magneto-, of europous oxide (7) 161*d*.
measurements, SiO_2 band edge by (9) 208*b*.
negative, in n-InSb under transverse magnetic field (6) 137*e*.
powders, P (1) 19*a*.
properties, of CdS, field-induced changes in (5) 109*j*; of CdS (10) 238*b*.
in TiO_2 films (9) 213*d*.
transient, in EuSe (7) 163*i*.
Photoelectricity, cross sections, shell-wise (7) 145*c*.
Photographic equipment, camera tube target, P (9) 193*h*.
photoflash lamp, P (9) 194*f*.
Photography, cyclographic method, to study enameling manual operations (6) 121*i*.
flashbulb, combustion, P (7) 146*c*.
flash-lamp unit, P (8) 170*f*.
of glass melt inhomogeneities, lab-scale (1) 8*a*.
photochromic properties, of borate glasses containing Ag halides (1) 8*a*.
photochromism, of rutile (11) 259*b*.
photoflash lamp, P (6) 126*c*.
stroboscopic tube, P (8) 170*h*.
Photometry, of SiO_2, in cements and raw materials (11) 242*b*.
Photons, -phonon, microwave, double-quantum detection in MgO (5) 113*b*.
Phyllites, molecule adsorbed on, structure (6) 138*i*.
Physical properties, of Al_2O_3 film (3) 68*g*.
-chemical study, of mixed halides of Sn(II) (5) 115*i*.
of compositions, on Li_4SiO_4-Zn_2SiO_4 join (5) 111*j*.
of corundum ceramic, porous (9) 213*g*.
electro-, of concretes (6) 120*f*.
of glass, arsenic (7) 145*g*.
B (11) 260*e*.
Pb crystal (3) 63*g*.
sulfide (6) 124*b*.
of Li_2O-Fe_2O_3 compositions (7) 152*a*.
of MgO-chrome ore, effects of CaO-SiO_2 ratio (1) 11*j*.
of PbTe-MgTe system (8) 185*i*.
of perovskite, $GdCoO_3$ (5) 109*i*.
of portland cement concrete (10) 218*e*.
of portland cement paste, effects of admixtures (1) 2*j*.
of sample, ultrasonic measurement, P (7) 157*h*.
Physicochemical properties, of cement materials (10) 217*h*.
of clays, from India (6) 137*d*.
of Cr oxides (2) 54*d*.
of glasses, in system Sb-Ge-Se, effect of replacing Ge by Sn (1) 6*e*.
of kaolinite (11) 257*b*.
of MgO, effect of thermal treatment (7) 162*d*.
study, of La_2O_3-GeO_2 system (9) 213*f*.
of PbF_2-B_2O_3 system (9) 213*g*.
of systems, $GaBr_3$-NaBr and InI_3-NaI (1) 26*g*.
Physics, megagauss (9) 212*c*.
Pickling, sheet steel, in H_2SO_4, weight loss during (4) 89*a*.
waste liquor, recovery, P (10) 219*e*.
Piezoelectricity, acoustic waves on, P (8) 174*i*.
bodies, P (9) 201*e*.
ceramic compositions, P (8) 175*g*.
ceramic elements, driving apparatus for, P (10) 227*j*.
ceramics, in Australia (1) 15*h*.
compositions, P (2) 45*d*.
compositions, P (9) 201*e*.
material, P (2) 45*d*.
P (7) 154*j*; P (10) 228*j*.
surface-wave scatter losses in, optical measurement (10) 226*i*.
coeffs., of CuCl and ZnS (9) 207*f*.
compositions, P (8) 174*h*.
crystals, contact for, P (7) 153*c*.
devices, for emitting radiation, P (9) 201*e*.
and ferroelectric composition, P (9) 200*e*.
ignition device, P (11) 251*b*.
materials, oxide, P (1) 18*i*.
P (1) 18*i*; P (2) 45*d*.
piezooptic behavior, of forsterite (8) 185*a*.
powders, Pb-containing, P (4) 87*a*.
properties, of ceramics, improving, P (6) 130*b*.
of K tantalate-niobate single crystal (8) 185*j*.
of $La_2Ti_2O_7$ single crystal (3) 67*b*.
Piezoelectricity properties *(continued)*
of $LiGaO_2$ (3) 68*h*.
of $PbTiO_3$ ceramics, effects of additives (3) 66*f*.
in $Pb(Zn_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ system (3) 74*j*.
of Se-Te alloys, single-crystal (3) 76*c*.
quartz-crystal unit, P (8) 175*g*.
quartz element, P (1) 18*j*.
response, of ferroelectric memory array (4) 85*e*.
Piezoresistance, bars, P (1) 17*e*.
Pigeonite, Fe-free, stability at atm pressure (4) 93*b*.
Pigments, brown ceramic, from system Fe_2O_3-Cr_2O_3-ZnO (11) 248*e*.
Cd sulfoselenide, in ceramic colors (2) 50*b*.
clay-base, P (1) 23*h*.
compositions, P (8) 177*d*; P (9) 199*a*.
dispersing, with amino diphosphonates, P (5) 105*j*.
Fe oxide, calcined red, properties (8) 172*i*.
from ilmenite, P (9) 207*c*.
inorganic, P (5) 105*j*; P (7) 159*a*.
kaolin clay coating, P (7) 159*b*.
kaolin-derived, P (4) 90*f*.
Li chrome silicate, inorganic, P (1) 23*g*.
preparation, P (9) 204*c*.
silica, diatomaceous, P (5) 105*j*.
and elastomer-silica pigment masterbatches, P (6) 134*i*.
Sn-chrome spinel, containing Co^{2+} and Ni^{2+} ions (10) 225*a*.
stable, based on spinels and garnets (2) 41*j*.
TiO_2, P (7) 159*c*; P (11) 256*d*; P (11) 256*g*.
producing, P (7) 159*a*.
pyrogenic, P (3) 73*g*.
wet grinding, P (11) 256*e*.
Pipe, asbestos-cement, apparatus for, P (7) 149*a*.
ceramic, coupling device, P (7) 146*b*.
clay, at brick plant in New Zealand (6) 126*e*.
Florida industry (8) 171*b*.
earthenware, or stoneware, apparatus for, P (7) 148*a*.
industry, in Australia (6) 126*h*.
metal, coating internally with glass, P (8) 166*j*.
noncircular, solid-liquid flow in (7) 156*c*.
serpentine, P (7) 147*d*.
sewer, at England brick plant (6) 126*e*.
stoneware, effect of grain size disbribution (4) 82*f*.
Plagioclase, calcic, X-ray powder technique (8) 180*c*.
Plasters, builder's, setting, ultrasonic observation (9) 190*b*.
$CaSO_4$ hemihydrate, setting (8) 166*g*.
dolomite, properties, effect of blast-furnace slag and $Al_2(SO_4)_3$ (1) 3*e*.
drying behavior (2) 32*g*.
gypsum, retarded, in aggregate mortar, P (7) 143*e*.
setting and hardening (10) 218*g*.
products, casting, P (8) 166*h*.
properties, of slaked limes (1) 3*d*.
sheets, P (11) 243*b*.
Plasticity, of clays, variation due to dry spraying (2) 49*j*.
photoplastic effect, in CdS, CdSe, ZnSe, and ZnTe (3) 76*a*.
of raw mixtures, H_2O effect (9) 190*g*.
super-, creep, and grain-boundary sliding (9) 215*e*.
of whiteware bodies, relation to fundamental parameters (10) 225*c*.
Plastics, flow, of TaC and HfC (7) 162*e*.
glass-fiber-reinforced, articles, P (7) 147*d*.
heat-resistant, for coatings (10) 219*d*.
refrigerator liners (8) 166*j*.
thermo-, glass-fiber-reinforced (7) 145*c*.
material, shaped products from, P (10) 223*b*.
thermoplastic cellular, glass-fiber-reinforced, P (9) 194*d*.
Platinum, antimonide, electrical and magnetic properties (2) 52*c*.
capsules, Fe absorption by, in rock-melting experiments (8) 179*e*.
catalysts, for automobile exhaust purification (3) 66*c*.
effect on phase separation, in alkali silicate glasses (2) 35*j*.
Plutonium, carbides, and nitrides, P (2) 47*e*.
compounds, dense particle, as fuels for nuclear reactors, P (4) 88*b*.
as fuel for nuclear reactors, P (9) 203*c*.
dioxide, dissolving, P (7) 155*i*.
sols, low-nitrate and large-crystal-size, P (5) 103*j*.
dissolution, and Pu alkoxide product, P (6) 132*a*.
metal, alloys, and oxide, storage behavior (1) 20*e*.
redistribution, during evaporation in oxide fuel (8) 176*a*.
in mixed (U,Pu) oxide fuel materials (1) 8*b*.
in thermal gradient (2) 46*h*.
removal, from PuF_6-UF_6, P (4) 88*a*.
separation, from holder, P (5) 103*i*.
from U, P (8) 176*g*.
trans-, group elements, separation from aqueous solution, P (1) 20*g*.
and (U,Pu) mixed oxides, O/metal ratios for (1) 19*i*.
-uranium, mixed oxides and carbides, sintering (7) 158*g*.
Polarization, charge, decay on ZnO (9) 209*b*.
de-, of $BaTiO_3$, $PbTiO_3$, and $LiNbO_3$ ferroelectric crystals (8) 180*b*.
effects, in electroabsorption spectra of Cu_2O (8) 185*b*.
measurements, on conductors (3) 76*a*.
on mixed conductors, comments (8) 173*e*.
piezoelectric, of $LiNbO_3$ (9) 215*c*.
reversal, in ferroelectric $BiTiO_3$ films (4) 85*d*.
spontaneous, of KNO_3 and $NaNO_2$ (5) 115*h*.
Polarography, cathode ray, determination of Fe, Ti, and Ni in Apollo 14 samples (5) 104*i*.
Polarons, piezoelectric, energy spectrum (5) 109*b*.
Polishing, finish, glass lenses, P (5) 99*f*.
glass, compositions based on zircon and/or ZrO_2 and Zr fluosulfate, P (1) 9*g*.
effect on electron probe analysis (1) 6*d*.
ellipsometric study (11) 244*d*.
with Zr-containing minerals (2) 37*g*.
jet, of semiconductors, Si, Ge, GaAs, and GaP slices (6) 128*j*.
precision, semiconductor crystal wafers, P (2) 45*e*.
semiconductor GaAs planar surfaces, P (9) 201*g*.
SiO_2 compositions, P (6) 130*d*.
Polishing apparatus, and grinding, P (8) 165*e*.
for semiconductor, P (4) 86*f*.
wafer, P (1) 19*f*.
Pollution, air, control apparatus, bag-type, P (2) 48*d*.
determination of N oxides in combustion effluents (1) 21*i*.
in enameling industry, control with wet scrubbers (5) 97*b*.
flue gas, scrubbing with limestone slurry (1) 21*g*.
in glass fiber products mfg., P (8) 169*d*.
in heavy clay industry, prevention by needle felt filters (4) 82*h*.
high-volume method for measuring (1) 21*g*.
joint blue brick working party, report (4) 82*f*.
prevention (2) 56*g*.
purification of combustion products, P (9) 204*d*.
removing S oxidic compounds from gases, P (9) 204*c*.
from stack smoke, apparatus for removing, P (9) 203*i*.
and water, in enameling (5) 96*j*.
combustion, in glass industry (8) 167*c*.
SO_2 control, by H_2S reaction (11) 252*c*.
water, controls at L-O-F (7) 144*h*.
reduction by pyrodecomposition (6) 122*g*.
removal of ammonia, P (7) 159*a*.
Polyacrylamide, Gigtar, use for lowering filtration in oil well cement slurries (2) 34*b*.
Polycrystalline materials, ceramics, conductivity, effect of heat treatment (1) 24*i*.
strength-grain-size-porosity functions (11) 257*g*.
forming process (2) 45*h*.
minerals, optics (7) 161*h*.
nonmetals, creep, third-power stress dependence (4) 94*c*.
oxides, mass transport and chemical reaction in (10) 237*j*.
pellets, inorganic ions in, as fluorescence standard reference materials (5) 104*f*.
Polymerization, de-, of GeO_2 and B_2O_3-GeO_2 network glasses by Sb_2O_3 (7) 144*d*.
of silicic acids (11) 258*i*.
Polymers, bonding, to glass, P (11) 245*a*.
coatings, water-resistant, for glass (6) 125*i*.
impregnation, of cement, concrete, and porous ceramics (4) 79*d*.
inorganic, internal friction (7) 144*j*.
Polymorphism, of $BaFe_2O_4$ (9) 213*j*.
effect on alite strength (5) 110*i*.
in KCl-RbCl and KCl-KBr, solid solutions (8) 185*c*.
of K_2CO_3 (5) 113*j*.
modifications, of TeO_2 (5) 113*i*.
of rare-earth oxides (8) 185*c*.
of Rb_2O (5) 106*f*.
and solid solubility, in system Sr_2SiO_4-Sr_2GeO_4-Ba_2GeO_4-Ba_2SiO_4 (1) 27*b*.
of $TeVO_4$ (6) 139*c*.
Polystyrene, -montmorillonite complexes (6) 136*i*.
Porcelain, alkaline earth aluminous, sintering properties and microstructure (9) 198*c*.
articles, P (9) 199*a*.
batch, programmed calculation (10) 231*f*.
coloring, by Fe oxide (1) 14*i*.
colors for, high-temp. rapid-firing (9) 198*b*.
decoration, firing and high-fire, in rapid-firing kilns (4) 84*e*.
electrical, oxidation vs reduction (11) 248*f*.
for electric insulators, P (8) 172*i*.
electrostatic glazing (9) 197*i*.
ferrite coatings on (7) 151*j*.
fired, color, effect of reducing conditions (1) 15*a*.
firing, radiation burners in (10) 233*j*.
by reduction method (2) 41*a*.
forsterite, insulator material, using domestic quartz (9) 199*f*.
hard, firing temp. decreased with mineralizers (9) 197*j*.
heat consumption, and drying rates for (2) 41*g*.
high-voltage, cristobalite-containing (1) 14*i*.
industry, rationalization in firing range in (10) 225*b*.
in Russia, modernizing (2) 41*g*.
insulation, high tension, semiconducting glaze for (5) 101*c*.
mfg. (11) 248*d*.
microstructure, relation to particle size distribution (2) 41*c*.
products, surface defects (11) 248*e*.
properties, effect of particle size distribution of nonplastic components (2) 41*c*.
strength, relation to that of dried kaolin (1) 15*f*.
superalumina, formation and properties, effect of calcined Al_2O_3 (2) 41*i*.
surface, detergent effect (9) 1.
tubes, high-temp. torsion testing (11) 253*b*.
wear-resistant assembly, P (11) 248*i*.
Pores, in ferrites, effect on spin-wave transit time (5) 110*f*.
micro-, effect on heats of immersion of MgO (2) 53*i*.
structure of Cr oxide gels (2) 53*e*; structure, krypton adsorption for (10) 232*h*.
open, distribution in UO_2 sintered bodies (3) 71*b*.
in PLZT, light scattering by (8) 173*i*.
size, interrelation with grain size during grain growth of oxides (6) 136*f*.
in zircon, changes on reheating (7) 148*b*.

Pores size analysis, of SiO_2 gel (8) 184*d*.
-size distribution, in magnesite brick (10) 223*j*.
structure, of hardened cement paste (7) 142*g*.
of portland cement pastes (6) 120*i*.
relation to frost resistance of building materials (2) 39*f*.
Porosity, of ceramic coatings, based on electrical breakdown (7) 157*c*.
effect, on ceramic strength, working model, correction (8) 188*b*.
on creep of high-Al_2O_3 bricks (9) 196*c*.
on electrical and optical properties of PLZT ceramics (3) 66*h*.
on fracture of Al_2O_3 (8) 181*c*.
on mechanical strength of ceramic materials (10) 237*a*.
in polycrystalline graphite (1) 24*g*.
on properties of PLZT ceramics, discussion (8) 173*b*.
on strength of ceramics (1) 29*f*.
on tensile strength of brittle ceramics, correction (10) 235*f*.
measurements, on cement mortars and concretes (4) 79*d*.
refractory grain, determination by H_2O displacement (1) 11*f*.
in refractory materials (10) 224*c*.
of sand, Holocene (9) 206*h*.
unconsolidated (9) 206*g*.
-strength-grain-size functions, of ceramics (11) 257*g*.
-strength relation, in cementitious materials (11) 242*b*.
total, of portland cement pastes (6) 120*i*.
vs, creep rate (1) 24*d*.
Porous materials, inorganic, microhardness (4) 79*i*.
inorganic body, coated, P (7) 146*b*.
melting, initial stage (11) 258*b*.
micro-, sheet structures, P (11) 253*a*.
products, by acid treatment of mica-vermiculite mineral (6) 126*h*.
Positron, lifetimes, in oxides (6) 138*i*.
Positrons, annihilation, in MgO and UO_2 crystals (11) 256*h*.
Potash, ores, high-clay, heavy liquid concentration (7) 158*f*.
Potassium, Bi niobate, crystal growth and dielectric properties (8) 180*f*.
borohydride, reaction with LiCl (1) 27*f*.
reaction with $NaBH_4$ (5) 114*h*.
bromide, iodide, luminescence from bound excitons in (6) 136*f*.
carbonate, montmorillonite transformation in presence of (6) 137*e*.
polymorphism (5) 113*j*.
reaction with Pb orthosilicate, B (7) 164*h*.
chloride, and bromide, dielectric constant (8) 183*h*.
bromide, and iodide, crystals, rosette length and microhardness (7) 162*c*.
and bromide, strengthening with divalent-ion additions (8) 186*e*.
channeling in (11) 259*f*.
crystals, growth of F centers in (6) 136*a*.
crystals, growth of F center in (11) 258*a*.
diffusion of ^{85}Kr in (8) 180*e*.
high-strength, by hot-pressing (6) 138*j*.
K^+ vacancy pairs in (6) 138*h*.
lattice dynamics (8) 183*g*.
:Li^+, EPR optical and absorption studies of $V_1(Li^+)$ center in (8) 181*i*.
paraelectric resonance of Li^+ in (6) 135*g*.
reaction with $CuCl_2$ in system KCl-$CuCl_2$ (1) 27*d*.
solutions, preparation of granules during dehydration (4) 79*f*.
and Cu, mixed ferrocyanide, X-ray study (1) 29*h*.
dichlorooxyaluminate (5) 114*a*.
dideuterium phosphate, laser-induced self-focusing in (1) 16*e*.
dihydrogen phosphate, optical nonlinear susceptibilities (6) 138*e*.
fluoroniobate, reaction with alkali metal chlorides and fluorides in melts (1) 27*c*.
halides, thermodynamics of transition in (4) 93*h*.
iodide, positron lifetime spectra in (9) 215*c*.
ions, removal from sheet glass by electrolysis (6) 124*a*.
KAg_4I_5, solid electrolyte, thermoelectric properties (1) 29*g*.
$KLn(WO_4)_2$, α-, (Ln = Eu, Yb), X-ray study (1) 29*h*.
$KMnO_4$ and K_2MnO_4, reciprocal transformation (2) 53*d*.
$KNbCl_6$, behavior during heating (2) 50*j*.
$KNiF_3$, stress-induced and magnetic linear dichroism in (9) 215*d*.
$KVTeO_5$ (4) 92*b*.
K_2CuF_6, magnetic properties (10) 237*h*.
molybdate, reaction with $InMoO_4$ (2) 54*f*.
and Na carbonates, and alkali solutions, silicic acid solubility in (4) 93*h*.
Na niobate, ferroelectric, sputter machining (7) 152*c*.
niobate, crystals, ferroelectric, surface-charge layers on (5) 115*d*.
single crystal, for optical device (3) 63*a*.
single crystals, dielectric constant (3) 74*i*.
single crystals, domain structure in (6) 138*e*.
single crystals, switching of 60° domain walls in (9) 212*b*.
nitrate, ferroelectric, dielectric constant and spontaneous polarization (5) 115*h*.
ferroelectric phase transition in (8) 185*e*.
nitrites, nitrates, molybdates, and tungstates, reaction in melts (1) 27*f*.
permanganate, semiconductor properties (5) 114*b*.
tantalate, electron tunneling and band structure (8) 181*j*.
phonon spectra, coupled modes in (7) 159*j*.
single crystals and $KTaO_3$-$NaTaO_3$ mixed crystals, dielectric properties and optical absorption (11) 257*i*.
tantalate-niobate, single crystal, piezoelectric properties (8) 185*j*.
tungstates, and molybdates, double, X-ray data (1) 29*g*.
Potentiometry, of fluoride, in raw materials, clinker, and cement (11) 241*i*.
Pottery, blue-china, early American scenes in, B (2) 56*j*.
casting, electrophoretic, P (6) 128*e*.
ceramic science, B (3) 76*e*.
fake antiques (2) 31*e*.
potworks, first book of clay, B (7) 164*i*.
primitive, B (2) 58*a*.
raku, B (2) 58*g*.
with sand network (1) 15*d*.
thermoluminescence testing, of Hui-Hsien objects (2) 31*g*.
tulip ware, of Pennsylvania-Germans, B (2) 58*c*.
Pottery industry, body, of controlled plasticity, material preparation (4) 84*g*.
Brush, for florist trade (11) 248*c*.
low cost aids in (2) 41*j*.
and potters of Bennington, B (10) 240*i*.
Potterymaking equipment, plaster-blending, removing refractory pins from (1) 15*g*.
Powders, ceramic, cryochemical drying (9) 199*e*.
-glass frit composition, P (4) 81*c*.
coating, process and apparatus, P (9) 204*c*.
compaction, P (11) 252*f*.
crystalline, characterization by effective temp. factor (8) 182*g*.
diffraction, indexing and least-squares refinement (9) 204*h*.
dispenser, for powder-compacting press, P (8) 177*c*.
dry, treatment apparatus for, P (8) 179*d*.
drying, P (2) 48*a*.
or preheating, P (6) 134*a*.
fine, preparation, properties, and uses, B (7) 164*f*.
furnace for, sintering, P (3) 73*a*.
hydrostatic compression, P (9) 204*d*.
metallurgical materials, X-ray spectral microanalysis (8) 177*i*.
molding, P (9) 204*b*.
orientated, for quantitative X-ray determination of clay minerals (5) 105*c*.
oxide, polydisperse, pressing (1) 20*j*.
packaging, automatic apparatus, P (4) 88*f*.
permittivity, dielectric correlation with bulk permittivity, formula (3) 75*d*.
photoconductive, method of making, P (3) 69*h*.
P (1) 19*a*.
piezoelectric, Pb-containing, P (4) 87*a*.
specific surface area (2) 48*f*.
Power, electric, and Al_2O_3-mfg. installation, P (7) 159*a*.
Praseodymium, ferrocyanides, mixed with alkali metals, X-ray study (2) 56*e*.
thermal decomposition (7) 163*e*.
monotelluride, transitions in (9) 214*c*.
$PrFeO_3$, magnetic structure (9) 211*i*.
and Pr oxide, optical absorption (8) 184*i*.
$Pr_2(MoO_4)_3$, cell dimensions (2) 51*f*.
$Pr_2Sr_3(BO_3)_4$, X-ray diffraction and space groups (9) 216*a*.
β-Pr_2S_3 crystals, morphology and symmetry (1) 26*b*.
valerates, thermal stability (1) 29*e*.
Precipitation, of H_2TiO_3, P (1) 23*i*.
of $LiFe_5O_8$, in alpha $LiFeO_2$ (2) 52*g*.
processes, for metal-containing materials, P (6) 132*a*.
in solids, crystalline (4) 91*a*.
Precipitators, aerosol, P (9) 203*h*.
design, effect of particle size (2) 47*h*.
electric, gas flow regulation for, P (9) 204*c*.
electrostatic, dust in, electric field directed control, P (6) 132*d*.
wet, P (6) 132*d*.
modularized electrostatic, P (2) 48*c*.
Presses, cam-driven, thickness adjustment for, P (10) 232*c*.
compacting, multiple fill, P (1) 21*c*.
extrusion, P (7) 156*a*.
filter, compression, P (8) 177*c*.
for endless filter cloth, P (11) 252*h*.
with endless filter cloth, P (1) 21*b*.
English china clay tube (2) 47*h*.
filter conveyor band for, P (1) 21*b*.
horizontal compression-type automatic, P (2) 48*b*.
P (7) 156*a*; P (11) 252*h*.
transporting filter plates in, P (5) 104*a*.
molding, P (8) 177*b*.
P (10) 232*b*; (11) 253*a*.
powder-compacting, powder dispenser for, P (8) 177*c*.
revolver, stripping refractories from (1) 13*j*.
Pressing, cold, of PLZT (1) 15*i*.
dry, ceramic dish in mold, P (6) 128*h*.
effect, on transformation of maghemite to hematite (10) 235*b*.
hot-, Al_2O_3, plastic deformation (9) 213*h*.
Al_2O_3-W carbide composite (9) 196*j*.
B (7) 164*d*.
BeO (6) 127*h*.
for bonding ferrite-titanate ceramics (3) 67*d*.
for composites of fused SiO_2-W fibers (7) 162*f*.
eutectics of oxides and metal fibers (9) 211*c*.
for forming metal-ceramic inserts (3) 71*h*.
glass filaments, densification in (8) 167*g*.
KCl (6) 138*j*.
mechanisms and kinetics, B (5) 117*b*.
MgO, effect of anions (5) 108*a*.
oxide ceramics (8) 177*a*.
oxide fuels (9) 203*a*.
plastic flow during (1) 26*h*.
powder vehicle technique (10) 2.
Pressing hot- *(continued)*
reactive, alpha-Al_2O_3 by (2) 52*i*.
reactive, oxide through polymorphic phase change, P (2) 40*j*.
refractory article in mold, P (6) 128*a*.
refractory powder, P (5) 101*a*.
for ring shapes, P (6) 132*c*.
of Sc_2O_3 (6) 139*j*.
SiB_6 (10) 224*c*.
of SiC, very high pressure (4) 84*b*.
Si_3N_4-Al_2O_3 (10) 236*f*.
transition metals and carbides (8) 171*i*.
ZnS and CdTe (1) 25*d*.
isostatically, metal powder, P (10) 232*c*.
oxide powders, polydisperse (1) 20*j*.
peripheral, for strengthening sheet glass (1) 8*c*.
powder, of tiles, control (6) 133*b*.
pressed bodies, P (9) 204*d*.
problems (9) 203*e*.
semidry, for mfg. briquets from portland cement (1) 2*i*.
technique, for tile (4) 84*h*.
triaxial compaction (10) 231*j*.
Pressure, decomposition, of CeN (3) 74*d*.
dependence, of dielectric constant and polarization of KNO_3 and $NaNO_2$ (5) 115*h*.
of elastic constants of RbCl, RbBr, and RbI (5) 114*b*.
of optical gap in As_2Se_3 (8) 185*e*.
effect, on dielectric strength of sapphire (1) 15*j*.
on melting CsCl (5) 108*g*.
on solid-solid transitions in Ag and cuprous chalcogenides, effect of pressure (4) 91*e*.
equilibrium, decomposition, of Ba hexafluorosilicate (8) 181*c*.
and free surface, of red HgS (8) 186*h*.
of Li tetrafluoroaluminate (8) 181*d*.
high-, apparatus, for Hall effect measurement (9) 204*g*.
calibration (8) 177*i*.
effect on crystalline solubility in system NaCl-KCl (5) 108*f*.
generated with tetrahedral anvil (9) 203*g*.
and high-temp. device, P (8) 177*f*.
multianvil device, study of geometrical stability by gamma rays (4) 88*d*.
-responsive device, P (11) 254*f*.
ultrahigh, research, pyrophyllite for (11) 254*a*.
-temp. apparatus, P (8) 177*g*.
uniaxial, effect on ZnO acoustoelectric devices (11) 249*a*.
Pumice, stabilized slag, stability (4) 79*c*.
Purification, of clay, by selective flocculation, P (2) 50*f*.
of diatomaceous earth, P (9) 207*d*.
of HF (1) 23*f*.
of MoO_3 (3) 73*g*.
of refractory metal nitrides, P (6) 128*b*.
of $SrCO_3$, P (10) 234*h*.
of UF_6, of reduction to lower U fluorides, P (2) 47*c*.
of Y (2) 50*h*.
Pyrite, behavior, in brick earths (11) 246*b*.
chalco-, sulfides and selenides, emission in (10) 240*b*.
differentiation of deposits, dry separation from coal (1) 23*d*.
by LMA (2) 48*i*.
dry separation, from coal (1) 23*d*.
Pyroelectricity, effect, in Tl_3AsSe_3 (10) 238*f*.
Pyrolysis, of V oxide films (6) 138*j*.
Pyrophyllite, ceramic properties (6) 134*c*.
dehydroxylated, formation and structure (2) 53*d*.
-kaolinite, hydrothermal reaction (2) 53*i*.
precompressed, for ultrahigh-pressure research (11) 254*a*.
triclinic, and dehydroxylate, crystal structures (4) 91*g*.
Wando (9) 216*b*.
Pyroxenes, acmite-jadeite, stability at low pressure (2) 54*e*.
Ca-Mg-Fe, synthesis and unit-cell parameters (8) 187*b*.
in Mg-Fe-O-SiO_2 system (10) 236*b*.
ortho-, electron microscopy and analysis (8) 179*j*.
stability, in $CaSiO_3$-$FeSiO_3$-$MgSiO_3$ system (8) 186*a*.
Pyrrhotite, growth, on Fe thiospinel nuclei (8) 185*f*.

Quality control, in brick production, Australian (6) 126*f*.
by holography (9) 204*h*.
in mining, ball clays and kaolins (7) 158*h*.
for particulate solid material, P (11) 254*f*.
with people (9) 203*f*.
Quarrying, clay, economical removal of overburden in (3) 73*b*.
limestone, effect on quality (11) 255*i*.
Quartz, agglomerated powders, particle size distribution (3) 71*a*.
alpha-, directional dispersion of optical phonons in (5) 108*g*.
enthalpy of solution in HF (9) 210*f*.
natural acoustical rotatory power (7) 161*f*.
photoelectric emission spectrum (9) 213*e*.
Raman spectra in (6) 136*b*.
alpha-beta phase transition in, ultrasonic study (7) 163*j*.
in clay materials (7) 157*a*.
crystalline, defects in, EPR of E′ vacancy centers (4) 91*j*.
crystals, contact heaters for, P (5) 102*a*.
dissolution and possible growth (10) 237*b*.
ontogenetic classification of mosaic structure in (6) 138*d*.
thermoluminescence, effect of physicochemical synthesis conditions (6) 135*j*.
diagenesis, in sandstones, SEM (6) 135*f*.
dissolution, and crystallization (7) 160*d*.
elastic surface waves in, microwave freq. (10) 239*h*.
fused, dry-milling, kinetics (1) 20*j*.
strength and surface defects (8) 167*h*.
grain surface textures, electron microscopy (6) 134*f*.
impurity motion, observation with Raman effect (5) 108*g*.
mylonite, low-symmetry, preferred orientation in (1) 21*j*.

Quartz optical nonlinear susceptibilities (6) 138*e*.
piezoelectric element, P (1) 18*j*.
RbOH-grown, ir and mass spectroscopy (5) 106*j*.
sand, spectral analysis of impurities in (2) 49*a*.
in SiO_2 bricks (6) 133*a*.
soft-mode line width (6) 139*g*.
solubility, in HCl (10) 239*i*.
in water under high-temp. conditions (7) 162*f*.
synthetic, crystals, internal morphology (6) 135*c*.
ion damage in (9) 211*a*.
thermal conductivity, effective, for heat transfer (11) 257*c*.
transverse modes in, hypersonic attenuation (11) 258*f*.
-type structures, formed from kaolinite by solid state reaction (6) 137*c*.
ultrasonic attenuation in (8) 187*f*.
velocities, of first and zero sound in (8) 188*a*.
vessel, for processing semiconductor bodies, P (9) 202*g*.
walls, Si_3N_4 coating on, for reactors, P (10) 223*b*.
Quartzite, grain shape, effect on Dinas properties (1) 11*i*.
Quenching, hot-pressed Al_2O_3, for strengthening (2) 54*f*.
liquid, glass sheet, P (4) 81*h*.
specimen, in high-temp. microscopy, P (2) 49*a*.
for strengthening, ceramic material, P (5) 101*c*.

Radiation, breakdown, of aluminophosphate glasses (6) 124*j*.
damage, in gypsum (4) 93*a*.
detection systems, P (11) 254*g*.
effect, on kaolinite surface structure (3) 74*c*.
Far-ir, by picosecond light pulses in $LiNbO_3$ (10) 236*c*.
impact, analysis, surface composition determined by (5) 105*b*.
ir, interaction with NaCl crystals (6) 136*f*.
laser, protection from, P (7) 154*c*.
nuclear, shields, self-supporting structures for, P (11) 251*j*.
scattering and emission, by elongated particles (1) 13*h*.
use, in determination of semiconductor stability, P (7) 154*d*.
Radicals, trapped free, in organic glasses (9) 193*h*.
Radioactive tracers, for determining composition, of thin garnet films (5) 104*h*.
glass in preparation, for sand and mud study (1) 7*b*.
Radioactivity, gas contamination, of nuclear detonations in geological formations, reduction, P (3) 71*d*.
Radiography, neutron, for determination of thickness of concrete carbonated layer (2) 32*e*.
Raman effect, cross sections, in $BaTiO_3$ and $SrTiO_3$ (9) 215*c*.
dynamics (7) 162*h*.
resonance electronic, in DyAlG (9) 214*c*.
study, of phase transitions in rare-earth vanadates (8) 185*h*.
use, in observing impurity motion in quartz (5) 108*g*.
Rare earths, complexes, as NMR shift reagents, P (2) 47*f*.
compounds, lattice parameters (9) 215*b*.
Cr sulfides, crystallographic and optical properties (11) 257*d*.
dicarbides, thermodynamics (4) 93*h*.
elements, of composition $Rb_5(Ln(MoO_4)_4$, double molybdates (5) 108*j*.
double molybdates (5) 108*i*.
and double oxides of Ta, X-ray study (5) 116*g*.
sesquioxides, reaction with EuO (1) 27*e*.
filling, of crystallographic sites of garnet structure (9) 208*c*.
gallates, double, synthesis and X-ray analysis (2) 55*j*.
intermetallic compounds, by Ca hydride reduction-diffusion process, P (11) 256*f*.
ions, effect on phases in systems Na_2WO_4-$R_2(WO_4)_3$ (R = rare earth elements) (5) 108*g*.
molybdates, Ln_2MoO_6-type, preparation and lattice parameters (2) 53*c*.
ortho-chromites, -manganites, and -ferrites, electrical transport in (5) 109*f*.
oxides, polymorphism (8) 185*c*.
reactions with B (2) 54*g*.
oxyselenides, and Eu selenide (10) 238*f*.
oxidation (9) 213*i*.
oxysulfides, magnetic properties (4) 92*f*.
removal, from Am oxide, P (7) 159*c*.
separation, from mixtures, P (5) 106*b*.
silicates, with apatite structure (2) 54*e*.
sulfides, high-purity, P (11) 256*f*.
tellurites, P (7) 154*d*.
vanadates, phase transitions in (8) 185*h*.
zirconates, heat of formation (7) 161*e*.
Rasorite, anhydrous, in glassmelting reactions (6) 124*c*.
Reactors, C-producing, mullite-Al_2O_3 refractories for lining (1) 12*e*.
defective target in, detection, P (2) 47*b*.
diffusion, and oxidation, Si_3N_4 coating on quartz walls for, P (10) 223*b*.
fast, fuel assembly for, P (2) 47*a*.
gas cooled, pyrocarbon- and SiC-coated oxide particles for (6) 131*i*.
high-temp. gas-cooled, strength of pyrolytic SiC coatings of fuel particles for (2) 46*i*.
nuclear, breeder, P (10) 231*d*.
and coolant for, P (11) 251*i*.
compact and safe, P (1) 20*e*.
control rod, P (5) 103*g*.
control rods for, P (8) 176*f*.
coolant systems for, P (10) 231*e*.
displacement of structure in, P (9) 203*c*.
filtering blanket gas in, P (9) 203*b*.
fuel and/or breeder elements for, P (7) 155*i*.
fuel assemblies with UO_2 and PuO_2-UO_2 for, P (10) 231*a*.
fuel assembly for, P (6) 131*i*.
fuel element, P (2) 47*d*.
fuel pin for, P; (10) 231*a*.

Reactors nuclear *(continued)*
for heating sample material, P (10) 231*b*.
neutron flux distribution in, P (5) 103*i*.
P (10) 231*c*.
particle density control system for, P (7) 155*j*.
plant, P (11) 251*i*.
with porous fuel, P (10) 231*c*.
Pu compounds as fuels for, P (4) 88*b*.
Pu compounds as fuels for, P (9) 203*c*.
remote positioning thermocouples in, P (6) 131*i*.
removal of moderator blocks from, P (8) 176*e*.
water-cooled, decontaminating, P (9) 203*d*.
water-cooled, methyl iodide in, P (9) 203*b*.
vapor deposition, P (11) 251*f*.
Rebinder effects, in MgO (6) 137*c*.
Rectifiers, controlled, P (2) 43*a*.
inverse gate semiconductor controlled, P (7) 153*d*.
semiconductor, integrated, P (4) 86*d*.
P (1) 18*i*; P (9) 202*g*.
Reflection, Fresnel, effect on laser surface damage of dielectrics (10) 236*i*.
ir, and coupled modes in EuO (10) 237*b*.
of GeO_2, single-crystal tetragonal (3) 75*d*.
ir bands, of $MgMoO_4$ (10) 235*h*.
magnetoreflectance, of $CoCr_2S_4$ (11) 249*i*.
optical, in $NbSe_2$, anisotropy in (9) 207*j*.
reflex-, of glass microspheres coated on surfaces (4) 81*a*.
spectral specular, standards (5) 105*e*.
superlattice, effect of ordering in high-quartz solid solutions by studying substitutions (2) 38*j*.
wave-length-modulated, of Cr_2O_3 (9) 216*b*.
Reflectometer, laser specular, for ceramic surface diagnostics (4) 89*c*.
Reflectors, microwave, P (9) 202*f*.
Refraction, birefringence, in glass, effect of thermomechanical action (1) 6*g*.
induced by uniaxial stress in CdTe (11) 256*h*.
in Na borosilicate glasses (6) 122*g*.
optical, and ferromagnetic ordering of MnF_2, FeF_2, CoF_2, and NiF_2 (9) 208*f*.
thermally induced stress, reduction in synthetic crystal, P (2) 45*a*.
of elastic waves, in crystals (10) 237*c*.
piezobirefringence, of chalcogenides (8) 173*h*.
refractometry, of fluoroindates (5) 107*c*.
of Ti silicate glasses, variation due to heat treatment (2) 38*c*.
Refractive index, in As-S-Ge glasses, laser-induced change (10) 220*j*.
of glass, B_2O_3 (7) 145*i*.
of semiconductors, temp. coeff. (8) 187*c*.
of transparent body, using scratches and immersion liquids (6) 132*f*.
Refractories, alloys, welding and brazing (11) 247*c*.
Al phosphate-bonded, P (8) 171*j*.
alumina, based on low-shrinkage bodies (1) 14*c*.
high-, bricks, creep and spalling resistance (9) 196*c*.
high-, castable, in arc furnace roof (1) 13*g*.
high-, castable, creep (9) 195*i*.
high-, and magnesite-chromite, diamond grinding (1) 11*f*.
high-, stress-strain behavior in torsion (1) 13*b*.
mfg. in New Zealand (6) 127*c*.
aluminomagnesia spinel ceramics, creep and long-term strength (1) 11*d*.
aluminosilicates, corrosion, by Na silicate melt (10) 221*d*.
articles, hot-pressed, P (3) 65*h*.
hot-pressing in simple mold, P (6) 128*a*.
P (6) 128*c*.
AZS, and glass interface, diffusion phenomenon at (10) 223*j*.
Bakor, white, method of obtaining (2) 40*e*.
basic, burned, and batch for, P (8) 172*b*.
burned, and batch for, P (11) 247*e*.
compressive strength testing (6) 126*i*.
and fireclay, fatigue fracture (5) 100*d*.
P (5) 100*j*.
periclase, P (5) 100*j*.
for roof of arc furnace (1) 12*g*.
structural changes and properties during thermal aging (1) 13*d*.
basic brick, deterioration by alkali action (9) 196*c*.
in glass tank furnace checkers, deterioration (9) 195*i*.
thermal shock resistance (1) 12*f*.
blast furnace, lower temp. limit of reactions and problems (4) 83*c*.
shells, cooling assembly for, P (8) 172*b*.
tamping and spraying (4) 83*i*.
blast furnace stoves, creep (1) 11*d*.
for blast stoves, high-temp. (4) 83*d*.
blocks, anode, P (1) 14*d*.
of sintered lime (10) 223*j*.
body, sintered, P (7) 149*f*.
BOF, brick, synthetic slags for testing (4) 83*i*.
internal redox reactions in (4) 83*g*.
bottom, of shaft furnace, P (11) 247*e*.
brick, Al_2O_3-SiO_2, for sliding nozzle (1) 11*g*.
applying metal plate to, P (2) 40*e*.
arch, deflection in hot air duct of blast furnace (1) 11*e*.
in Ar-O vessel (11) 247*j*.
for blast furnace walls (1) 12*b*.
converter, modulus of rupture (7) 148*i*.
for converter mouth, improvements in quality (1) 12*i*.
cracking due to rapid heating and cooling (1) 11*c*.
for hot spot lining of steelmaking arc furnace (1) 11*h*.
improving, P (1) 14*g*.

Refractories brick *(continued)*
for lime kilns using heavy oil, damage (5) 100*b*.
-lined process vessels (4) 83*i*.
for stopper sleeve, cracking prevention (1) 11*f*.
brickworks, thermal expansion and stress in heating (1) 13*h*.
CaO, hydration decay (9) 196*f*.
carbide, borides, silicides, sulfides, and nitrides, P (8) 172*g*.
metal-bonded, for cutting tool, P (7) 149*e*.
sputter deposition on metalworking tools, P (4) 77*e*.
carbide alloy, high-Cr, wear-resistant, P (6) 128*d*.
carbon, synthetic, products in blast furnaces (4) 83*c*.
carbon brick, in blast furnaces, chemical resistance (4) 83*a*.
carbonized material, of graphite and C fibers, P (8) 172*e*.
Ca silicate, insulation materials (11) 246*i*.
cast, in Oroshaza Glass Works kilns (3) 65*h*.
castable, comparative study (3) 64*j*.
insulating, P (6) 128*b*.
for casting, continuous (5) 100*g*.
cement, aluminous, P (6) 128*c*.
ceramic-metal compounds (10) 223*g*.
ceramics, metal-filled, P (6) 128*d*.
properties (1) 11*i*.
chaoite, P (9) 197*c*.
checker brick, in glass tank regenerators (5) 100*d*.
checkerwork, of regenerator chambers, effect of contact reactions (4) 83*h*.
chrome-bearing basic, phase equilibria in (2) 40*f*.
chrome ore, torsional alternating load test (10) 233*d*.
chromite, high-temp. phase transformations in vacuum (1) 25*d*.
chromite-magnesite bricks, transport phenomena and crack formation in (6) 127*f*.
composite, thermal insulation, P (5) 100*c*.
use in molten glass feeder, P (5) 100*c*.
compositions, cold-pressed, P (11) 247*g*.
exothermic insulating, with glass polishing residue, P (8) 172*c*.
inorganic liquid, P (4) 84*a*.
for lining steel furnaces, P (10) 224*f*.
P (7) 149*e*.
condition, in dust-collecting inlet in roof of arc furnaces (1) 13*g*.
converter, body, 50-ton, prolonging life; body, prolonging life (7) 148*j*.
L.D., in steel production (7) 148*c*.
steelmaking, heat gunning (7) 148*c*.
corundum-ZrO_2 bricks, in glassmelting furnaces (6) 127*f*.
crucible, craftsmanship in (9) 195*i*.
sintered, for small induction furnaces (1) 13*i*.
data (9) 196*g*.
devices, sealing joints in, P (8) 172*e*.
dicalcium silicate (9) 196*a*.
Dinas, properties, effect of quartzite grain shape (1) 11*i*.
dolomite bricks, in rotary cement kilns (9) 190*j*.
dolomite-magnesite, P (9) 197*d*.
tarred, production and service (1) 12*i*.
dolomitic, P (2) 40*c*.
electrofused $MgO.Al_2O_3$ (9) 196*f*.
fiber-reinforced, insulating segments, P (9) 197*f*.
fibers, and other ZrO_2-SiO_2 articles, P (4) 84*c*.
fibers and metal, composite materials from, P (3) 65*h*.
fireclay, bars, high-temp. torsion testing (11) 253*b*.
fireclay brick, phosphate-impregnated, alkali resistance (4) 82*h*.
flame tubes, P (10) 224*h*.
forsterite, from low temp. fired dunite (1) 12*c*.
furnace body, construction, review (1) 13*j*.
design in construction (1) 11*e*.
of plastic refractories and bricks, problems (1) 12*h*.
standardization of brick shapes and expansion joints (1) 12*h*.
fused cast blocks, coating with refractory paper to prevent spalling, P (4) 84*c*.
fused cast tank blocks, in glassmelting kilns (1) 12*d*.
from fused oxides, evaporation and creep (1) 12*b*.
grain, high-denisty, from natural magnesite, P (5) 100*g*.
porosity, determination by H_2O displacement (1) 11*f*.
gunning, blast furnace (4) 82*j*.
repairs of blast furnace linings (4) 83*d*.
hardening agent for, P (10) 224*h*.
heat insulating, elasticity and strength properties (1) 13*d*.
high-temp. tape, P (8) 172*c*.
hollow molded articles, P (10) 224*e*.
hot topping, ingot mold, P (11) 247*h*.
P (11) 247*h*.
hot tops, heat insulation board, ingot mold, P (10) 224*a*.
heat-resisting and retaining molding for, P (9) 197*f*.
and materials for, P (4) 84*d*.
P (8) 172*d*.
improved, solve fast firing problems (7) 148*b*.
for ingot making (1) 11*f*.
inorganic liquid composition, P (9) 197*a*.
insulating, from Al_2O_3-SiO_2 fibers, P (8) 172*a*.
composition, P (10) 224*a*.
heat-resisting, for electric parts, P (11) 247*h*.
P (11) 247*i*.
in iron and steel industry, relations with technical innovation (1) 13*c*.
in iron making (7) 148*i*.
for kilns, cement (5) 100*g*.
lime (5) 100*h*.
ladle, imported sand for (9) 196*a*.
molten steel and molten pig iron, lining (9) 196*h*.

Refractories ladle *(continued)*
steelmaking, gunning (11) 247*b*.
ladle brick, correlation between gas permeability and open pore distribution (1) 11*j*.
zircon, at Wakayama Steel Plant (1) 13*f*.
ladle lining, erosion resistance of brick and mortar for (9) 196*e*.
slinger process for (5) 100*b*.
tests by slinger machine injecting powdered refractories (1) 13*f*.
laminated material, reinforced, P (6) 128*d*.
laminates, metal foil/graphite fiber/epoxy resin, P (5) 100*g*. P (11) 248*a*.
lining, application to metallurgical vessels, P (6) 127*i*.
basic converter, for top-blowing O process (10) 224*d*.
for blast stoves S.
blast furnace, with phosphate-bonded Al_2O_3 brick (4) 82*i*.
blast furnace (4) 83*f*.
for blast furnaces and stoves in Italy (4) 83*e*.
blast furnace stack, guniting (11) 247*b*.
blast stoves (4) 83*g*.
blast stove wall, and checker-work, high-temp. creep test for quality (4) 83*j*.
brick, of blast pipe, thermal stress on (9) 196*j*.
of cement kilns (4) 79*d*.
cement, P (11) 247*j*.
combustion chamber (10) 223*h*.
converter body in steel plant (7) 148*c*.
converter, prolonging life (1) 12*b*.
converter, repair (9) 196*h*.
converter, review (1) 11*f*.
dolomite brick, in rotary cement kilns (9) 190*h*.
for floor of metallurgical vessels, P (3) 65*j*.
furnace, P (8) 172*c*.
high-temp., P (5) 100*e*.
in kiln doors (11) 246*j*.
kilns, apparatus for, P (9) 206*a*.
materials, effect on moisture content of N-H atms (1) 11*j*.
metallurgical furnace, P (4) 84*a*.
mixer, improvement (1) 12*j*.
mixer, repairs by hot "gunning" (1) 13*f*.
monolithic, in blast furnaces (4) 83*j*.
monolithic, materials for (11) 247*c*.
rapid, of rotary kiln (1) 12*j*.
for rotary tubular furnaces, P (8) 172*c*.
rotary kilns, apparatus for, P (9) 206*a*.
in steel casting ladles, calculation-designing (1) 11*d*.
for steel discharge apertures of O converters (1) 12*a*.
tunnel, structural block for, P (9) 197*e*.
machine parts, with wear- and abrasion-resistant surface, P (6) 128*b*.
magnesia, arc furnace bed, prevention of upheaval (1) 11*j*.
-CaO, corrosion by slag in BOF lining (3) 65*h*.
and forsterite compacts, silicates permeation in (4) 83*h*. P (8) 172*c*.
sinter, Cr-containing, P (10) 224*b*.
magnesia brick, in mixer, tests (7) 148*h*.
relation of micropore distribution to combustion rate of permeating tar (1) 13*c*.
magnesia-chrome ore, compositions, physical properties, effects of CaO-SiO_2 ratio (1) 11*j*.
magnesia-dolomite brick, burnt, for converter (1) 13*e*.
quality and durability (7) 148*f*.
magnesite, brick, pore-size distribution in (10) 223*j*.
bricks, in rotary kilns (9) 191*d*.
magnesite brick, automatic production by hot-air drying (6) 127*e*.
magnesite-chrome, high-temp. mechanical tests and petrographic examination (2) 40*c*.
mass, P (10) 224*g*.
materials, Al_2O_3- and ZrO_2-based, single crystals, defect ordering phenomena in (4) 91*i*.
electron probe microanalysis, B (2) 57*e*.
for glass industry, review (9) 192*i*.
graded multiphase, P (5) 100*e*.
gunning, for hot repair (9) 196*f*.
P (9) 197*b*.
porosity in (10) 224*c*.
mechanical strength, cold (2) 39*j*.
metal carbides, high-density, P (7) 149*b*.
metal hydride, massive structures, P (7) 149*e*.
metals, borides, thermoelectronic emission (10) 240*a*.
coating for high-temp. protection, P (9) 11.
contact layers, P (9) 197*d*.
decarburizing, P (11) 256*a*.
and metalloid carbides, deposition, P (7) 143*i*.
nitrides, purification, P (6) 128*b*.
phosphate and phosphide coatings for refractory metal leads, P (7) 147*d*.
reaction with corundum ceramics (1) 13*a*.
mixer car, prolonging life through spraying and handcoating (1) 12*a*.
molded article, P (8) 172*f*.
and molten slag, reaction with molten steel, cause of nonmetallic inclusions in steel (1) 12*f*.
monolithic (3) 65*c*.
mortar, for bonding Al_2O_3 refractory (1) 12*g*.
muffles, SiC, use in tunnel kilns (1) 14*a*.
mullite, synthetic, in glass industry (6) 127*e*.
mullite-Al_2O_3, for lining C-producing reactors (1) 12*e*.
mullite-corundum, failure at high temps., effect of oxidizing-reducing atms (1) 11*j*.
mutual dispersions, of carbides and metals or alloys, P (8) 172*f*.
nozzles, Al_2O_3-graphite immersion, development by rubber press forming (1) 13*e*.
for continuous casting, P (2) 40*h*.
converging-diverging, for measuring entrained gas, P (9) 203*a*.
fuel burner, P (8) 178*g*.
replaceable molten metal, P (9) 197*e*.
steel-casting, reaction with liquid metal (1) 13*b*.
tundish, blockage mechanism in, for continuous casting (1) 11*c*.
oxide, with fine crystal structure, P (8) 171*j*.
impure, activation energies of sintering and creep in (4) 92*g*.
insulating (1) 12*c*.
thermomechanical properties (1) 13*j*.
particulates, P (8) 172*c*.
periclase-chrome, volume expansion and structural damage in (1) 14*c*.
plastic, furnace from (7) 148*j*.
for soaking pit repair (7) 148*i*.
plastic Al_2O_3-SiO_2, P (11) 247*j*.
porous shapes, removal from mating formed materials, P (10) 224*d*.
powder, hot-pressing system, P (5) 101*a*.
properties, determine space climate (7) 148*c*.
for protective gas medium, from dissociated NH_3 (1) 13*c*.
pyrophyllite, for steel casting ladles (1) 12*j*.
quality, nondestructive testing (1) 22*g*.
rammer, automatic stamping, for pig iron trough (9) 196*j*.
ramming, mixes for large blast furnace spout (5) 100*f*.
mixes, lubricant-binder system for, P (8) 172*b*.
reactions, with molten steel (11) 247*i*.
reaction zones, analysis by X-ray microspectroscopy (3) 64*i*.
regenerative tile, for fuel burner, P (5) 101*a*.
research (8) 171*d*.
roof, arc furnace suspended, tests (7) 148*f*.
suspended furnace (7) 148*j*.
roseki, high-SiO_2, packing properties in (8) 171*g*.
runner bricks, in bottom casting, reducing leakage of molten steel through cracks in (1) 12*c*.
from Sc oxide (1) 12*f*.
shapes (4) 83*g*.
shock resistance, thermal (5) 104*f*.
SiC, nitride-bonded foamed (1) 12*f*.
nitride-oxynitride bond in (9) 210*e*.
vibroimpact forming (1) 12*j*.
silica, in glass industry, raw materials for (5) 100*g*.
thermal shock resistance, effect of preheating condition and crystallization (3) 65*a*.
SiO_2 brick, quartz, cristobalite, tridymite, and glass in (6) 133*a*.
skid rail, in beam rolling furnace, tests (7) 148*f*.
skimmer damper, shape, in iron trough of blast furnace, hydrodynamic experiments (1) 12*g*.
sleeve brick, spalling (1) 13*f*.
spalling, test method (1) 13*d*.
slide gate applications (11) 247*a*.
slinger process, high-SiO_2 materials for (9) 197*a*.
M & P, and materials (9) 196*j*.
test results (9) 196*a*.
spalling resistance, determination by rapid method (1) 13*a*.
spout, block-type steel tapping (7) 148*b*.
clay-graphite, P (11) 247*g*.
stability, in F-containing ANF-6 slag (1) 13*a*.
stamped bed, of arc furnace, properties after idleness (1) 11*g*.
and steel, in India (2) 40*a*.
for steel plants (8) 171*f*.
stopper heads, of various materials, tests (1) 11*h*.
stopper sleeve, dry-pressed, service test (1) 13*h*.
stripping, from revolver presses and placing on shelf cars (1) 13*j*.
structural materials, uninflammable, P (8) 172*f*.
taphole, rapid-hardening repair composition (4) 83*b*.
thermal conductivity, hot-wire determination (9) 196*d*.
thick-film pastes (9) 196*j*.
thoria-yttria-based, P (9) 297*e*.
thraustics, structural use (4) 83*e*.
treating process, P (9) 197*d*.
for tunnel kiln cars (6) 127*b*.
230 space groups (9) 195*g*.
ultralightweight, using perlite (1) 12*j*.
and uses, B (5) 118*a*.
vessels, BN-based evaporation, P (8) 172*a*.
bottom-pour, sliding-gate closure for, P (1) 14*e*.
bottom-pouring, P (8) 172*a*.
metallurgical or furnaces, P (1) 14*f*.
metallurgical, rotary valve for, P (1) 14*e*.
wall, arc furnace, reducing wear at hot spots (1) 12*b*.
construction, P (1) 14*f*.
temp. gradient, analog model in determination (6) 133*a*.
wear, in AOD process (10) 224*d*.
in metallurgical furnaces, studying with radioactive isotopes (1) 12*e*.
work-of-fracture, measurement (10) 223*j*.
zircon, Al in, photometric determination (1) 12*h*.
clays for (9) 197*b*.
fired, effects of α- and β-Al_2O_3 (7) 148*f*.
and zircon-containing (6) 127*g*.
zircon-pyrophyllite bricks, P (11) 248*a*.

Refractories industry, Chasov-Yar, operation of mixers at (1) 12*g*.
firebrick, insulating (11) 247*d*.
labor saving efforts (1) 12*j*.
Kaiser, in Australia (4) 83*f*.
problems (6) 127*c*.
specialty, for foundry industry (11) 247*c*.
at Sherwood's (9) 196*h*.

Relaxation, acoustic, in Mn ferrites (5) 106*e*.
anelastic, and dielectric, of vibrational modes in SiO_2 (6) 135*b*.
characteristics, of stresses in $LiNbO_3$ single crystals (8) 186*b*.
dielectric, measurement on $AgNa(NO_2)_2$ (7) 150*i*.
effects, in $Dy_2Ti_2O_7$ (9) 214*f*.
electrical, and mechanical, in silicate glass (7) 144*a*.
in $Na_2O.3SiO_2$ glass (3) 61*b*.
of Eu^{3+} and Cr^{3+}, in Eu phosphate glass (5) 98*h*.
Gd sublattice, in Gd Fe garnet (8) 182*a*.
longitudinal, of ^{57}Fe nuclei in YIG (5) 111*c*.
nuclear spin, of impurities in ferromagnetic alloys (6) 138*b*.
phenomenon, microwave, in SiO films (5) 101*i*.
times, in aluminosilicate glass, comment (11) 243*h*.
of volume, in B_2O_3 glass (7) 145*i*.

Research, refractories (8) 171*d*.

Resins, bonding, to glass fibers, P (3) 63*j*.
matrix, matching to vol shrinkage of organic fibers in composites, P (8) 172*e*.
melamine, effect on concrete mortars (2) 33*b*.
polyester, instant peels using (9) 204*i*.
for strengthening glass fiber strand (5) 98*d*.

Resistance, electrical, contact, of metal particles (10) 225*i*.
device, thin-film nonrectifying negative, P (1) 19*c*.
elements, negative, P (1) 18*f*.
P (3) 69*g*.
glass, dependence on temp. and tension in above-room-temp. regions (1) 5*j*.
of graphite (10) 230*f*; (10) 231*b*.
of microelectrodes, predicting (11) 245*b*.
negative, in YIG (10) 227*e*.
negative incremental, solid compositions with, P (10) 228*h*. P (7) 153*e*.
of rocks, apparatus for measuring, P (10) 233*a*.
value, adjusting to predetermined value, P (7) 155*c*.

Resistivity, high-temp., of PG/Br residual compounds (7) 151*i*.
increase, on $BaTiO_3$-Bi_2O_3 composite ceramics (5) 116*a*.
of materials, measurement, P (9) 205*e*.
of $NbSe_2$, anisotropy in (5) 106*h*.
specific, of disks to anisotropic media, theorem for measuring (3) 72*c*.

Resistivity, electrical, of annealing effects, in U_3SI (7) 155*f*.
of CeN (3) 74*d*.
of diamond, effect of heavy neutron irradiation (1) 19*j*.
magneto, in n-type sulfospinels (8) 185*c*.
magnetoresistance, anomalies of Fe-Cr spinels (9) 212*i*.
of graphite (9) 211*h*.
in Ni-Fe thin films, angular dependence (4) 90*i*.
of ReO_3 (8) 183*i*.
of steel powder articles, P (7) 154*b*.
in TlS, $TlS_{0.5}Se_{0.5}$, and TlSe (5) 109*e*.

Resistors, composite-type, vitreous binders for (9) 192*h*.
nonlinear, and composition, P (1) 18*f*.
paste, P (5) 102*i*.
thick-film, stability under high electromagnetic stress (9) 196*i*.
variable resistance, P (1) 19*d*.
voltage-dependent, P (1) 19*e*.
voltage variable, U-modified ZnO, P (2) 45*j*.

Resistors, electrical, cermet, integrated circuit, and FET, P (3) 69*a*.
compositions, for microcircuitry, P (6) 130*b*.
diffused, P (2) 43*c*.
film element, P (8) 174*i*.
films, refractory metal/refractory metal nitride, P (5) 102*i*.
regulating resistance, P (2) 44*g*.
film-type power, P (7) 153*j*.
glass-coated, co-firing process for, P (2) 43*i*.
glass seal compositions, P (3) 64*c*.
high-voltage, P (3) 69*j*.
metal-film, hermetically sealed, P (1) 17*j*.
micro-, P (8) 175*c*.
nonlinear, of bulk type, P (7) 154*h*.
P (5) 102*e*.
paste, containing charcoal, P (5) 102*b*.
PdO/Ag-Pd glaze, conductivity/temp. characteristics (7) 151*g*.
posistors, $BaTiO_3$ (9) 199*g*.
potentiometer, P (6) 130*a*.
production, P (7) 154*b*.
RC structure, discrete, P (6) 130*g*.
semiconductor, P (8) 175*f*.
Ta nitride thin-film (11) 249*g*.
thermistor, P (3) 70*g*; P (9) 202*e*; P (10) 229*b*.
in probe, P (7) 154*a*.
thin films, by reactive sputtering, P (3) 69*g*.
thyristor, light-activated, P (2) 44*c*.
light-sensitive, P (6) 129*h*.
trimming, P (1) 16*i*.
unitary, and shunt, P (10) 229*c*.
variable, P (10) 228*a*; P (10) 229*d*.
variable thin-film, P (8) 175*h*.
varistor, P (11) 251*f*.
thick-film, P (7) 155*f*.

Resonance, acoustic, in ferromagnets alpha-Fe_2O_3 and $FeBO_3$ (9) 207*i*.
observation of anisotropy in ferric borate (9) 213*d*.
acoustic paramagnetic, of V^{3+} in MgO (11) 259*j*.

Resonance antiferromagnetic, in $FeBO_3$ (9) 207*h*.
antiferromagnetic and paramagnetic, in EuTe single crystal (9) 208*g*.
in antiferromagnets (5) 112*g*.
cyclotron devices, P (3) 69*d*.
electron spin, in BN (3) 74*f*.
of Mn^{2+} in single-crystal CaS (3) 74*i*.
of Mn^{2+} in Sr borate compounds and glasses (3) 61*b*.
ENDOR, experiment on rutile with Co^{2+} ions (6) 136*f*.
measurements of V_1 center in BeO (9) 210*b*.
EPR, associated with Zn vacancies in ZnO (7) 160*b*.
Co^{2+} in Li-Ga spinel (8) 179*j*.
of Cr^{+} in MgO (9) 209*h*.
of Cu(II), for studying structure of oxide glasses (11) 245*h*.
of E′ vacancy centers, in crystalline quartz (4) 91*j*.
of Fe^{3+} in anatase (5) 109*f*.
of Fe^{3+} center in SnO_2 (8) 181*h*.
of Fe^{3+} and Mn^{2+} in $LiNbO_3$ (9) 210*g*.
of Fe^{3+} in TiO_2 (8) 181*b*.
of Gd^{3+} centers in $LiNbO_3$ (9) 210*g*.
of impurities in MgO (11) 259*e*.
of interactions of ions and formation of Ag colloids in glass (11) 244*d*.
of $LiNbO_3$:Fe^{3+} (9) 209*h*.
of magnetic interactions in corundum-hematite solid solutions (8) 183*a*.
of magnetic interactions in solid solutions of Fe_2O_3 in beta-Ga_2O_3 (8) 181*i*.
of Mn^{2+} in $Cd_{1-x}Mg_xTe$ mixed single crystals (6) 136*g*.
of Mn^{2+} in $ZnAl_2O_4$ (9) 209*h*.
of Ni^{3+} in SnO_2 (5) 109*e*.
optical and absorption studies of $V_1(Li^+)$ center in KCl: Li^+ (8) 181*i*.
study of clinker formation (2) 33*e*.
in TiO_2:Fe^{3+} (8) 185*i*.
ESR, of $CaO.6Al_2O_3$-$CaO.6Fe_2O_3$ solid solutions (4) 92*j*.
of Cl and Br atoms in glasses (9) 209*i*.
of Cr^{5+} in $SrTiO_3$ (10) 235*h*.
of Cu-Mn dilute alloys in thin films (10) 235*h*.
of holes trapped at Mg^{2+}, Li^+, and cation vacancies in Al_2O_3 (9) 209*j*.
of O_2^- species adsorbed on MgO powders (10) 235*j*.
of Pb^{3+} centers in ThO_2 (8) 181*d*.
in SiC (11) 258*a*.
studies of interacting donor clusters in Si (6) 136*c*.
on $ZnGa_2O_4$ (7) 160*c*.
ferrimagnetic, measurement of magnetostriction constants of YIG (5) 112*h*.
ferromagnetic, of Mn ferrites (7) 151*b*.
magnetic, in spiral phase of $MnAu_2$ (7) 161*a*.
NMR, of B coordination in borosilicate glasses (6) 125*a*.
of ^{53}Cr in ferromagnetic CrO_2 (5) 112*c*.
of ferromagnetic Mn_3AlC and Mn_3GaC (6) 137*j*.
of insulating phase of magnetite (9) 211*a*.
of metal-insulator transition in V_2O_3 (7) 151*j*.
of metal-insulator transition in V_2O_3 (8) 183*c*.
of metal-to-semiconductor transition in CdO (8) 184*h*.
^{55}Mn, study of $MnCr_2O_4$ (9) 212*c*.
in Se and As_2Se_3 (9) 192*b*.
shift reagents, rare earth complexes as, P (2) 47*f*.
study of ionic motion in ammonium tungsten bronze (4) 92*b*.
of V phosphate glass (4) 80*i*.
paraelectric, of Li^+ in KCl, effect of internal strains (6) 135*g*.
rf helicon, in Te-doped Bi (6) 138*e*.
Resonators, piezoelectric ceramic, P (6) 130*i*; P (10) 228*i*.
superconductive cavity, P (1) 18*i*.
vhf-uhf, piezoelectric, P (3) 70*i*.
width extensional, and coupled mode filter, P (2) 46*a*.
Retardants, hydroxycarboxylic-acid, interaction with cement minerals (7) 142*h*.
Rhenium, disulfide, behavior during heating (9) 208*c*.
ReO_3, CS families derived from (1) 24*c*.
selenide, reaction with gaseous bromine (5) 114*h*.
trioxide, crystal-field effects (8) 180*e*.
heat capacity and electrical resistivity (8) 183*i*.
magnetic susceptibility (4) 92*h*.
trioxychloride, reaction with Re oxytetrachloride (7) 162*a*.
Rheology, of enamel slips (4) 79*j*.
measurements, on enamel slips (4) 80*a*.
properties, of plastic clay bodies (7) 157*g*.
of vibro-transported concrete mixture (9) 190*f*.
Rhodium, MBO_3 calcite-type borate (9) 212*j*.
Rh_2O_3, thermal expansion (8) 187*j*.
and Te solid compound, P (9) 202*a*.
and W solid compound, P (9) 202*a*.
Rocks, alkaline, melilite- and olivine-bearing, genesis, significance of system nepheline-diopside-sanidine (1) 28*j*.
analyzer for, P (11) 254*g*.
Apollo 14, determination of Fe, Ti, and Ni in (5) 104*i*.
chippings, shape control (1) 23*g*.
cutting, table for, P (9) 205*g*.
diatomaceous, Upper Miocene, in Oregon (1) 23*i*.
electrical resistance, apparatus for measuring, P (10) 233*a*.
fragments, bulk densities (6) 133*g*.
igneous, of Kungnat syenite complex of Greenland (1) 25*f*.
melting, Fe absorption by Pt capsules during (8) 179*e*.
moon, sawing and polishing (6) 119*e*.
natural, from Deboullie stock of Maine (1) 25*g*.
phosphate, beneficiation (7) 158*g*.
strain-rate effects (1) 24*d*.
synthetic, from Ca hydrosulfoaluminate (9) 189*h*.
Rubidium, chloride, and fluoride, lattice dynamics (8) 183*g*.
Rubidium chloride *(continued)*
RbBr, and RbI, elastic constants (5) 114*b*.
reaction with ICl (10) 238*i*.
double molybdates (5) 108*j*.
halides, optical properties (8) 185*a*.
thermodynamics of transition in (4) 93*h*.
monoxide, polymorphism (5) 106*f*.
nitrate, phase diagram and crystallographic data for (2) 54*a*.
$Rb_2Cr_3O_{10}$ and $Rb_2Cr_4O_{13}$, crystal structures (2) 51*i*.
$RbFeF_4$, magnetic behavior (9) 212*b*.
$RbH_3(SeO_3)_2$, crystal structure (8) 182*h*.
$RbNbCl_6$, behavior during heating (2) 50*j*.
$RbNiF_3$, magnetic ordering in (7) 152*c*.
$RbVTeO_5$ (4) 92*b*.
in silicate rocks, atomic absorption analysis (5) 104*j*.
Rupture, modulus, of bricks for converter (7) 148*i*.
Ruthenium, absorption spectra, in glasses (6) 122*f*.
dioxide, electrical transport properties (6) 136*b*.
sintering (10) 239*f*.
tetraoxide, He(I) photoelectron spectra (10) 236*i*.
Rutile, abrasion, material removal during (2) 53*d*.
compressive creep, correction (9) 208*i*.
in vacuum (2) 51*h*.
with Co^{2+} ions, ENDOR experiment (6) 136*f*.
crystals, refraction of elastic waves in (10) 237*c*.
needles, P (3) 73*f*.
optical absorption, and photochromism (11) 259*b*.
recovery, from Ti-enriched high-Fe smelter slag (9) 206*j*.
single-crystal, elastic constants (8) 187*e*.
structure, dynamics (11) 257*a*.
synthetic, conversion of ilmenite to (6) 134*e*.
P (9) 207*e*.

Safety, conditions, in British pottery industry, improved (1) 14*h*.
industrial, changes (5) 104*b*.
modern precautions (2) 56*h*.
work, by technical supervisory service (2) 56*h*.
Salts, diffusion, in cement mortars (4) 78*h*.
effect on gypsum (5) 95*j*.
molten, ion exchange reactions with, in glasses (8) 168*a*.
properties (11) 258*j*.
NaF|AlF$_3$, P (3) 73*g*.
2Na,Sr||2F,2Cl, equivalent vol of melts of reciprocal pairs of (9) 210*i*.
Samarium, energy transfer, to Eu in phosphate glasses (1) 7*c*.
monotelluride, transitions in (9) 214*c*.
monoxide, electron diffraction study (3) 74*e*.
optical absorption (8) 184*i*.
oxide, extraction process using selective stripping techniques (1) 23*e*.
SmS, semiconductor-metal transition (9) 214*e*.
SmS-SmSe mixed crystals, semiconductor-metal transition in (9) 214*e*.
Sampling, apparatus, automatic (7) 156*j*.
instruments (7) 157*f*.
of loose materials and suspensions, mechanization and automation, B (4) 94*e*.
samplers, Enci (7) 157*c*.
rotary arcual, for particles, P (8) 178*a*.
rotary, P (1) 21*c*.
Sands, bentonite-bonded, green strength (7) 156*d*.
in concrete, proportion (7) 143*d*.
foundry, bonding for cores, P (3) 65*i*.
continuous preparation, P (5) 104*b*.
reclaiming from mold, P (9) 197*a*.
glass, moisture in, measurement by neutron probes (1) 22*a*.
recovery from S. Carolina waste granite fines (1) 23*f*.
Holocene, permeability-porosity patterns in (9) 206*h*.
for ladle, properties (9) 196*a*.
milling, with lime, effect on strength of lime-sand bond (1) 2*d*.
as raw material, for pottery (1) 15*d*.
unconsolidated, porosity and permeability (9) 206*g*.
Sanitary ware, bathtubs, colorimetry in (6) 122*d*.
electrostatic spraying enamel on (11) 243*c*.
enameled, applying nonslip coating to, P (1) 4*h*.
enameling, automatic (10) 219*c*.
fast firing, kilns for (3) 66*d*.
industry, casting under pressure in (7) 149*i*.
expansion (7) 150*b*.
in Israel (7) 149*j*.
production (11) 248*h*.
lavatory, multiple unit with bath, P (8) 172*j*.
lavatory-water closet, combination, P (2) 42*a*.
mfg., installation for, P (7) 150*d*.
open kiln for, rapid heating (6) 133*i*.
slip cast, by casting under pressure (7) 149*i*.
toilet, and urinal combination, P (9) 198*i*.
Sapphire, compression, shock-wave (5) 114*c*.
defects, nonstoichiometric (5) 112*c*.
dielectric strength, effect of pressure (1) 15*j*.
helical dislocations in (6) 136*c*.
rods, flexural creep (2) 53*a*.
thermoluminescence, P (8) 178*b*.
valence states, redox reactions, and biparticle formation (10) 240*a*.
whiskers, impurity control in (6) 127*j*.
yield point (4) 94*c*.
Scandium, alkaline sorosilicates, crystal chemistry (8) 180*e*.
chloride, and Sc bromide hydrates, thermal stability (9) 215*i*.
double selenates, decomposition (7) 159*i*.
fluoride, structure and properties (1) 27*g*.
iodides, synthesis and thermal stability (7) 162*j*.
oxide, high-temp. ceramics from (1) 12*f*.
Scandium oxide *(continued)*
reaction with Nb_2O_5 and Ta_2O_5 (2) 54*g*.
sintered ceramics from, and thermomechanical properties (1) 26*i*.
transparent, by hot-pressing (6) 139*j*.
Sc_2S_3, and Sc_2Se_3, semiconducting properties (5) 114*a*.
tungstates, and molybdates, thermal stability (9) 215*h*.
Scattering, electron, deformations in ^{24}Mg and ^{28}Si nuclei from (5) 107*j*.
inelastic neutron, study of spin waves in MnO (9) 211*e*.
ir-light, from spin waves in YIG (10) 239*a*.
light, by pores in PLZT (8) 173*i*.
in proustite (10) 239*f*.
study of vitreous SiO_2 (10) 220*b*.
neutron, inelastic cold, vibrational properties of germania by (2) 56*b*.
lattice dynamics of ZnS by (5) 111*a*.
from paramagnetic $ZnCr_2O_4$ (5) 112*b*.
phonon, by point defects in CaF_2, SrF_2, and BaF_2 (6) 138*g*.
by V ions in Al_2O_3 (8) 185*h*.
quasi-elastic, in Pb germanate (9) 214*f*.
Raman, in $BaTiO_3$ (9) 211*h*.
in diamond (8) 181*e*.
in ferroelectrics with W bronze crystal structure (10) 238*c*.
impurity, from CaF_2:Ce (8) 182*j*.
in Pb germanate (9) 214*g*.
in $Pb_{1-x}Ba_xTiO_3$ ferroelectric system (8) 185*g*.
resonance, from As_2S_3 (9) 214*c*.
resonant, in Cu_2O (9) 214*d*.
in SiO_2 (2) 38*a*.
in S-TiO_3 (8) 185*g*.
study of domain wall structure in $Gd_2(MoO_4)_3$ (9) 21.
of YVO_4 (8) 214*h*.
in Zn-chalcogenides (9) 211*h*.
Rayleigh, and Brillouin, in K_2O-SiO_2 glasses (11) 244*j*.
X-ray diffuse, from $NaNbO_3$ crystals (8) 179*i*.
X-ray small-angle, structural study of binders (11) 241*g*.
of visible light by phase-separated glass (2) 38*f*.
Science, physical, evaluation of data (6) 132*j*.
Scintillation counters, CdS crystals for, P (7) 154*f*.
Screening and sieving, cubic-shaped particles (11) 252*j*.
granular material, P (7) 156*c*; P (11) 253*a*.
hot bulk material, P (7) 156*e*.
rapid, of Pb from earthenware (7) 150*c*.
Screens and sieves, with air current, P (6) 132*d*.
gyratory (11) 252*b*.
in hydrometer analysis of soils (3) 72*c*.
molecular, acid-stable products, P (10) 234*i*.
pellets, macropore diffusion in (11) 253*j*.
reactions in aluminosilicate hydrogel from zeolite synthesis (4) 92*a*.
for structural desiccants (9) 198*g*.
shaker apparatus, reciprocating, P (10) 232*b*.
vibrating, P (6) 132*d*.
unit body, P (3) 71*h*.
Screens (fluorescent), color kinescope, and mask production, P (8) 170*j*.
color phosphor, of color picture tube, P (4) 86*g*.
color picture tube, P (1) 10*d*; P (8) 170*b*; P (9) 194*e*.
CRT, color, P (1) 10*b*; color and aperture mask for, P (9) 193*d*.
P (2) 39*b*; P (2) 45*g*; P (10) 227*g*.
photographic method for printing, P (1) 10*c*.
data-exhibiting device, P (7) 153*d*.
display, for CRTs, P (10) 228*b*.
P (5) 99*b*.
dual persistence, for CRT, P (7) 146*d*.
glass, TV using colors on, P (10) 223*a*.
glass plate display, and cathode-ray tube faceplate, stepped supports between, P (8) 170*i*.
for ion implantation, P (9) 202*a*.
luminescent, P (5) 102*h*.
phosphor, for color picture tubes, P (8) 169*h*.
storage amplifier, P (5) 103*c*.
X-ray conversion, rare earth phosphors for, P (7) 154*d*.
ZnO phosphor, plasma display device with, P (7) 154*f*.
Seals, glass, or ceramic-to-metal, P (8) 169*j*.
press, for lamp, P (10) 222*j*.
rubbing, for high-temp. ceramics, P (10) 219*e*.
Si-to-Si, electrostatic (9) 199*e*.
Seals and sealing, Al_2O_3 to Nb metal, by solder glass (8) 169*e*.
annealing furnace, P (11) 255*h*.
break, P (7) 146*a*.
ceramic, form grinding (1) 1*e*.
ceramic-metal, in high-power transmitting valves (3) 66*g*.
high-temp. (11) 248*j*.
ceramic packages, furnace function (7) 152*j*.
ceramics, P (6) 129*a*; P (9) 200*j*.
ceramic-to-metal, Ag-Mn-Cu, P (2) 43*i*.
P (9) 201*c*.
gastight, of semiconductor components, P (6) 130*a*.
glass, coordinated with Kovar (8) 169*c*.
P (9) 194*e*.
resistor compositions, P (3) 64*c*.
In alloy, for sealing ceramic to nonmetalli P (11) 250*h*.
joints, in refractory devices, P (8) 172*e*.
kiln, P (7) 158*a*.
pressure, P (11) 255*e*.
lead wire, P (4) 81*i*.
metal-ceramic, effect of grinding (4) 84*j*.
metal-to-ceramic, P (9) 201*d*.
metal-to-glass, vacuumtight, P (7) 147*a*.
metal-to-glass-to-metal, hermetic, P (2) 38*j*.

Index Guide, Pages 379-80

Seals and sealing metal-to-vitreous SiO_2, for lead-in wires, P (8) 174*d*.
problems (9) 199*d*.
quartz lamp, P (11) 245*j*.
rotary kiln, P (2) 49*h*.
sealant, pickup tube envelope, P (5) 102*f*.
Sedimentation, analysis, zero reading moment in (11) 253*g*.
Sediments, argillaceous, diagenesis (9) 206*j*.
deformation, pressured shale and (9) 206*i*.
description, measurement, and form concept (6) 132*f*.
diagenesis, of Knox group in Virginia (1) 23*d*.
fine-grained, in Gulf of Mexico, X-ray diffraction (1) 22*a*.
marine, waters, alkalinity in (9) 204*f*.
Seebeck effect, coeff., of materials, measurement, P (9) 205*e*.
Selenate, crystals, Fe group, optical activity (5) 112*g*.
Selenides, metallic, P (5) 105*j*.
Selenium, crystalline, amorphous, and liquid, atomic motions in (2) 53*a*.
in films, As-Se semiconductor, oscillographic determination (4) 85*b*.
fractionation, hydrodynamics and mass transfer during (4) 90*e*.
high-purity (4) 90*h*.
NMR in (9) 192*b*.
oxides, decomposition, thermal analysis (9) 215*f*.
synthesis, of selenides of Zn, Cd, Hg, and Ag by reaction of oxides of metals with (5) 113*j*.
Semiconducting properties, based on models, crystal chemical bonding, B (2) 57*a*.
of galena powders (9) 200*a*.
Semiconductivity, in (Co,Ni)O crystals (11) 256*i*.
in Sn oxide (9) 212*h*.
Semiconductors, amorphous, crystallization (10) 227*b*.
current theories (1) 15*h*.
lock-on filament in (7) 151*b*.
memory phenomenon in (7) 151*a*.
optical property (8) 181*a*.
optically induced reversible change in (3) 68*a*.
analyzing, P (8) 174*e*.
apparatus, P (7) 154*g*; P (11) 250*d*.
arrangement, for amplification of oscillations, P (8) 175*b*.
bodies, inorganic materials on surfaces, P (8) 174*c*.
quartz vessels for processing, P (9) 202*g*.
surface, coating, P (1) 17*g*.
vapor phase deposited, separation of deposition mandrel from, P (1) 17*a*.
bonding alloy, P (8) 175*b*.
carrier, for microwave, P (10) 228*g*.
chalcogenide, switching phenomenon in (7) 152*g*.
chalcogenide amorphous, thermal pinching effect in (7) 151*h*.
chips, attachment means, P (8) 175*a*.
discrete, encapsulating, P (10) 227*j*.
packaging apparatus, P (7) 154*h*.
stack arrangement, P (10) 229*f*.
testing metalization networks on, P (10) 229*a*.
circuit assemblies, P (11) 251*e*.
clamping assembly, liquid-cooled device, P (5) 102*g*.
compact device, for monolithic integrated circuits, P (6) 129*b*.
components, alignment and bonding, P (7) 152*i*.
contact metal layers of Cr or Mo on, P (7) 154*b*.
diffused, from Si, P (5) 102*c*.
gastight sealing, P (6) 130*a*.
masks for, P (7) 154*e*.
mounting, P (10) 228*c*.
mounting, P (11) 250*f*.
P (2) 45*c*; P (5) 102*j*; P (9) 202*b*.
with pn junction, P (9) 201*i*.
small-area, P (6) 130*f*.
tablet-shaped, P (7) 155*d*.
for thermal conductivity, P (10) 228*g*.
compounds, GaP, by vapor growth method, P (1) 18*e*.
group III-V, P (7) 154*d*.
growth layer, by melt epitaxy, P (3) 69*i*.
solubility in halide melts (9) 214*i*.
coplanar structure, P (10) 228*b*.
crystal puller, crucible apparatus for, P (3) 69*d*.
crystals, crystal support for, P (4) 86*h*.
epitaxially growing, P (6) 130*a*.
solution growth, P (8) 175*e*.
current-control device, with inactive material, P (5) 103*c*.
devices, Al electrical contact member for, P (6) 130*h*.
for amplifying oscillations, P (9) 202*d*.
assembly, P (5) 102*j*.
base, P (7) 154*d*.
beam-lead and odd-shaped, P (8) 174*h*.
chips, forming heat sinks on, P (4) 86*f*.
and circuit arrangement comprising, P (3) 70*b*.
and circuit arrangements, P (10) 228*j*.
with closed conductive ring, P (7) 154*i*.
with composite film, P (10) 228*i*.
for detecting light of given flux density levels, P (1) 19*c*.
determining excess carrier lifetime in, P (2) 44*h*.
electron-bombarded, P (11) 250*e*.
emitter zone, contact arrangement for, P (3) 69*c*.
with FET, P (9) 202*c*.
with four regions of conductance, P (5) 103*a*.
fusible, P (2) 43*j*.
GaAs lasers, P (2) 44*b*.
GaAs, P (1) 17*i*.
glass for encapsulating, P (7) 153*j*.
headers, P (1) 17*e*.
including fusible elements, P (2) 45*d*.
injection-type light-emitting, P (1) 18*h*.

Semiconductors devices *(continued)*
isolated, P (3) 69*e*.
isolated, P (4) 86*g*.
with low impedance bond, P (4) 87*c*.
LSI circuit, P (4) 86*f*.
by masking method, P (8) 174*c*.
for modulating electromagnetic radiation, P (1) 19*d*.
monolithic, P (7) 154*i*.
negative impedance, P (4) 86*i*.
negative resistance, P (7) 155*a*.
with novel lead attachments, P (7) 154*j*.
ohmic contact for, P (1) 18*e*.
oriented array, placing on mounting, P (1) 19*c*.
P (1) 17*h*; P (1) 17*j*; P (1) 18*d*; P (1) 19*d*; P (2) 44*c*; P (2) 45*c*; P (3) 69*g*; P (3) 69*i*; P (3) 70*a*; P (3) 70*j*; P (4) 86*a*; P (4) 86*i*; P (4) 87*d*; P (5) 102*c*; P (5) 102*e*; P (6) 130*c*; P (7) 154*c*; P (7) 154*g*; P (7) 154*h*; P (8) 174*h*; P (8) 174*j*; P (8) 175*a*; P (8) 175*c*; P (8) 175*d*; P (9) 200*h*; P (9) 201*b*; P (9) 201*f*; P (9) 201*g*; P (9) 201*h*; P (9) 202*b*; P (9) 202*c*; P (9) 202*d*; P (9) 202*e*; P (10) 227*c*; P (10) 228*c*; P (10) 228*h*; P (10) 228*i*; P (11) 250*f*; P (11) 250*i*; P (11) 251*e*; P (11) 251*f*; P (11) 251*g*.
package, P (6) 130*a*.
package, P (9) 202*d*.
packaging, P (1) 18*h*.
packaging, P (4) 87*c*.
with pairs of contact areas, P (4) 87*b*.
passivated mesa (3) 67*g*.
pn junction, coating with SiO_2 and TiO_2 mixture, P (2) 44*g*.
polaronic, P (1) 18*j*.
with positively beveled junctions, P (10) 228*i*.
protective carrier for, P (10) 228*d*.
with protective glass sealing, P (6) 130*c*.
of p-type alloys, P (10) 228*j*.
with screen electrode, P (4) 87*c*.
with smooth flat surface, P (1) 18*b*.
solderless, P (9) 202*a*.
strip processing, P (9) 200*a*.
supports for, P (9) 201*b*.
with surface electric-field effect, P (5) 103*a*.
testing, P (3) 70*f*.
thermal fatigue lead-soldered, P (9) 202*d*.
through overlapping diffusions, P (6) 130*d*.
with tunnel diodes, P (10) 228*b*.
with two MOS transistors, P (6) 130*c*.
using flexible carrier, P (1) 18*f*.
using ion-implantation and As diffusion, P (6) 130*e*.
with W interconnections, P (5) 103*a*.
with improved voltage breakdown characteristics, P (2) 45*d*.
with polyimide resist film, P (2) 44*b*.
with side-by-side semiconductor elements, P (3) 70*b*.
with yieldable bonding pads, P (10) 229*c*.
ZnSiAs on GaAs substrate, P (1) 18*e*.
diagnostic and repair system for, P (2) 43*b*.
diamond- and Zn blende-type, temp. coeff. of refractive index (8) 187*c*.
dice, sorting, P (7) 153*i*.
die bonder, P (9) 202*e*.
diffusion, of minority carriers in (1) 15*i*.
disk, with tapered edge recess, P (7) 154*j*.
electric field intensity in, measuring (3) 75*j*.
electroluminescent device, P (9) 200*d*; P (10) 227*a*.
electronic charge densities in (7) 151*c*.
electronic device, P (10) 228*j*.
elements, for detecting gases and meter for measuring component concentration of gas mixture, P (2) 45*d*.
glass vapor deposition on, P (4) 86*c*.
by liquid phase epitaxial growth, P (11) 250*d*.
manipulation by magnetic means, P (1) 17*d*.
mosaic, device and baseplate for, P (6) 129*c*.
P (11) 251*g*.
package, P (8) 174*j*.
stress sensitive, P (2) 45*h*.
energy band gaps in (11) 249*c*.
epitaxial growth, from solution, P (1) 19*d*.
epitaxial III-V layers, P (8) 175*c*.
ferromagnetic, magnetic F' center in (9) 199*e*.
field-effect devices, P (1) 17*h*; P (10) 227*d*; P (11) 250*f*.
films, memory in (10) 227*e*.
preswitching and postswitching phenomena in (10) 227*a*.
transient analyses of light induced memory on (9) 208*e*.
focusing EM beams in (10) 237*g*.
focusing laser beams in, by damping (10) 225*g*.
GaAs, device, P (8) 174*j*.
epitaxial deposition, P (11) 250*i*.
planar surfaces, polishing, P (9) 201*g*.
Schottky barrier type device, P (2) 44*a*.
uniform single-crystal, P (5) 102*b*.
GaP, jet polishing (6) 128*j*.
gate-controlled devices, bilateral, P (1) 16*g*.
Ge devices, P (7) 154*g*; P (8) 174*i*.
glass, chalcogenide, threshold-type and memory-type, thermal properties (5) 97*f*.
viscosity and elastic properties (4) 86*c*.
glass-coated, P (11) 250*g*.
glassy and liquid, conduction in (2) 42*c*.
handling apparatus, P (8) 175*e*.
heat-treatment, P (7) 153*a*.
hermetically sealed, P (3) 69*i*.
hf, laminated ceramic, P (11) 250*i*.
IGFE device, P (1) 17*a*.
image pickup tube, target support structure, P (2) 44*a*.

Semiconductors InAs device, photosensitive, P (3) 70*d*.
layers, depositing, P (10) 227*i*.
epitaxial, depositing, P (1) 17*g*.
epitaxial, P (1) 17*j*.
gas-phase-grown, impurity doping, P (6) 130*a*.
by melt compression method (7) 152*g*.
light sources, angled array, P (1) 16*g*.
material, for closed tube, P (11) 250*a*.
cutting apparatus, P (1) 19*e*.
diffusing doping substances into, P (11) 249*j*.
epitaxial deposition, device for, P (3) 69*e*.
epitaxially grown layers, P (9) 201*i*.
Hall effect in (6) 136*b*.
indiffusing dopants into, P (2) 43*b*.
for laser, P (11) 250*f*.
layers, device for precipitation, P (9) 200*b*.
layers, growing on substrate wafers, P (11) 250*a*.
measurement, process control, and devices (2) 42*j*.
P (7) 154*g*; P (11) 250*a*.
process control, and devices, measurement (3) 72*f*.
process control, and devices (7) 152*c*.
process control, and devices, measurement (10) 226*f*.
tubular bodies of, P (10) 227*i*.
metal oxide coatings on, P (7) 154*b*.
microstructures, system for photographic production, P (6) 130*f*.
microwave device, P (11) 250*j*.
MIS, structure capacitance measurement method of investigating CdSe-SiO_x system (3) 67*b*.
modules, P (5) 102*h*.
monocrystal, alloying, P (7) 153*h*.
monolithic bipolar device, P (9) 201*a*.
MOS, devices, instability in (9) 199*h*.
enhancement mode n-channel, P (5) 102*b*.
P (5) 102*b*.
mounting media for, P (11) 251*a*.
multicomponent network, P (10) 228*g*.
with multilayer contact, P (3) 70*c*.
neutral, impurity density-of-states tails in (10) 226*e*.
ohmic contacts, using In amalgam (1) 16*h*.
optical device, P (10) 228*i*.
optoelectronic devices, P (9) 201*d*.
thin-film, P (3) 70*h*.
P (7) 155*a*.
package, cold-welded ceramic, P (1) 16*j*.
cold-welded, P (1) 17*a*.
P (9) 202*f*.
passivated wire-bonded device, P (9) 201*e*.
passivating, P (1) 10*e*.
passivating process, P (9) 202*g*.
photocell devices, P (11) 250*j*.
photoresist device, P (10) 228*a*.
photosensitive device, P (11) 251*b*.
piezoelectric, acoustoelectric interactions in (6) 135*b*.
planar device, P (5) 102*g*.
pn junction devices, P (9) 201*g*.
polishing, P (4) 86*f*.
pressure-sensitive device, P (10) 228*b*.
properties, of $KMnO_4$ (5) 114*b*.
of Sc_2S_3 and Sc_2Se_3 (5) 114*a*.
of Zn_3P_2-Cd_3As_2 solid solutions (2) 42*i*.
protected devices, P (10) 228*c*.
p-type conductivity bodies, removing inversion layers from, P (9) 201*i*.
relaxation devices, P (2) 45*a*.
reverse breakdown, controlling, P (6) 129*j*.
Schottky barrier device, P (10) 228*a*; P (10) 228*f*.
shaping, electrochemically controlled, P (1) 17*e*.
Si-As-Te, energy-band gap and density (9) 210*c*; energy-band gap in (9) 210*d*.
Si components, P (8) 175*g*.
Si devices, contact members for, P (10) 227*h*.
forming ohmic contact for, P (2) 44*j*.
P (11) 251*a*.
single, and polycrystalline, P (5) 103*c*.
slices, fracturing, and separating chips, P (4) 86*e*.
stability, and reliability, determination by radiation, P (7) 154*d*.
strain-sensitive element, P (11) 251*a*.
structures, and formation, P (2) 45*h*.
ion-implanted, P (8) 174*a*.
with reduced carrier lifetime, P (8) 175*f*.
reducing crystallographic defects in, P (9) 201*h*.
substrates, adhering Au to insulating layer, P (6) 129*i*.
diffusing Zn into, P (7) 153*j*.
doping, P (1) 17*h*.
forming seeding sites on, P (1) 18*a*.
substrate-supported stack, P (9) 202*c*.
surface waves on, P (8) 174*i*.
switching device, P (8) 175*f*.
system, lead attachment, P (4) 87*d*.
target, image pickup tube support structure for, P (7) 153*c*.
or thick-film device, P (3) 69*h*.
III-V compound, liquid phase and chemical vapor epitaxy (10) 225*i*.
3d, new optical effect in (9) 210*b*.
with transistor, thyristor, and diode in one body, P (1) 19*e*.
unit, P (10) 229*d*.
wafers, abrasive dicing, P (3) 68*h*.
aligning and breaking, P (1) 17*f*.
breaker, P (8) 175*i*.
chuck, P (5) 103*b*.

Semiconductors wafers *(continued)*
cleaning, P (8) 175*g*.
crystal, precision polishing, P (2) 45*e*.
crystal, subdividing, P (3) 69*d*.
device for indiffusing dopants into, P (3) 69*e*.
dividing, P (2) 44*h*.
holding device for, P (4) 86*d*.
P (7) 154*a*.
polishing machine, P (1) 19*f*.
spreader, P (5) 103*b*.
Sensors, axial trajectory, P (4) 89*f*.
ferroelectric image, self-scanned (4) 85*j*.
heated, for flow measurement (11) 253*i*.
humidity, P (3) 72*e*; P (7) 157*d*.
relative, P (3) 72*h*.
ir radiation, scanning, P (7) 154*f*.
multiple radiation, use in flame monitor system, P (1) 22*h*.
photo-, crystalline arrays, trimming to close tolerances, P (4) 86*i*.
Si diaphragm pressure, P (2) 45*f*.
solid-state, P (11) 251*c*.
solid-state temp., P (6) 130*e*.
temp., P (7) 157*g*; P (7) 158*d*.
Pt resistance, P (7) 157*f*.
temp.-sensitive control, element for, P (8) 178*a*.
thickness, for sputtering systems, P (7) 155*a*.
Separation, air, process, P (11) 252*e*.
dry, of pyrite from coal (1) 23*d*.
particle, minimicron system, P (1) 21*b*.
of solids, suspended in liquid, P (9) 204*b*.
Separators, cyclones, vertical, dwell time of solid particles in (4) 88*e*.
electrodynamic particle, P (3) 71*f*.
for granular material, P (8) 177*d*.
hydrocyclones, for dressing raw materials (9) 206*j*.
magnetic, ac matrix-type (11) 252*a*.
P (9) 204*d*.
selection of (11) 252*e*.
particle, coarse and/or heavy and mixtures, P (7) 156*c*.
diamonds, P (10) 232*b*.
for particulate matter, from gases, P (9) 204*d*.
repetition of separation (11) 252*a*.
for water, P (11) 252*g*.
Shales, coarse and finely crushed, bloating behavior (1) 10*h*.
colliery, as raw material and reductant in cement/H_2SO_4 process (11) 242*g*.
petrology, by electron microprobe (1) 27*j*.
pressured, and related sediment deformation (9) 206*i*.
resources, in Illinois (6) 134*d*.
Shear, modulus, in silicate glasses (6) 125*e*.
planes, in shear structures (8) 182*b*.
test, specimen, P (10) 233*d*.
Shock, thermal, damage in SiC (5) 116*e*.
testing, temp. cycling in (7) 157*a*.
theory applied to tile mfg. (7) 150*e*.
Shock resistance, thermal, of basic bricks (1) 12*f*.
of HfO_2 ceramic, P (4) 84*h*.
improvement, by surface prestressing (11) 247*c*.
prediction, during heating (5) 104*f*.
relation, to crack-formation resistance of ceramic materials (4) 88*h*.
of SiO_2 refractories, effect of preheating condition and crystallization (3) 65*a*.
ZrO_2 for (9) 197*c*.
Shrinkage, of Al_2O_3 sheets, calendering to control, P (7) 150*c*.
of boehmite (7) 159*e*.
of concrete, heat-resistant (10) 218*g*.
during sintering (8) 179*j*.
of portland blast furnace cements (6) 120*c*.
in TiO_2 and Al_2O_3 compacts (10) 239*g*.
Silicates, acid, structure and ir spectra (6) 138*h*.
aggregates, coloring by silicate chemistry methods (1) 10*i*.
alkali, foamed binder compositions, P (7) 158*j*.
analysis, by atomic absorption spectrometry (1) 21*g*.
anhydrous, water content (10) 240*c*.
bricks, elementary (3) 74*i*.
coatings, reaction with Ti (4) 80*d*.
coatings compositions, P (7) 143*j*.
hydration, P (6) 121*g*.
ir spectrophotometry (11) 258*d*.
laminar, vibrational spectra and structure (2) 56*b*.
layer-lattice, hydroxides and hydrous, topotactic thermal decomposition reactions (4) 94*d*.
thermal dissociation of hydroxyl groups in (4) 94*b*.
luminescent, activated by bivalent Eu, P (6) 130*e*.
melts, phase potentials of concentration cells with (10) 235*d*.
properties, DTA for controlling (2) 49*c*.
reaction with solid oxides (1) 26*a*.
molten, surface properties, effect of MoO_3 (2) 52*a*.
olivine, spinel, and phenacite structures in (6) 139*g*.
ores, P (11) 256*e*.
ortho-, formation in solid state (9) 210*g*.
-perlite structures, P (6) 128*b*.
permeation, in MgO and forsterite compacts (4) 83*h*.
poly-, organic, synthesis and study (9) 215*e*.
rare earth, with apatite structure (2) 54*e*.
rocks, Rb and Li in, atomic absorption analysis (5) 104*j*.
soluble, and colloidal, P (5) 106*b*.
Siliceous materials, marbles, reactions in (1) 25*e*.
Silicic acid, colloidal, coated, P (1) 23*j*.
solubility, in solutions of alkalis and Na and K carbonates (4) 93*h*.
Silicides, preparation, P (1) 14*c*.
Siliconaluminas, amorphous, nature and properties of surfaces (2) 54*i*.
Silicon, carbide, alpha and beta, stability in acids (1) 27*c*.
articles, P (8) 172*a*.
C faces, etch hillocks on (3) 74*j*.
-coated oxide particles for fast reactor (6) 131*i*.
coeffs. of friction (8) 187*c*.
effect on oxidation of ZrB_2 (10) 223*i*.
emission properties (8) 181*a*.
ESR in (11) 258*a*.
expansion by neutron irradiation (2) 46*c*.
fracture strength studies (2) 55*d*.
hot pressing, very high pressure (4) 84*b*.
luminescence of donor-acceptor pairs in (8) 183*j*.
mineralogy and structure (7) 148*d*.
optical properties, nonlinear (10) 237*h*.
oxidation by O, effect of fission fragment irradiation (2) 46*b*.
polycrystalline, structure formation in (8) 186*g*.
polytypes, electrical conductivity anisotropy (8) 181*e*.
pyrolytic coatings, of fuel particles for high-temp. gas-cooled reactors (2) 46*i*.
p-type, Ni-chrome ohmic contact to, P (4) 86*g*.
reaction with UC, high-temp. (6) 131*e*.
recrystallization during sintering (1) 27*h*.
static dielectric constant (8) 186*d*.
thermal-shock damage in (5) 116*e*.
use, P (8) 172*f*.
and uses, review (2) 40*h*.
vibrational modes of persistent defect in (8) 183*h*.
whiskers, growth (9) 208*b*.
whiskers, modulus of elasticity (8) 171*i*.
whiskers, P (1) 14*a*.
whiskers, tensile strength (8) 171*g*.
white sosoloids, P (7) 159*c*.
contact to, high-temp. low-ohmic, P (5) 102*e*.
crystals, cell parameter determination (11) 256*j*.
etching, P (8) 174*g*.
growth, and electronic packages (11) 249*f*.
in metal films (11) 249*d*.
elemental, P (3) 73*f*.
etching, anisotropic, P (9) 200*f*.
film, as uv filter, P (10) 227*g*.
high-purity, nitridation, effect of O impurities (4) 91*d*.
interactions, with Al in paramagnetic garnet almandine (9) 211*d*.
lattice vibration spectra in, and energies of vacancy in (10) 238*e*.
monocrystalline, P (9) 201*h*.
monoxide, films, microwave relaxation phenomenon in (5) 101*i*.
P (8) 179*b*.
nitride, acoustic fatigue in (6) 135*b*.
alpha, O content (8) 185*e*.
coatings on Cu (6) 129*f*.
coatings on quartz walls for reactors, P (10) 223*b*.
etching, P (4) 87*a*.
etching, P (5) 102*c*.
fracture energy (1) 16*a*.
in friction mechanisms, P (3) 65*f*.
hot-pressed, cyclic fatigue (11) 257*f*.
hot-pressed, high-temp. properties (10) 223*i*.
kiln furnace, P (3) 65*j*.
for microelectronic applications, B (1) 30*j*.
microstructural studies (7) 161*e*.
passivation of GaAs with (3) 68*b*.
and SiC in automotive gas turbines (7) 148*c*.
strength, fracture energy, and microstructure (11) 259*d*.
thermal decomposition, kinetics (8) 183*e*.
for turbine blades (8) 171*f*.
by vapor phase reaction between $SiCl_4$ and NH_3 (7) 161*a*.
by vapor-phase reaction (7) 152*h*.
-O distances, variation in olivines, soda-melilite, and Na metasilicate (5) 116*d*.
organo-, compounds, effect in grinding (1) 2*e*; compounds, absorption spectra and DTA curves (9) 207*g*.
oxide, cover layer for Si transistors, P (1) 18*b*.
effect on strength of structures in bentonites (8) 181*a*.
films, memory switching in (10) 226*f*.
high-purity porous beads, P (4) 90*h*.
oxynitride, oxidation (9) 213*j*.
P-doped, ESR studies of donor cluster interaction (6) 136*c*.
phosphide, gaseous molecules, atomization energies (4) 90*j*.
powder compacts, nitridation, kinetics (10) 237*d*.
preparation, P (3) 70*f*.
reaction, with MgF_2 (10) 238*h*.
regions, in monolithic integrated circuits, P (8) 175*d*.
semiconductor components, diffused, P (5) 102*c*.
^{28}Si, deformations in, from electron scattering (5) 107*j*.
SiB_6, hot-pressed, properties (10) 224*c*.
SiF_4, equilibria with SiO_2, Be_2SiO_4, and BeO in molten Li_2BeF_4 (1) 25*c*.
siliceous, material, continuous liquefaction, P (1) 9*c*.
siliceous composition, for marking hot metal, P (8) 167*a*.
single crystals, positron lifetime spectra in (9) 215*c*.
X-ray diffraction (11) 256*i*.
SiO, SiO_2, and SiO_2, optical properties (5) 113*a*.
Si–O bond length, Si–O–Si angle, and bond overlap populations, correlations (5) 107*a*.
-SiO_2 interface, P (4) 87*e*.
of predetermined space charge polarity, P (2) 43*h*.
SiO_2 ultrathin layers on, kinetics of thermal growth (9) 199*d*.
Si_2N_2O powder, corrosion in O (8) 186*e*; corrosion in O (10) 239*d*.
Si_2ON_2 ceramics, effect of SiO_2 form (1) 24*h*.
slices, polishing and shaping (6) 129*b*.
printing and alignment of Cr mask patterns on (1) 16*h*.
substrate, diffusion mask barrier on, P (5) 102*a*.
forming diffusion mask barrier on, P (6) 130*a*.
surface, clean, chemical behavior (7) 159*i*.
wafers, eutectic plating and breaking, P (7) 153*h*.
whiskers, growth rate (8) 182*c*.
Silicon dioxide, activity, in CaO-SiO_2-Al_2O_3 slag (2) 56*d*.
aqueous, chemical interactions with Al (9) 208*g*.
band edge, by photoinjection and photoconductivity measurements (9) 208*b*.
BF_3 reactions on, ir studies (2) 53*j*.
in cements, effect on reactivity (2) 33*j*.
photometric determination (11) 242*b*.
crystalline, dusts in air, determination, P (9) 205*g*.
defect centers, electronic structure (5) 109*j*.
deposition, with multiple torches, P (10) 219*f*.
deposits, near Ofuku Silica Mines (1) 23*e*.
determination, by direct injection enthalpimetry (10) 232*g*.
effect, on aluminate and aluminosilicate glasses (7) 144*i*.
on hematite to magnetite reduction kinetics (6) 136*h*.
fibers, Cr oxide coating for, P (7) 146*b*.
films, devitrification (9) 199*g*.
finely divided, P (9) 207*e*.
finely particulate, P (9) 207*b*.
fine-sized, low-density, P (6) 134*g*.
flotation, P (10) 234*j*.
foamed products, from SiO_2 gel (6) 128*f*.
form, effect on synthesis and properties of Si_2ON_2 ceramics (1) 24*h*.
glassy, symmetry of Ti^{3+} activator centers in (8) 169*c*.
hydrophobic, P (7) 158*j*.
ionic transport in (1) 7*h*.
microfine, with modified surface, P (5) 106*a*.
mobile ion contamination, reducing, P (1) 18*a*.
noncrystalline, optical properties (5) 113*a*.
nonlinear parameters, ultrasonic beam mixing as measure (8) 187*f*.
optical transition strengths in (9) 211*i*.
polishing compositions, P (6) 130*d*.
polymorphs, irradiation effects in (9) 211*c*.
reduction, by Al, thin-film studies (5) 116*g*.
by molten Al (5) 114*j*.
reinforcing filler, treating, P (2) 50*e*.
resources, in Washington (6) 134*g*.
rf sputtering, effects of substrate temp. during (5) 108*i*.
solubility, in HCl (10) 239*i*.
surfaces, effect of comminution (8) 165*h*.
Fe and Mn ions on (2) 54*c*.
reaction with cyanogen (6) 138*e*.
treatment, P (1) 19*a*.
ultrathin layers, on Si, kinetics of thermal growth (9) 199*d*.
varieties, and behavior of Polish raw materials after firing (4) 93*f*.
vibrational modes in, relaxation of excess (6) 135*b*.
vitreous, atomic vibration in (2) 50*j*.
diffusion coeff. for O in (7) 160*b*.
dissolution rate in glass melts (1) 6*a*.
ir spectra (2) 36*h*.
lattice vibrational spectra (9) 211*g*.
light scattering study (10) 220*b*.
Ne migration in (8) 168*h*.
neutron compacted, Raman scattering and far ir absorption in (2) 38*a*.
nonlinear elasticity at room temp. (1) 8*i*.
optical absorption in (3) 62*f*.
optical attenuation in (10) 221*j*.
optical wave guides, Raman gain in (10) 221*i*.
structure (5) 115*b*.
tubes, externally coated, P (9) 197*f*.
Silicones, in producing precision ceramics (1) 21*c*.
Sillimanite, natural, compositions, discussion (10) 234*d*.
Silver, $AgGaS_2$, cathodoluminescence (10) 240*a*.
Ag^+ ions, interactions with polyvalent ions and formation of Ag colloids in glass (11) 244*d*.
$AgNa(NO_2)_2$, dielectric relaxation measurement (7) 150*i*.
$AgVTeO_5$ (4) 92*b*.
Ag_3AsS_3 and Ag_3SbS_3, single-crystal, and solid solutions of, P (3) 70*h*.
aluminogermanate, synthesis (7) 162*i*.
-barite ores, beneficiation (9) 206*e*.
chalcogenides, solid-solid transitions in, effect of pressure (4) 91*e*.
films, removal from mica and use in Moire fringe electron microscope specimens (1) 22*c*.
fluoroindates, crystallooptic and refractometric study (5) 107*c*.
halide, liquid particles, growth rate in glass (7) 144*f*.
photodiffusion, and thermal diffusion into As_2S_3 glass (11) 244*e*.
proustite, scattering of light in (10) 239*j*.
selenide, synthesis by reaction of Ag oxides with Se (5) 113*j*.
sintering, grain size and density correlation during (1) 24*j*.
surface, detergent effect (9) 191*j*.
thiogallate, electrooptic coeff. (11) 258*a*.
Sintering, activated, of ThO_2 and ThO_2-Y_2O_3 with NiO (8) 180*a*.
Ag, grain size and density during (1) 24*j*.
Al_2O_3-containing charges, effect of fluoride additives (2) 33*j*.
Al_2O_3, powders (9) 214*f*.

Sintering aspects (7) 156*e*.
atm, of PLZT ceramics (10) 226*e*.
for transparent electrooptic PLZT ceramics (3) 67*c*.
Ba ferrite (8) 173*f*.
behavior, of Ba and Sr ferrites (5) 101*e*.
BN, using static molds, P (7) 149*d*.
CaF_2 powders, activity during (7) 159*d*.
of cement, portland clinker (10) 218*c*.
ceramics, electron theory use in (5) 116*c*.
of cermets (1) 13*j*.
chemical aspects (7) 156*a*.
compacts, silica fiber (5) 100*h*.
conference, and related phenomena, B (7) 164*d*.
densification rate-controlling step in, vol diffusion as (9) 216*b*.
dislocations in (3) 75*b*.
dolomite and magnesite, in shaft furnace, P (3) 73*h*.
effect, on electrical resistance of $BaTiO_3$ posistors (9) 199*g*.
on $MoSi_2$ (9) 195*h*.
galena powders, relation to semiconducting properties (9) 200*a*.
glass-ceramics, corundum-based materials (1) 7*h*.
horizontal-vertical method, P (8) 177*f*.
initial, effects of particle-size distribution (10) 235*b*.
of MgO and LiF-doped MgO (8) 182*g*.
and isothermal grain growth, in ThO_2 and ThO_2-CaO Y_2O_3 ceramics (2) 46*j*.
kinetics, of belite-aluminoferrite cement (1) 3*i*.
of Li_4SiO_4-Zn_2SiO_4 compositions (5) 111*j*.
modified equation (11) 258*i*.
of TiB_2 (3) 74*b*.
La_2O_3 powders (9) 214*d*.
Li ferrites, with fluxes (8) 173*e*.
low-temp., of PLZT (1) 15*i*.
machine, P (8) 177*e*.
materials, under nonisothermal conditions (1) 27*j*.
mechanisms, and kinetics, B (5) 117*b*.
metal-carbide systems (11) 259*e*.
Mn ferrites (7) 152*b*.
NiO, in Ar and O (8) 186*g*.
nuclear fuel, concepts (9) 203*a*.
pressure, of mullite, kinetics (11) 247*h*.
properties, of alkaline earth aluminous porcelain (9) 198*c*.
refractory clays (7) 148*h*.
of refractory oxides, impure, high activation energies in (4) 92*g*.
RuO_2 (10) 239*f*.
shrinkage during (8) 179*j*.
silk-screened circuitry, P (8) 175*d*.
sintered materials, hardness measurement (8) 177*j*.
SnO_2, effects of oxide additives (10) 235*j*.
temp., relation with surface area in NiO, Al_2O_3, Fe_2O_3, and Fe_2O_3-Cr_2O_3 systems (7) 162*b*.
TiN, in N (8) 186*h*.
TiO_2, and Al_2O_3 compacts, shrinkage (10) 239*g*.
self-arrangement of particles (6) 138*g*.
uranium, and Pu mixed oxides and carbides (7) 158*g*.
vacuum, of TiB_2 (8) 187*h*.
Y_2O_3 ceramics (9) 214*g*.
ZnO, effect of O pressure (6) 135*i*.
Slags, blast furnace, Ba- and Mn-containing crystal phases in (10) 217*g*.
bond properties (1) 2*c*.
crystallization capacity and phase composition, effect on binding properties of slag portland cement (1) 2*j*.
effect on dolomite plaster properties (1) 3*e*.
effect on shrinkage of portland blast furnace cements (6) 120*c*.
granulation temp. and chemical composition, effect on strength of slag cements (1) 3*d*.
hydraulic properties, MnO effect (10) 217*j*.
synthetic glasses similar to (7) 142*f*.
bloating, in slagging-type boiler plants (1) 10*g*.
CaO-SiO_2-Al_2O_3, SiO_2 and Al_2O_3 activity in (2) 56*d*.
coal, electrical conductivity (9) 202*j*.
corrosion, of MgO-CaO refractories of BOF lining (3) 65*h*.
electroflux, and electroflux remelting, P (7) 149*c*.
fluxing and fluidizing, in cupola, P (7) 149*f*.
metallurgical, cementitious properties (7) 142*b*.
in mfg., glass and glass-ceramics (1) 9*f*.
reactions, with porous ceramic bodies, diffusion and convection in (1) 24*f*.
slagging, in basic steelmaking process, P (8) 172*e*.
smelter, rutile recovery from (9) 206*j*.
synthetic, for testing BOF brick (4) 83*i*.
from thermal power stations, for concrete structures (9) 191*d*.
Ti blast-furnace, in cement production (2) 34*c*.
treating, P (6) 128*c*.
use in steel casting, P (3) 65*j*.
Slip casting, basalt-clay product, and acid-resistant, P (2) 41*j*.
Slips, casting, parameters and measuring (8) 172*j*.
ceramic, composition, P (6) 128*g*.
clay, control, comparison of viscosimeters in (1) 21*h*.
enamel, application device, P (7) 143*i*.
rheological measurements (4) 80*a*.
rheology, effect of mill additions (4) 79*j*.
fundamental parameters, relation to properties of whiteware bodies (10) 225*d*.
properties, effect of prefiring and milling Al_2O_3 (1) 15*a*.
relation to fundamental parameters of whiteware bodies (10) 225*e*.
Slurries, limestone, scrubbing flue gas with (1) 21*g*.
phosphor, stabilization, P (1) 19*b*.
Slurries satin white, drying by filtration, P (8) 177*d*.
Smectites, from micas, properties (6) 136*g*.
Sodalites, cathodochromic, optical study (9) 213*g*.
use in cathode-ray tube, P (3) 63*c*.
photochromic, ir spectra (5) 111*c*.
thermal decomposition (11) 259*e*.
Sodium, acetate, grinding aid in milling of clinkers (3) 59*g*.
aluminate, liquor, purification, P (8) 179*c*.
aluminosilicate, crystals, growth and dissolution (1) 26*b*.
bicarbonate, thermal decomposition kinetics by DTA (7) 163*c*.
bisulfate, galvanic cells in (7) 161*b*.
globular, P (1) 23*j*.
borohydride, reaction with borohydrides of K and Li (5) 114*h*.
carbonate, ash, from Wyoming trona, P (6) 134*f*.
bulk density, increasing with Ca ion, P (3) 73*d*.
coarse light, P (6) 134*d*.
decomposition of zircon concentrates by (2) 52*b*.
natural (3) 73*c*.
and TiO_2 mixtures, formation of $Na_4Ti_3O_7$ in (1) 25*h*.
chloride, absorption and luminescence of Br^- in (6) 134*j*.
and bromide, strengthening with divalent-ion additions (8) 186*e*.
crystallization from $MgCl_2$ solution, P (10) 234*i*.
crystals, interaction with ir radiation (6) 136*f*.
crystals, rosette length and microhardness (7) 162*c*.
equation of state (8) 181*b*.
F-center production and aggregation in (8) 187*f*.
irradiation, F-light bleaching for (8) 179*h*.
lattice dynamics (8) 183*g*.
nonlinear parameters, ultrasonic beam mixing as measure (8) 187*f*.
reaction with $CuCl_2$ in system NaCl-$CuCl_2$ (1) 27*d*.
reaction with In chlorides (7) 162*j*.
single crystal, high-temp. creep (5) 110*j*.
single crystals, Young's modulus and internal friction (11) 257*g*.
chromate, low-temp. heat capacities and high-temp. enthalpies (6) 137*a*.
dichlorooxyaluminate (5) 114*a*.
dihydrogen phosphate, and H_3BO_3 mixtures, heating (6) 138*b*.
fluoride, chloride, and bromide, dielectric constant (8) 183*h*.
optical absorption (8) 184*j*.
halides, lattice dynamics (8) 183*g*.
-H ion exchange, effect on crack propagation in soda-lime silicate glass (4) 80*h*.
hydrosilicate, crystal structure (8) 180*b*.
hydroxide, and $NaAlO_2$ solutions, vapor pressure (1) 24*d*.
solid, reaction with groups I–IV arsenides (5) 114*i*.
and K carbonates, and alkali solutions, silicic acid solubility in (4) 93*h*.
-K exchange, in silicate glasses (11) 244*b*.
liquid, containing O, interaction with U carbides (6) 131*g*.
reaction with U carbides (6) 131*j*.
metasilicate, and soda-melilite, variation of Si-O distances in (5) 116*d*.
molybdate, reaction with $InMoO_4$ (2) 54*f*.
thermodynamic constants (6) 135*e*.
monoxide, effect on Al_2O_3 dielectric properties (7) 150*j*.
Na^+, mobilities in silicate glasses (3) 61*a*.
in silicate glasses (10) 219*j*.
Na_2BeF_4 γ, high-temp. modification (1) 25*c*.
$Na_2CaSi_2O_6$, new, forms greenish glass (1) 8*h*.
$Na(D_xH_{1-x})_3(SeO_3)_2$ crystals, phase transitions in (8) 180*j*.
Na-FeO_2 structure, alpha-, crystals with, Raman and ir spectra (5) 114*e*.
$NaMn_7O_{12}$, synthesis and crystal structure (6) 136*c*.
$NaVTeO_5$, crystal structure (4) 92*b*.
Na_2O-B_2O_3 melt, thermodynamic activity (8) 169*e*.
Na_2UO_4, preparation and crystal structure (4) 92*i*.
Na_2ZnGeO_4 crystals, isomorphism of Zn-Mn ions in (8) 183*d*.
niobate, crystals, X-ray diffuse scattering from (8) 179*i*.
structures (5) 115*c*.
nitrate, continuous transformation in (4) 92*i*.
nitrite, effect on C_3S hydration and hardening (9) 190*i*.
effect on C_3S structure formation (9) 190*j*.
ferroelectric, dielectric constant and spontaneous polarization (5) 115*h*.
ferroelectric, electric field gradient and long-range-order parameter (6) 136*c*.
nitrates, molybdates, and tungstates, reaction in melts (1) 27*f*.
perborate tetrahydrate, granular, of low bulk density and high abrasion resistance, P (2) 50*e*.
phosphate, melts, vitrification, cooling rate effect (9) 209*h*.
self-diffusion, in glasses (6) 124*d*.
silicate, for glass industry (3) 62*c*.
highly siliceous solid, P (1) 23*f*.
hydrothermal preparation (8) 178*i*.
hydrous granular, P (11) 256*e*.
telluride, synthesis (1) 28*b*.
tetra-, trititanate, formation in mixtures of Na_2CO_3 and TiO_2 (1) 25*h*.
tripolyphosphate, effect on portland cement slurries (11) 241*j*.
Soils, analysis, combined sieve and hydrometer (3) 72*c*.
density, X-ray measurement in models (3) 72*d*.
deposits, near Ofuku Silica Mines (1) 23*e*.
Solder, electroconductive, for electroconductive window, P (9) 202*g*.
Soldering, brazing, for carbide-tipped saw blades, P (9) 189*f*.
Soldering brazing *(continued)*
[ceramic die], P (9) 203*j*.
ceramics, P (10) 227*g*.
SnTe, for semiconductive thermoelectric generator elements, P (5) 102*a*.
refractory alloys (11) 247*c*.
Solidification, unidirectional, of HfO_2-W, stabilized (6) 131*g*.
Solids, amorphous, mass transport in, B (6) 140*h*.
chemical bonds in, B (2) 57*a*.
cubic ionic, longitudinal optic modes (6) 136*e*.
electronic configuration, and electrical conductivity in (4) 85*e*.
fine, classifier for, P (7) 156*h*.
gas phase ion interchange in, P (8) 170*h*.
heterogeneous, diffusion theory in (8) 187*g*.
ionic, diffusional creep, mass transport in (4) 92*i*.
mixing with liquids, P (8) 177*b*.
nonmolecular, structures, B (6) 140*j*.
plastic, stress-corrosion cracking in, and role of H (5) 114*g*.
properties, effect on handling (9) 203*f*.
self-diffusion in, measurement by neutron activation (6) 137*b*.
semitransparent, thermal conductivity for heat transfer through (11) 257*c*.
separation, suspended in liquid, P (9) 204*b*.
suspending, P (2) 48*d*.
thermal conductivity (9) 204*j*.
thermodynamics, B (5) 118*h*.
transmittance, spectrophotometer for measuring (4) 88*h*.
wetting, by molten metals, B (1) 30*a*.
Solid state, devices, microwave oscillating, P (2) 45*g*.
P (2) 45*g*.
thin samples, thermal conductivity measurement (8) 173*b*.
divalent niobates in, binary and ternary (2) 51*b*.
effect, radiation dosimetry by (7) 157*f*.
electronic device, P (3) 70*d*.
equilibria, in system SrO-BaO-Al_2O_3 (4) 93*g*.
image converter, P (4) 87*a*.
image intensifier, P (4) 87*a*.
light source, P (3) 70*e*.
reaction, effect of phase-boundary reactions on diffusion in (3) 75*c*.
in forming quartz-type structures from kaolinite (6) 137*c*.
for individual device tuning, P (7) 153*d*.
initiated by grinding (3) 71*f*.
in MgO-Al_2O_3 system, effect of $MgCl_2$ (5) 108*f*.
of particulate ensembles with size distributions, kinetics (3) 75*i*.
on Pb magnesioniobate formation (8) 181*i*.
Solubility, aqueous, of hydroxides and oxide hydroxides (2) 53*a*.
hydrogen, in UO_2 single crystals (6) 131*a*.
of hydroxyapatite (9) 214*j*.
of kyanite, corundum, quartz, and SiO_2 in HCl (10) 239*i*.
oxygen, in HfN (2) 54*a*.
in ZrC (1) 27*c*.
of quartz, in water under high-temp. conditions (7) 162*f*.
of semiconductor compounds, in halide melts (9) 214*i*.
solid, in fluorphlogopite and tetrasilicic mica sintering system (5) 116*e*.
in system Sr_2SiO_4-Sr_2GeO_4-Ba_2GeO_4-Ba_2SiO_4 (1) 27*b*.
in systems, Li_2CrO_4-LiOH-H_2O and LiBr-Li_2CrO_4-H_2O (2) 54*a*.
of U-Ce carbonitride (2) 46*e*.
Solutions, dis-, of Al_2O_3 in molten cryolite (7) 160*c*.
fusion-, -recrystallization (2) 53*d*.
of Na aluminosilicate crystals (1) 26*b*.
of quartz (7) 160*d*; of quartz crystals (10) 237*b*.
of vitreous SiO_2 in glass melts (1) 6*a*.
ex-, nepheline-kalsilite (3) 75*a*.
simple, structure and properties (2) 54*j*.
Solutions, solid, of Ag_3AsS_3, and Ag_3SbS_3, P (3) 70*h*.
Ag_2Se-Ag_3PO_4, ionic and electronic conduction in (9) 214*h*.
$Ba(Fe_{0.35}Al_{0.65})_2O_4$, blockage temps. of magnetic clusters in (8) 184*b*.
in $BaTiO_3$-$PbFe_{0.5}Nb_{0.5}O_3$ (8) 186*f*.
$(Bi,Sb)_2Te_3$, films, mechanical stresses in (8) 173*c*.
Bi titanate (2) 42*c*.
CaO.$6Al_2O_3$-CaO.$6Fe_2O_3$, Moessbauer and ESR study (4) 92*j*.
$Ca_{2-x}Ln_xMnO_4$, (Ln = Pr,Nd,Sm,Eu,Gd) (4) 93*g*.
$CdSnAs_{2(1-x)}$-$2CdSe_x$, thermal conductivity (8) 187*h*.
of celadonite mica (7) 158*e*.
CeO_2-Y_2O_3 (6) 135*i*.
CoO-MnO, activity measurements in (9) 207*i*.
CoO-NiO, interdiffusion in (4) 92*c*.
corundum-hematite, magnetic interactions in, EPR (8) 183*a*.
$Cr_xTi_{2-x}O_3$, and $Cr_xV_{2-x}O_3$ (7) 164*a*.
$CuFe_2O_4$-$CuCr_2O_4$, reduction (1) 17*i*.
$Cu_xMn_{1-x}Fe_2O_4$, synthesis and dissociation (2) 55*g*.
$(CuO)_x(NiO)_{1-x}$, order in (7) 161*h*.
ferric oxide, magnetic interactions in beta-Ga_2O_3 (8) 181*i*.
of ferrites, of Mn, Cu(I) and (II) (7) 160*f*.
forsterite, and monticellite (8) 184*g*.
$HgCr_{2-x}In_xSe_4$, single-crystal growth and properties (5) 114*c*.
high-quartz, ordering in, study by substitutions affecting superlattice reflections (2) 38*j*.
KCl-KBr, single crystals, internal stress (5) 111*f*.
KCl-RbCl, and KCl-KBr, polymorphism in (8) 185*c*.
NiO-CoO, defect structure (5) 107*i*.
single crystals, phase separation in (8) 185*f*.
NiO-ZnO, thermodynamic study (9) 215*i*.
oxides, in systems ZrO_2-MeO_n (5) 110*a*.
with sillenite structure, in systems Bi_2O_3-SiO_2 and Bi_2O_3-GeO_2 (1) 25*e*.

Solutions, solid in Si_3N_4-AlN-Al_2O_3 system (8) 186*h*.
in Si_3N_4-Al_2O_3-Ga_2O_3 (5) 114*e*.
spinel, in Mn_3O_4-$CuFe_2O_4$ system, phase relations during synthesis and air cooling (5) 113*a*.
in system, $Nd_2(WO_4)_3$-$NaNd(WO_4)_2$ (1) 24*i*.
TiO_2-Cr_2O_3 (1) 28*b*.
$TbFe_{1-x}Co_xO_3$, magnetic properties (8) 183*g*.
$(TbO_2)_{1-x}(YO_{1.5})_x$, electron hole conductivity in (10) 235*f*.
$(U,Pu)O_2$, oxidation properties (4) 87*i*.
VO_2, with TiO_2, NbO_2, and MoO_2, phase transitions and conductivity anomalies in (5) 113*d*.
$Zn_xCd_{1-x}Se$, phonons and structure (9) 213*c*.
Zn_3P_2-Cd_3As_2, semiconducting properties (2) 42*i*.
ZrO_2-based, electrolytic decomposition (1) 25*b*.
Sonics, hyper-, attenuation of transverse modes in quartz (11) 258*f*.
Sorption, de-, interlayer, of CSH(I) (4) 78*j*.
interlayer, of CSH(I) (7) 142*h*.
selective, of less polar molecules with zeolites, P (8) 179*d*.
of nonpolar molecules, P (6) 134*h*.
Sound, first, and zero velocities in quartz (8) 188*a*.
ultra-, attenuation in silicate glasses (6) 125*e*.
Spacecraft, astroceramics (9) 195*g*.
missiles and rockets, nose caps for, P (6) 125*i*.
rocket nozzle liner, P (2) 40*e*.
thermal design, B (2) 57*a*.
Spark plugs, dual mode, P (6) 128*e*.
electrode, improved, P (1) 15*d*.
electrode assembly for, P (9) 200*h*.
high-voltage, P (1) 15*d*.
for internal combustion engines, rotary piston, P (6) 128*g*.
P (4) 84*g*.
series gap, P (9) 202*h*.
tapered spark gap, P (4) 84*g*.
Spectra, absorption, of Cr^{3+}-containing insulators (9) 216*b*.
of organosilicon compounds (9) 207*g*.
of Ru in glasses (6) 122*f*.
electroabsorption, of Cu_2O (8) 185*b*.
electronic, of Co and Ni metaniobates and metatantalates (5) 109*j*.
of surfaces of alkaline earth oxides (2) 52*e*.
of transition metal ions in silicate garnets (3) 74*g*.
and vibrational, of perovskites (9) 210*a*.
electron resonance, of $GaFeO_3$ crystal (7) 160*c*.
electroreflectance, of Cu_2O crystals (9) 210*a*.
electrotransmission, of NiO and MnO (9) 210*b*.
emission, edge, in CdTe (7) 150*i*.
Eu^{3+}, in glasses (9) 192*d*.
of Tm^{3+} and Er^{3+} in borate and phosphate glasses (2) 35*a*.
energy, of piezoelectric polaron (5) 109*b*.
EPR, in CaO (9) 209*i*.
of glasses, high-alkali (5) 98*f*.
in SnO_2 crystals, oxidation-reduction effects (5) 109*e*.
of Ti^{3+} in orthorhombic symmetry in MgO (5) 109*e*.
ESR, of alpha-Al_2O_3:Co^{2+}, H^+ (10) 236*a*.
of Na-Ti silicate glasses and oxide compounds (5) 97*h*.
fluorescence, and absorption, of Ni^{2+} in MgO (11) 258*i*.
He(I) photoelectron, of OsO_4 and RuO_4 (10) 236*i*.
impurity vibrational, in ferroelectrics (8) 182*j*.
interband, of As_2S_3 and As_2Se_3 crystals and glasses (9) 192*i*.
ir, of acid silicates (6) 138*h*.
chrysotile (2) 53*a*.
for determining stretching force constants of $P_3O_{10}^{5-}$ anion (4) 91*a*.
of glasses at high pressures (5) 98*a*.
of hydroxyl ions in apatites (2) 53*j*.
of photochromic sodalites (5) 111*c*.
and Raman, of glasses (2) 36*h*.
of synthetic silicate garnets (5) 111*c*.
of U oxide vapor species (10) 230*g*.
ir absorption, in $(Mn,Fe)_3O_4$ (9) 211*i*.
of V and Nb carbides (5) 110*g*.
ir lattice vibrational, of CaF_2 (11) 258*b*.
lattice vibration, in Si and Ge (10) 238*e*.
of vitreous SiO_2 (9) 211*g*.
magneto-optical absorption, of donor electrons in CdTe (11) 258*i*.
Moessbauer, of Fe_3O_4 (10) 237*c*.
optical, of alpha-Al_2O_3:Fe^{3+} (10) 238*a*.
of Cu^{2+} and Ni^{2+} in aluminate spinels (11) 259*b*.
of $DyVO_4$ (8) 181*c*.
and EPR, of radiation color centers in Na_2O-WO_3-SiO_2 glasses (5) 98*g*.
of Eu^{3+} and Cr^{3+} in Eu phosphate glass (5) 98*h*.
of rare-earth ions in orthoferrites (7) 152*f*.
of $TmFeO_3$ (5) 113*a*.
of Yb^{3+} in phosphate glass (5) 98*c*.
optical absorption, of Fe^{3+} in natural garnets (6) 138*d*.
phonon, of $SrTiO_3$ and $KTaO_3$, coupled modes in (7) 159*j*.
photoelectric emission, of alpha-quartz (9) 213*e*.
polarized, of Fe in enstatite and olivine (10) 238*d*.
positron lifetime, in Al_2O_3, KI, Si, and GaAs (9) 215*c*.
Raman, in alpha quartz (6) 136*b*.
of CrO_2 and MoO_2 (9) 214*h*.
of diamond (6) 138*e*.
of GeO_2 (6) 138*e*.
and ir, of crystals with alpha-$NaFeO_2$ structure (5) 114*e*.
and ir reflection, of Ba and Sr compounds (8) 180*c*.
of MoS_2, $MoSe_2$, and $MoTe_2$ (9) 211*e*.
of $PbZrO_3$ (9) 214*i*.
of SiO_2, GeO_2, and Na silicate glasses (4) 81*a*.
of ZnS (5) 114*e*.
Raman diffusion, of SrO (8) 185*g*.
Spectra reflectivity, of $Zn_xCd_{1-x}Te$ single crystals (9) 214*a*.
reststrahlen, of $Cd_xSr_{1-x}O$ (9) 214*d*.
study, of glasses colored with Bi sulfoselenides (1) 8*i*.
thermoluminescence, of CaF_2 (11) 259*f*.
uv, extreme-, of ionic crystals (8) 181*e*.
of SiO_2, GeO_2, and Al_2O_3 (4) 93*e*.
vibrational, of laminar silicates (2) 56*b*.
of $LiNbO_3$, Ba Na niobate, and Ba Na tantalate (11) 259*h*.
of Ni_3TeO_6 and Mg_3TeO_6 (4) 94*b*.
of silicate glasses (2) 38*j*.
X-ray, digitized, mathematical smoothing (1) 21*i*.
X-ray fluorescence emission, Fe, valence and coordination of Fe in oxidic compounds by (5) 108*b*.
X-ray K beta emission, of oxides of Ca, Ti, Cr, Mn, and Fe (5) 116*f*.
of ZnO, electron energy-loss and uv-reflectivity (6) 136*c*.
Spectrofluorometry, absolute (5) 104*d*.
Spectrography, quantitative X-ray, of quartz, cristobalite, tridymite, and glass in SiO_2 bricks (6) 133*a*.
Spectrometer, atomic absorption, graphite tube cell for, P (2) 49*b*.
mass, to analyze gaseous inclusions in glass (5) 97*c*.
X-ray, -SEM combination for study of hydrated cement pastes (2) 33*g*.
Spectrometry, absorption, in chemical analysis (5) 104*h*.
atomic absorption, for silicate analysis (1) 21*g*.
of soluble Pb in tableware (5) 101*c*.
mass, of bubble formation in porcelain glazes (9) 198*f*.
NMR, of water in clay minerals (4) 90*j*.
Spectrophotometers, flame, burner construction for, P (3) 72*e*.
for measuring, transmittance of solid and liquid samples (4) 88*k*.
Spectrophotometry, of bond, in clay-lignosulfonate complex (8) 186*j*.
of Fe, comparison with Fe_2O_3 titration (6) 132*g*.
of glass, alkali borate with Cr (3) 63*d*.
Pb borate and Pb silicate (7) 145*f*.
high-accuracy, at National Physical Lab. (4) 88*i*.
physical parameters in (4) 89*g*.
ir, quantitative analysis of dolomite and magnesite (11) 259*c*.
of silicates (11) 258*d*.
of kaolinite dehydroxylation, in presence of O (2) 54*b*.
of OH, in B_2O_3 glass (11) 244*d*.
Spectroscopy, data, iterative method for deconvolving (11) 253*b*.
of density gradients, flow cell for, P (8) 178*a*.
electron, chemical analysis by, P (10) 233*a*.
electron emission, of Pb silicate glass (9) 192*h*.
far ir interferometric, for mineral identification (2) 49*b*.
of Fe, and Cu in glasses (6) 124*e*.
in $MO.P_2O_5$ glasses (6) 124*h*.
of Fe and Mn ions, on surfaces of Al_2O_3 and SiO_2 (2) 54*c*.
ir, for analysis of portland cement clinkers (10) 233*a*.
of GeO_2 in aqueous solutions (4) 92*j*.
of hydration during cement curing (4) 78*j*.
of kaolinite-metakaolin reaction (3) 75*e*.
of longitudinal optical mode freq. (5) 104*j*.
and mass, of RbOH-grown quartz (5) 106*j*.
of mechanism of fluoride additives during sintering Al_2O_3-containing charges (2) 33*j*.
of organic polysilicates (9) 215*e*.
of Pb hydroxyapatite, oxyapatite, and alkali apatites (8) 182*f*.
of Pb-Ge glass crystallization (6) 125*b*.
for quantitative phase analysis of portland cement clinker (10) 218*c*.
valency state of Bi in $BaBiO_3$ by (9) 209*e*.
measurements, slotted probe for, P (9) 205*f*.
micro-, X-ray, for analysis of reaction zones of refractories (3) 64*i*.
Moessbauer, of glasses on steel (10) 219*e*.
review (3) 72*f*.
neutron, study of atomic motions in Se and Te (2) 53*a*.
nonlinear (3) 72*g*.
optical, of distortion in $TbVO_4$ (8) 184*h*.
of $ErCrO_3$ (7) 161*g*.
of $NdCrO_3$ (9) 213*h*.
optical absorption, of ThO_2 (1) 26*d*.
photoelectron, of valence-band structures and core-electron energy levels in Ga monochalcogenides (2) 56*e*.
^{121}Sb Moessbauer, InSb as standard for (2) 49*b*.
spectral analysis, of impurities in quartz sand and alumina (2) 49*a*.
spin-wave, in YIG (8) 182*e*.
vibrational, study of perrhenates of Zr and Hf (2) 55*a*.
X-ray, of Bi selenide, Bi telluride, and alloy (5) 116*f*.
X-ray emission, of glass structure (3) 60*i*.
quantitative chemical analysis by, P (3) 72*h*.
Spheres, Ag or Au, in oxide glasses (6) 122*i*.
Al_2O_3, low-density, improved strength, P (5) 105*i*.
micro-, compositions containing, and friction elements from, P (8) 172*b*.
glass, coatings, reflex-reflective characteristics (4) 81*a*.
glass, hollow, and composites, P (11) 245*g*.
glass, with antireflection coating, P (2) 39*e*.
hollow glass, from shirasu (7) 144*g*.
P (8) 177*b*.
U-bearing, P (5) 103*h*.
UO_2-Y_2O_3-ZrO_2, P (2) 47*f*.
ZrO_2, by sol-gel process (4) 83*h*.
sphericity, determination (6) 132*j*.
strong porous, agglomerating pseudoboehmitic Al_2O_3 for, P
Spheres strong porous *(continued)* (5) 105*h*.
of U oxide, and U oxide-Pu oxide, P (8) 176*h*.
Spinel, almandine, oxidation (6) 138*f*.
aluminate, optical spectra of Cu^{2+} and Ni^{2+} in (11) 259*b*.
chrome, contact interreaction with forsterite (6) 135*i*.
Czochralski-grown, as Si substrate, P (9) 200*b*.
Fe-Cr, magnetization and lattice parameters (5) 112*g*.
magnetization, effect of crystallographic phase transitions (3) 75*b*.
magnetoresistance anomalies (9) 212*i*.
ferromanganite, cation distribution and crystal distortion in (6) 140*a*.
flux crystallizing, P (9) 201*g*.
Li-Ga, Co^{2+} EPR in (8) 179*j*.
magnetic properties (2) 42*h*.
manganese, $NiCr_xMn_{2-x}O_4$, cation distribution and crystalline distortion in (2) 51*f*.
manganites, anisotropic structures in (5) 106*h*.
Mg-Al, fine sized, P (2) 45*i*.
single crystals, kinetics of age strengthening (6) 136*g*.
$MgAl_2O_4$, lattice vibrations (8) 183*g*.
$Mg(Cr_xAl_{2-x})O_4$, X-ray diffraction studies (11) 259*i*.
in Mg-Fe-O-SiO_2 system (10) 236*b*.
$MgGa_2O_4$, substrate for growth of (Ga,Al)As (10) 226*d*.
$Mn_xFe_{3-x}O_{4+\gamma}$, miscibility gap (8) 184*i*.
$NiAl_2O_4$, $CuAl_2O_4$, $ZnAl_2O_4$, and equilibrium cation distribution in (4) 91*c*.
$NiMn_2O_4$, magnetic structure and properties (4) 92*g*.
olivine-, transformation in $MgMnGeO_4$, $FeMnGeO_4$, and $CoMnGeO_4$ (5) 112*f*.
oxy-, magnetic interaction between Fe^{3+} and Ni^{2+} ions in (9) 212*c*.
Sn-chrome, formation and color development (10) 225*a*.
for stable pigments (2) 41*j*.
sulfo-, n-type, conductivity minimum and negative magnetoresistance in (8) 185*c*.
Spodumene, concentration, using flotation, P (5) 105*i*.
in glass, substitute for petalite (7) 145*f*.
petalite, and clay, ceramics from, P (1) 15*c*.
removing Fe from, P (3) 73*g*.
Spraying, automatic, of steel hollow ware (2) 34*f*.
flame, to increase wear resistance (6) 132*b*.
P (10) 219*d*.
frit, electro gas dynamic principle (5) 97*b*.
guns, electro gas dynamic (5) 96*c*.
ingot wall, with thermal insulating coating, P (1) 14*e*.
plasma, and flame, P (11) 252*j*.
ZrO_2 adhesion, effect of degree of melting (8) 171*e*.
refractories, in blast furnaces (4) 83*i*.
spray-booth, water-wash, maintenance (4) 88*e*.
Spurrite, formation, and thermal stability (7) 142*b*.
Sputtering, apparatus, P (5) 103*c*; P (8) 174*e*.
cathodic, to obtain thin films of Pb oxides (3) 67*i*.
deposition, dielectric materials, P (2) 44*f*.
-etching technique, for recording holograms, P (9) 202*b*.
ion, glass machining by (7) 144*e*.
machining, ferroelectric K Na niobate (7) 152*c*.
method, for mfg. transparent heat-ray-reflecting glass, P (3) 64*f*.
process, for single-crystal thin films, P (8) 175*g*.
reactive, depositing Hf-TaN layer by, P (7) 153*i*.
for making resistor thin films, P (3) 69*g*.
rf, on GeO_2, P (8) 175*a*.
for magnetic garnet films (10) 226*c*.
of SiO_2, effects of substrate temp. during (5) 108*i*.
rf apparatus, elongated electrode and target arrangement for, P (4) 86*a*.
systems, and target electrode construction for, P (10) 229*e*.
thickness sensor for, P (7) 155*a*.
technique, P (9) 202*c*.
three-electrode, for Ta_2O_5 thin films (2) 42*e*.
Stability, of acmite-jadeite pyroxenes, at low pressure (2) 54*e*.
of celadonite mica (7) 158*e*.
chemical, of silicate glasses, B (8) 188*h*.
of Fe_2O_3 hydrosols (2) 54*f*.
high-temp., of muscovite plus quartz (8) 182*g*.
of pyroxene, in $CaSiO_3$-$FeSiO_3$-$MgSiO_3$ system (8) 186*a*.
of refractories, in F-containing ANF-6 slag (1) 13*a*.
of Si and Se photodetectors (10) 227*b*.
structural, of pumice, stabilized (4) 79*c*.
of talc (8) 186*c*.
thermal, of Ce and Pr valerates (1) 29*e*.
of Sc iodides (7) 162*j*.
of $ScCl_2$ and Sc bromide hydrates (9) 215*i*.
of spurrite (7) 142*b*.
of tungstates and molybdates of In and Sc (9) 215*h*.
Stabilization, effect, on electrical conductivity in glass (8) 167*d*.
on electrical conductivity in glass (8) 167*j*.
of U carbonitrides, by W (6) 131*b*.
of ZrO_2 (1) 27*e*.
Stains, Sb-chrome orange yellow, based on Sb-Pb-Ti for unglazed mosaic tile (9) 197*g*.
Sb-Pb yellow, based on Sb-Pb-Ti for wall tile frit glaze (9) 198*f*.
Standards, DTA temp., B (2) 58*h*.
fluorescence, inorganic ions in glasses and polycrystalline pellets as (5) 104*f*.
reflectance, spectral specular (5) 105*e*.
Staurolite, stability (1) 27*e*.
Steatite, winning, in Bavaria (9) 207*b*.
Steels, by AOD process, refractory wear in (10) 224*d*.
casting, slag use in, P (3) 65*j*.

Steels -ceramic, rail-joint end post, P (8) 167*a*.
enameled, aluminized, architectural (5) 96*c*.
enameling, effect of microconstituents (4) 80*b*.
evaluating adherence (4) 80*c*.
job shop (2) 34*f*.
P (8) 166*j*.
hollow ware, spraying automatically (2) 34*f*.
kettle cylinder, elastic stresses and deformations during enameling (2) 34*d*.
molten, reactions with refractories (11) 247*i*.
Na-Fe-SiO_2 glasses on, wetting and adherence (10) 219*e*.
nonmetallic inclusions, from refractories (1) 12*f*.
powder, articles of electrical resistivity, P (7) 154*b*.
and refractories, in India (2) 40*a*.
reinforcement, for concrete, coatings on (2) 33*b*.
sheet, glass-coated electrical, P (1) 4*i*.
H diffusion in, relation to fish-scaling (5) 96*e*.
weight loss during pickling in H_2SO_4 (4) 89*a*.
stainless, molten ferritic, agent for adding to casting mold, P (4) 84*b*.
special enameling procedures for (4) 80*b*.
white direct-on enamel on, microscopic examination (2) 34*j*.
Stoichiometry, determination, in U-Pu mixed oxide fuels (7) 155*h*.
non-, in (Co,Ni)O crystals (11) 256*i*.
in Co_2SiO_4 and $CoAl_2O_4$-$MgAl_2O_4$ crystalline solutions (4) 92*d*.
in Cu oxides and ferrites (4) 92*c*.
Stones, crushed, and crushed gravel, computerized planning of supply (1) 20*j*.
raw crushed, sampling at cement works (7) 143*e*.
Stoneware, craftsmanship (9) 198*d*.
macrostructure, and strength (2) 41*f*.
structure, and properties, mullite in (9) 198*d*.
Storage, silos, for clinker and cement (6) 120*i*.
Strains, axial, during diffusion creep (5) 107*f*.
of concrete, effect of constant rate of loading (11) 242*j*.
load tests (11) 242*a*.
internal, effect on paraelectric resonance of Li^+ in KCl (6) 135*g*.
rate, effects on rocks (1) 24*d*.
Strength, alite, effect of polymorphism and stabilizing ions (5) 110*i*.
of Al_2O_3 ceramics, effect of surface damage (2) 52*b*.
bending, and microstructure of glass-ceramic (8) 168*f*.
in biaxial flexure, of brittle materials (2) 48*e*.
of building materials, testing with ultrasonics (10) 223*f*.
of cement, determination (10) 218*c*.
early (7) 143*e*.
effect of clinker composition (7) 142*f*.
increasing, P (6) 121*g*.
paste, relation to porosity (11) 242*b*.
relation to composition and fineness (4) 79*g*.
slag, effect of blast-furnace slags temp. and composition (1) 3*d*.
of ceramic materials, brittle (5) 117*a*.
of ceramics, porosity effects (1) 29*f*.
of chemical bonds (7) 162*g*.
of composite materials, effect of fiber diameter (1) 11*h*.
of composites, two-dimensional (1) 13*a*.
compressive, of basic refractories, testing (6) 126*i*.
of concrete (2) 33*e*.
of portland cement pastes (6) 121*a*.
and tensile, of soil cement (2) 32*i*.
degradation, by projectile impacts (9) 215*d*.
dielectric, of sapphire, effect of pressure (1) 15*j*.
glass, effect of surface microstructure (8) 167*d*.
ion-exchanged (8) 168*j*.
soda pop bottles (8) 167*i*.
soda-lime, effect of polymeric coatings (8) 169*b*.
soda-lime-silica, abrasion effect (7) 144*g*.
of glass fiber strand, factors affecting (6) 123*g*.
polyester resin for (5) 98*d*.
-grain-size-porosity, functions for ceramics (11) 257*g*.
of gypsum, ball impact test (9) 204*h*.
high-temp., of TiC and ZrC (8) 171*h*.
impact, of ceramics (1) 21*i*.
of pure oxide ceramics (1) 12*i*.
long-term, of aluminomagnesia spinel ceramics (1) 11*d*.
mechanical, of ceramic materials (10) 237*a*.
cold, of refractories (2) 39*j*.
of glass, crystallized (10) 221*a*.
of thin glass circular plates (3) 61*d*.
of MgO, machining, and surface work hardening (11) 258*g*.
of mortars, effect of lignite fly ashes (2) 33*h*.
optical dielectric, of alkali halide crystals (10) 237*j*.
optical transition, in SiO_2, GeO_2, SnO_2, and TiO_2 (9) 211*i*.
of portland cement, pastes and mortars, effects of aluminate and sulfate (4) 78*e*.
prolonged, of oxide ceramics, relation to creep (9) 208*f*.
properties, of heat insulating refractories (1) 13*d*.
of pyrolytic SiC coatings, of fuel particles for high-temp. gas-cooled reactors (2) 46*i*.
of quartz, fused, and surface defects (8) 167*h*.
retention, in enameling-steel sheets (5) 97*a*.
rupture, of dense oxide ceramic (1) 27*i*.
of Si_3N_4 (11) 259*d*.
of Si_3N_4-SiC composite system, microstructure effect (10) 235*h*.
of stoneware (2) 41*f*.
tensile, of brittle ceramics, correction (10) 235*f*.
of crystals of Ca silicates (9) 191*c*.
of mechanically gripped fiber glass rods, effect of surface softening (2) 35*j*.
of SiC whiskers (8) 171*g*.
torsion, of UO_2, sintered (2) 47*a*.
unfired, of whiteware bodies (9) 198*b*.
uniaxial, of ceramics, porosity effects, correction (8) 188*b*.
vibrational, and electronic oscillator, of LiO (5) 116*e*.
Strengthening, age, in Mg-Al spinel single crystals, kinetics (6) 136*g*.
alkali halides, by divalent-ion additions (8) 186*e*.
Al_2O_3, by quenching (2) 54*f*.
B filaments, P (2) 40*g*.
Ca hydrosilicates, coagulation gels (11) 242*d*.
ceramic bodies, P (5) 101*c*.
ceramics, by ion exchange, P (9) 199*a*.
chemically, silicate article, P (11) 245*e*.
glass, alkali silicate, P (10) 222*g*.
borosilicate, with LiOH and/or KOH, P (2) 39*d*.
by hydrothermal method (8) 169*a*.
and increasing scratch resistance, P (10) 222*h*.
-ware, P (7) 147*f*.
Stresses, in brickworks, from heating (1) 13*h*.
concentrations, in porous brittle materials, polymer-impregnated (4) 79*d*.
corrosion susceptibility, of polymeric-coated soda-lime glass (8) 169*b*.
dependence, third-power, in creep of polycrystalline nonmetals (4) 94*c*.
distribution, nonparabolic, in plate glass (7) 145*f*.
elastic, during enameling of steel kettle cylinder (2) 34*d*.
in glass, chemically hardened (4) 81*b*.
internal, during crystal growth (8) 183*b*.
in hardened technical glass (1) 7*f*.
in KCl-KBr solid solution single crystals (5) 111*f*.
in quenched glass (9) 193*f*.
mechanical, in $(Bi,Sb)_2Te_3$ solid-solution films (8) 173*c*.
effect on glass dissolving in HF (11) 243*j*.
micro-, effect on load dependence of microhardness (2) 48*j*.
-optic coeff., in glass, dispersion (7) 144*f*.
relaxation, in BeO (2) 54*f*.
function of glass (9) 193*d*.
modulus of commercial glass (11) 245*f*.
relaxation mechanism, of Na phosphate glasses (8) 169*c*.
residual, in glass-crystal composites (7) 145*j*.
in $LiNbO_3$ single crystals (8) 186*b*.
in tempered glass plate (8) 168*d*.
in tempered glasses (9) 193*a*.
in sheet glass, calculation (1) 5*a*.
state, of tempered glass, tensometric study (1) 9*b*.
strain, in high-Al_2O_3 refractory materials in torsion (1) 13*b*.
-strain behavior, of concrete (11) 241*g*.
thermal, on brick lining of blast pipe (9) 196*j*.
in bricks (1) 11*c*.
in CVD films (9) 200*d*.
resistance of Al_2O_3 and BeO (10) 235*d*.
resistance, of soda-lime-silica glass (7) 144*g*.
uniaxial, in CdTe (11) 256*h*.
effects on $DyVO_4$ optical spectrum (8) 181*c*.
Strontium, Ba niobate, electrooptic properties (10) 225*g*.
borate, compounds and glasses, ESR of Mn^{2+} in (3) 61*b*.
Sr ferrite crystal from (10) 236*f*.
carbonate, preparation, P (5) 106*b*.
purification, P (10) 234*h*.
in ettringite (3) 60*b*.
fluoride, phonon scattering by point defects in (6) 138*g*.
hydrophosphate, alpha, P (3) 73*g*.
isolation, by selective ion exchange, P (3) 73*g*.
metazirconate, kinetics of formation (1) 25*h*.
mixed tungstates, with Ba, X-ray study (7) 164*a*.
molybdate, and tungstate, Raman and ir reflection spectra (8) 180*c*.
monoaluminate, solid-phase reactions during formation (5) 114*d*.
nitrate, electrical properties (2) 52*d*.
orthotellurate, synthesis (1) 28*b*.
oxide, and Al_2O_3 diffusion couple (11) 257*j*.
cation self-diffusion in (5) 106*i*.
crystalline powder, far-ir absorption in (9) 210*a*.
elastic constants (8) 187*d*.
optical phonons (8) 184*j*.
Raman diffusion spectrum (8) 185*g*.
single crystal elastic constants, and pressure derivatives (5) 106*e*.
trapped hole centers containing Li in (5) 116*j*.
$Sr_{0.75}Ba_{0.25}Nb_2O_6$, prism, light deflection by (7) 151*c*.
$SrCoO_{2.5}$, magnetic structure (10) 237*h*.
$SrFeO_3$, magnetic properties (10) 237*i*.
SrF_2:Tb, conductivity in (9) 215*h*.
$SrRuO_3$, single crystals, electrical properties (1) 25*b*.
$SrTeO_3$, ferroelectric (10) 237*f*.
^{90}Sr-^{90}Y beta source, preparation without radiation hazard, P (4) 88*a*.
sulfate, catalytic effect during portland cement clinker preparation (1) 3*f*.
tellurites, synthesis, and behavior during heating (5) 115*i*.
tetrafluoroborate, chemical transformations during heating (1) 24*g*.
titanate, absorption and structural phase transition in (9) 207*g*.
anomalous ultrasonic attenuation (7) 159*f*.
boundary layer dielectrics (3) 68*b*.
critical behavior (9) 208*g*.
elastic moduli, low-temp. (7) 161*j*.
Strontium titanate *(continued)*
electron tunneling and band structure (8) 181*j*.
ferroelectricity in (8) 186*e*.
Fe^{3+} ($3d^5$) in (9) 213*d*.
glass-ceramics, applications (4) 86*b*.
high-pressure compressibility and Grueneisen parameter (4) 92*b*.
lattice constant (9) 211*f*.
monodomain (7) 152*e*.
optical absorption in (5) 110*b*.
phase transition in (8) 180*j*.
phase transition in Cr^{3+} through (7) 162*e*.
phonon spectra, coupled modes in (7) 159*j*.
point defects in (6) 138*h*.
Raman cross sections in (9) 215*c*.
Raman scattering and phase transitions in (8) 185*g*.
shared holes trapped by charge defects in (6) 138*h*.
single crystals, ESR of Cr^{3+} in (10) 235*h*.
soft mode in (9) 215*d*.
structural phase transition in (9) 209*f*.
Structural clay products, bound bodies, P (10) 223*f*.
calcining, at Can-Tex (9) 195*d*.
drying (9) 195*e*.
foamed, P (2) 39*i*.
raw and fired properties, effect of particle size distribution of clays (2) 39*h*.
Structural clay products industry, air pollution prevention, by needle felt filters (4) 82*b*.
development (9) 195*e*.
in Dominican Republic (4) 82*c*.
dryers for (6) 133*i*.
large, with improved strength (7) 148*a*.
production increase, at Kannenbaeckerland (4) 82*b*.
productivity comparison (11) 246*e*.
Universal (9) 195*e*.
Structure, of acid silicates (6) 138*h*.
of Al_2TiO_5 (10) 239*c*.
of $BaCoO_3$, $BaPrO_3$, and $BaTbO_3$ by neutron diffraction (1) 27*f*.
band, of diamond (8) 179*f*.
and electron tunneling of $SrTiO_3$ and $KTaO_3$ (8) 11.
of oxides crystallizing in rock-salt structure (4) 93*f*.
of $Ba_2Cr_{7.x}O_{14}$ (10) 239*e*.
of $Ba_3Nb_{21.x}Si_2O_{44}$ (10) 239*a*.
of boracites (5) 108*a*.
of CaO and C_2S sinters, effect on migration of melt into sinter (1) 2*h*.
of clay minerals (2) 51*h*.
of $CrFeTi_2O_7$ (2) 54*h*.
of $CrMn_2O_4$ (5) 114*j*.
crystal and magnetic, of Mn_2GeO_4 (7) 159*h*.
crystallographic shear, in system TiO_2-Cr_2O_3 (1) 28*b*.
damage, in periclase-chrome refractories (1) 14*c*.
delta-(Mn-Al), in vacuum-codeposited film (6) 129*d*.
electronic, of defect centers in SiO_2 (5) 109*j*.
energy-band, of CdO (9) 213*g*.
of feldspars, K-rich (8) 186*h*.
in ferroelectric phase, and paraelectric structure of $LiTaO_3$ (8) 181*g*.
of glass, alkali silicate, flotation study (7) 145*f*.
conversions, luminescence in study of (1) 8*a*.
correlation with luminescence centers (1) 5*d*.
crystallized (6) 123*e*.
of fluoramphibole composition (7) 145*g*.
K borosilicate, changes in (1) 7*i*.
$Li_6Si_2O_7$ (6) 125*a*.
Na borate (6) 124*h*.
oxide, EPR of Cu(II) for studying (11) 245*h*.
quartz, relation to viscosity (5) 98*j*.
silicate (10) 221*e*.
silicate, undulating (7) 146*e*.
soda-silica, phase-separated (2) 37*i*.
sub-, relation to property and composition (11) 244*i*.
surface, X-ray spectral study (9) 193*c*.
in systems M_2O-In_2O_3-GeO_2 (M = Li,Na,K) (8) 168*b*.
X-ray emission spectroscopy (3) 60*i*.
of graphite fiber (6) 131*b*.
of $HgTiO_3$, and $HgPbO_3$ (10) 236*j*.
of Ir_4Zn_{22} (2) 54*i*.
of La_2CuO_4, and $LaSrVO_4$ (10) 239*b*.
of liquids, and solutions (2) 54*j*.
macro-, of stoneware (2) 41*f*.
magnetic, of Ca_2MnO_4, effect of chemical preparation (5) 108*b*.
-mechanical properties, of cement suspensions (4) 79*e*.
of Mg, Zn, and Cd peroxides (7) 163*e*.
of micas (6) 138*j*.
micro-, of alkaline earth aluminous porcelain (9) 198*c*.
of Al_2O_3 ceramics (1) 15*c*.
of Al_2O_3 films (6) 129*c*.
changes during heat treatment of Al_2O_3 (7) 161*e*.
of C_3S (9) 189*g*.
of C_3S pastes, SEM (7) 142*e*.
effect on fracture energy measurements of Al_2O_3 (2) 52*a*.
of electroceramic materials (7) 150*f*.
of glass, crystallized (10) 221*a*.
glass-ceramic (5) 97*i*.
of glass-ceramic, relation to bending strength (8) 168*f*.
in MgO, relation with precursor (10) 239*a*.
of MoC (9) 196*i*.
of $PbZr_{0.5}Ti_{0.5}O_3$, ZrO_2 effect (9) 211*f*.
of porcelain, relation to particle size distribution (2) 41*c*.
semiconductor, system for photographic production, P (6)

Structure micro- *(continued)*
130*f*.
of Si_3N_4 (11) 259*d*.
of Si_3N_4-SiC composite system (10) 235*h*.
studies on Si_3N_4 (7) 161*e*.
surface, effect on glass strength (8) 167*d*.
for TiC-Mo-Ni-C cermet (7) 148*b*.
of molecule, adsorbed on phyllites (6) 138*i*.
of $MoSi_2$ heating elements (8) 171*e*.
of Na niobate (5) 115*c*.
polymeric, of vitreous state (1) 26*h*.
of portland cement clinkers (4) 79*d*.
properties, of FeP (2) 54*h*.
of thiogallate phosphors (9) 212*b*.
of VO_2 films (10) 240*c*.
of ZnO thin films (5) 101*e*.
of pyrophyllite (2) 53*d*.
of radiation color centers, in Na_2O-WO_3-SiO_2 glasses (5) 98*g*.
relations, in ferrites, nonstoichiometric (5) 114*h*.
of $TeVO_4$, beta (6) 139*c*.
of ScF_3 (1) 27*g*.
shear, shear planes in (8) 182*b*.
in SiC (7) 148*d*; (8) 186*g*.
of silicates, laminar (2) 56*b*.
of silicoaluminas (2) 54*i*.
of SiO_2, vitreous (5) 115*b*.
of solids, nonmolecular, B (6) 140*j*.
of solid solutions, in system $BaTiO_3$-$PbFe_{0.5}Nb_{0.5}O_3$ (8) 186*f*.
strength, in aqueous dispersions of bentonites (8) 181*a*.
sub-, deformation, in Al_2O_3 (2) 52*b*.
in sulfides, metal (2) 54*h*.
super, of cancrinite from Ontario (6) 135*h*.
surface electronic, of oxides (2) 55*c*.
in transition metal dichalcogenides (9) 208*f*.
of USi (8) 175*j*.
of $Zn_xCd_{1-x}Se$ solid solution (9) 213*c*.
of ZrN spheres (10) 230*f*.
Sublimation, enthalpies, of red HgS (8) 186*h*.
Substrates, alumina, cast, P (2) 42*a*.
Al_2O_3 ceramic, high-shear rolled, P (10) 227*e*.
carbonate, crystallization of cement stone on (9) 190*d*.
ceramic, surface roughness, measurement by laser specular reflectometer (4) 89*c*.
ceramic-based, for electronic circuits, P (3) 69*b*.
in circuit mfg. (7) 152*f*.
coated, P (8) 174*b*.
coatings., antireflection, P (3) 69*d*.
conductive, P (3) 70*g*.
electrostatically deposited, P (1) 17*i*.
Cu, Si_3N_4 coatings on (6) 129*f*.
dielectric, single-crystal regions in, P (9) 202*i*.
effect, on spectrum of YIG films (6) 128*i*.
electrical device, P (1) 17*d*.
epitaxial layers on, P (1) 16*i*.
fastening contact pins to, P (9) 200*g*.
ferrite, microwave integrated circuits on (7) 152*c*.
thin metallic films on, adhesion failures (11) 248*j*.
Gd Ga garnet, X-ray perfection and residual defects in (8) 173*i*.
glass, film thickness, X-ray determination (7) 146*g*.
high-Al_2O_3, fluorescent, P (6) 129*e*.
isolated circuit pattern on, P (3) 70*g*.
magnetic-film, bubble domains in, P (10) 228*d*.
multilayer, cofiring cuts cost (7) 150*j*.
Ni-Fe layers on, P (8) 174*f*.
nonmetallic, removal of metal-containing deposits from, P (9) 194*i*.
printing electrical circuits on, P (2) 44*e*.
producing mixed layers, from inorganic and organic (1) 10*f*; substrates on, P (1) 19*f*.
quartz, crystallization of cement stone on (9) 190*e*.
refractory, glass-metal module for mounting to, P (8) 175*h*.
semiconductor, adhering Au to insulating layer on, P (6) 129*i*.
double diffusion into, P (11) 251*b*.
Si, forming diffusion mask barrier on, P (6) 130*a*.
Si-coated, P (7) 155*b*.
thin single-crystal, P (7) 155*a*.
spinel, Czochralski grown, P (10) 228*f*.
surface, pin insertion and bonding to metalized pad, P (9) 200*h*.
transparent, laser damage (10) 219*j*.
Sugar, effect, on cement setting and hardening (10) 218*a*.
Sulfates, in cements, determination by cation exchange (3) 59*j*.
effect, on glass batch smelting (2) 38*c*.
on portland cement pastes and mortars (4) 78*e*.
M^{II}, thermal reactions with acid orthophosphates (8) 187*a*.
Sulfides, crystal chemistry (9) 208*h*.
IVA subgroup, stability (5) 114*f*.
metal, structure and bonding in (2) 54*h*.
minerals, magnetic transitions in (6) 137*h*.
oxy-, rare-earth, magnetic properties (4) 92*f*.
Sulfur, desulfurization, of exhaust gas, P (6) 134*a*.
of flue gas, P (1) 22*h*.
dioxide, behavior in suspension preheater kiln (6) 120*b*.
-containing flue gases, cleaning, P (4) 88*e*.
control by H_2S reaction (11) 252*c*.
removal from gases (11) 255*b*.
removal from stack gases, P (8) 177*f*.
hydrodesulfurization, of naphtha, P (10) 234*f*.
oxides, removing from exhaust gas, P (6) 134*b*.
oxidic compounds, removing from gases, P (9) 204*c*.
solubility, in Cd borate glass (2) 38*g*.
trioxide, absorption in glass melt from furnace atm (1) 6*f*.
Sulfur trioxide *(continued)*
in cement (2) 33*g*.
content in cement grinding, regulation (10) 217*i*.
effect on sintering portland cement clinker (10) 218*c*.
emission control in combustion systems, P (1) 22*j*.
recovery, P (1) 20*h*.
removal from stack gage (1) 22*i*.
valence, in glass of basaltic composition (3) 63*i*.
Sulfuric acid, cement/, process, colliery shale in (11) 242*g*.
-H_2SO_4 process, to obtain Al_2O_3 from clay (11) 256*b*.
Superconductivity, in $NbSe_2$ (8) 185*b*; (9) 214*c*.
in potassium, Rb, and Cs W fluoroxide bronzes (5) 115*d*.
Superconductors, granular, P (11) 250*b*.
high-transition-temp., in Nb-Al-Ge system, P (3) 69*j*.
in Nb-Al-Ge system, P (5) 102*g*.
Supersaturation, effect, on bulk nature of MoO_3 whiskers (9) 209*b*.
Surface, alkaline earth oxides, electronic spectra (2) 52*e*.
area, determination with Blaine air permeability tester (7) 156*i*.
of portland cement pastes (6) 120*i*.
relations with sintering temp. in NiO, Al_2O_3, Fe_2O_3, and Fe_2O_3-Cr_2O_3 systems (7) 162*b*.
composition, determined by analysis of impact radiation (5) 105*b*.
contamination, measurement with X rays (10) 232*j*.
damage, and bulk, laser-induced (10) 235*c*.
effect on strength of Al_2O_3 ceramics (2) 52*b*.
films, effect on laser damage in glasses (7) 144*j*.
layer, formation in $As_{50}Te_{45}I_5$ (8) 181*g*.
measurements, electromagnetic, for grain-size analyses (6) 132*e*.
negative charges, of ground dickite and kaolinite (8) 184*e*.
properties, of bioceramic vascular prostheses (7) 150*e*.
of clay minerals (2) 51*h*.
of Cr oxides (2) 54*d*.
of melts in systems Na,Zn||PO_3,O and K,Zn||PO_3,O (1) 27*i*.
of MgO, calcined (8) 186*i*.
of molten silicates, effect of MoO_3 (2) 52*a*.
and study methods (11) 249*b*.
reactivity, of soda-lime glass (6) 125*d*.
of TiO_2, reduced (2) 55*f*.
roughness, effect on glass corrosion (11) 245*g*.
ultrasonic indicator, P (1) 22*f*.
silicoalumina, nature and properties (2) 54*i*.
specific, of portland cement (4) 79*c*.
specific area, of powders (2) 48*f*.
structure, of kaolinite, radiation effect (3) 74*c*.
waviness measurements, quantitative evaluation of leveling by (3) 72*h*.
Surfactants, cationic, interaction with clay minerals (8) 182*i*.
Suspensions, enamel, flow properties (1) 21*f*.
sampling, mechanization and automation, B (4) 94*c*.
Swelling, behavior, of kaolinite clay (7) 150*e*.
of montmorillonite crystals (6) 139*b*.
in U_3Si, burnup and temp. dependence (10) 229*i*.
Switches, bipolar, using hole storage diode, P (8) 173*j*.
chalcogenide threshold (10) 226*i*.
device, multilayer-type, P (1) .
dry reed, P (11) 245*f*.
electric, thermally sensitive, P (9) 202*d*.
film deposited unit, and integrated circuits combination, P (2) 43*j*.
Q-, low-loss laser, P (3) 69*c*.
reed, P (1) 19*c*.
semiconductor, gate-controlled pnpn, P (2) 45*e*.
temp., magnetic-reed (11) 249*a*.
wafers, of metal oxide varistor material, P (4) 87*b*.
Switching, devices, semiconductor, P (2) 45*g*.
V phosphate glass threshold (4) 81*d*.
effect, with memory of As_2Se_5 (6) 139*c*.
electrical, in $CuFe_2O_4$ (11) 249*f*.
ferroelectric, measurements, sample preparation (11) 254*b*.
in glasses, Cu-As-Se (3) 63*e*.
memory, in SiO films (10) 226*f*.
in thin films of chalcogenide system Ge-As-Se (10) 225*j*.
phenomena, in Ge-Se-In system (6) 139*c*.
in glasses of system $Ge_{30}Se_{70-x}Te_x$ (5) 98*a*.
in TiO_2 thin films (6) 140*a*.
pre- and post-, phenomena in semiconducting films (10) 227*a*.
semiconductor, amorphous, thermal effects in (10) 239*i*.
surface electrical, in As-Te-I and As-Te-Ge glasses (9) 193*j*.
switch-on process, in semiconducting glasses (5) 97*d*.
threshold, in chalcogenide glass films (10) 221*i*.
in TiO_2 thin films (11) 249*e*.
Switching systems, memory, Ge-As-Te glass (2) 36*g*.
Synthesis, of Al metaphosphate (7) 162*h*.
of Al silicate (1) 27*i*.
of Ba hexaferrite (8) 187*a*.
of $Ba_4In_6O_{13}$ (8) 186*j*.
of BeTe, BeSe, and BeS (6) 139*d*.
of BN, polycrystalline cubic (1) 27*j*.
of Ca-Mg-Fe pyroxenes (8) 187*b*.
conditions, of BN, effect on properties (9) 209*g*.
of corundum ceramics (1) 28*a*.
of CrOOH (2) 55*i*.
of $CrO_{2-x}F_x$ (9) 215*e*.
of $Cu_xMn_{1c}Fe_2O_4$, solid solutions (2) 55*g*.
of Cu pyroselenite (2) 55*g*.
of Dy sulfides (9) 215*f*.
of fibrous amphiboles (6) 139*d*.
of glass-ceramics, in system SrO-Al_2O_3-SiO_2-TiO_2 (9) 193*e*.
high-pressure, of ilmenite and $MnVO_3$ (5) 110*i*.
Synthesis high-pressure *(continued)*
of $NaMn_7O_{12}$ (6) 136*c*.
of mullite (11) 247*a*.
of Na_2Te (1) 28*b*.
of organic polysilicates (9) 215*e*.
oxyfluoride ferrites, properties (2) 55*i*.
photo-, of As_2S_2 crystal (9) 213*f*.
physicochemical, of quartz crystals, effect on thermoluminescence (6) 135*j*.
reflection efficiency, of optical surfaces, P (2) 55*f*.
of Sc iodides (7) 162*j*.
of siliceous mordenites (11) 256*d*.
of Sr orthotellurate (1) 28*b*.
of $TeVO_4$ (2) 55*f*.
of Tl and Ag aluminogermanates (7) 162*i*.
of (U,Pu)O_{2-y}, kinetic models (10) 230*h*.
of $(W_{0.2}V_{0.8})_2O_7$ (1) 29*f*.
of zeolite, P (9) 207*e*.
Systems, Bi_2O_3-WO_3, crystal growth in (1) 15*j*.
$Bi_{12}SiO_{20}$-$Bi_{12}GeO_{20}$, crystals grown in (1) 25*a*.
K_2O-Al_2O_3-H_2O, vapor pressure over solutions of (1) 26*j*.
K_2O-SrO-SiO_2, diffusion in, corrections (1) 6*i*.
MgO-$MgCr_2O_4$, ceramics in, properties (1) 27*a*.
PbO-GeO_2, single crystals in (3) 67*g*.
U-UC, surface and interfacial energies (1) 20*f*.
ZrO_2-Y_2O_3, ZrO_2-CaO, and ThO_2-Y_2O_3 as solid electrolytes (8) 176*b*.

Talc, stability (8) 186*c*.
winning, in Bavaria (9) 207*b*.
Tamping, refractories, in blast furnaces (4) 83*i*.
Tantalum, carbide, epitaxial growth (5) 109*d*.
plastic flow and fracture (7) 162*e*.
double oxides, and rare-earth elements, X-ray study (5) 116*g*.
impurity, distributions in anodic films on (6) 128*j*.
nitride, and TaON, thermodynamic properties and electrical conductivity (7) 163*g*.
pentoxide, reaction with Sc_2O_3 (2) 54*g*.
thin films, by sputtering technique (2) 42*e*.
separation, from Ti chlorination residues (1) 23*g*.
Ta_2O_5, films, defect photoconductivity (10) 225*h*.
vapors, condensation, aging of ultrathin films from (7) 150*g*.
Tellurates, perovskite-type (4) 94*a*.
Tellurites, micaceous, P (2) 44*f*.
Tellurium, crystalline and liquid, atomic motions in (2) 53*a*.
dioxide, lattice dynamics (9) 211*f*.
polymorphic modifications (5) 113*i*.
and Rh solid compound, P (9) 202*a*.
$TeVO_4$, polymorphism, crystalline structure (6) 139*c*.
Te_2O_5, crystal structure (2) 51*f*.
Te^{4+}, oxides, fluorides, or oxide fluorides, bond lengths and angles in (8) 186*f*.
vanadate, synthesis and crystalline structure (2) 55*f*.
Temperature, coeff., of refractive index of semiconductors (8) 187*c*.
control, in ceramic industry, review (2) 49*i*.
of individual furnaces, P (8) 178*g*.
of ionic electrode, P (1) 10*a*.
controller, low cost electronic (5) 104*h*.
crystallographic transition, in BeO, DTA (8) 180*h*.
Curie, in Cu-Mn-Zn ferrites (5) 106*e*.
lowered in $BaTiO_3$ (9) 211*i*.
cycling, in thermal-shock testing (7) 157*a*.
dependence, of attenuation of elastic surface waves in quartz (10) 239*h*.
and burnup, of swelling in U_3Si (10) 229*i*.
of CdS luminescence (9) 215*a*.
of coeffs. of friction of B and Si carbides (8) 187*c*.
of dielectric constant and polarization of KNO_3 and $NaNO_2$ (5) 115*h*.
of elastic constants of CaO and SrO (8) 187*d*.
of elastic constants of rutile (8) 187*e*.
of elastic moduli of ferrites (6) 139*f*.
of electrical conductivity of Cu_2O (8) 187*f*.
of EPR in TiO_2:Fe^{3+} (8) 185*i*.
of EuTe absorption edge and photoconductivity (7) 163*i*.
of F-center production and aggregation in NaCl (8) 187*f*.
of lattice parameters of rare-earth compounds (9) 215*b*.
of linewidth of Fe group ions in MgO (9) 215*b*.
of magneto-optical coeff. in YIG (9) 215*b*.
of Moessbauer line width of $FeCO_3$ (9) 207*g*.
of optical phonon line widths and freq. in ZnSe and ZnTe (7) 163*j*.
of positron lifetime spectra in Al_2O_3, KI, Si, and GaAs (9) 215*c*.
of quartz soft-mode line width (6) 139*g*.
of Raman cross section and light absorption in $BaTiO_3$ (11) 249*h*.
of Raman cross sections in $BaTiO_3$ and $SrTiO_3$ (9) 215*c*.
of Raman scattering in $BaTiO_3$ (9) 211*h*.
of shear modulus and ultrasound attenuation in silicate glasses (6) 125*e*.
of short wavelength transmittance limit of vacuum uv window materials (4) 93*e*.
of soft mode in $SrTiO_3$ (9) 215*d*.
of spin-wave impurity modes in Heisenberg antiferromagnets (6) 136*a*.
of structure in ferroelectric phase and paraelectric structure of $LiTaO_3$ (8) 181*g*.
of velocity-field characteristic in GaAs (6) 139*h*.
effect, on cement materials (10) 217*h*.
on Co^{2+} spectrum in alkali borate melts (4) 80*g*.
on Fe oxide pigments (8) 172*i*.

Temperature effect *(continued)*
on growth of $Ca(OH)_2$ crystals (3) 59*h*.
on Mn^{2+} fluorescence in glasses (5) 97*c*.
factor, to characterize crystalline powders (8) 182*g*.
flame, measurement with laser beams (8) 177*j*.
of glass, relation to viscosity (1) 9*g*.
glass transition, relation to vibration characteristics, correction (11) 245*b*.
gradients, in furnace flat walls, calculation (2) 49*e*.
high, ceramic processes, water vapor in, B (9) 216*j*.
electrical properties of ZnTe:Al (8) 182*f*.
generated with tetrahedral anvil (9) 203*g*.
and high-pressure device, P (8) 177*f*.
measurements of electron Hall mobility in alkali halides (8) 182*f*.
properties and decomposition of nitrates and nitrites (10) 236*c*.
properties of Si_3N_4 (10) 223*i*.
stability of muscovite plus quartz (8) 182*g*.
study of defects in ZnTe (5) 110*c*.
magnetic transition, tabulation, B (5) 117*e*.
measurement, bibliography (6) 132*f*.
on concrete silo for clinker (11) 242*d*.
of medium, effect on C_3S hydration and hardening (9) 190*i*; effect on C_3S structure formation (9) 190*j*.
regulation, of sample, P (8) 178*a*.
scale, international practical, NBS (11) 253*e*.
study, of soft mode in $LiNbO_3$ (9) 215*e*.
superconductive transition, of $NbSe_2$ (9) 211*j*.
thermometry, low-temp. (10) 232*i*.
-time factor, effect on crystal growth in glass (9) 192*f*.
ultrahigh, -pressure apparatus, P (8) 177*g*.
variations, supervising, of radiation-permeable base, P (8) 175*e*.
viscosity-, relations in glass system SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO, correction (8) 169*i*.
Temperature measuring instruments, and method, ultrasonic, P (6) 133*g*.
pyrometers, optical, high-speed (11) 253*b*.
review (2) 49*i*.
thermocouple, low-temp., reference tables (3) 72*i*.
and optical means, for hot glass (6) 123*d*.
P (9) 205*g*.
pressure dependence (10) 233*b*.
profile, P (6) 133*e*.
Pt, for molten glass (10) 220*h*.
reference junction (7) 157*g*.
reference junction, P (1) 22*f*.
remote positioning in nuclear reactor, P (6) 131*i*.
simple Teflon-sealed (11) 254*b*.
tape, P (8) 178*b*.
thermoelectric safety, P (10) 234*b*.
thermometer, bulb, P (9) 194*d*.
direct reading resistance, P (10) 233*b*.
Pt, resistance (10) 232*f*.
quick responding, P (7) 154*a*.
resistance, P (10) 233*e*.
thin film Ni, P (11) 254*b*.
for total and average temp., P (11) 254*b*.
for wall, heated by flowing fluid, P (2) 49*c*.
Tensile properties, yield point, of sapphire (4) 94*c*.
Tension, hot stretching, of phenolic fiber (6) 127*c*.
surface, of Ca silicate melts (9) 190*f*.
of glass melts, measuring (1) 8*f*.
tensometric measurement, of internal stresses in glass (9) 193*f*.
Terbium, molybdate, ferroelectric, ferroelastic, paramagnetic (7) 151*b*.
orthoaluminate, microwave absorption in (7) 163*j*.
oxide, magnetic structure (9) 212*f*.
oxyselenide, magnetic properties (9) 212*c*.
$TbFeO_3$, entropy change of phase transitions in (7) 160*g*.
$Tb_2(MoO_4)_3$, ferroelastic, and devices using, P (6) 129*e*.
$TbPO_4$, configuration of moments in (9) 208*c*.
magnetic properties (9) 212*d*.
$TbVO_4$, distortion in, optical spectroscopy (8) 184*h*.
Tb^{3+}, magnetic order in $Tb_3Fe_5O_{12}$ (7) 161*j*.
in Tb Al garnet, crystal-field splitting (8) 180*f*.
vanadate, crystallographic transitions in (9) 208*i*.
Jahn-Teller phase transitions in (9) 207*h*.
refinement of crystal structure (2) 54*j*.
Testing, fragility, simple, economical (2) 48*j*.
nondestructive, acoustical, holographic correlation for (6) 132*g*.
of high-temp. coatings (1) 4*i*.
of materials, P (9) 205*d*.
microwaves for (5) 104*b*.
of refractory quality (1) 22*g*.
ocean engineering materials (1) 22*e*.
proof-, for preventing failure in glass (6) 124*b*.
static, automatic, of integrated circuits (5) 104*e*.
thickness-scratch device, P (9) 205*g*.
Tests, nondestructive, of fatigue crack damage in composites with vibration (2) 37*h*.
Thallium, aluminogermanate, synthesis (7) 162*i*.
bromide, galvanomagnetic effect in (6) 136*j*.
chloride, phototropic glasses activated by (1) 8*b*.
chromate, crystal structure (2) 51*g*.
fluoroindates, crystallooptic and refractometric study (5) 107*c*.
MBO_3 calcite-type borate (9) 212*j*.
optical properties, in oxide glasses (8) 168*j*.
-ous oxide, thermodynamics of vaporization (8) 187*d*.
Thallium -ous sulfate, vaporization (8) 187*j*.
Tl^+, energy transfer to Ge^{3+} in glasses (10) 220*b*.
Tl_3AsSe_3, pyroelectric effect in (10) 238*f*.
Tl_3AsS_4, optoacoustic properties (10) 238*b*.
TlS, $TlS_{0.5}Se_{0.5}$, and TlSe, electrical resistivity (5) 109*e*.
$Tl_2SeAs_2Te_3$, free carrier optical absorption in (9) 210*i*.
Thermal analysis, congress, organic and macromolecular chemistry, ceramics, earth sciences, B (7) 164*h*.
of decomposition, of Se higher oxides (9) 215*f*.
differential, apparatus for, P (11) 254*a*.
applications, B (5) 117*h*.
for controlling properties of silicate melts (2) 49*c*.
of crystallographic transition in BeO (8) 180*h*.
curves of organosilicon compounds (9) 207*g*.
equipment for (11) 253*i*.
of glass (7) 144*e*.
measuring head for (6) 132*i*.
of organic polysilicates (9) 215*e*.
of phase diagrams of systems M_2X-Sb_2X_3[M = alkali metals; X = S,Se] (7) 160*f*.
of siderite-kaolinite mixtures (2) 52*f*.
of slag glasses (1) 9*c*.
study of system Ca,Mg,Ba||F (2) 52*i*.
study of system Na_3AlF_6-CaF_2 in sealed crucible (4) 93*d*.
temp. standards, B (2) 58*h*.
thermal decomposition kinetics of $NaHCO_3$ by (7) 163*c*.
traces of activation energy of $CdGeAs_2$ glass crystallization (9) 192*h*.
equipment (1) 22*f*.
of $FePO_4.2H_2O$, and $AlPO_4.2H_2O$ (9) 215*g*.
of Pb glass batch (8) 169*d*.
sample holder, selective, P (5) 105*d*.
of samples, P (9) 205*g*.
of system, $CsCdBr_3$-$CsHgBr_3$-$CsPbBr_3$ (5) 115*j*.
$GaCl_3$-$AlCl_3$-CsCl (1) 29*b*.
$GaCl_3$-$FeCl_3$-NaCl (1) 29*c*.
$La_2(MoO_4)_3$-K_2MoO_4 [La = Gd, Dy, Ho, Er, Y] (1) 29*e*.
Thermal properties, of As-S glasses (4) 81*c*.
of brick clays (4) 82*e*.
of briquets, pressed (8) 166*c*.
dilatation, in cuprous selenide (5) 109*h*.
of glass, As-Te-Ge (7) 144*b*.
Mg high polyphosphate (10) 221*h*.
of NH, fluoroberyllate crystals (8) 187*j*.
of semiconductors, chalcogenide glass (5) 97*f*.
Thermodynamics, analysis, of formation of compounds in system Na_2O-CaO-SiO_2 (10) 239*j*.
constants, of $CaMoO_4$ and Na_2MoO_4 (6) 135*e*.
data, high-temp. for UO_{2-x} (2) 46*i*.
of defect structure, of BaO (8) 187*b*.
of diffusion, in particle systems (8) 187*d*.
measurement, of electrolyte (2) 48*f*.
of NaF-AlF_3 system (7) 163*i*.
of Na_2O-B_2O_3 melt (8) 169*e*.
properties, chemical, values (10) 239*a*.
of Cr-N system (4) 93*c*.
of Fe_2O_3, by emf method (7) 157*a*.
of system In-O (1) 29*f*.
of Ta_3N_5 and TaON (7) 163*g*.
of U carbides (6) 131*d*.
of U sesquinitride (10) 230*f*.
of WCl_6 and WCl_5 (6) 139*f*.
of ZrO_2 (8) 185*i*.
relations, among olivine, spinel, and phenacite structures in silicates and germanates (6) 139*g*.
in system K,Ca,Ba||F,Cl, quaternary (1) 29*f*.
of solids, B (5) 118*h*.
of spinodal decomposition (8) 183*c*.
study, of $AlCl_3$-$POCl_3$ (5) 116*f*.
of 3CaO.Al_2O_3-CaO.$2H_2O$-H_2O system (10) 240*a*.
of chemical bonds in solids, B (2) 57*a*.
on NiO-ZnO solid solutions (9) 215*i*.
on rare-earth dicarbides (4) 93*h*.
of Zr-O-C system (9) 208*d*.
theory, of phase transition in perovskite ferroelectrics (9) 215*j*.
of titanates, in Li_2CO_3-TiO_2 mixture (7) 163*g*.
of transition, in K and Rb halides (4) 93*h*.
of vaporization, of Tl_2O (8) 187*d*.
Thermoelastic properties, of CdF_2 (6) 139*h*.
Thermoelectricity, devices, P (7) 155*e*.
effect, in ion conducting glasses (11) 245*g*.
in $PbZrO_3$ (6) 139*h*.
elements, P (4) 87*c*.
protected, P (9) 201*i*.
generator elements, SnTe brazing material for, P (5) 102*a*.
measurements, of CaO and MgO (9) 209*f*.
potential, of molten salt thermocells (5) 101*f*.
power, in $CdGe_xAs_2$, measurements (2) 53*g*.
of graphite (8) 173*f*.
of magnetite (8) 173*g*.
properties, of cuprous telluride (5) 101*g*.
of KAg_4I_5 solid electrolyte (1) 29*g*.
of quaternary chalcogenides (4) 94*a*.
of solid materials, P (9) 205*b*.
Thermography, of reaction, of $Bi_4Ti_3O_{12}$ with V_2O_5, MoO_3, and WO_3 (1) 29*h*.
recording information, P (7) 155*e*.
Thermogravimetry, in determination of, O activities in wustite phase (4) 93*b*.
of La and Y oxides, reactions with NH_4F (5) 116*f*.
Thermomagnetic materials, use at room temp. (3) 66*h*.
Thermomechanical properties, action, effect on birefringence in
Thermomechanical properties action *(continued)*
glass (1) 6*g*.
external, effect on glass (1) 5*b*.
of oxide refractories (1) 13*j*.
of refractories, for linings (11) 247*c*.
of sintered ceramics from Sc_2O_3 (1) 26*i*.
Thermophysical properties, thermal radiative, of coatings, B (6) 140*h*.
Thermostats, on-off control device, P (8) 178*f*.
Thickness, of dielectric members, P (5) 105*c*.
measurement, microwave device, P (9) 205*d*.
using Moessbauer effect, P (6) 133*g*.
plate, testing method and apparatus, P (11) 254*b*.
sample, effect on domain structure in FeSi (5) 110*i*.
-scratch testing device, P (9) 205*g*.
Thixotropy, measuring, P (3) 72*g*.
Thorium, -bearing veins, geology and description (10) 234*e*.
carbides, heats of hydrolysis (2) 46*f*.
diffusion, in ThO_2 single crystals (1) 29*h*.
dioxide, optical absorption spectroscopy (1) 26*d*.
Pb^{3+} centers in, ESR (8) 181*d*.
pure and doped, optical absorbance and fluorescence in (4) 87*h*.
and ThO_2-CaO, isothermal grain growth and sintering in (2) 46*j*.
and ThO_2-Y_2O_3, sintering with NiO (8) 180*a*.
-yttria-based ceramic materials, P (9) 197*e*.
monophosphides, and monochalcogenides by volatile metal process (2) 46*g*.
oxide, Ca addition to, P (11) 251*i*.
-Ru carbides, ternary (2) 46*j*.
silicate, atomic positions in (3) 74*b*.
lattice constants (3) 76*a*.
X-ray diffraction studies (6) 140*c*.
Thulium, oxyselenide, magnetic properties (9) 212*c*.
polymorph, X-ray diffraction (10) 236*a*.
$TmAsO_4$, heat capacity (10) 236*g*.
$TmFeO_3$, magnetization (8) 183*j*.
optical spectrum and magnetic properties (5) 113*a*.
Tm^{3+}, absorption and emission spectra in borate and phosphate glasses (2) 35*a*.
vanadate, properties (9) 214*e*.
Tile, ceramic, application to concrete or brick walls (5) 101*b*.
pressing technique (4) 84*h*.
supporting on tunnel kiln trolley, P (11) 255*g*.
decorative, machine for printing, P (1) 15*c*.
Zanesville, B (2) 58*j*.
drain, at England brick plant (6) 126*e*.
facing, setting and gluing to backing material, P (1) 15*e*.
faience (7) 149*i*.
floor, industry (9) 195*e*.
perlite in mfg. (3) 66*a*.
use of bauxite bedrock clays in (1) 19*h*.
flooring, P (11) 246*h*.
glazed, in auto tunnel (8) 171*c*.
industry, automated (7) 149*j*.
automation (11) 248*f*.
and brick, Sheffield (9) 195*d*.
electronic data processing equipment in (7) 147*j*.
future of (11) 248*g*.
ideal plant (2) 41*h*.
in Israel, processing (7) 149*h*.
in Israel, ultramodern (7) 149*j*.
Italian (11) 246*g*.
Mexican (7) 150*b*.
Spanish (7) 149*h*.
wall and floor (11) 248*g*.
internal wall-, fixing (7) 149*j*.
kilns, for fast firing (3) 66*d*.
lintels, plain, load-bearing capacity (7) 150*a*.
loading lines, automatic (2) 41*a*.
mfg., large quantity (7) 150*a*.
P (9) 204*c*.
thermal shock theory applied to (7) 150*e*.
mosaic, Sb-chrome orange yellow based on Sb-Pb-Ti for (9) 197*g*.
P (9) 199*a*.
powder pressing, control (6) 133*b*.
raw materials, drying properties (10) 223*e*.
roof, forming and handling, P (11) 252*f*.
ridge, P (3) 64*h*.
roofing, colored granules, P (11) 248*g*.
frost resistance, relation to clay (11) 246*e*.
frost resistance, relation to clay (11) 246*f*.
phase sequence in firing clays for (3) 64*h*.
semifinished, testing quality (6) 128*f*.
and slabs, attaching on building structures, P (3) 66*d*.
smoked, C deposited on (3) 64*f*.
stacks, machines for packing (2) 47*i*.
wall, apparatus for joining, P (7) 150*b*.
frit glaze, Sb-Pb yellow (9) 198*f*.
history and development in U. S. (11) 248*i*.
P (8) 172*j*.
synthetic wollastonite used in (1) 15*b*.
wollastonite in (10) 225*e*.
Wenczel, in Florida (9) 198*h*.
Tin, chloride, reaction with lower chlorides of In (1) 27*f*.
-ic oxide, effect on adherence of glass to metal (9) 191*i*.
effect on glass on metal (11) 243*e*.
EPR of Ni^{3+} in (5) 109*e*.
Fe^{3+} center in, EPR (8) 181*h*.
films, conducting, on glass (6) 124*a*.
films, formation by thermal decomposition (3) 75*d*.

Tin -ic oxide *(continued)*
O paramagnetic centers adsorbed on (10) 238*b*.
optical transition strengths in (9) 211*i*.
Sb-doped, anomalous behavior (3) 73*j*.
semiconducting polycrystalline (8) 173*d*.
sintering, effects of additives (10) 235*j*.
-ous chloride, conductive coating, for glass surface, P (5) 99*b*.
oxide, semiconductivity in (9) 212*h*.
as replacement, for Ge in glass system Sb-Ge-Se (1) 6*e*.
^{119}Sn, hyperfine nuclear structure in alpha-Fe_2O_3, Moessbauer study (5) 112*j*.
Moessbauer studies of transitions in $BaTiO_3$ (9) 214*h*.
in rare earth iron garnets, hyperfine field acting on (9) 214*j*.
Sn(II), mixed halides, synthesis and physical-chemical study (5) 115*i*.
Sn(II) oxide, hydrous, crystal data and formula (11) 257*c*.
Titanates, in Li_2CO_3-TiO_2, thermodynamics and mechanism of formation (7) 163*g*.
Titanium, in Apollo 14 samples, cathode ray polarography (5) 104*i*.
carbide, coating C fibers with (1) 12*c*.
collective recrystallization in (8) 184*b*.
hard-facing steel-base composition, P (7) 149*f*.
high-temp. strength (8) 171*h*.
plastic deformation during grinding (11) 247*g*.
structure and properties (9) 196*c*.
wear-resistant powder metallurgical material (8) 171*i*.
diboride, acoustic fatigue in (6) 135*b*.
sintering kinetics (3) 74*b*.
thermal expansion (2) 55*j*.
vacuum sintering (8) 187*h*.
dioxide, - based ceramics, mfg. (2) 41*c*.
compacts, sintering and shrinkage (10) 239*g*.
concentrates, from ilmenite, P (9) 207*c*.
Cr_2O_3 interdiffusion and solubility in (1) 25*e*.
decomposition of zircon sand by (3) 65*d*.
energy levels of Fe group impurities in (7) 160*f*.
EPR of Fe^{3+} in (8) 181*b*.
:Fe^{3+}, EPR in (8) 185*i*.
film properties (8) 173*h*.
films, photoconductivity and photoluminescence in (9) 213*d*.
and Li_2CO_3 mixture, titanates in (7) 163*g*.
molten, properties (7) 162*g*.
and Na_2CO_3 mixtures, formation of $Na_4Ti_3O_7$ in (1) 25*h*.
O paramagnetic centers adsorbed on (10) 238*b*.
optical transition strengths in (9) 211*i*.
P (9) 207*d*.
paramagnetic absorption of pentavalent Mo (10) 238*c*.
particles, self-arrangement during sintering (6) 138*g*.
photoconductive material, P (2) 50*c*.
photoreactive material, P (4) 90*h*.
photosensitive subpigmentary, P (1) 23*i*.
preparation with arc gas heaters, P (3) 73*b*.
product containing Al_2O_3, P (9) 207*d*.
reduced, surface reactivity (2) 55*f*.
single crystal, photo-induced carrier in (9) 208*c*.
thermohydrolytic preparation, effect of nucleation action of Ti(IV) hydroxide particles (4) 90*g*.
thin films, switching phenomena in (6) 140*a*.
thin films, threshold switching in (11) 249*e*.
hydride, electrical, magnetic, and galvanomagnetic properties (9) 209*c*.
ions, effect on magnetic properties of Mn Zn ferrites (9) 199*i*.
lower chlorides, with NaCl, equilibrium in melts of (2) 52*i*.
nitride, sintering in N (8) 186*h*.
oxide, band structure, crystallizing in rock-salt structure (4) 93*f*.
effect on equilibria among refractory phases in system Ca-O-MgO-Fe oxide (2) 52*b*.
X-ray Kβ emission spectra and energy levels (5) 116*f*.
oxycarbides, carbonitrides, and oxynitrides, oxidation (8) 185*d*.
powder, hot compacting, P (8) 177*a*.
reaction, with glass-ceramic coatings (2) 34*e*.
with silicate coatings (4) 80*d*.
separation, from Ti chlorination residues (1) 23*g*.
tetrachloride, dryer residue, treatment, P (10) 234*j*.
^{47}Ti and ^{49}Ti, hyperfine lines in glass (9) 193*b*.
TiC-Co alloys, phase decomposition and grain growth (6) 138*f*.
$TiCl_4.POCl_3$, heat of formation (7) 159*h*.
$TiFe_2Se_4$, magnetic structure (6) 137*h*.
Ti_nO_{2n-1}, shear phases, lattice energies and heats of formation (5) 111*b*.
Ti_3O_5, modification of V_3O_5-type structure (2) 56*c*.
Ti_4O_7, metal-insulator transitions in (8) 186*e*.
titaniferous clinohumite, crystal structure (11) 257*f*.
titaniferous materials, leaching, P (6) 134*g*.
titaniferous ores, beneficiation, P (2) 50*d*.
Ti^{3+}, activator centers in glassy SiO_2 (8) 169*c*.
EPR spectrum in orthorhombic symmetry in MgO (5) 109*e*.
lattice-ion interactions in corundum (11) 258*f*.
Titration, complexometric, of Fe_2O_3, comparison with Fe spectrophotometric analysis (6) 132*g*.
conductometric, for determining CaO in cement (10) 217*g*.
Tobermorite, paragenesis, with Mg silicate (7) 143*b*.
Tools, armored metal, P (11) 241*e*.
cutting, blades, sharpener for, P (6) 119*f*.
carbide alloys for, P (1) 14*d*.
high-speed, HfN-ZrB_2 compositions for (5) 100*c*.
for lightweight concrete bodies, P (8) 166*g*.
P (3) 59*e*.

Tools cutting *(continued)*
refractory metal carbides for, P (7) 149*e*.
for round holes in cylindrical and oval parts, P (10) 232*a*.
saw blade, bonding carbide elements to, P (6) 119*e*.
saw blades, brazing for, P (9) 189*f*.
metalworking, sputter deposition of carbide on, P (4) 77*e*.
sanding hand, P (2) 31*e*.
thermic lancing, P (10) 232*c*.
Topography, of crystals, P (7) 157*f*.
Topology, properties, of sintered materials, microscopy (9) 204*g*.
Torsion, cyclic, Astbury's test method (7) 157*g*.
testing, of ceramics, high-temp. (11) 253*b*.
Tourmaline, acoustic-surface-wave-delay medium (11) 256*i*.
dichroism (5) 108*c*.
mineral group, magnetic susceptibility and triangular exchange coupling in (5) 112*f*.
pink and black, Mn^{3+} absorption in (6) 136*a*.
Transducers, capacitive pressure, P (2) 43*h*.
temp. compensator for, P (5) 103*a*.
electret, P (11) 250*a*.
electroacoustic, P (9) 200*c*.
electromechanical, process, P (6) 129*c*.
electronic, P (1) 17*g*.
elements, electret, P (5) 102*c*.
image system, P (5) 102*f*.
inspection, scanning ultrasonic, P (3) 70*i*.
K Na niobate, sputter machining (7) 152*c*.
mechanoelectrical, P (10) 227*h*.
P (7) 155*b*; (8) 175*h*; (9) 202*g*; (11) 251*d*.
piezoelectric, broad-band high-frequency thin-film, P (1) 16*i*.
$LiNbO_3$, P (9) 201*f*.
P (2) 44*a*; P (3) 70*e*; P (6) 130*i*; P (9) 201*f*.
piezoresistive, and devices with semiconducting films, P (3) 70*e*.
pressure gradient, P (5) 102*g*.
pressure-sensitive, P (11) 251*b*.
PZT, rings, strength anisotropy in (7) 152*c*.
semiconductor, magnetic, P (1) 17*i*.
P (1) 19*f*; P (9) 202*g*.
pressure structure, P (2) 45*f*.
strain gage pressure, P (2) 45*f*.
stress, P (1) 19*f*.
semiconductor photoelectric, P (10) 228*b*.
Si, linearization, P (10) 227*g*.
solid-state, magnetoelectrical, P (9) 202*b*.
strain-measuring, P (9) 202*c*.
ultrasonic, P (1) 19*d*.
Transformations, chemical, of tetrafluoroborates of Mg, Ca, Sr, Zn, and Cd during heating (1) 24*g*.
order-disorder, in crystal, pyrochlore-type (1) 26*e*.
polymorphic, of Al_2O_3, effect of preparation conditions (1) 24*g*.
Transformers, low-impedance, wide-band strip transmission line, P (1) 17*c*.
piezoelectric, operation, P (1) 18*g*.
P (9) 201*g*.
Transistors, assembling, P (7) 153*i*.
bipolar, and field-effect combined, P (8) 174*b*.
complementary, high-speed, P (11) 251*d*.
complementary pair, P (8) 175*g*.
control electrode, insulated, P (1) 18*j*.
field-effect, GaAs, P (5) 102*d*.
integrated circuit, and cermet resistor, P (3) 69*a*.
masking layer for producing, P (2) 45*j*.
P (1) 17*i*; P (1) 17*j*; P (2) 43*i*.
self-aligned gate, P (4) 87*b*.
with self-registered gate, P (5) 102*c*.
short-channel, P (1) 19*a*.
Si insulated-gate and ion-implanted, P (11) 251*d*.
Ge planar, P (1) 18*j*.
hybrid, P (5) 102*e*.
IGFET, complementary, P (2) 44*a*.
gate protective device for, P (8) 174*i*.
method of making, P (3) 69*a*.
for microwave use, P (2) 44*b*.
P (5) 102*i*; P (7) 153*h*; P (7) 154*a*; P (9) 201*j*; P (10) 227*f*; P (10) 227*j*; P (10) 228*h*; P (11) 250*d*; P (11) 250*i*.
junction field-effect, P (7) 153*d*.
lateral, and complementary, P (5) 102*j*.
P (3) 69*b*.
layers, of SiO_2 and Si_3N_4, P (4) 87*c*.
monolithic Darlington, P (2) 44*g*.
MOS, P (9) 201*d*.
with Al_2O_3 gate dielectric, P (2) 44*i*.
MOSFET, integrated bistable stage with, P (9) 200*h*.
P (1) 18*d*.
multiemitter power, P (3) 70*b*.
multiple emitter, P (2) 44*i*.
P (10) 229*c*.
pedestal, by double epitaxial method, P (4) 86*h*.
P (6) 130*b*.
photo-, P (5) 102*f*.
Schottky barrier, P (2) 45*b*.
planar, P (2) 44*e*.
pnp Si, geometry for, P (2) 44*a*.
rf, P (9) 201*j*.
shallow diffused, P emitter concentration for (9) 200*d*.
Si, As emitter structure for (7) 150*h*.
increasing current amplification and radiation resistance, P (1) 18*b*.
thyristor, multilayer semiconducting, P (9) 201*b*.
rectifier (10) 231*h*.
-rectifier device, P (8) 174*j*.

Transistors top contact, reduce collector resistance in, P (7) 154*j*.
Transitions, brittle-to-ductile, in nuclear fuel (8) 176*e*.
cubic-tetragonal, in $Mn_xFe_{3-x}O_4$ (5) 106*f*.
extended range, of borosilicate crown glass (4) 80*h*.
insulator-metal, in NiO (9) 211*i*.
in K and Rb halides, thermodynamics (4) 93*h*.
metal-insulator, in Ti_4O_7 (8) 186*e*.
in $V_{1-x}Nb_xO_2$ system (8) 183*c*.
in V_nO_{2n-1} (8) 184*b*.
in V_2O_3, NMR (8) 183*c*.
metal-to-semiconductor, in CdO, NMR (8) 184*h*.
optical, and band-structure model for Cd Cr chalcogenides (7) 161*g*.
in GeO_2 (5) 109*i*.
Transmission lines, apparatus, semiconductor coupled, P (7) 154*h*.
Transport, chemical, growth of NiO crystals by (5) 110*e*.
electrical, in rare earth ortho-chromites, -manganites, and -ferrites (5) 109*f*.
gas phase, of YIG by HCL (4) 91*j*.
HBr, ZnSe epitaxial deposits on GaAs and Ge by (5) 101*f*.
mass, in amorphous solids, B (6) 140*h*.
in polycrystalline oxides (10) 237*j*.
mechanism, in GaP-I and GaP-Ga-I systems (5) 109*f*.
phenomena, B (7) 164*d*.
in chromite-magnesite bricks (6) 127*f*.
properties, of EuO thin films (9) 215*j*.
of metal-insulator transition in $V_{1-x}Nb_xO_2$ system (8) 183*c*.
of PbTe, p-type (8) 186*b*.
of VO_2 films (10) 240*c*.
Trapping, effects, in ZnO single crystals (8) 187*e*.
Trass, to counteract efflorescence, on concrete surface (1) 2*d*.
Tridymite, in SiO_2 bricks (6) 133*a*.
Triethanolamine, effect, on cement setting and hardening (10) 218*a*.
on hydration of C_3A (7) 141*i*.
Tubes, arc discharge, P (10) 222*e*.
bending, P (10) 231*j*.
camera, with PbO layer, P (7) 153*b*.
resistive sea for, P (11) 251*e*.
cathode-ray, assembling and mounting aperture mask in, P (2) 39*a*.
cathodochromic sodalite use in, P (3) 63*c*.
for color TV receivers, P (6) 125*b*.
containing Y silicate phosphor, P (5) 99*a*.
detecting cathode poisoning contaminants in, P (7) 147*g*.
electrical discharges eliminated during indexing, P (7) 153*c*.
electron gun for, P (10) 227*b*.
faceplate, and glass plate display screen, stepped supports between, P (8) 170*i*.
with focusing coils mutually intersecting, P (4) 81*g*.
graded field, P (8) 170*c*.
high voltage processing, P (2) 38*j*.
implosion-proof, P (8) 170*d*.
with laminated safety panel, P (4) 81*f*.
measuring beam landing characteristic, P (7) 153*g*.
P (1) 16*j*; P (4) 81*f*; P (7) 147*h*; P (8) 169*d*; P (10) 222*e*.
screen structure, photography for printing, P (1) 10*c*.
storage, P (9) 193*i*.
storage target, P (1) 18*d*.
for variable-sized displays, P (5) 99*b*.
viewing-screen structure, P (3) 64*b*.
ceramic, containing metal fibers, centrifugal molding, P (1) 14*e*.
color, rectangular, P (8) 170*g*.
TV picture, P (2) 38*f*.
color cathode-ray, face panel assembly for, P (9) 194*b*.
P (7) 147*e*; P (9) 193*i*.
reetch process for, P (8) 170*h*.
screening process for, P (3) 64*b*.
shadow-mask type, P (3) 63*c*.
color display, P (10) 222*f*.
color picture, beam convergence apparatus, P (2) 43*j*.
P (1) 10*d*; P (3) 64*b*.
screening, P (8) 170*b*.
color TV display, with Y oxychloride phosphor, P (7) 154*e*.
color TV picture, P (11) 250*b*.
composite, by filament winding process, P (4) 81*g*.
crystal growth, P (3) 69*d*.
diffusion, high-temp., P (10) 222*a*.
discharge, high-pressure metal-vapor, P (6) 129*f*.
display, fluorescent symbol, P (1) 9*e*.
electric discharge, for device, P (1) 17*c*.
harness for supporting in outer envelope, P (5) 99*g*.
electron, P (2) 39*b*; P (3) 69*h*.
photoemissive, P (2) 45*b*.
electron beam, camera, Si diode array targets for, P (6) 129*g*.
degassing arrangement for, P (1) 17*b*.
microwave, P (10) 222*i*.
electron discharge, P (4) 81*j*.
electronic, spot-knocking method for, P (9) 195*a*.
fluorescent display, flat composite, P (7) 146*h*.
P (3) 63*f*.
fused SiO_2, P (9) 197*f*.
gas discharge, for laser, P (3) 69*h*.
P (8) 169*i*; P (9) 194*d*.
glass, reshaping, P (5) 99*b*.
glass-fiber-reinforced, epoxy resin, P (9) 194*d*.
glow discharge, for atomic light-absorption analysis, P (8) 170*b*.
microwave, ceramic ball-insulated depressed collector for, P (11) 250*c*.

Index Guide, Pages 379-00

Tubes multidiode camera, P (1) 18*d*.
photo-, for scintillation detector, P (2) 39*a*.
semiconductor camera, targets, P (6) 130*e*.
SiO_2 diffusion, in semiconductor mfg., P (7) 153*i*.
stroboscopic, small-sized, photography, P (8) 170*h*.
transparent, in optical analyzing apparatus, P (8) 170*c*.
traveling wave, P (11) 246*b*.
and tube walls, P (11) 248*a*.
TV, bulb, with improved strength, P (7) 147*f*.
compensation of pincushion distortion in, P (8) 169*g*.
neck, high-Pb glass for, P (7) 147*b*.
TV camera, P (6) 126*a*.
vacuum, readout device, P (6) 126*c*.
vidicon, target structure for, P (4) 87*b*.
X-ray, P (9) 195*a*.
with rotary anodes, P (4) 82*a*.
with rotary anodes, P (8) 171*a*.
rotating-anode, P (11) 246*a*.
X-ray camera, photocathode-phosphor imaging system for, P (4) 86*j*.
X-ray pulse, P (6) 130*h*.
Tungstates, dielectric properties (5) 108*c*.
Tungsten, additions, to stabilize U carbonitrides (6) 131*b*.
adherence, to glass, and W-Au interconnect layer, P (8) 174*d*.
carbide, armored metal tools, P (11) 241*f*.
C self-diffusion in (2) 51*d*.
cemented compositions, P (5) 100*j*.
disulfide, and diselenide, crystals, electrical conductivity (5) 108*j*.
hexachloride, and pentachloride, thermodynamic properties (6) 139*f*.
oxyfluoride bronzes (9) 214*c*.
-Re melts, fluorination kinetics (5) 111*i*.
and Rh solid compound, P (9) 202*a*.
selenide, reaction with gaseous bromine (5) 114*h*.
trioxide, electron microscopy (1) 24*c*.
reaction with $Bi_4Ti_3O_{12}$ (1) 29*h*.
WC-Co alloys, phase decomposition and grain growth (6) 138*f*.
$(W_{0.2}V_{0.8})_2O_7$, synthesis and crystal structure (1) 29*f*.
WSe_2, optical response (8) 185*c*.
Turbines, blades, SiN for (8) 171*f*.
gas, automotive, ceramics in (7) 148*c*.

Ultrasonics, apparatus, for measuring crack and craze velocities (6) 133*g*.
measuring physical properties of sample, P (7) 157*h*.
for thermometry, P (6) 133*g*.
attenuation, anomalous, in $SrTiO_3$ (7) 159*f*.
in quartz (8) 187*f*.
beam mixing, as measure of parameters of SiO_2 and NaCl (8) 187*f*.
characteristics, of commercial glasses (8) 169*g*.
energy, low- and high-intensity applications, B (6) 140*i*.
inspection apparatus, P (1) 22*f*.
investigation, of mechanical properties, B (11) 260*i*.
loss, in Na borosilicate glasses (9) 193*j*.
measurements, of absolute signs of photoelastic coeff. (11) 254*e*.
of NaCl (8) 181*b*.
observation, of setting of builder's plaster (9) 190*b*.
scanning inspection, for transducers, P (3) 70*i*.
speed, of glasses (9) 193*h*.
for strength testing, building materials (10) 223*f*.
study, of alpha-beta phase transition in quartz (7) 163*j*.
surface, roughness indicator, P (1) 22*f*.
velocity measurements, on molten ceramics (11) 254*d*.
wave, propagating in Cr_2O_3 (7) 162*d*.
Underwater vehicles, materials for, evaluation (1) 21*j*.
Uranium, carbide, hypo- and hyperstoichiometric, thermodynamic properties (6) 131*d*.
interaction with liquid Na containing O (6) 131*g*.
and nitrides, P (2) 47*e*.
reaction with liquid Na (6) 131*j*.
reaction with N, graphitization of free C precipitating through (2) 46*d*.
reaction with SiC, high-temp. (6) 131*e*.
S-modified (4) 87*i*.
carbides, hypo- and hyperstoichiometric, thermodynamic properties (6) 131*d*.
interaction with liquid Na containing O (6) 131*g*.
and nitrides, P (2) 47*e*.
reaction with liquid Na (6) 131*j*.
S-modified (4) 87*i*.
carbonitride, and mixed carbonitride, high-temp. thermal lattice expansion (2) 46*h*.
stabilization by W (6) 131*b*.
-Ce carbonitride, mutual solubility and preparation (2) 46*e*.
diboride, enthalpy (8) 176*b*.
dioxide, agglomerated powders, particle size distribution (3) 71*a*.
carbothermic reduction, CaO equilibrium pressures and phase relations during (1) 19*g*.
C-N_2 reaction, kinetics (1) 20*c*.
compressibility (8) 175*j*.
crack healing in (7) 155*j*.
creep, radiation-induced (4) 87*j*.
crystallite, property change in sol-gel process (1) 20*c*.
crystals, positron annihilation in (11) 256*h*.
deposition from plasma (10) 231*d*.
fracture, effect of impurity particles (1) 20*c*.
frictional force coeff. of moving dislocation in (5) 110*c*.
grain-boundary energy to surface energy ratio in (8) 176*a*.

Uranium dioxide *(continued)*
hyperstoichiometric, deformation model for (4) 87*h*.
impregnated, and U-bearing microspheres, P (5) 103*h*.
irradiated, matrix fission-gas bubbles in (1) 19*h*.
irradiation, resolution of fission-gas atoms from bubbles during (10) 230*h*.
liquid, enthalpy (1) 19*i*.
nucleation of bubbles and re-solution effects in (8) 176*g*.
nucleation of fission gas bubbles and gas migration in (5) 103*f*.
O self-diffusion in (10) 230*j*.
particles, uniform size, P (11) 251*j*.
pellets, refired sintered, electrical conductivity (3) 71*c*.
-plutonia sols, P (5) 103*f*.
powder, apparatus for, P (9) 203*b*.
powders, compaction capability (5) 103*f*.
-PuO_2 creep, irradiation effect (10) 230*d*.
single crystals, H diffusion and solubility in (6) 131*a*.
sintered bodies, open pore distribution (3) 71*b*.
sintered, torsion strength (2) 47*a*.
surface diffusion, surface free energy, and grain-boundary free energy (6) 131*d*.
thermal conductivity at high temps. (2) 46*j*.
thin films, epitaxial growth (8) 176*b*.
and $(U,Pu)O_2$, reaction with F and Cl derivatives (8) 176*d*.
ditelluride (9) 216*a*.
extraction, from aqueous solution, P (10) 231*e*.
from ores, P (10) 231*d*.
from seawater, P (7) 159*b*.
hexafluoride, apparatus for handling, P (5) 103*i*.
purifying by reduction to lower U fluorides, P (2) 47*c*.
mill effluent, disposal by well injection (10) 230*b*.
mining, solution process, P (5) 106*b*.
monocarbide, adiabatic elastic constants (6) 130*j*.
creep behavior in compression (10) 230*j*.
levitation melting (2) 46*c*.
and UC-U aluminide mixtures, P (5) 103*j*.
-UC_2 diagram, metastable (2) 46*d*.
mononitride, heat capacity and thermal conductivity (1) 20*a*.
optical properties (8) 176*h*.
monophosphides, and monochalcogenides, by volatile metal process (2) 46*g*.
monosulfide, heat capacity (8) 176*c*.
high temp. reaction with Zr (2) 46*g*.
ore, leaching in situ, P (4) 88*a*.
oxide, oxidation equilibria, X-ray diffraction study (4) 87*f*.
sols, P (1) 20*f*.
and U oxide-Pu oxide, spheres of, P (8) 176*h*.
vapor species, ir spectrum (10) 230*g*.
oxycarbides, electrical properties (9) 209*g*.
oxysulfide, comments (10) 230*b*.
-plutonium, mixed oxides and carbides, sintering (7) 158*g*.
-Pu carbides, compressive creep and hot hardness (5) 103*d*.
-Pu oxide, enthalpy (10) 230*e*.
fuel pellets, creep (7) 155*f*.
mixed, equilibrium O potential-composition relations in (4) 91*g*.
stoichiometry determination (7) 155*h*.
Pu separation from, P (8) 176*g*.
recovery, from organic extractant, P (9) 203*d*.
P (10) 231*e*.
as UF_6, P (7) 155*j*.
from wet-process H_3PO_4, P (5) 103*i*.
redistribution, during evaporation in oxide fuel (8) 176*a*.
in (U,Pu) oxide fuels (2) 46*h*.
self-diffusion, in UC_2 (9) 203*a*.
separation, from holder, P (5) 103*i*.
sesquinitride, equilibrium N pressures and thermodynamic properties (10) 230*f*.
sulfides, and selenides, chemical transfer (9) 208*h*.
telluride, crystals, symmetry (5) 115*f*.
trioxide, decomposition during heating (5) 103*e*.
U-233, high-purity, P (5) 103*e*.
U_2C_3, formation in reaction of UC_2 with UO_2 (1) 19*j*.
UN, UP, US, and USe, X-ray study (5) 116*h*.
UO_{2-x}, high-temp. thermodynamic data (2) 46*i*.
$UO_2(OH)_2$, beta→alpha transition in (2) 54*j*.
U_3O_8, reaction with ZrO_2 (1) 27*g*.
U_4O_9, dielectric constant in (7) 150*j*.
phase transition in (5) 103*g*; phase, X-ray study on phase transition and phase diagram in (7) 164*a*.
and (U,Pu) mixed oxides, O/metal ratios for (1) 19*i*.
$(U,Pu)O_2$ fuels, V alloys as cladding material for (1) 20*g*.
$(U,Pu)O_{2-y}$, synthesis, kinetic models (10) 230*h*.
uranyl chloride, reaction with $CuCl_2$ in system UO_2Cl_2-$CuCl_2$ (1) 27*d*.
U_3Si, annealing of damage in (7) 155*f*.
ion-bombarded, X-ray diffraction studies (1) 20*b*.
structure (8) 175*j*.
swelling in, burnup and temp. dependence (10) 229*i*.
transmission electron microscopy (6) 131*e*.
in U_3Si alloy, kinetics of formation (7) 155*g*.
U_2S_3, crystals, morphology and symmetry (7) 161*f*.
values, recovery by precipitation of NH diuranate, P (8) 176*i*.

Valves, glass ball, P (10) 222*h*.
Vanadates, with defect garnet structure (8) 187*i*.
rare-earth, phase transitions in, Raman study (8) 185*h*.
Vanadium, carbide, heat capacity and ir absorption spectra (5) 110*g*.
P (6) 128*a*.
compounds, by alkaline leaching, P (5) 105*j*.
dioxide, crystals, C/a ratio with rutile structure (9) 208*e*.

Vanadium dioxide *(continued)*
fast phase transition in (8) 184*j*.
films, transport and structural properties (10) 240*c*.
impurity conduction in (5) 110*f*.
metal-insulator "Mott transition" (11) 258*g*.
phase transition (6) 139*c*.
ions, in Al_2O_3, phonon scattering by (8) 185*h*.
monoxide, charge carrier freeze-out effects in (8) 179*h*.
energy bands (8) 181*b*.
nitride, P (10) 224*f*.
oxide, films, pyrolysis (6) 138*j*.
pentoxide, decomposition, electron microscopy (5) 109*i*.
electrical conductivity, bombardment-enhanced (8) 182*a*.
reaction with ceramic materials, B (7) 164*h*.
single crystals, V_nO_{2n-1} (n = 3,4,...,8), growth and electrical properties (3) 75*e*.
trioxide, Cr-doped optical properties (7) 152*e*.
metal-antiferromagnetic insulator transition (9) 212*c*.
metal-insulator transition in (7) 151*j*.
metal-insulator transition in, NMR (8) 183*c*.
single-crystal, by vapor phase transport (5) 107*a*.
and $(V_{0.962}Cr_{0.038})_2O_3$, crystal structure (5) 107*c*.
VBO_3, ferromagnetic (7) 151*d*.
$(V_{1-x}Cr_x)_2O_3$, preparation and electronic properties (5) 114*b*.
V_8C_5, disordered, C self-diffusion in (8) 179*f*.
VFe_2Se_4, magnetic structure (6) 137*h*.
V_nO_{2n-1}, metal-insulator transition in (8) 183*b*.
V_2O_3, and $(V_{1-x}Cr_x)_2O_3$ crystals, Czochralski growth (4) 92*a*.
VPO_4, beta, crystal structure (4) 91*d*.
V^{3+}, acoustic paramagnetic resonance in MgO (11) 259*j*.
Van der Pauw's theorem, for measuring, specific resistivity of disks to anisotropic media (3) 72*c*.
Vaporization, incongruent, of $YbC_{1.25+y}$ (8) 182*a*.
thermodynamics, of Tl_2O (8) 187*d*.
of Tl_2SO_4 (8) 187*j*.
Vapor phase, reaction, for Si_3N_4 preparation (7) 152*h*.
transport, in production of single-crystal V_2O_3 (5) 107*a*.
Vapor pressure, of Al_2O_3 and MgO, measurement by free-evaporation methods (4) 89*e*.
and composition, in system $SnBr_2$-RbBr (5) 108*b*.
of liquids, glass Hg apparatus for measuring (3) 60*i*.
measurements, on ceramic materials (4) 89*e*.
over salt mixture melts, in systems $PbCl_2$MCl (9) 216*a*.
over solutions, of system K_2O-Al_2O_3-H_2O (1) 26*j*.
saturated, over NaOH and $NaAlO_2$ (1) 24*d*.
in system, $SnCl_2$-(Rb,Cs)Cl (1) 24*f*.
Velocity, -field characteristic, in GaAs (6) 139*h*.
measurements, ultrasonic, on molten ceramics (11) 254*d*.
Vermiculite, articles, glazed ceramic bonded expanded, P (1) 11*b*.
cation exchange, selectivity in (5) 106*f*.
interaction, with ammonia (5) 111*d*.
self-diffusion coeff., determination by Moessbauer effect (6) 135*e*.
and vermiculitization (6) 140*b*.
Vibrations, anisotropy, of Fe atoms in siderite crystals (7) 161*g*.
atomic, in vitreous SiO_2 (2) 50*j*.
cation, in inorganic oxide glasses (9) 192*c*.
of glass, relation to glass transition temp., correction (11) 245*b*..
of mass defect, in CdS (6) 140*c*.
microwave electromagnetic, use in testing refractory quality (1) 22*g*.
modes, excess, relaxation in SiO_2 (6) 135*b*.
properties, of germania (2) 56*b*.
Viscometers, capillary, for reactive melts (10) 233*b*.
Kohl-type, and Gallenkamp torsion-type compared for clay slips (1) 21*h*.
P (8) 178*c*; (9) 205*h*.
spherical rotational, flow of viscoelastic mass in (11) 253*i*.
Viscometry, of glass crystallization (6) 125*h*.
Viscosity, of Al silicate glazes, irradiation effect (10) 230*a*.
determination, apparatus and method, P (9) 205*d*.
of enamels and glasses, new constants (1) 4*d*.
of glass, Fe-containing (9) 193*a*.
Na_2O-SiO_2 (5) 98*f*.
quartz, relation to structure (5) 98*j*.
relation to temp. (1) 9*g*.
slag (9) 193*b*.
slag, effect of F (1) 6*c*.
in system As_2S_3-Tl_2S and As_2Se_3-Tl_2Se (1) 7*g*.
liquid-phase, of cement clinker, dependence on cations and anions of mineralizers (1) 2*a*.
properties, of glasses (8) 167*f*.
of semiconductors, glass (4) 86*c*.
-temp. relations, in glass system SiO_2-Al_2O_3-Na_2O-K_2O-CaO-MgO, correction (8) 169*i*.
Vitreous materials, active, electrically and optically, P (1) 10*e*.
phase, in technical materials, B (6) 140*j*.
state, polymeric structure and problems (1) 26*h*.
Vitrification, of glass, in system SiO_2-Al_2O_3-MgO-B_2O_3-TiO_2-Li_2O (7) 146*f*.
of Na phosphate melts, effect of cooling rate (9) 209*h*.
Voltage, photo-, in ceramic $BaTiO_3$ (8) 173*i*.
regulator, electronic automatic (5) 104*e*.
Volume, molal, apparent and partial, of K-montmorillonite (8) 179*i*.
molar, of mixing in alkaline earth chloride mixtures and alkali chloride-$MgCl_2$ mixtures (2) 55*g*.
properties, of melts in systems CdI_2-$CdCl_2$, Tl_2Br_2-$CdBr_2$, and Tl_2Cl_2-$CdCl_2$ (1) 29*d*.
of melts in systems Na,Zn||PO_3,O and K,Zn||PO_3,O (1) 27*i*.
specific, of Al silicate glazes, irradiation effect (10) 230*a*.

Walls, cavity, tests (2) 39*g*.
Wastes, industrial, use for phosphorus removal (4) 88*g*.
nuclear, made safe with ceramics (9) 202*j*.
radioactive, nuclear chimney, disposal, P (4) 87*j*.
raw urban, resource recovery from (10) 231*g*.
Water, adsorbed, between sheets of fluoromontmorillonite (11) 259*c*.
adsorption, on cement pastes (11) 242*j*.
by clays (5) 106*f*.
on montmorillonites, energy profile (6) 136*f*.
in clay minerals, NMR spectrometry (4) 90*j*.
content, of anhydrous silicates (10) 240*c*.
of particulate material, P (7) 157*e*.
demineralizing, by electrodialysis, P (9) 204*a*.
displacement, determination of refractory grain porosity by (1) 11*f*.
effect, on domain structure of garnet films (10) 226*g*.
on magmas formed at high pressures (1) 24*j*.
on plasticity of raw mixtures (9) 190*g*.
on surface conduction of As-Te-Ge glass (8) 167*j*.
impurity, in natural diamonds (3) 59*d*.
interaction, with hardened cement paste (9) 190*h*.
jetting, for industrial cleaning (5) 104*c*.
-proofing, of cement and plaster mortars (4) 79*h*.
reaction with glass, kinetics (1) 7*i*.
retention, dependence on amber glass composition (6) 122*h*.
separation, device for, P (11) 252*g*.
from granular material and water mixture, P (8) 177*g*.
-solid ratio, effect on growth of $Ca(OH)_2$ crystals (3) 59*h*.
structures, ionic mobility in microcapillaries (2) 53*b*.
vapor, absorption on alpha Fe_2O_3 (2) 50*j*.
adsorption and surface conductivity in solids (1) 29*d*.
effect on surface properties of MgO (8) 186*i*.
effect on white portland cement clinker liquid phase (2) 33*c*.
in high-temp. ceramic processes, B (9) 216*j*.
Waves, acoustic, surface, velocities on $Gd_2(MoO_4)_3$ (11) 259*g*.
elastic, in calcite, Grueneisen parameters (8) 182*a*.
propagation in $LiNbO_3$ (8) 180*i*.
refraction in crystals (10) 237*c*.
surface, on ferroelectric ceramics (10) 225*j*.
surface, in quartz, microwave freq. (10) 239*h*.
electromagnetic, for detection of conducting bodies, P (9) 205*e*.
electron, modulation by laser beam (7) 152*e*.
guide, fiber optical, borosilicate glasses for (8) 167*b*.
glass optical, attenuation in (10) 222*a*.
magnetooptic, of garnet films (10) 227*d*.
optical, fused-SiO_2-core glass fiber as (10) 220*e*.
optical, fused SiO_2, Raman gain in (10) 221*i*.
optical, of garnet films (10) 226*j*.
-guide materials, fiber optical, light transmission in (10) 220*c*.
micro-, -absorbing wall element, P (7) 154*g*.
absorption in Tb orthoaluminate (7) 163*j*.
arcing, in kiln design (7) 157*i*.
Ca-V garnets as (1) 16*c*.
for ceramic process control (5) 104*b*.
device, for thickness measurement, P (9) 205*d*.
freq. conductivity, study of impurity conduction in VO_2 (5) 110*f*.
materials, zirconate composition for (8) 173*g*.
power control by applying stress to $GdMoO_3$ single crystal, P (4) 86*h*.
systems in X-freq. band, Ni and Ni-Zn ferrites for (2) 43*b*.
optic spin, in magnetite (9) 213*i*.
Rayleigh, guidance on $LiNbO_3$ (10) 238*g*.
propagation on $Bi_{12}GeO_{20}$ (10) 238*g*.
spin, impurity modes, in Heisenberg antiferromagnets (6) 136*a*.
in MnO (9) 211*e*.
in MnO (9) 215*c*.
theory of uniaxial ferromagnets (2) 42*j*.
in YIG (8) 186*j*.
surface, on semiconductor, and acoustic, on piezoelectric, P (8) 174*i*.
Weighing and weights, apparatus, and delivery, P (7) 156*h*.
automatic, for batch, P (1) 20*c*.
balance, electrotensometric conveyor (2) 47*g*.
-change measurements, of particles suspended in electric field (11) 254*h*.
continuous changes in, device for measuring, P (11) 254*c*.
and filling apparatus, P (8) 177*g*.
proportioning, automated for process precision (9) 203*e*.
Welding, arc, P (2) 34*g*.
submerged, flux for, P (1) 4*h*.
automatic apparatus, and evacuation of electro-vacuum devices, P (8) 169*c*.
cover, to tubular ceramic housing, P (11) 250*b*.
electrically, double-walled glazing unit, P (8) 169*j*.
double-walled glazing unit, P (8) 170*g*.
fluxes, bonded arc, liquid binding agent for, P (3) 60*f*.
refractory alloys (11) 247*c*.
torches, nozzle, composite C insert for, P (2) 40*c*.
nozzles, pyrolytic graphite, and guide tubes for, P (2) 40*i*.
Wetting, behavior, of glass-iron systems (3) 60*f*.
clay, P (2) 50*a*.
E-glass by vapors, surface free energy (3) 60*i*.
liquids, surface tension and contact angles (11) 253*f*.
Whiteware, articles, P (11) 248*h*.
bodies, fundamental parameters, relation to slip properties (10) 225*e*.
low expansion, semicrystalline glazes for (4) 84*f*.
plasticity and fundamental parameters (10) 225*c*.
Whiteware bodies *(continued)*
properties, and fundamental parameters of slips (10) 225*d*.
unfired strength and fundamental parameters (9) 198*b*.
ceramic hollow ware, supporting carriage for, casting in, molds for, P (1) 15*f*.
compositions, comprising borate flux, P (3) 66*c*.
fine ceramics (4) 84*e*.
industry, autoramics in (2) 56*g*.
Bernardaud china (8) 172*h*.
computers and production changes in (7) 150*a*.
firing in (10) 224*j*.
Haeger (7) 150*c*.
Haviland modernizes (8) 172*h*.
Iron Mountain Stoneware expands (8) 172*h*.
Naaman (7) 150*c*.
systems production (7) 150*e*.
Thai ceramics (9) 198*h*.
lamp bases, pusher kiln for (11) 248*d*.
materials, compatible with living tissue (2) 41*b*.
mfg., machines for, P (7) 150*d*.
P (7) 150*e*.
orthopedic implants, history (3) 66*a*.
prostheses, bioceramic vascular, surface properties (7) 150*e*.
prosthetics, blood-circulation device, P (1) 15*e*.
raw materials, bodies, and glazes, firing properties (11) 248*d*.
from Chlumcany deposit (2) 50*e*.
shaping, by roller machine (10) 225*e*.
strengthening, by glazing and quenching, P (5) 101*c*.
Willemite, single crystals, cathodoluminescence (9) 199*d*.
Wollastonite, in ceramic industry (2) 50*f*.
synthetic, with granular crystals (1) 15*a*.
P (8) 179*a*.
use in wall tile mfg. (1) 15*b*.
in wall tile (10) 225*e*.
treating, P (8) 179*d*.
Wurtzite, lattice dynamics (10) 237*f*.
Wustite, O activities, and phase boundaries in (4) 93*b*.

X rays, analysis, advances in, proceedings, B (8) 188*c*.
of crystal structure and goniometer for, P (5) 105*d*.
of double gallates of rare-earth elements (2) 55*j*.
of system $Ln_2(MoO_4)_3$-K_2MoO_4 [Ln = Gd, Dy, Ho, Er, Y] (1) 29*e*.
automonochromatization, moving-slit, in structural studies of planar diodes (5) 106*d*.
camera, for X-ray diffraction analysis, P (9) 205*h*.
crystallography, eliminating spot doubling in, P (8) 178*b*.
data, for K double tungstates and molybdates (1) 29*g*.
determination, of film thickness using glassy halo (7) 146*g*.
diffraction, analysis, oriented clay mineral specimens for (10) 232*i*.
clay mineral specimens prepared for (5) 105*b*.
of degenerate refractories (3) 65*h*.
of Dy sulfides (9) 215*f*.
of ferroelectric $BiFeO_3$ (5) 109*j*.
of fine-grained sediments of Gulf of Mexico (1) 22*a*.
of $Gd_2(MoO_4)_3$ (8) 188*b*.
of glasses, Na_2O-TiO_2-SiO_2 (5) 98*i*.
grating crystals, P (1) 22*f*.
of $LiNbO_3$-$KNbO_3$ system (8) 188*b*.
of $Li(Ta_xSb_{1-x})O_3$ system (8) 188*a*.
of $Mg(Cr_xAl_{2-x})O_4$ (11) 259*i*.
of mixed borates of Pr, Gd, and La (9) 216*a*.
of mixed ferrocyanides of Cs and trivalent La and Ce (5) 116*f*.
of Na_2S-Sb_2O_3 system (9) 216*b*.
of oxidation equilibria of U oxides (4) 87*f*.
of Pb hydroxyapatite, oxyapatite, and alkali apatites (8) 182*f*.
of phase transition in U_4O_9 phase (5) 103*g*.
powder patterns, standard (4) 89*d*.
profiles for kaolinite-montmorillonite (8) 179*e*.
of Si monocrystals (11) 256*i*.
of single crystals undergoing shock-wave compression (10) 240*d*.
of solid solutions $Cr_xTi_{2-x}O_3$ and $Cr_xV_{2-x}O_3$ (7) 164*a*.
studies of glasses in system Na_2O-Al_2O_3-SiO_2 (1) 9*j*.
studies of U_3Si (1) 20*b*.
study of atomic positions in Th silicate (3) 74*b*.
study of ferromanganite spinels (6) 140*a*.
study of Th silicate (6) 140*c*.
of Tm polymorph (10) 236*a*.
and X-ray fluorescence analysis, P (1) 22*d*.
diffractometer, for crystal's surface orientation (11) 253*d*.
diffractometry, of clays, jig for cutting glass slips in (8) 177*i*.
fluorescence, of Al coordination in SiO_2-Al_2O_3 gels (6) 135*d*.
apparatus for raw meal control (7) 143*b*.
fluorescence analysis, automatic (7) 156*j*.
of cement raw materials (7) 143*a*.
radioisotope, sensitivity (11) 253*h*.
for SO_3 content regulation in cement grinding (10) 217*i*.
specimen preparation (10) 233*c*.
measurement, of soil densities (3) 72*d*.
O-ion-induced, for measurement of surface contamination (10) 232*j*.
perfection, in Gd Ga garnet substrates (8) 173*i*.
phase study, of systems $CdBO_3$-ABO_3 (A = Sr, Ba; B = Hf, Ti, Sn) (2) 56*c*.
photoelectron, study of chemical bonds in Na, Mg, Al, and Si minerals (11) 259*i*.
powder data, for structural state of calcic plagioclases (8) 180*c*.
powder diffraction, data for beta Al_2TiO_5 (5) 106*d*.
X rays production, from electric insulator, P (7) 153*a*.
quantitative, determination of clay minerals, oriented powders for (5) 105*c*.
radiation shield, flame-sprayed ferrite powder, P (7) 146*g*.
reflection efficiency, of optical surfaces, P (2) 49*a*.
spectral microanalysis, of powder metallurgical materials (8) 177*i*.
spectral study, of glass surface structure (9) 193*c*.
spectrum analysis, of NiFe alloy thin magnetic layers (3) 68*f*.
study, of $ATiTO_5$ (A = Cr,Mn,Fe;T = rare earth) (4) 94*c*.
of $BaTiO_3$ single crystal surface layer (5) 116*h*.
of chemical bonds in solids, B (2) 57*a*.
of double oxides of Ta and rare-earth elements (5) 116*g*.
of double tungstates α-$KLn(WO_4)_2$ (Ln = Eu, Yb) (1) 29*h*.
of ferrocyanides of Cs with Mg and Ca (2) 56*d*.
of ferrocyanides of Cs with trivalent Fe (2) 56*d*.
of ferrocyanides of Cu, Co, Ni, and trivalent Fe and mixed ferrocyanide of Cu and K (1) 29*h*.
of ferrocyanides of Pr with alkali metals (2) 56*e*.
of mixed tungstates of Ba and Sr of $Ba_{3-x}Sr_xWO_6$ (7) 164*a*.
on phase transition and phase diagram in U_4O_9 phase (7) 164*a*.
of systems $CdHfO_3$-$AHfO_3$ and $CdHfO_3$-$CdBO_3$ [A = Ca, Sr, Ba, Pb; B = Zr, Sm] (1) 29*i*.
of UN, UP, US, and USe (5) 116*h*.
target, B-containing rotating, P (1) 22*c*.
topographic analysis, of dislocations and growth bands in Gd Ga garnet crystal (5) 116*j*.

Ytterbium, chalcogenide, thin films, optical and magnetooptical properties (8) 185*d*.
orthomanganite, magnetic properties (8) 183*e*.
vanadate, refinement of crystal structure (2) 54*j*.
$YbC_{1.25+y}$, incongruent vaporization (8) 182*a*.
$YbFeO_3$, entropy change of phase transitions in (7) 160*g*.
sublattice magnetization in (7) 162*h*.
YbOOH, crystal structure (2) 51*g*.
Yb_2O_2Se, magnetic structure (9) 212*c*.
Yb^{3+2}, coordination in phosphate, silicate, and germanate glasses (4) 80*h*.
optical spectra in phosphate glass (5) 98*c*.
Yttrium, compound, films, magnetic anisotropy in (10) 236*c*.
orthomanganite, magnetic properties (8) 183*e*.
oxide, bodies, sealing, P (6) 129*a*.
ceramics, sintering and properties (1) 27*a*.
ceramics, sintering and properties (9) 214*g*.
dense ceramic from (9) 209*d*.
inelastic tunneling due to vibrational modes (8) 182*c*.
-MgO mixtures, in Al_2O_3 bodies, P (5) 101*d*.
reactions with NH_4F (5) 116*f*.
transparent ThO_2-doped (7) 144*d*.
purification, P (2) 50*h*.
separation, from lanthanides, P (7) 159*a*.
from mixtures, P (5) 106*b*.
vanadate, Raman scattering (9) 214*h*.
$YAlO_3$, laser action in (1) 15*i*.
$YFeO_3$, bubble domains in, detection by SEM (1) 24*e*.
sublattice magnetization in (7) 162*h*.

Zeolites, aluminosilicate, in catalysts, P (5) 106*a*.
catalysts, high-activity, catalytic cracking with, P (1) 23*c*.
high-activity, P (1) 23*e*.
CoY and CoA, magnetic properties (4) 92*h*.
crystalline, synthesis, P (9) 207*e*.
synthetic, conversion with, P (1) 23*d*.
synthetic, P (3) 73*d*.
Y, P (1) 23*h*.
ZSM-10, P (1) 23*d*.
ZSM-5, P (2) 50*h*.
erionite, in Nevada (6) 134*g*.
faujasite-type, P (1) 23*i*; P (2) 50*b*.
modified, separation of mixtures with, P (2) 50*g*.
natural, properties (10) 238*e*.
novel surfaces, P (8) 179*d*.
SiO_2-rich, P (1) 23*h*.
sorption, with less polar molecules, P (8) 179*d*.
synthesis, reactions in aluminosilicate hydrogel obtained during (4) 92*a*.
synthetic, of faujasite structure, P (7) 159*b*.
P (3) 73*f*.
small-pore, P (7) 159*b*.
specific heat, and heat of fusion of absorbed water (8) 186*i*.
type 4A, thermal evolution (7) 163*f*.
Zinc, aluminate, EPR of Mn^{2+} in (9) 209*h*.
blende, anharmonic interactions with crystals (6) 138*f*.
-chalcogenides, ir absorption and Raman scattering in (9) 211*h*.
chromite, magnetic and elastic properties (8) 183*a*.
diffusion, into semiconductor substrate, P (7) 153*j*.
fluoride, crystals, directional dispersion of optical phonons in (5) 108*h*.
interstitials, concentrations in colored ZnO (3) 75*g*.
iodide, reaction with InI (7) 162*h*.
-Mn ions, isomorphism in Na_2ZnGeO_4 crystals (8) 183*d*.
oxide, Bi_2O_3 ceramics, electrical properties (8) 173*f*.
crystal, inversion twin in (3) 75*f*.
crystals, conduction electrons in (9) 212*a*.
crystals, electrical conduction in (5) 109*d*.
decay of polarization charge on (9) 209*b*.
effect on sintering portland cement clinker (10) 218*c*.
elastic constants, measurement (8) 183*j*.
electron energy-loss and uv-reflectivity spectra (6) 136*c*.
exciton-exciton interaction and laser emission in (9) 210*i*.

Zinc oxide *(continued)*
far-ir absorption in (9) 210*a*.
films, transparent, P (2) 44*j*.
high-field behavior (5) 110*g*.
ir photoluminescence emission band in (8) 183*d*.
lattice dynamics (7) 161*i*.
longitudinal optical mode freq. in, ir spectroscopy (5) 104*j*.
O displacement energy in (9) 213*a*.
ohmic contacts to (11) 249*h*.
$^{17}O_2^-$ adsorbed on (10) 237*g*.
reaction with Ga oxide (1) 27*e*.
ribbon crystal, orientation (6) 138*f*.
single crystals, chemisorption kinetics of O at surface (8) 182*e*.
single crystals, Cu diffusion in (5) 108*e*.
single crystals, trapping effects and acoustoelectric current saturation in (8) 187*e*.
single-crystal plates, growth (3) 75*g*.
sintering, effect of O pressure (6) 135*i*.
solubility in melts of $ZnCl_2$ or $CdCl_2$ (5) 114*e*.
thin films, properties (5) 101*e*.
yellow luminescence (7) 164*a*.
Zn vacancies in, EPR associated with (7) 160*b*.
peroxide, thermal decomposition and structure (7) 163*e*.
selenide, crystals, luminescent Tm centers in (8) 183*j*.
epitaxial, on GaAs and Ge by HBr transport (5) 101*f*.
pn junctions in, P (10) 229*e*.
p-type conduction in (10) 227*b*.
synthesis by reaction of Zn oxides with Se (5) 113*j*.
and telluride, optical phonon line widths and freq. (7) 163*j*.
and telluride, optical properties of impurities in (4) 92*f*.
and telluride, photoplastic effect in (3) 76*a*.
sulfide, hot-pressing (1) 25*d*.
lattice dynamics, by neutron scattering (5) 111*a*.
Raman spectrum (5) 114*e*.
second harmonic generation, electrooptic, and piezoelectric coeffs. (9) 207*f*.
:TbF_3, thin films, dc electroluminescence (8) 173*b*.
thermal analytical characterization (1) 29*c*.
thin films, electroforming and conduction in (3) 66*j*.
/ZnSe mixed crystals, defects in (4) 91*a*.
telluride, :Al, electrical properties (8) 182*f*.
defects in, high-temp. study (5) 110*c*.
luminescence in (5) 111*c*.
photo- and electroluminescence, effect of annealing (5) 108*a*.
selenide, sulfide, and oxide, piezobirefringence (8) 173*h*.
type conversion in, and pn junction devices from, P (8) 175*b*.
tellurite, p-type, high-photosensitivity (9) 199*c*.
tetrafluoroborate, chemical transformations during heating (1) 24*g*.
$Zn_xCd_{1-x}Te$, single crystals, reflectivity spectra (9) 214*a*.
$ZnCr_2O_4$, paramagnetic, neutron scattering from (5) 112*b*.
$ZnCr_2Se_4$, magnetic properties (8) 183*d*.
$ZnGa_2O_4$, ESR (7) 160*c*.
$ZnIn_2S_4$, single crystals, charge storage in (11) 257*a*.
$ZnMn_2O_4$, single crystals, chemical transport growth (11) 249*i*.
$ZnSe_{1-x}S_x$, crystals, luminescent study (5) 111*g*.
$ZnSiP_2$, thermal dissociation (5) 116*b*.
$ZnSO_3.2.5H_2O$, crystal structure (2) 51*i*.
Zircon, concentrates, decomposition by soda ash (2) 52*b*.
crystals, refraction of elastic waves in (10) 237*c*.
deironed, complex shapes from (1) 12*b*.
disorder in, ion-bombardment-induced (4) 90*j*.
glass polishing compositions, P (1) 9*g*.
in insulators, to improve properties (2) 4*i*.
plasma-sprayed, pore changes on reheating (7) 148*b*.
prism, light polarizing, P (2) 44*c*.
sand, decomposition (9) 195*j*.
decomposition by MgO (3) 65*c*.
decomposition by TiO_2 (3) 65*d*.
from silicate ores, P (11) 256*e*.
Zirconates, composition, for microwave application (8) 173*g*.
rare-earth, heat of formation (7) 161*e*.
Zirconium, alkaline sorosilicates, crystal chemistry (8) 180*e*.
carbide, high-temp. strength (8) 171*h*.
loosely poured powders, recrystallization in (8) 179*j*.
O solubility in (1) 27*c*.
plastic deformation during grinding (11) 247*g*.
thermal expansion (6) 139*d*.
ceramics, in system ZrO_2-Yb_2O_3, phase relations and properties (1) 26*f*.
compounds, ceramics based on (2) 51*g*.
Zirconium dioxide *(continued)*
diboride, electrodeposition, P (5) 100*d*.
oxidation, effect of SiC (10) 223*i*.
diffusion barrier, in Ti-SiC composite materials, P (6) 128*d*.
dioxide, anodic layers, photoluminescence (3) 68*d*.
CaO-stabilized, creep (1) 24*b*.
coatings, bonded to metal by enamel, P (4) 80*c*.
degree of melting, effect on adhesion in plasma spraying (8) 171*e*.
electronic conduction in (9) 209*j*.
member, bonding to member, P (9) 201*c*.
microspheres, by sol-gel process (4) 83*h*.
particle size and structure, effect on $PbZr_{0.5}Ti_{0.5}O_3$ (9) 211*f*.
reaction with U_3O_8 (1) 27*g*.
resistance heaters, structural changes (7) 148*e*.
single crystals, phase transformation (10) 238*a*.
-SiO_2 thin films, phase transformations in (5) 113*c*.
solid electrolytes, n-type conductivity in (6) 137*j*.
stabilization (1) 27*e*.
for thermal shock resistance (9) 197*c*.
thermodynamic properties (8) 185*i*.
use as electrode constituent (8) 169*e*.
and Zr fluosulfate, glass polishing compositions, P (1) 9*g*.
droplets, combustion in O/rare gas mixtures (8) 180*a*.
and HfO_2 compounds, thermal conductivity (1) 29*d*.
Hf separation from, P (9) 207*e*.
monochloride (2) 56*e*.
nitride, spheres, structure (10) 230*f*.
oxycarbide, concentration region of stability (5) 107*e*.
oxynitride, homogeneity region (5) 110*d*.
perrhenates, study of vibrational spectroscopy (2) 55*a*.
reaction, high temp. with US (2) 46*g*.
separation, from Ti chlorination residues (1) 23*g*.
-Si, surface coating on BN-containing vessel, P (7) 149*b*.
tetrafluoride, P (2) 50*i*.
$ZrCl_4.POCl_3$, heat of formation (7) 159*h*.
ZrH_2-TiH_2, ZrH_2-HfH_2, and ZrH_2-NbH, properties (9) 209*d*.
Zone melting, crucible-free, crystalline member, P (1) 17*b*.
using displaced heater, P (1) 17*h*.
float, necked housing in, P (1) 18*e*.
floating, P (3) 69*e*.

INDEX GUIDE

"See" and "See also" references indicate categories under which related or similar information may be indexed. The list is general and categories will not necessarily appear in the index every year.

Abrading apparatus. See *Grinding apparatus.*
Abrasives. See also *Carbides; Diamond; Grinding apparatus; Polishing apparatus; Silicon, carbide.*
Acids. See also specific types.
Acoustics. See also *Insulation, acoustical; Sound.*
Adherence. See *Enamels.*
Adsorption. See also *Diffusion; Sorption.*
Aircraft ceramics. See *Cermets; Spacecraft.*
Alkaline earths. See also specific types.
Alkalis. See also specific types.
Alumina. See *Aluminum oxide.*
Aluminum oxide. See also *Abrasives; Boehmite; Refractories.*
Analysis. See also *Chromatography; Colorimetry; Electron diffraction; Microscopy; Particles; Photometry; Quality control; Screens and Sieves; Spectrography; Spectrometry; Spectrophotometry; Spectroscopy; Testing; Thermal analysis; Thermodynamics; Thermogravimetry; Titration; X rays.*
Anions. See *Ions.*
Anisotropy. See also *Crystals.*
Anodes. See also *Electrodes.*
Antiferromagnetism. See *Ferromagnetism.*
Apparatus. See *Instruments; Machinery and equipment; Testing;* and specific types.
Aquasols. See *Colloids.*
Art and artware. See also *Archeology; Decoration; Design; Majolica; Pottery; Tile.*
Attrition. See *Crushing; Grinding.*
Augers. See *Extrusion.*

Balances. See *Weighing and weights.*
Ball mills. See *Mills.*
Barite. See *Barium, sulfate.*
Barium, titanate. See also *Dielectrics.*
Base exchange. See *Ions.*
Bending. See *Deformation.*
Beneficiation. See also *Classification; Classifiers; Crushing; Grinding; Filters; Flotation; Screens and sieves; Separation; Separators.*
Beryllia. See *Beryllium, oxide.*
Biotite. See *Mica.*
Birefringence. See *Refraction.*
Blending. See *Mixing; Mixers.*
Bodies, ceramic. See also *Dielectrics.*
Bonding. See also *Seals and sealing.*
Brazing. See *Soldering.*
Brick. See also *Masonry; Refractories; Structural materials.*
Brick, freezing or frost resistance. See *Frost resistance.*
Brick industry. See also *Structural clay industry.*
Brickmaking equipment. See also *Dryers; Kilns; Materials handling; Presses.*
Building materials. See also *Aggregates; Brick; Enamels; Insulation, thermal; Structural clay products; Structural materials.*
Bulbs. See *Glass.*
Burners. See also *Flames.*
Burning. See also *Calcination; Combustion; Firing; Lime.*

Calcia. See *Calcium, oxide.*
Calcination. See also *Firing.*
Calcium, oxide. See also *Lime.*
Cameras. See *Photography.*
Carbides. See also specific types.
Carbon. See also *Graphite.*
Carbon, fibers. See *Fibers.*
Casting. See also *Molding; Molds; Refractories; Slip casting.*
Cast iron. See *Enameling metals; Iron.*
Cathode-ray screens. See *Screens, fluorescent.*
Cathode-ray tubes. See *Tubes.*
Cathodoluminescence. See *Luminescence.*
Cations. See *Ions.*
Celestine. See *Strontium, sulfate.*
Cells, fuel. See *Fuel cells.*
Cements. See also *Concrete; Kilns; Mills; Plasters; Mortars; Refractories.*
Ceramic materials. See *Bodies, ceramic; Materials, raw;* and specific types.
Ceramic-metal systems. See also *Enamels.*
Ceria. See *Cerium, oxide.*
Cermets. See also *Composite materials.*
Checker-brick. See *Refractories.*
Chemical analysis. See *Analysis.*
Chemistry. See also *Electrochemistry; Geochemistry; Thermodynamics.*
China clay. See *Kaolin.*
Chinaware. See *Art and artware; Dinnerware; Porcelain.*
Chrome. See *Chromium; Refractories.*
Chromia. See *Chromium, oxide.*
Chromite. See *Refractories.*
Classification. See also *Separation; Separators.*
Classifiers. See *Beneficiation.*
Clays. See also specific types.
Clinkers. See *Cement; Dolomite; Forsterite; Magnesite.*
Coagulation. See *Agglomeration.*
Coal. See *Fuels.*
Coatings. See also *Electrostatic processes; Enamels; Glazes; Films; Resins.*
Color. See also *Pigments; Stains.*
Color, measurement. See *Colorimetry.*
Columbium. See *Niobium.*
Combustion. See also *Burners; Firing; Flames; Furnaces; Heat; Kilns.*
Comminution. See *Crushing; Grinding.*
Compaction. See also *Pressing.*
Concretes. See also *Cements; Masonry; Mortars; Refractories.*
Condensers. See *Capacitors.*
Conductors, electrical. See also *Semiconductors; Superconductors.*
Containers. See *Glass.*
Controls. See also *Feeding apparatus; Instrumentation; Temperature.*
Conveyors. See also *Materials handling.*
Corundum. See also *Aluminum oxide; Refractories.*
Cracks. See also *Defects; Fracture.*
Crazing. See *Glazes.*
Creep. See also *Fatigue; Plasticity.*
Cristobalite. See also *Silicon dioxide.*
Crucibles. See *Refractories.*
Crushing. See also *Crushing apparatus; Mills.*
Crushing apparatus. See also *Mills.*
Crystallites. See also *Crystals, structure.*
Crystallization. See also *Crystals, growth.*
Crystallization, of glass. See *Glass.*
Crystals. See also specific types.
Cutting tools. See *Tools.*
Cyclones. See *Separators.*

Decoration. See also *Art and artware; Color; Engobes; Glazes.*
Defects. See also *Cracks; Crystals; Enameling; Enamels; Fracture; Glass; Structure.*
Deflocculation. See *Dispersion.*
Dehydroxylation. See *Decomposition, thermal.*
Design. See also *Art and artware; Decoration.*
Detectors. See also *Tubes, electron.*
Diamonds. See also *Grinding apparatus.*
Diatomaceous earth, or Diatomite. See *Kieselguhr.*
Dicalcium silicate. See *Calcium, di-.*
Dielectrics. See also *Ferrites; Ferroelectricity; Ferroelectric materials; Glass; Porcelain, electrical; Steatite; Titanates; Whiteware.*
Dies. See also *Extrusion.*
Differential thermal analysis. See *Thermal analysis.*
Diffraction. See also *Electron diffraction; Neutrons; Optical properties; X rays.*
Dilatometers. See also *Expansion.*
Dinnerware. See also *Art and artware; Pottery; Whiteware.*
Diodes. See also *Tubes, electron; Rectifiers.*
Dislocations. See also *Creep; Defects.*
Display devices. See also *Electronic equipment.*
Dissolution. See *Solutions.*
Dolomite. See also *Refractories.*
Dolomite, plaster. See *Plasters.*
Domains. See *Ferroelectricity; Ferroelectric materials; Ferromagnetism; Ferromagnetic materials; Magnetic properties.*
Doping. See *Additives.*
Dry pressing. See *Pressing.*
Dust. See also *Pollution, air; Particles; Powders.*

Elastomers. See *Elastic materials.*
Electric resistors. See *Resistors, electrical.*
Electrical ceramics. See *Electronics.*
Electrical conductance. See *Resistance, electrical.*
Electrical conductivity. See *Conductivity, electrical.*
Electroceramics. See *Electronics.*
Electrochemistry. See also *Corrosion.*
Electrodes. See also *Heating elements.*
Electrodialysis. See *Dialysis.*
Electroluminescence. See *Luminescence.*
Electroluminescent materials. See *Luminescent materials.*
Electromagnets. See *Magnets.*
Electromechanical properties. See *Mechanical properties.*
Electron tubes. See *Tubes.*
Electronics. See also *Electronic equipment.*
Electrophotography. See *Photography.*
Electrophysical properties. See *Physical properties.*
Elements, heating. See *Heating elements.*
Elutriation. See *Beneficiation.*
Enameled ware, panels. See *Building materials.*
Enameling apparatus. See *Electrostatic processes; Furnaces; Spraying.*
Enameling metals, pickling. See *Pickling.*
Enamels. See also *Coatings.*
Energy. See also *Enthalpy; Entropy; Kinetics.*
Entropy. See also *Thermodynamics.*
Epitaxy. See *Crystallization.*
Equilibrium studies. See *Phase equilibria.*
Equipment. See *Machinery and equipment;* specific types.
Expansion. See also *Dilatometers.*

Ferric, Ferrous compounds. See *Iron.*
Ferric oxide. See *Iron, -ic oxide.*
Ferroelectric materials. See also *Barium, titanate; Dielectrics; Ferroelectricity.*
Ferroelectricity. See also *Barium, titanate; Ferroelectricity.*
Ferromagnetic materials. See also *Magnetic materials.*
Fibers. See also *Composites; Glassmaking equipment.*
Filaments. See also *Fibers.*
Films. See also *Coatings;* specific types.
Fine ceramics. See *Whiteware.*
Firebrick. See *Refractories.*
Fireclay. See *Refractories.*
Firing. See also *Burners; Calcination; Combustion; Flames; Furnaces; Kilns; Ovens; Sintering.*
Flames. See also *Burners; Firing.*
Flaws. See *Defects.*
Fluids. See *Liquids.*
Fluorapatite. See *Apatite, fluor-.*
Fluxes, welding. See *Welding.*
Fly ash. See *Ash, fly.*
Forsterite. See also *Refractories.*
Fracture. See also *Cracks.*
Freezing and thawing. See *Frost resistance.*
Fuels. See also *Ash, fly; Combustion; Gases; Oil.*
Furnaces. See also *Burners; Fuels; Kilns; Ovens; Refractories.*

Galvanomagnetic properties. See *Magnetic properties.*
Gels. See *Colloids.*
Germania. See *Germanium, dioxide.*
Glass. See also *Art and artware; Furnaces; Glass-ceramics; Glass industry; Glassmaking equipment.*
Glass, ceramics. See *Glass-ceramics.*
Glass, decoration. See *Decoration.*
Glass, fibers. See *Fibers.*
Glass, molds. See *Molds.*
Glass, seals. See *Seals and sealing.*
Glass, semicrystalline. See *Glass-ceramics.*
Glass, sheet. See also *Glass: flat, plate, window.*
Glass, sitalls. See *Glass-ceramics.*
Glass, wool. See *Fibers, glass.*
Glassmaking, furnaces. See *Furnaces.*
Glazes. See also *Decoration.*
Glossaries. See *Nomenclature.*
Grading machines. See *Machinery and equipment.*
Grains. See *Particles.*
Granular materials. See also *Powders.*
Granulation. See *Crushing; Grinding.*
Granulometry. See *Particles, size.*
Graphite. See also *Carbon; Composites; Refractories.*
Grinding (comminution). See also *Crushing apparatus; Mills.*
Grinding (material removal). See also *Abrasives; Diamonds; Polishing.*
Grinding apparatus. See also *Abrasives.*
Guns. See *Electrostatic processes; Spraying apparatus.*
Gypsum. See also *Plasters.*

Hafnia. See *Hafnium, oxide.*
Health. See also *Air, pollution; Dusts; Safety; Silicosis.*
Heat. See also *Conductivity, thermal; Enthalpy; Entropy; Temperature.*
Heat, conductivity. See *Conductivity, thermal.*
Heaters. See also *Thermoelectricity.*
Heating elements. See also *Electrodes; Thermoelectricity.*
Heavy clay products. See *Structural clay products.*
Hematite. See also *Iron, -ic oxide.*
Hot tops. See *Refractories.*
Humidity. See also *Moisture; Water.*
Hydrocyclones. See *Separators.*

Illite. See also *Clays.*
Index of refraction. See *Refractive index.*
Infrared techniques. See also *Absorption; Radiation; Spectra.*
Inhomogeneity. See *Heterogeneity.*
Inspection. See *Quality control.*
Instrumentation. See *Controls.*
Instruments. See also specific types.
Instability. See *Stability.*
Insulation, electrical. See also *Dielectrics; Glass; Porcelain.*
Insulation, thermal. See also *Fibers, glass; Mineral wool; Refractories.*
Ions. See also specific types.
Iron. See also *Enameling metals; Steels.*
Irradiation. See also *Radiation;* specific types.
Isotopes. See also *Radioactive tracers.*

Jewelry. See *Art and artware.*
Joints. See also *Seals and sealing.*

Kaolinite. See also *Kaolin.*
Kilns. See also *Burners; Furnaces; Ovens.*

Ladles. See *Refractories.*
Lamps. See also *Glass; Glassmaking equipment.*
Lanthanons. See *Rare earths.*
Lasers. See also *Masers.*
Lattice. See *Crystals.*
Lead. See also *Glass; Glazes; Health.*
Lehrs. See *Glassmaking equipment.*
Lenses. See *Glass, optical.*
Lepidolite. See *Mica.*
Lime. See also *Calcium, oxide; Glass.*
Linings. See *Refractories.*
Lithia. See *Lithium, oxide.*
Luminophors. See *Phosphors.*

Machinery and equipment. See also *Materials handling;* specific types.
Magnesia. See *Magnesium, oxide; Refractories.*
Magnesite. See also *Refractories.*
Magnetic materials. See also *Ferrites; Ferromagnetic materials; Ferromagnetism.*
Magnetic properties. See also *Anisotropy; Resonance.*
Magnetoresistance. See *Resistivity, electrical.*
Masers. See also *Lasers.*
Materials handling. See also *Conveyors; Feeding apparatus; Machinery and equipment.*
Meetings. See *Conferences.*
Metalizing. See *Coatings.*
Metalloceramic compositions. See *Cermets.*
Metals. See also *Enameling metals; Rare earths; Refractories.*
Metaphosphates. See *Phosphates.*
Mica. See also *Refractories; Vermiculite.*
Microhardness. See *Hardness.*
Microscopy. See also *Structure, micro-.*
Microstructure. See *Structure, micro-.*
Microwaves. See *Waves, micro-.*
Milling. See also *Crushing; Grinding.*
Mills. See also *Crushing apparatus; Grinding apparatus.*
Mineral fibers. See *Mineral wool.*
Mineral wool. See also *Fibers, glass.*
Mineralizers. See also *Fluxes.*
Minerals. See also *Materials, raw; Rocks;* specific types.
Missiles. See *Spacecraft.*
Modulus of elasticity. See *Elasticity.*
Modulus of rupture. See *Rupture.*
Moisture. See also *Humidity; Steam; Water.*
Molds. See *Slip casting; Slips.*
Mortars. See also *Cements; Concretes.*
Mullite. See also *Refractories.*
Muscovite. See *Mica.*

Nose cones. See *Spacecraft.*
Nozzles. See *Refractories; Spacecraft.*

Opacification. See *Enamels; Glass; Glazes.*
Opacifiers. See *Additives.*
Orthopyroxenes. See *Pyroxenes, ortho-.*
Orthosilicates. See *Silicates, ortho-.*
Organic compounds. See also specific types.
Ovens. See also *Furnaces; Kilns.*
Oxides. See *Rare earths;* specific types.

Pallets. See *Materials handling.*
Panels. See *Building materials; Glass.*
Particles. See also *Colloids; Permeability; Porosity.*
Permittivity. See *Dielectric properties.*
pH. See *Hydrogen ion concentration.*
Phase diagrams. See *Phase equilibria.*
Phase transformations. See *Phase equilibria.*
Phase transitions. See *Phase equilibria.*
Phlogopite. See *Mica.*
Phosphates. See also *Glass;* specific types.
Photoconductors. See *Conductors, electrical.*
Photoelasticity. See *Elasticity.*
Photoelectric cells. See *Cells.*
Photometers. See also *Spectrophotometers.*
Physical chemistry. See *Chemistry.*
Pigments. See also *Color; Stains.*
Pipe. See also *Tile.*
Plaster of Paris. See *Gypsum; Plasters.*
Plasters, molds. See *Molds.*
Plating. See *Coatings.*
Polishing. See also *Abrasives; Diamonds; Lapping.*
Polishing apparatus. See also *Abrasives; Diamonds.*
Polyelectrolytes. See *Electrolytes.*
Polyphosphates. See *Phosphates.*
Porcelain, art. See *Art and artware.*
Pores. See also *Porosity.*
Porosity. See also *Permeability.*
Porous materials. See also *Cements; Concretes; Insulation, thermal.*
Portland cement. See *Cements, portland.*
Potash feldspar. See *Feldspar.*
Potassium. See also *Alkalis.*
Potentiometers. See *Resistors, electrical.*
Potters. See *Artists.*
Pottery. See also *Archeology; Art and artware; Bodies, ceramic; Design; Dinnerware; Earthenware; Stoneware; Whiteware.*
Potterymaking equipment. See also *Dryers; Kiln furniture; Kilns; Materials handling; Molds.*
Powders. See also *Granular materials;* specific types.
Power. See also *Energy.*
Pozzolans. See *Cements; Mortars.*
Pressure, vapor. See *Vapor pressure.*
Pulverizing. See *Crushing and grinding.*
Pulverulent materials. See *Powders.*
Pyristors. See *Temperature measuring instruments.*
Pyrometers; Pyrometry. See *Temperature measuring instruments.*
PLZT. See *Lead, PLZT.*

Quartz. See also *Glass; Refractories; Silicon, dioxide.*
Quicklime. See *Lime.*

Radioactive materials. See *Isotopes; Wastes.*
Radioactive tracers. See *Isotopes.*
Radioisotopes. See *Isotopes.*
Rare earths (lanthanons). See also specific types.
Raw materials. See *Cements; Materials; Sands; Rocks.*
Reagents. See specific types.
Recrystallization. See *Crystallization.*
Recuperators. See *Furnaces; Kilns; Refractories.*
Reflectance. See *Reflection.*
Reflectivity. See *Reflection.*
Refractivity. See *Refraction.*
Refractories. See also *Insulation, thermal; Kiln furniture; Silicon, carbide; Spacecraft.*
Refractories, brick. See also *acid, basic,* and specific types under *Refractories.*
Refractories, cement. See also *Refractories, blast-furnace.*
Refractories, chrome-magnesite. See also *Refractories, magnesite-chrome.*
Refractories, coatings. See *Coatings.*
Refractories, concrete. See *Concretes.*
Refractories, electrocast. See *Refractories, fused cast.*
Refractories, magnesite. See also *Refractories, chrome-magnesite.*
Regenerators. See *Refractories.*
Resistance, electrical. See also *Conductivity, electrical; Electrical properties.*
Retardants. See also *Additives.*
Rock wool. See *Mineral wool.*
Rockets. See *Spacecraft.*
Rocks. See also *Phosphates; Silicates.*
Roughness. See *Surface.*
Ruby. See *Garnets; Lasers.*
Rutile. See also *Titanium, dioxide.*

Saggers. See *Kiln furniture.*
Sanidine. See *Feldspar.*
Sapphire. See also *Aluminum oxide.*
Schools. See *Education.*
Screen process printing. See *Decoration.*
Sculpture. See *Art and artware.*
Seals and sealing. See also *Bonding; Soldering.*
Separation. See also *Beneficiation; Classification; Flotation.*
Separation, electrostatic. See *Electrostatic processes.*
Setting. See *Binders.*
Settling. See *Sedimentation.*
Sewer pipes. See *Pipe.*
Sieves. See *Screens and sieves.*
Silica. See *Silicon dioxide.*
Silicon, carbide. See also *Refractories.*
Silicon dioxide. See also *Coesite; Colloids; Cristobalite; Glass; Quartz; Quartzite; Refractories; Sands.*
Sillimanite. See also *Refractories.*
Silvering. See *Glass.*
Single crystals. See *Crystals;* specific types.
Slaking. See *Lime, hydration.*
Slips. See also *Suspensions.*
Smelting. See *Metallurgy.*
Soapstone. See *Talc.*
Soda or Soda ash. See *Sodium, carbonate.*
Sodium. See also *Alkalis.*
Solar batteries or Solar cells. See *Cells, photovoltaic.*
Solar furnaces. See *Furnaces.*
Soldering. See also *Seals and sealing.*
Solid solutions. See *Solutions, solid.*
Sols. See *Colloids.*
Solutions, solid. See also *Phase equilibria.*
Sorel cement. See *Cements, magnesium oxychloride.*
Sorption. See also *Absorption; Adsorption.*
Spalling. See *Refractories.*
Specific gravity. See *Density.*
Specific heat. See *Heat, specific.*
Specific surface. See *Surface.*
Spectra. See also *Optical properties.*
Spectrophotometry. See also *Photometry.*
Spinel. See also *Refractories;* specific types.
Spraying. See also *Atomization.*
Spraying, electrostatic. See *Electrostatic processes.*
Stains. See also *Color; Pigments.*
Stannic, Stannous. See *Tin.*
Steatite. See also *Talc.*
Steels. See also *Enameling metals; Iron.*
Stones. See also *Rocks.*
Structural clay products. See also *Brick; Tile.*
Structural materials. See *Aggregates; Brick; Building materials; Cements; Concretes; Enameled ware; Glass; Insulation, thermal; Masonry; Structural clay products.*
Structure, micro-. See also *Particles, size; Porosity.*
Supersonics. See *Sonics.*
Suspensions. See also *Slips.*
Systems. See also *Phase equilibria.*

Tableware. See *Dinnerware.*
Talc. See also *Steatite.*
Tanks. See *Furnaces, glass.*
Television screens. See *Screens (fluorescent).*
Television tubes. See *Tubes.*
Tempering, of glass. See *Glass.*
Terminology. See *Nomenclature.*
Testing. See also *Analysis;* specific types.
Thermal conductivity. See *Conductivity, thermal.*
Thermal decomposition. See *Decomposition.*
Thermal expansion. See *Expansion.*
Thermal shock resistance. See *Shock resistance, thermal.*
Thermistors. See *Resistors, electrical.*
Thermochemistry. See *Thermodynamics.*
Thermocouples. See *Temperature measuring instruments.*
Thermoelectrical properties. See *Electrical properties.*
Thermogravimetry. See *Thermal analysis, gravimetric.*
Thermoluminescence. See *Luminescence.*
Thermomechanical properties. See *Mechanical properties.*
Thermometers. See *Temperature measuring instruments.*
Thermophysical properties. See *Physical properties.*
Thin sections. See *Microscopy.*
Thoria. See *Thorium, dioxide.*
Thyristors. See *Transistors.*
Tile. See also *Pipe.*
Titanates. See also *Dielectrics;* specific types.
Titania. See *Titanium, dioxide.*
Titanium, carbide. See also *Cermets.*
Titanium, dioxide, pigments. See *Pigments.*
Titration. See also *Analysis.*
Tools. See also *Drills.*
Tools, cutting. See also *Abrasives.*
Tools, grinding. See *Grinding apparatus.*
Trace elements. See *Elements.*
Tracers. See *Radioactive tracers.*
Transfers. See *Decoration.*
Transport processes. See also *Diffusion; Ions; Kinetics; Resistivity, electrical; Viscosity.*
Tricalcium. See *Calcium, tri-.*
Trituration. See *Crushing; Grinding.*
Tuyeres. See *Refractories.*
Twinning, of crystals. See *Crystals.*

Ultrasonics. See also *Sonics.*
Urania. See *Uranium, dioxide.*

Vacuum tubes. See *Tubes.*
Vapors. See also *Gases; Water.*
Varactors. See *Diodes.*
Varistors. See *Resistors, electrical.*
Viscosity. See also *Density; Friction, internal; Solutions.*

Water. See also *Humidity; Hydration; Moisture; Steam; Vapors.*
Water glass. See *Sodium, silicate.*
Weighing and weights. See also *Thermogravimetry.*
Welding, electrodes. See *Electrodes.*
Whiskers. See *Crystals;* specific types.
Whiteware. See also *Art and artware; Bodies, ceramic; Dielectrics; Dinnerware; Heating elements; Insulators, electrical; Porcelain; Pottery; Tile.*
Windows. See *Glass.*
Windshields. See *Glass.*
Wire, welding. See *Welding.*

Young's modulus. See *Elasticity.*
Ytterbia. See *Ytterbium, oxide.*
Yttria. See *Yttrium, oxide.*

Zircon. See also *Refractories; Zirconium, silicate.*
Zirconia. See *Zirconium, dioxide.*
Zirconium, silicate. See also *Zircon.*

INDEXES TO THE JOURNAL

compiled by the

American Ceramic Society

VOL. 56, NO. 12 DECEMBER, 1973

AUTHOR INDEX TO THE JOURNAL

Numbers in parentheses refer to *monthly* issue of *The Journal;* numbers following are *page* numbers.

Abraham, M. M. See Chen, Y.

Achutaramayya, G., and Scott, William D. Measurement of dihedral angles by scanning electron microscopy (4) 230.

Aghan, R. L., and McPherson, R. Mechanism of material removal during abrasion of rutile (1) 46.

Altemose, V. O. Effect of alkali oxides on the diffusion of He in a simple borosilicate glass (1) 1.

Anderson, Edward E., and Viskanta, Raymond Effective thermal conductivity for heat transfer through semitransparent solids (10) 541.

Anderson, H. T., and Wuensch, B. J. CeO_2-Y_2O_3 solid solutions (5) 285.

Anderson, Harlan U. Influence of Ba/Ti ratio on the initial sintering kinetics of $BaTiO_3$ (11) 605.

Anderson, R. H., Koepke, B. G., Bernal G., E., and Stokes, R. J. Preparation of high-strength KCl by hot-pressing (5) 287.

Anderson, Ronald M., and Schneider, Frederick W. Transmission electron microscopy of unfired ceramics (6) 347.

Austerman, S. B. See Ehman, Michael F.

Babcock, C. L. Property-composition-substructure relations in Na_2O-TiO_2-SiO_2 glasses (10) 527. See Georoff, A. N. ; Nissle, T. R.

Batha, H. Dean, and Whitney, E. Dow Kinetics and mechanism of the thermal decomposition of Si_3N_4 (7) 365.

Baumgartner, H. R. See Hartline, S. D.

Bazant, Zdenek P., and Moschovidis, Zissis Surface-diffusion theory for drying creep effect in portland cement paste and concrete (5) 235.

Bell, H. See Krishnamachari, V.

Belohoubek, E., Mitchell, J., and Wozniak, F. Measurement of thermal conductivity of thin samples (7) 391.

Benedict, Joseph T. See Levin, Ernest M.

Benzel, J. F. See Johnson, T. A.

Berard, M. F. See Scheidecker, Ralph

Berger, R. L., and McGregor, J. D. Effect of temp. and water-solid ratio on growth of $Ca(OH)_2$ crystals formed during hydration of Ca_3SiO_5 (2) 73.

Bergeron, C. G. See Rita, R. A.

Bernal G., E. See Anderson, R. H.

Bernal G., E., and Koepke, B. G. Residual stresses in machined MgO crystals (12) 634.

Bertolotti, Raymond L. Fracture toughness of polycrystalline Al_2O_3 (2) 107; Fracture toughness of polycrystalline Al_2O_3—Correction (3) 172.

Bhat, Vasanth K., and Manning, Charles R., Jr. Systems of Na-Fe-SiO_3 glasses and steel: I, Wetting and adherence (9) 455.

Bhat, Vasanth K., Manning, Charles R., Jr., and Bowen, L. H. Systems of Na-Fe-SiO_2 glasses and steel: II, Moessbauer spectroscopy (9) 459.

Bitler, W. R. See Hodge, M. H.

Boesch, L. P. See Higgins, T. J. ; Provenzano, V.

Borom, Marcus P. Electron-microprobe study of field-assisted bonding of glasses to metals (5) 254.

Bowen, H. K. See Kinoshita, M.

Bowen, L. H. See Bhat, Vasanth K.

Bradley, F. N. Discussion of "Effects of grain size and porosity on electrical and optical properties of PLZT ceramics" (7) 404.

Bradt, R. C. See Coppola, J. A. ; Eckert, L. J. ; Hartline, S. D. ; Hodge, M. H. ; Kennard, F. L. ; Kennedy, C. R. ; Kuszyk, J. A. ; Lynch, J. F.

Brennan, John J. See Hoge, Carl E.

Brennan, John J., and Pask, Joseph A. Effect of composition on glass-metal interface reactions and adherence (2) 58.

Brezny, B., Healy, G. W., and Simkovich, G. Equilibrium partial pressures of Mg, SiO, and CO in C-containing magnesite refractories (11) 611.

Bridenbaugh, P. M. See Peterson, G. E.

Burke, Joseph E. See Rossi, Giulio

Burns, F. C. See Priest, H. F.

Butler, Sidney R. See Langman, Richard A.

Call, A. D. See Huff, N. T.

Cannon, W. Roger, and Sherby, Oleg D. Third-power stress dependence in creep of polycrystalline nonmetals (3) 157.

Carnevale, A. See Peterson, G. E.

Carniglia, S. C. Working model for porosity effects on the uniaxial strength of ceramics—correction (7) 388; Data fitting to new strength–grain-size–porosity functions for ceramics (10) 547.

Chatterji, D. See Smith, J. V.

Chen, Y., Unruh, W. P., Abraham, M. M., Turner, T. J., and Nelson, C. M. Luminescence effect in deformed CaO (8) 438.

Childs, B. G. See Harvey, P. J.

Chin, G. Y., Van Uitert, L. G., Green, M. L., Zydzik, G. J., and Kometani, T. Y. Strengthening of alkali halides by divalent-ion additions (7) 369.

Chin, S. A. See Varshneya, A. K.

Christensen, N. H., Cooper, A. R., and Rawal, B. S. Kinetics of dendritic precipitation of cristobalite from a K silicate melt (11) 557.

Claussen, Nils Hot-pressed eutectics of oxides and metal fibers (8) 442.

Coble, R. L. Effects of particle-size distribution in initial-stage sintering (9) 461.

Coffey, A. L., Jr. See Holcombe, C. E., Jr.

Cohen, J. B. See Stiglich, J. J., Jr.

Collepardi, Mario, and Massidda, Luigi Hydration of beta dicalcium silicate alone and in the presence of $CaCl_2$ or C_2H_5OH (4) 181.

Condrate, R. A., Sr. See Pasto, A. E.

Cooke, Charles M. See Mazdiyasni, K. S.

Cooley, Richard F., and Reed, James S. Reply to "Discussion of 'Equilibrium cation distribution in $NiAl_2O_4$, $CuAl_2O_4$, and $ZnAl_2O_4$ spinels'," (2) 106.

Cooper, A. R. See Christensen, N. H. ; Mizouchi, N. ; Varshneya, A. K.

Coppola, J. A., and Bradt, R. C. Thermal-shock damage in SiC (4) 214; Effects of porosity on fracture of Al_2O_3 (7) 392.

Crayton, Philip H., and Greene, Edward E. Synthesis-fabrication of an Al_2O_3-W carbide composite (8) 423.

Croft, William J. See Skaar, Eric C.

Cronemeyer, D. C. See Giess, E. A.

Cutchen, J. Thomas, and Haertling, Gene H. Material and electrooptic properties of the (Pb,La)(Hf,Ti)O_3 system (4) 225.

Cutler, Ivan B. See Rao, W. Raja

Cutter, I. A., and McPherson, R. Plastic deformation of Al_2O_3 during abrasion (5) 266.

Davidge, R. W. See Evans, A. G.

De Luca, J. P., and Leitnaker, J. M. Review of thermodynamic properties of the Cr-N system (3) 126.

Demirel, T. See Huang, R. J.

Dennis, Mahlon D. See Kumar, Binod

Diamond, Sidney Interactions between cement minerals and hydroxycarboxylic-acid retarders: IV, Morphology of the aluminosalicylate complex (6) 323.

Diegle, R. B. See Varshneya, A. K.

Domagala, R. F., Lyon, S. R., and Ruh, Robert The pseudobinary Ti-ZrO_2 (11) 584.

Dungan, R. H., Gilbert, J. A., and Smith, J. C. Preparation and mechanical properties of composites of fused SiO_2 and W fibers (6) 345.

Dunn, B., Ooka, K., and Mackenzie, J. D. Secondary electron emission of semiconducting glasses (9) 494.

Dutta, S. K., and Rubin, J. A. Hot-pressing and properties of Be_4B (11) 609.

Dutton, R. Comments on "Crack healing in UO_2" (12) 660.

Dwivedi, G. L., and Subbarao, E. C. Thermal expansion of monoclinic (alpha) Nb_2O_5 (8) 443.

Eckert, L. J., and Bradt, R. C. Thermal expansion of alpha Ga_2O_3 (4) 229.

Ehman, Michael F., and Austerman, S. B. Dislocation etchant for BeO (7) 382.

Embury, J. David See Green, David J.

Ernesta, M., and Stoeckler, H. A. Light scattering by pores in ceramic (Pb,La)(Zr,Ti)O_3 (7) 394.

Evans, A. G. Strength degradation by projectile impacts (8) 405.

Evans, A. G., and Linzer, M. Failure prediction in structural ceramics using acoustic emission (11) 575.

Evans, A. G., Padgett, C., and Davidge, R. W. Strength of pyrolytic SiC coatings of fuel particles for high-temp. gas-cooled reactors (1) 36.

Eysel, W., Wolfe, R. W., and Newnham, R. E. $Pb_5(Ge,Si)_3O_{11}$ ferroelectrics (4) 185.

Faile, S. P., and Roy, Delia M. Gas solubility in relation to the structures of glasses and liquids (1) 12.

Fairweather, M. J., and Murthy, M. K. Properties and structure of glasses in the systems M_2O-In_2O_3-GeO_2 (M = Li,Na, K) (7) 349.

Firestone, R. F., and Heuer, A. H. Yield point of sapphire (3) 136.

Frederikse, H. P. R., and Hosler, W. R. Electrical conductivity of coal slag (8) 418.

Frigione, G. See Mascolo, G.

Frischat, G. H., and Kirchmeyer, R. Relation between tracer diffusion and ion exchange in silicate glasses (10) 552.

Fujiki, Y. See Mitsuhashi, T.

Fulrath, Richard M. See Masaryk, Joseph S. ; Reed, James S.

Fundal, Erling A simple microscopic method for the quantitative definition of the topological properties of structures, particularly sintered materials (8) 416.

Gazza, G. E. Hot-pressed Si_3N_4 (12) 662.

Gentilman, Richard L. Chemical vapor deposition of epitaxial films of YIG and Ga-substituted YIG and a thermodynamic analysis (12) 623.

Georoff, A. N., and Babcock, C. L. Relation of microindentation hardness to glass composition (2) 97.

Ghez, R. See Giess, E. A.

Giddings, Robert A., and Gordon, Ronald S. Review of O

activities and phase boundaries in wustite as determined by emf and gravimetric methods (3) 111.
Giess, E. A., Cronemeyer, D. C., Ghez, R., Klokholm, E., and Kuptsis, J. D. Rotation effects on the isothermal growth of $(Eu,Y)_3(Fe,Ga)_5O_{12}$ magnetic bubble films by liquid phase epitaxy (11) 593.
Gilbert, J. A. See Dungan, R. H.
Gingerich, K. A. See Kordis, J.
Glass, A. M. See Peterson, G. E.
Glicksman, Leon R., and Reuter, G. Errors associated with temp. measurements in hot glass (5) 250.
Godfrey, T. G. See Tennery, V. J.
Golob, Helen R. See Ohlberg, S. M.
Gordon, Ronald S. Mass transport in the diffusional creep of ionic solids (3) 147. See Giddings, Robert A. ; Hollenberg, Glenn W.
Goswami, A. K. Dielectric properties of explosively compacted $BaTiO_3$ (2) 100.
Gouda, George R. See Roy, Della M.
Grace, R. E. See Rigdon, M. A.
Green, David J., Nicholson, Patrick S., and Embury, J. David Fracture toughness of a partially stabilized ZrO_2 in the system $CaO-ZrO_2$ (12) 619.
Green, M. L. See Chin, G. Y.
Greene, Edward E. See Crayton, Philip H.
Greenhalgh, W. O. Kinetic measurements for the carbothermic synthesis of UN, PuN, and (U,Pu)N (11) 553.
Greenham, A. C. See Kell, R. C.
Gruver, R. M. See Kirchner, H. P.
Gruver, R. M., and Kirchner, H. P. Effect of surface damage on the strength of Al_2O_3 ceramics with compressive surface stresses (1) 21.
Guha, J. P., and Kolar, D. Subsolidus equilibria in the system $BaO-CeO_2-TiO_2$ (1) 5.
Gupta, T. K. Critical grain size for noncatastrophic failure in Al_2O_3 subject to thermal shock (7) 396.
Gupta, T. K., Rossing, B. R., and Straub, W. D. Fabrication of transparent polycrystalline CaO (6) 339.

Haertling, Gene H. See Cutchen, J. Thomas
Haglund, J. A., and Hunter, O., Jr. Elastic properties of polycrystalline monoclinic Gd_2O_3 (6) 327.
Harding, F. L. Reply to "Comments on 'Dependence of melt O activity and water retention on composition of amber glass'." (4) 233.
Harris, L. A., Yakel, H. L., and Yust, C. S. Formation of an Fe-Pt carbide from Fe carbonyl in CO gas (4) 220.
Hartline, S. D., Bradt, R. C., Baumgartner, H. R., and Rosebrooks, N. B. Notched-beam test for fracture-energy measurement (10) 550.
Harvey, P. J., Childs, B. G., and Moerman, J. Optical absorbance and fluorescence in pure and doped ThO_2 (3) 134.
Haskell, R. W. Introduction to the thermodynamics of spinodal decomposition (7) 355.
Hasselman, D. P. H. Comment on "Prediction of thermal-shock resistance during heating at very high rates" (4) 223; Correction—"Griffith flaws and the effect of porosity on tensile strength of brittle ceramics" (9) 491. See Krohn, D. A.
Hasselman, D. P. H., and Penty, R. A. Stress concentrations in polymer-impregnated porous brittle materials (2) 105.
Healy, G. W. See Brezny, B.
Hench, L. L. See Sanders, D. M.
Hewer, A. H. See Firestone, R. F. ; Snow, J. D.
Higgins, T. J., Boesch, L. P., Volterra, V., Moyalhan, C. T., and Macedo, P. B. Electrical and mechanical relaxations in a mixed-alkali silicate glass (6) 334.
Hodge, M. H., Bitler, W. R., and Bradt, R. C. Deformation texture and magnetic properties of $BaO.6Fe_2O_3$ (10) 497.
Hoge, Carl E., Brennan, John J., and Pask, Joseph A. Interfacial reactions and wetting behavior of glass-Fe systems (2) 51.
Holcombe, C. E., Jr., and Coffey, A. L., Jr. Calculated X-ray powder diffraction data for beta Al_2TiO_5 (4) 220.
Hollenberg, Glenn W., and Gordon, Ronald S. Origin of anomalously high activation energies in sintering and creep of impure refractory oxides (2) 109; Effect of O partial pressure on the creep of polycrystalline Al_2O_3 doped with Cr, Fe, or Ti (3) 140.
Holmquist, S. Comments on "Dependence of melt O activity and water retention on composition of amber glass" (4) 232.
Hosler, W. R. See Frederikse, H. P. R.
Huang, R. J., Demirel, T., and McGee, T. D. Calculation and interpretation of surface free energy of wetting of E-Glass by vapors (2) 87.
Huff, N. T., and Call, A. D. Computerized prediction of glass compositions from properties (2) 55.
Hunter, O., Jr. See Haglund, J. A. ; Manning, W. R.

Ingram, A. E. See Messier, Donald R.
Ishii, M. See Kijima, K.

Johansen, Vagn Model for reaction between CaO particles and portland cement clinker (9) 450.
Johnson, D. L. See Kumar, P.
Johnson, H. See Wiederhorn, S. M.
Johnson, T. A., and Benzel, J. F. Unidirectional solidification of stabilized HfO_2-W (4) 234.
Jones, J. T. See Krishnamachari, V. ; Nehring, V. W. ; Rahman, S. F.

Kakegawa, Kazuyuki See Shirasaki, Shin-ichi
Kaldis, E. See Kordis, J.
Kalyoncu, R. S. See Westwood, A. R. C.
Kanamaru, Fumikazu See Shibasaki, Yasuo
Kanamaru, Fumikazu, and Koizumi, Mitsue Synthesis of $Ba_3In_6O_{13}$ (7) 399.
Kapadia, C. M. See Leipold, M. H.
Kapadia, C. M., and Leipold, M. H. Interrelation of pore size and grain size during grain growth of oxides (5) 289.
Kapur, P. C. Kinetics of solid-state reactions of particulate ensembles with size distributions (2) 79.
Katz, R. N. See Seaton, C. C.
Kawamoto, Yoji, Nagura, Nagao, and Tsuchihashi, Shoji Properties of Ag-containing sulfide glasses (5) 289.
Kell, R. C., Greenham, A. C., and Olds, G. C. E. High-permittivity temp.-stable ceramic dielectrics with low microwave loss (7) 352.
Kennard, F. L., Bradt, R. C., and Stubican, V. S. Eutectic solidification of $MgO-MgAl_2O_4$ (11) 566.
Kennedy, C. R., and Bradt, R. C. Softening of Al_2O_3 by solid solution of $MgO.TiO_2$ (11) 608.
Kijima, K., Setaka, N., Ishii, M., and Tanaka, H. Preparation of Si_3N_4 by vapor-phase reaction (6) 346.
Kim, C. H., and Tomozawa, Minoru Effect of Pt on phase separation in alkali silicate glasses (1) 49.
Kingery, W. D. See Kinoshita, M. ; Mocellin, A.
Kinomura, N. Synthesis of Tl and Ag aluminogermanates with the hollandite-type structure (6) 344.
Kinoshita, M., Kingery, W. D., and Bowen, H. K. Phase separation in NiO-CoO solid solution single crystals (7) 398.
Kirchmeyer, R. See Frischat, G. H.
Kirchner, H. P. See Gruver, R. M.
Kirchner, H. P., Gruver, R. M., and Walker, R. E. Strengthening of hot-pressed Al_2O_3 by quenching (1) 17.
Kleppa, O. J. See Navrotsky, A.
Klokholm, E. See Giess, E. A.
Knapp, W. J. See Wermuth, F. R.
Koepke, B. G. See Anderson, R. H. ; Bernal G., E.
Koizumi, Mitsue See Kanamaru, Fumikazu ; Shibasaki, Yasuo
Kolar, D. See Guha, J. P.
Kometani, T. Y. See Chin, G. Y.
Kordis, J., Gingerich, K. A., and Kaldis, E. Heat of vaporization of EuN and its standard heat of formation (11) 581.
Kossowsky, Ram Cyclic fatigue of hot-pressed Si_3N_4 (10) 531.
Krishnamachari, V., Jones, J. T., and Bell, H. Compressive creep of rutile in vacuum (1) 48; Compressive creep of rutile in vacuum—correction (3) 172; Recovery of creep-resistant substructure of rutile in air and vacuum under reduced stress (11) 604.
Kroeger, F. A. See Yee, J.
Krohn, D. A., and Hasselman, D. P. H. Effect of abrasion on strength and thermal-stress resistance of a soda-lime SiO_2 glass (6) 337.
Krohn, D. A., Larson, D. R., and Hasselman, D. P. H. Comparison of thermal-stress resistance of polycrystalline Al_2O_3 and BeO (9) 490.
Kumar, Binod, Dennis, Mahlon D., and Rindone, Guy E. Boundary layer in partially crystallized glass (11) 600.
Kumar, P., and Johnson, D. L. Grain-boundary grooving in CoO (7) 389.
Kume, Shoichi See Shibasaki, Yasuo
Kuno, Hiroshi See Senna, Mamoru
Kuptsis, J. D. See Giess, E. A.
Kuszyk, J. A., and Bradt, R. C. Influence of grain size on effects of thermal expansion anisotropy in $MgTi_2O_5$ (8) 420.

Laberge, N. L., Vasilescu, V. V., Montrose, C. J., and Macedo, P. B. Equilibrium compressibilities and density fluctuations in K_2O-SiO_2 glasses (10) 506.
Lange, F. F. Effect of microstructure on strength of Si_3N_4-SiC composite system (9) 445; Relation between strength, fracture energy, and microstructure of hot-pressed Si_3N_4 (10) 518.
Langman, Richard A., Runk, Robert B., and Butler, Sidney R. Isothermal grain growth of pressure-sintered PLZT ceramics (9) 486.
Larson, D. R. See Krohn, D. A.
Lathouwers, T. W. See Schipper, D. J.
Leipold, M. H. See Kapadia, C. M.
Leipold, M. H., and Kapadia, C. M. Effect of anions on hot-pressing of MgO (4) 200.
Leitnaker, J. M. See De Luca, J. P.
Levin, Ernest M. See Schneider, Samuel J.
Levin, Ernest M., Benedict, Joseph T., Sciarello, James P., and Monsour, S. The system $K_2SO_4-Cs_2SO_4$ (8) 427.
Lin, I. J., and Niedzwiedz, S. Kinetics of the massicot-litharge transformation during comminution (2) 62.
Linzer, M. See Evans, A. G.
Longo, Vittorio, and Minichelli, Dino X-ray characterization of $Ce_2Zr_3O_{10}$ (11) 600.
Low, M. J. D. See Ruttenberg, F. E.
Lukacs, J. M. See Rita, R. A.
Lynch, J. F., and Bradt, R. C. Work of fracture of BeO (4) 228.
Lyon, S. R. See Domagala, R. F.

Macedo, P. B. See Higgins, T. J. ; Laberge, N. L. ; Provenzano, V. ; Schroeder, J.
Mackenzie, J. D. See Dunn, B.
Macmillan, N. H. See Westwood, A. R. C.
Manning, Charles R., Jr. See Bhat, Vasanth K.
Manning, W. R., and Hunter, O., Jr. Anomalous elastic behavior of polycrystalline Nb_2O_5 (11) 602.
Mar, Raymond W. Conditions for formation of ErB_6 (5) 275.
Marchese, B. See Mascolo, G.
Masaryk, Joseph S., and Fulrath, Richard M. Characterization of short time in gaseous diffusion analyses (6) 342.
Mascolo, G., Marchese, B., Frigione, G., and Servule, R. Influence of polymorphism and stabilizing ions on the strength of alite (4) 222.
Massidda, Luigi See Collepardi, Mario
Mazdiyasni, K. S., and Cooke, Charles M. Synthesis, characterization, and consolidation of Si_3N_4 obtained from ammonolysis of $SiCl_4$ (12) 628.
McCartney, E. R. See Thompson, M. A.
McGee, T. D. See Huang, R. J.
McGregor, J. D. See Berger, R. L.
McHargue, C. J. See Yust, C. S.
McKinney, Karl R. Relation of fracture mechanics to mirror surfaces of fractured brittle materials (4) 225.
McKinney, Karl R., and Smith, H. L. Method of studying subcritical cracking of opaque materials (1) 30.
McPherson, R. See Aghan, R. L. ; Cutter, I. A.
Meek, Ronald L. Diffusion coeff. for O in vitreous SiO_2 (6) 341.
Mehta, P. K. Effect of lime on hydration of pastes containing gypsum and Ca aluminates or Ca sulfoaluminate (6) 315.
Messier, Donald R., and Wong, Philip Kinetics of nitridation of Si powder compacts (9) 480.
Messier, Donald R., Wong, Philip, and Ingram, A. E. Effect of O impurities on the nitridation of high-purity Si (3) 171.
Miller, Alan R. Possibility for error in limestone calcination (8) 443.
Mills, J. J., and Sievert, J. L. Stress relaxation modulus of a commercial glass (10) 501.
Minichelli, Dino See Longo, Vittorio
Mitchell, J. See Belohoubek, E.
Mitsuhashi, T., and Fujiki, Y. Phase transformation of monoclinic ZrO_2 single crystals (9) 493.
Miyashita, Tadashi See Murakami, Toshiaki
Mizouchi, N., and Cooper, A. R. Relaxation of volume and index of refraction in pressure-compacted B_2O_3 glass (6) 320.
Mizzoni, Mary Splann See Schultz, Peter C.
Mocellin, A., and Kingery, W. D. Microstructural changes during heat treatment of sintered Al_2O_3 (6) 309.
Moerman, J. See Harvey, P. J.
Mohr, R. See Schroeder, J.
Monsour, S. See Levin, Ernest M.
Montrose, C. J. See Laberge, N. L. ; Schroeder, J.
Morgan, C. S. Comment on "Activated sintering of ThO_2 and $ThO_2-Y_2O_3$ with NiO" (7) 393.
Morris, William G. Electrical properties of $ZnO-Bi_2O_3$ ceramics (7) 360.
Moschovidis, Zissis See Bazant, Zdenek P.
Moynihan, C. T. See Higgins, T. J. ; Provenzano, V.
Murakami, Toshiaki, Miyashita, Tadashi, Nakahara, Motohiro, and Sekine, Eiji Effect of rare-earth ions on electrical conductivity of $BaTiO_3$ ceramics (6) 294.
Murakami, Toshiaki, Nakahara, Motohiro, Miyashita, Tadashi, and Ueda, Shohei Electrical conduction of rare-earth-doped $BaTiO_3$ single crystals (6) 291.
Murthy, M. K. See Fairweather, M. J. ; Topping, J. A.

Nadeau, J. S. Hertzian fracture of vitreous C (9) 467.
Nagata, Kunihiro See Okazaki, Kiyoshi
Nagura, Nagao See Kawamoto, Yoji
Nakahara, Motohiro See Murakami, Toshiaki
Narayan, J. Subgrain boundaries in MgO (12) 644.
Navrotsky, A. Discussion of "Equilibrium cation distribution in $NiAl_2O_4$, $CuAl_2O_4$, and $ZnAl_2O_4$ spinels" (2) 106.
Navrotsky, A., and Kleppa, O. J. Estimate of enthalpies of formation and fusion of cordierite (4) 198.
Nehring, V. W., and Jones, J. T. Flexural creep of surface-treated sapphire rods (1) 50.
Neilson, G. F. See Weaver, E. A.
Nelson, C. M. See Chen, Y.
Newman, Richard L. Reply to "Comment on 'Prediction of thermal-shock resistance during heating at very high rates'," (4) 223.
Newnham, R. E. See Eysel, W.
Nicholson, Patrick S. See Green, David J.
Niedzwiedz, S. See Lin, I. J.
Ninsle, T. R., and Babcock, C. L. Stress-optical coeff. as related to glass composition (11) 596.
Notis, Michael R. See Urick, Paul A.
Nowotny, J., and Wagner, J. B., Jr. Reequilibration kinetics for undoped and Li-doped single crystal Ni oxide (7) 397.

Obara, Richard A. See Tomozawa, Minoru
O'Bryan, H. M., Jr. Phase relations in $(Pb,La)Zr_{0.65}Ti_{0.35}O_3$ (7) 385.
Ohlberg, S. M., and Golob, Helen R. Undulating structure in complex silicate glasses (6) 300.
Okazaki, Kiyoshi, and Nagata, Kunihiro Effects of grain size and porosity on electrical and optical properties of PLZT ceramics (2) 82.
Olds, G. C. E. See Kell, R. C.
Ooka, K. See Dunn, B.

Padgett, C. See Evans, A. G.
Pask, Joseph A. See Brennan, John J. ; Hoge, Carl E. ; Sugita, Tadaaki
Pasteur, G. A. Optical determination of OH in B_2O_3 glass (10) 548.
Pasto, A. E., and Condrate, R. A., Sr. Raman spectrum of $PbZrO_3$ (8) 436.
Patel, Vinod A. See Ruh, Robert
Penty, R. A. See Hasselman, D. P. H.
Perrotta, A. J., and Young, J. E., Jr. Rutile-type crystalline

solutions in the system $MgTa_2O_6$-$AlTaO_4$ (8) 441.
Peterson, G. E., Glass, A. M., Carnevale, A., and Bridenbaugh, P. M. Control of laser damage in $LiNbO_3$ (5) 278.
Piggott, M. R. See Prabriputaloong, K.
Prabriputaloong, K., and Piggott, M. R. Thin-film studies of the reduction of SiO_2 by Al (4) 177; Reduction of SiO_2 by molten Al (4) 184.
Priest, G. L. See Priest, H. F.
Priest, H. F., Burns, F. C., Priest, G. L., and Skaar, E. C. O content of alpha Si_3N_4 (7) 395.
Provenzano, V., Boesch, L. P., Volterra, V., Moynihan, C. T., and Macedo, P. B. Electrical relaxation in $Na_2O.3SiO_2$ glass—corrections (2) 110.
Pye, L. D., and Rindone, Guy E. Extended glass-transition range (2) 103.

Rahman, S. F., and Jones, J. T. Strengthening of sapphire rods by BaO (11) 602.
Rao, W. Raja, and Cutler, Ivan B. Effect of Fe oxide on the sintering kinetics of Al_2O_3 (11) 588.
Rawal, B. S. See Christensen, N. H.
Ray, Satyabrata Study of ordering in high-quartz solid solutions by substitutions affecting superlattice reflections (1) 42.
Reed, James S. Optical spectra of Cu^{2+} and Ni^{2+} in intermediate aluminate spinels (10) 525. See Cooley, Richard F.
Reed, James S., and Fulrath, Richard M. Characterization and sintering behavior of Ba and Sr ferrites (4) 207.
Reuter, G. See Glicksman, Leon R.
Rhodes, W. H., and Wuensch, B. J. Relation between precursor and microstructure in MgO (9) 495.
Rice, Roy W. Machining, surface work hardening, and strength of MgO (10) 536.
Riebling, E. F. Influence of pseudo-alkali cations on network depolymerization in mixed-cation germanate glasses (1) 25; Depolymerization of GeO_2 and B_2O_3-GeO_2 network glasses by Sb_2O_3 (6) 303.
Rigdon, M. A., and Grace, R. E. Electrical charge transport in single-crystal $CaWO_4$ (9) 475.
Rindone, Guy E. See Kumar, Binod ; Pye, L. D. ; Sproull, James F.
Riobud, Subhash Estimation from DTA traces of the activation energy of crystallization of glassy $CdGeAs_2$ (8) 440.
Rita, R. A., Bergeron, C. G., and Lukacs, J. M. Enthalpy of fusion of Pb_2SiO_4 (1) 47.
Ritter, J. E., Jr. Stress corrosion susceptibility of polymeric-coated soda-lime glass (7) 402.
Roberts, J. T. A., and Voglewede, J. C. Application of deformation maps to the study of in-reactor behavior of oxide fuels (9) 472.
Roberts, J. T. A., and Wrona, B. J. Crack healing in UO_2 (6) 297.
Rosebrooks, N. B. See Hartline, S. D.
Rossi, Giulio, and Burke, Joseph E. Influence of additives on the microstructure of sintered Al_2O_3 (12) 654.
Rossing, B. R. See Gupta, T. K.
Routbort, J. L., and Voglewede, J. C. Creep of mixed-oxide fuel pellets at high stress (6) 330.
Roy, Della M. See Faile, S. P.
Roy, Della M., and Gouda, George R. Porosity-strength relations in cementitious materials with very high strengths (10) 549.
Roy, Rustum See Takamori, Takeshi
Rubin, J. A. See Dutta, S. K.
Ruh, Robert See Domagala, R. F.
Ruh, Robert, and Patel, Vinod A. Proposed phase relations in the HfO_2-rich portion of the system Hf-HfO_2 (11) 606.
Runk, Robert B. See Langman, Richard A.
Ruttenberg, F. E., and Low, M. J. D. Reaction of cyanogen with SiO_2 surfaces (5) 241.

Sanders, D. M., and Hench, L. L. Mechanisms of glass corrosion (7) 373.
Scheidecker, Ralph, and Berard, M. F. Interdiffusion in the system CaF_2-SrF_2 (4) 204.
Schipper, D. J., Lathouwers, T. W., and van Doorn, C. Z. Thermal decomposition of sodalites (10) 523.
Schneider, Frederick W. See Anderson, Ronald M.
Schneider, Samuel J., and Levin, Ernest M. Polymorphism of K_2CO_3 (4) 218.
Schroeder, J., Mohr, R., Macedo, P. B., and Montrose, C. J. Rayleigh and Brillouin scattering in K_2O-SiO_2 glasses (10) 510.
Schultz, Peter C., and Mizzoni, Mary Spinna Anionic conductivity in halogen-containing Pb silicate glasses (2) 65.
Sciarello, James P. See Levin, Ernest M.
Scott, William D. See Achutaramayya, G.
Seaton, C. C., and Katz, R. N. Acoustic fatigue in certain ceramic materials (5) 283.
Sekine, Eiji See Murakami, Toshiaki
Senna, Mamoru, and Kuno, Hiroshi Effects of preliminary pressing on isothermal transformation of maghemite to hematite (9) 492.
Sersale, R. See Mascolo, G.
Setaka, N. See Kijima, K.
Seward, W. D., and Taylor, D. J. Thermal conductivity of sintered EuS, EuTe, and EuSe (11) 599.
Shelby, J. E. Effect of phase separation on He migration in Na silicate glasses (5) 263; Neon migration in TiO_2-SiO_2 glasses (6) 340.
Sherby, Oleg D. See Cannon, W. Roger
Shibasaki, Yasuo, Kanamaru, Fumikazu, Koizumi, Mitsue, and Kume, Shoichi CrO_2-Cr_2O_3 phase boundary under high O_2 pressures (5) 248.
Shirasaki, Shin-ichi, Takahashi, Koichiro, and Kakegawa, Kazuyuki Ferroelectric-paraelectric phase transition in Pb titanate containing lattice defects (8) 430.
Shultz, R. L. Effects of Ti oxide on equilibria among refractory phases in the system CaO-MgO-Fe oxide (1) 33.
Sievert, J. L. See Mills, J. J.
Simkovich, G. See Brezny, B.
Simmons, Joseph H. Miscibility gap in the system PbO-B_2O_3 (5) 284.
Simpson, L. A. Effect of microstructure on measurements of fracture energy of Al_2O_3 (1) 7; Discrepancy arising from measurement of grain-size dependence of fracture energy of Al_2O_3 (11) 610.
Skaar, E. C. See Priest, H. F.
Skaar, Eric C., and Croft, William J. Thermal expansion of TiB_2 (1) 45.
Sloccari, Giorgio Phase equilibrium in the subsystem BaO.Fe_2O_3-BaO.$6Fe_2O_3$ (9) 489.
Smith, H. L. See McKinney, Karl R.
Smith, J. C. See Dungan, R. H.
Smith, J. V., and Chatterji, D. EMF investigation of Ga-Ga_2O_3 equilibrium (5) 288.
Snow, Gary S. Fabrication of transparent electrooptic PLZT ceramics by atm sintering (2) 91; Improvements in atm sintering of transparent PLZT ceramics (9) 479.
Snow, J. D., and Heuer, A. H. Slip systems in Al_2O_3 (3) 153; Slip systems in Al_2O_3—correction (8) 444.
Solomon, A. A. Radiation-induced creep of UO_2 (3) 164.
Sorrell, Charles A. Oxidation of tetragonal PbO in air (12) 613.
Sproull, James F., and Rindone, Guy E. Correlation between strength of glass and glassy microphases (2) 102.
Stacy, Denzil W., and Wilder, D. R. Thermal expansion in the system Y_2O_3-HfO_2 (4) 224.
Stewart, D. R. See Weaver, E. A.
Stiglich, J. J., Jr., Cohen, J. B., and Whitmore, D. H. Interdiffusion in CoO-NiO solid solutions (3) 119.
Stiglich, J. J., Jr., Whitmore, D. H., and Cohen, J. B. Defect structure of NiO-CoO solid solutions (4) 211.
Stoeckler, H. A. See Erneta, M.
Stokes, R. J. See Anderson, R. H.
Straub, W. D. See Gupta, T. K.
Stubican, V. S. See Kennard, F. L.
Subbarao, E. C. See Dwivedi, G. L.
Sugita, Tadaaki, and Pask, Joseph A. Changes of preferred orientation in hot-pressed Al_2O_3 during creep (7) 403.
Sullivan, D. A. See Whittemore, O. J., Jr.

Takahashi, Koichiro See Shirasaki, Shin-ichi
Takamori, Takeshi, and Roy, Rustum Rapid crystallization of SiO_2-Al_2O_3 glasses (12) 639.
Tanaka, H. See Kijima, K.
Taplin, John H. Discussion of parabolic powder kinetics (7) 390.
Taylor, D. J. See Seward, W. D.
Tennery, V. J., and Godfrey, T. G. Oxidation properties of $(U,Pu)O_2$ solid solutions (3) 129.
Thompson, M. A., Young, D. R., and McCartney, E. R. Influence of precipitating atm on sintering of ZrO_2 + 12 mol% Y_2O_3 (12) 648.
Tokar, Michael Compressive creep and hot hardness of U-Pu carbides (4) 173.
Tomozawa, Minoru See Kim, C. H.
Tomozawa, Minoru, and Obara, Richard A. Effect of minor third components on metastable immiscibility boundaries of binary glasses (7) 378.
Topping, J. A., and Murthy, M. K. Effect of small additions of Al_2O_3 and Ga_2O_3 on the immiscibility temp. of Na_2-SiO_2 glasses (5) 270.
Tsuchihashi, Shoji See Kawamoto, Yoji
Turner, T. J. See Chen, Y.

Ueda, Shohei See Murakami, Toshiaki
Unruh, W. P. See Chen, Y.
Urick, Paul A., and Notis, Michael R. Final-stage densification during pressure-sintering of CoO (11) 570.
Urnes, Sigmund Na-K exchange in silicate glasses (10) 514.

van Doorn, C. Z. See Schipper, D. J.
Van Uitert, L. G. See Chin, G. Y.
Varshneya, A. K., Cooper, A. R., Diegle, R. B., and Chin, S. A. Measurement of self-diffusion in solids by neutron activation of masked samples (5) 245.
Vasilenço, V. V. See Laberge, N. L.
Viskanta, Raymond See Anderson, Edward E.
Voglewede, J. C. See Roberts, J. T. A. ; Routbort, J. L.
Volterra, V. See Higgins, T. J. ; Provenzano, V.

Wagner, J. B., Jr. See Nowotny, J.
Walker, R. E. See Kirchner, H. P.
Weaver, E. A., Stewart, D. R., and Neilson, G. F. Lasing in a phase-separated glass (2) 68.
Wei, G. C. T., and Wuensch, B. J. Composition dependence of ^{63}Ni diffusion in single-crystal NiO-MgO solid solutions (11) 562.
Wermuth, F. R., and Knapp, W. J. Initial sintering of MgO and LiF-doped MgO (7) 401.
Westwood, A. R. C., Macmillan, N. H., and Kalyoncu, R. S. Environment-sensitive hardness and machinability of Al_2O_3 (5) 258.
Whitmore, D. H. See Stiglich, J. J., Jr.
Whitney, E. Dow See Batha, H. Dean
Whittemore, O. J., Jr., and Sullivan, D. A. Pore changes on reheating of plasma-sprayed zircon (6) 347.
Wiederhorn, S. M. Prevention of failure in glass by proof-testing (4) 227.
Wiederhorn, S. M., and Johnson, H. Influence of Na-H ion exchange on crack propagation in soda-lime silicate glass (2) 108; Effect of electrolyte pH on crack propagation in glass (4) 192.
Wilder, D. R. See Stacy, Denzil W.
Wittmann, F. H. Interaction of hardened cement paste and water (8) 409.
Wolfe, R. W. See Eysel, W.
Wong, Philip See Messier, Donald R.
Woodley, R. E. Equilibrium O potential–composition relations in $U_{0.75}Pu_{0.25}O_{2-x}$ (3) 116.
Wozniak, F. See Belohoubek, E.
Wrona, B. J. See Roberts, J. T. A.
Wuensch, B. J. See Anderson, H. T. ; Rhodes, W. H. ; Wei, G. C. T.

Yakel, H. L. See Harris, L. A.
Yee, J., and Kroeger, F. A. Measurements of emf in Al_2O_3—pitfalls and results (4) 189.
Young, D. R. See Thompson, M. A.
Young, J. E., Jr. See Perrotta, A. J.
Yust, C. S. See Harris, L. A.
Yust, C. S., and McHargue, C. J. Model for the deformation of hyperstoichiometric UO_2 (3) 161.

Zydzik, G. J. See Chin, G. Y.

SUBJECT INDEX TO THE JOURNAL

Volume 56, 1973

Numbers in parentheses refer to *monthly* issue of *The Journal;* number following is *page* number. Cross references are listed on pages 379–80 following the Subject Index to *Ceramic Abstracts.*

Abrasion, of Al_2O_3, plastic deformation during (5) 266.
effect, on strength and thermal-stress resistance of glass (6) 337.
rutile, material removal during (1) 46.
Absorption, optical, in ThO_2 (3) 134.
Additives, effect, on Al_2O_3 microstructure (12) 654.
Adherence, glass to metal, effect of composition (2) 58.
of Na-Fe-SiO_2 glasses on steel (9) 455.
Alite, strength, effect of polymorphism and stabilizing ions (4) 222.
Alkalis, oxides, effect on He diffusion in borosilicate glass (1) 1.
Aluminum, Al_2TiO_5, beta, X-ray powder diffraction data (4) 220.
films, thin, on SiO_2, reactions (4) 177.
molten, bulk reaction with SiO_2 (4) 184.
Aluminum oxide, acoustic fatigue in (5) 283.
ceramics, with compressive surface stresses, effect on surface damage (1) 21.
effect, on immiscibility temp. of Na_2O-SiO_2 glasses (5) 270.
emf measurements (4) 189.
fracture, effect of porosity (7) 392.
fracture energy, effect of grain size (11) 610.
effect of microstructure on measurements (1) 7.
grain growth, interrelation of pore size and grain size (5) 289.
hot-pressed, orientation during creep (7) 403.
strengthening by quenching (1) 17.
monocrystals, pendulum hardness and machinability (5) 258.
plastic deformation, during abrasion (5) 266.
polycrystalline, diffusional creep, mass transport in (3) 146.
doped, effect of O partial pressure on creep (3) 140.
fracture toughness (2) 107.
fracture toughness, correction (3) 172.
sintered, microstructural changes during heat treatment (6) 309.
microstructure, effect of additives (12) 654.
sintering kinetics, effect of Fe oxide (11) 588.
slip systems in (3) 153.
softening, by solid solution of MgO.TiO_2 (11) 608.
thermally shocked, relation between noncatastrophic failure and grain size (7) 396.
thermal-stress resistance, comparison with BeO (9) 490.
Angles, dihedral, measurement by SEM (4) 230.
Antimony, trioxide, depolymerization of GeO_2 and B_2O_3-GeO_2 network glasses by (6) 303.

Barium, $Ba_4In_6O_{13}$, synthesis (7) 399.
ferrites, characterization and sintering behavior (4) 207.
oxide, for strengthening sapphire rods (11) 602.
.6Fe_2O_3, deformation texture and magnetic properties (10) 497.
titanate, ceramics, electrical conductivity (6) 294.
explosively compacted, dielectric properties (2) 100.
initial sintering kinetics, effect of Ba/Ti ratio (11) 605.
single crystals, electrical conduction (6) 291.
Benzene, vapor, surface free energy of wetting E-glass by (2) 87.
Beryllium, Be_4B, hot-pressing and properties (11) 609.
oxide, dislocation etchant for (7) 382.
fracture energy (4) 228.
thermal-stress resistance, compared with Al_2O_3 (9) 490.
thin wafer, thermal conductivity measurement (7) 391.
Bonds, glass-metal, field-assisted, electron-microprobe study (5) 254.
Brittle materials, ceramics, crack propagation in, acoustic emission detection (11) 575.
fractured, relation of fracture mechanics to mirror surfaces (4) 225.
fracture surface energy, notched-beam test (10) 550.
opaque, subcritical cracking (1) 30.
porous, stress concentrations in (2) 105.
tensile strength, Griffith flaws and effect of porosity, correction (9) 491.

Calcination, limestone, possible error in (8) 443.
Calcium, di-, silicate, beta, hydration with and without $CaCl_2$ or C_2H_5OH (4) 181.
hydroxide, crystals, growth during C_3S hydration (2) 73.
oxide, deformed, luminescence effect in (8) 438.
particles, reaction with portland cement clinker, model (9) 450.
Calcium oxide *(continued)*
transparent polycrystalline (6) 339.
tungstate, single-crystal, electrical charge transport in (9) 475.
Carbon, dioxide, effect on sintering of ZrO_2-Y_2O_3 solid solutions (12) 648.
monoxide, equilibrium partial pressure in magnesite refractories (11) 611.
gas, Fe-Pt carbide from Fe carbonyl in (4) 220.
vitreous, Hertzian fracture (9) 467.
Cements, clinker, topological properties, microscopy (8) 416.
minerals, interaction with hydroxycarboxylic-acid retarders (6) 323.
paste, hardened, interaction with water (8) 409.
hydration, effect of lime (6) 315.
porosity-strength relation (10) 549.
portland clinker, reaction with CaO particles, model (9) 450.
portland paste, drying creep in, surface-diffusion theory (5) 235.
Ceramics, strength, effect of porosity, correction (7) 388.
unfired, transmission electron microscopy (6) 347.
Cerium, $Ce_2Zr_3O_{10}$, X-ray characterization (11) 600.
Chromium, dioxide, -Cr_2O_3 phase boundary under high O_2 pressures (5) 248.
Coatings, polymeric, effect on stress corrosion susceptibility of soda-lime glass (7) 402.
SiC, of fuel particles, for reactors, strength (1) 36.
Cobalt, -ous oxide, grain-boundary grooving in (7) 389.
pressure-sintered, final-stage nsification (11) 570.
-NiO solid solutions, interdiffusion in (3) 119.
Colloids, gels, SiO_2 films, glass corrosion by (7) 373.
Composites, Al_2O_3-WC, formed by hot-pressing (8) 420.
fused SiO_2 and W fibers, mechanical properties (6) 345.
Compressibility, equilibrium, in K_2O-SiO_2 glasses (10) 506.
Computers, prediction, of glass compositions from properties (2) 55.
Concretes, drying creep in, surface-diffusion theory (5) 235.
Conductivity, electrical, of $BaTiO_3$, ceramics (6) 294.
single crystals (6) 291.
of $CaWO_4$, single-crystal (9) 475.
of coal slag (8) 418.
Conductivity, ionic, anionic, in Pb silicate glasses (2) 65.
Conductivity, thermal, of BeO thin wafer (7) 391.
effective, for heat transfer through semitransparent solids (10) 541.
of EuS, EuTe, and EuSe (11) 599.
Copper, $CuAl_2O_4$ spinel, equilibrium cation distribution in (2) 106.
optical spectra of Cu^{2+} in (10) 525.
Cordierite, crystalline and glassy, enthalpy of formation and fusion (4) 198.
Corrosion, of glass, by SiO_2 gel films (7) 373.
Cracking, subcritical, of opaque materials (1) 30.
Cracks, Hertzian, effects on strength (8) 405.
propagation, in brittle ceramic, acoustic emission detection (11) 575.
in glass, effect on Na-H ion exchange (2) 108.
in glass, effect of pH electrolytes (4) 192.
in UO_2, healing (6) 297.
healing, comments (12) 660.
Creep, in Al_2O_3, hot-pressed, orientation during (7) 403.
compressive, of mixed-oxide fuel pellets (6) 330.
of rutile in vacuum (1) 48.
of rutile in vacuum, correction (3) 172.
of U-Pu carbides (4) 173.
diffusional, of ionic solids, mass transport in (3) 147.
drying, effect in portland cement paste and concrete (5) 235.
flexural, of sapphire rods (1) 50.
high-temp., of polycrystalline nonmetals, third-power stress dependence (3) 157.
radiation-induced, of UO_2 (3) 164.
of refractory oxides, high activation energies in (2) 109.
-resistant substructure, of rutile, recovery (11) 604.
steady-state, of Al_2O_3, polycrystalline doped, effect of O partial pressure (3) 140.
Cristobalite, precipitates, in K silicate melt, kinetics (11) 557.
Crystalline materials, solutions, rutile-type, in system $MgTa_2O_6$-$AlTaO_4$ (8) 441.
Crystallization, of glass, SiO_2-Al_2O_3 (12) 639.
Crystals, lattice constants, for CeO_2-Y_2O_3 solid solutions (5) 285.
slip systems, in Al_2O_3 (3) 153.
Cyanogen, reaction, with SiO_2 surfaces (5) 241.

Decomposition, spinodal, thermodynamics (7) 355.
thermal, of Si_3N_4, kinetics (7) 365.
of sodalites (10) 523.
Defects, Griffith flaws, in brittle ceramics, correction (9) 491.
structure, of NiO-CoO solid solutions (4) 211.
Deformation, behavior, of hyperstoichiometric UO_2, model for (3) 161.
maps, to study in-reactor behavior of oxide fuels (9) 472.
plastic, of Al_2O_3 during abrasion (5) 266.
texture, of BaO.6Fe_2O_3 (10) 497.
Densification, final-stage, during pressure-sintering of CoO (11) 570.
Density, fluctuations, in K_2O-SiO_2 glasses (10) 506.
Deposition, chemical vapor, of YIG films (12) 623.
Dielectrics, ceramic, high permittivity temp.-stable with low microwave loss (7) 352.
properties, of $BaTiO_3$, explosively compacted (2) 100.
Diffusion, of gases, in glass, short-time analyses (6) 342.
He, in borosilicate glass, effect of alkali oxides (1) 1.
inter-, coeff. for system CaF_2-SrF_2 (4) 204.
in CoO-NiO solid solutions (3) 119.
oxygen, coeff. in vitreous SiO_2 (6) 341.
self-, in solids, measurement by neutron activation (5) 245.
surface-, theory for drying creep in cement paste and concrete (5) 235.
tracer, in silicate glasses, relation to ion exchange (10) 552.
^{63}Ni, in NiO-MgO solid solutions (11) 562.

Elasticity, properties, of Gd_2O_3, polycrystalline monoclinic (6) 327.
Young's modulus, of Nb_2O_5 (11) 602.
Electrical properties, of PLZT ceramics (2) 82.
discussion (7) 404.
of ZnO-Bi_2O_3 ceramics (7) 360.
Electrolysis, Na-K exchange by, in silicate glasses (10) 514.
Electrolytes, pH, effect on crack propagation in glass (4) 192.
Electromotive force, determination, of O activities and phase boundaries in wustite (3) 111.
measurements, in Al_2O_3 (4) 189.
study, of Ga-Ga_2O_3 equilibrium (5) 288.
Electron probes, micro-, of bonding glasses to metals (5) 254.
Electrons, emission, secondary, of semiconducting glasses (9) 494.
Electrooptic properties, of (Pb,La)(Hf,Ti)O_3 system (4) 225.
Emission, acoustic, for failure prediction in structural ceramics (11) 575.
Energy, activation, of glassy $CdGeAs_2$ crystallization, DTA (8) 440.
fracture, of Al_2O_3, effect of grain size (11) 610.
of Al_2O_3, effect of microstructure on measurements (1) 7.
of Si_3N_4, relation to strength and microstructure (10) 518.
fracture surface, of brittle ceramic materials, notched-beam test (10) 550.
high activation, in sintering and creep of impure refractory oxides (2) 109.
surface free, of wetting of E-glass by vapors (2) 87.
Enthalpy, of formation, and fusion of cordierite (4) 198.
of fusion, of Pb_2SiO_4 (1) 47.
Erbium, hexaboride, formation (5) 275.
Etchants, dislocation for BeO (7) 382.
Etching, chemically, Si_3N_4 (12) 628.
Europium, $(Eu,Y)_3(Fe,Ga)_5O_{12}$, magnetic bubble films, isothermal growth (11) 593.
nitride, heat of vaporization and standard heat of formation (11) 582.
sulfide, telluride, and selenide, thermal conductivity (11) 599.
Eutectics, hot-pressed, of oxides and metal fibers (8) 442.
solidification, of MgO-$MgAl_2O_4$ (11) 566.
Expansion, thermal, anisotropy, effects in $MgTi_2O_5$ (8) 420.
of Ga_2O_3, alpha (4) 229.
of Nb_2O_5 (8) 443.
in system $MgTa_2O_6$-$AlTaO_4$ (8) 441.
in system Y_2O_3-HfO_2 (4) 224.
of TiB_2 (1) 45.

Fatigue, acoustic, in TiB_2, Al_2O_3, and Si_3N_4 (5) 283.
cyclic, of Si_3N_4, hot-pressed (10) 531.
Ferrites, Ba and Sr, characterization and sintering behavior (4) 207.
Ferroelectric materials, $Pb_5(Ge,Si)_3O_{11}$ (4) 185.
Fibers, metal, eutectics, hot-pressed (8) 442.
Films, magnetic properties, changed with rotation rate during deposition (11) 593.
Fluorescence, in ThO_2 (3) 134.
Fracture, Al_2O_3, effect of porosity (7) 392.
energy, of Al_2O_3, effect of grain size (11) 610.
of BeO (4) 228.
of Si_3N_4, relation to strength and microstructure (10) 518.
Hertzian, of vitreous C (9) 467.
mechanics, relation to mirror surfaces of fractured brittle materials (4) 225.
noncatastrophic, in Al_2O_3, relation to grain size (7) 396.
surface energy, of brittle ceramic materials, notched-beam test (10) 550.
toughness, of Al_2O_3, polycrystalline (2) 107.
of Al_2O_3, polycrystalline, correction (3) 172.
Fuels, oxide nuclear, in-reactor behavior, deformation maps for (9) 472.
Fusion, enthalpy, of Pb_2SiO_4 (1) 47.

Gadolinium, oxide, polycrystalline monoclinic, elastic properties (6) 327.
Gallium, Ga_2O_3, alpha, thermal expansion (4) 229.
effect on immiscibility temp. of Na_2O-SiO_2 glasses (5) 270.
equilibrium, emf investigation (5) 288.
Garnets, films, isothermal growth by liquid phase epitaxy (11) 593.
YIG, films, chemical vapor deposition (12) 623.
Gases, diffusion, in glass, short time analyses (6) 342.
solubility, relation to glass and liquid structures (1) 12.
Glass, alkali silicate, phase separation in, effect of Pt (1) 49.
amber, dependence of melt O activity and water retention on composition, comments and reply (4) 232.
binary, metastable immiscibility temp., effect of minor third component (7) 378.
borosilicate, diffusion of He in, effect of alkali oxides (1) 1.
borosilicate crown, transition-range behavior (2) 103.
B_2O_3, OH in, optical determination (10) 548.
relaxation of vol and index of refraction in (6) 320.
$CdGeAs_2$, crystallization, activation energy, DTA (8) 440.
composition, computer prediction from properties (2) 55.
relation to microindentation hardness, KHN data (2) 97.
relation to stress-optical coeff. (11) 596.
container, stress relaxation modulus (10) 501.
corrosion, by SiO_2 gel films (7) 373.
crack propagation in, effect of electrolyte pH (4) 192.
E-, surface free energy of wetting by vapors (2) 87.
failure, prevention by proof-testing (4) 227.
gaseous diffusion in, short time analyses (6) 342.
GeO_2, and B_2O_3-GeO_2 network, depolymerization by Sb_2O_3 (6) 303.
germanate, mixed-cation, network depolymerization in (1) 25.
K_2O-SiO_2, equilibrium compressibilities and density fluctuations in (10) 506.
Rayleigh and Brillouin scattering in (10) 510.
Li silicate, partially crystallized, boundary layer in (11) 600.
-metal, interfacial reactions and adherence (2) 58.
interfacial reactions and wetting behavior (2) 51.
Na-Fe-SiO_2, wetting on steel, Moessbauer spectroscopy (9) 459.
Na-Fe-SiO_2 system, wetting and adherence on steel (9) 455.
Na silicate, He migration in, effect of phase separation (5) 263.
Na_2O-SiO_2, immiscibility temp., effect of Al_2O_3 and Ga_2O_3 (5) 270.
Na_2O-TiO_2-SiO_2, property-composition-substructure relations (10) 527.
Pb silicate, anionic conductivity in (2) 65.
phase-separated, lasing in (2) 68.
semiconducting, secondary electron emission (9) 494.
silicate, complex, undulating structure in (6) 300.
mixed-alkali, electrical and mechanical relaxations in (6) 334.
Na-K exchange by electrolysis in (10) 514.
tracer diffusion and ion exchange in (10) 552.
SiO_2-Al_2O_3, rapid crystallization (12) 639.
soda-lime, stress corrosion susceptibility (7) 402.
subcritical cracking (1) 30.
soda-lime-silica, strength and thermal-stress resistance (6) 337.
soda-lime silicate, crack propagation in, Na-H ion exchange effect (2) 108.
strength, correlation with glassy microphases (2) 102.
structure, and liquids, relation to gas solubility (1) 12.
sulfide, Ag-containing, properties (5) 289.
in systems M_2O-In_2O_3-GeO_2, (M = Li,Na,K), properties and structure (7) 349.
temp. measurement, errors with thermocouples and optical means (5) 250.
TiO_2-SiO_2, Ne migration in (6) 340.
Glass-ceramics, opaque, subcritical cracking (1) 30.
Grain boundaries, grooving, in CoO (7) 389.
sub-, in MgO (12) 644.
Grain growth, in Al_2O_3, kinetics (6) 309.
isothermal, of PLZT ceramics (9) 486.
of oxides, interrelation of pore size and grain size during (5) 289.
Gravimetry, determination, of O activities and phase boundaries in wustite (3) 111.
Grinding (comminution), massicot, litharge transformation during, kinetics (2) 62.

Hafnium, oxide, -W, unidirectional solidification (4) 234.
Halides, alkali, strengthening with divalent-ion additions (7) 369.
Hardening, surface work, of MgO (10) 536.
Hardness, hot, of U-Pu carbides (4) 173.
microindentation, relation to glass composition, KHN data (2) 97.
pendulum, of Al_2O_3, correlation with machinability (5) 258.
Heat, of vaporization, and standard heat of formation of EuN (11) 582.
Heating, at high rates, prediction of thermal-shock resistance, comment and reply (4) 223.
Helium, diffusion, in SiO_2, short-time analyses (6) 342.
migration, in Na silicate glasses, effect of phase separation (5) 263.
Hematite, transformation of maghemite to, effects of pressing (9) 492.
Hydration, of cement pastes, effect of lime (6) 315.
of C_2S, with and without $CaCl_2$ or C_2H_5OH (4) 181.
C_3S, CH crystals grown during (2) 73.
Hydrogen ion concentration, electrolyte, effect on crack propagation in glass (4) 192.
Hydroxides, in B_2O_3 glass, optical determination (10) 548.

Immiscibility, metastable temp., of binary glasses, effect of minor third component (7) 378.
temp., of Na_2O-SiO_2 glasses, effect of Al_2O_3 and Ga_2O_3 (5) 270.
Impacts, projectile, strength degradation by (8) 405.
Ions, anions, effect on hot-pressing MgO (4) 200.
cations, equilibrium distribution in spinels (2) 106.
pseudo-alkali, effect on network depolymerization in germanate glasses (1) 25.
divalent, for strengthening alkali halides (7) 369.
exchange, Na-H, effect on crack propagation in glass (2) 108.
relation to tracer diffusion in silicate glasses (10) 552.
rare earth, effect on $BaTiO_3$ ceramics electrical conductivity (6) 294.
effect on $BaTiO_3$ electrical conduction (6) 291.
stabilizing, effects on alite strength (4) 222.
Iron, oxide, effect on sintering kinetics of Al_2O_3 (11) 588.
-Pt carbide, formation from Fe carbonyl in CO gas (4) 220.

Kinetics, measurements, for carbothermic synthesis of UN, Pu-N, and (U,Pu)N (11) 553.
of nitridation, of Si powder compacts (9) 480.
parabolic powder (7) 390.
precipitation, of cristobalite (11) 557.
reequilibration, for NiO, single crystals (7) 397.
sintering, of Al_2O_3, effect of Fe oxide (11) 588.
of $BaTiO_3$, effect of Ba/Ti ratio (11) 605.
of solid-state reactions, of particulate ensembles with size distributions (2) 79.
of thermal decomposition, of Si_3N_4 (7) 365.
of transformation, of massicot to litharge during comminution (2) 62.

Lasers, damage, in $LiNbO_3$, control (5) 278.
lasing, in phase-separated glass (2) 68.
Lead, massicot-litharge transformation, during comminution, kinetics (2) 62.
oxide, tetragonal, oxidation in air (12) 613.
Pb_2SiO_4, enthalpy of fusion (1) 47.
$Pb_5(Ge,Si)_3O_{11}$, ferroelectrics (4) 185.
PLZT, light scattering by pores in (7) 394.
phase relations in (7) 385.
PLZT ceramics, electrical and optical properties (2) 82; electrical and optical properties, discussion (7) 404.
grain growth, isothermal (9) 486.
transparent, atm sintering (9) 479.
transparent electrooptic, by atm sintering (2) 91.
titanate, with lattice defects, ferroelectric-paraelectric phase transition in (8) 430.
zirconate, Raman spectra (8) 436.
Lime, effect, on hydration of cement pastes (6) 315.
Limestone, calcination, possible error in (8) 443.
Lithium, niobate, laser damage in, control (5) 278.
Luminescence, effect, in CaO (8) 438.

Machining, Al_2O_3, correlation with pendulum hardness (5) 258.
of MgO, effect on mechanical properties (10) 536.
Magnesium, dititanate, thermal expansion anisotropy effects in (8) 420.
equilibrium partial pressure, in magnesite refractories (11) 611.
oxide, crystals, machined, residual stresses in (12) 634.
grain growth, interrelation of pore size and grain size (5) 289.
hot-pressing, effect of anions (4) 200.
and LiF-doped, initial sintering (7) 401.
machining, surface work hardening, and strength (10) 536.
microstructure-precursor relations (9) 495.
polycrystalline, diffusional creep, mass transport in (3) 146.
subgrain boundaries in (12) 644.
-$MgAl_2O_4$, eutectic solidification (11) 566.
Magnetic properties, of $BaO_6.Fe_2O_3$ (10) 497.
Mechanical properties, of composites, of fused SiO_2 and W fibers (6) 345.
Microscopy, clinker, to determine topological properties (8) 416.
electron, of subgrain boundaries in MgO (12) 644.
scanning electron, for measurement of dihedral angles (4) 230.
transmission electron, of unfired ceramics (6) 347.
Mirrors, glass, fractured, relation to fracture mechanics (4) 225.
Miscibility, gap, in PbO-B_2O_3 system (5) 284.
Models, for UO_2 deformation (3) 161.

Neon, migration, in TiO_2-SiO_2 glasses (6) 340.
Neutrons, activation, measurement of self-diffusion in solids by (5) 245.
Nickel, $NiAl_2O_4$ spinel, equilibrium cation distribution in (2) 106.
optical spectra of Ni^{2+} in (10) 525.
oxide, effect on sintering ThO_2 and ThO_2-Y_2O_3, comment (7) 393.
single crystals, reequilibration kinetics (7) 397.
^{63}Ni, diffusion in NiO-MgO solid solutions (11) 562.
Niobium, Nb_2O_5, elastic behavior (11) 602.
thermal expansion (8) 443.
Nitridation, of Si powder compacts, kinetics (9) 480.
Nitrides, nitridation, of Si, effect of O impurities (3) 171.
Nonmetals, polycrystalline, creep, third-power stress dependence in (3) 157.

Optical properties, of PLZT ceramics (2) 82.
discussion (7) 404.
Orientation, preferred, in hot-pressed Al_2O_3, during creep (7) 403.
Oxidation, of PbO, tetragonal, in air (12) 613.
properties, of $(U,Pu)O_2$ solid solutions (3) 129.
reduction, reactions at glass-metal interfaces (2) 58.
Oxides, and metal fibers, hot-pressed eutectics (8) 442.
Oxygen, activities, in wustite (3) 111.
activity, of amber glass melt, dependence on composition, comments and reply (4) 232.
content, of alpha Si_3N_4 (7) 395.
diffusion coeff., in vitreous SiO_2 (6) 341.
high pressures, CrO_2-Cr_2O_3 phase boundary under (5) 248.
impurities, effect on nitridation of Si (3) 171.
partial pressure, effect on creep of Al_2O_3 (3) 140.
potential, -composition relations in U-Pu oxides (3) 116.

Particles, size, effect on fracture energy of Al_2O_3 (11) 610.
effect on $MgTi_2O_5$ properties (8) 420.
effect on noncatastrophic failure in thermally shocked Al_2O_3 (7) 396.
effect on properties of PLZT ceramics (2) 82.
effect on properties of PLZT ceramics, discussion (7) 404.
interrelation to pore size during grain growth of oxides (5) 289.
strength-porosity-, functions for ceramics (10) 547.
size distribution, effects in initial-stage sintering (9) 461.
spherical, parabolic powder kinetics (7) 390.
with size distributions, solid-state reactions, kinetics (2) 79.
Phase equilibria, boundaries, in wustite (3) 111.
boundary, between CrO_2 and Cr_2O_3 under high O_2 pressures (5) 248.
diagrams, for K_2SO_4-Cs_2SO_4 system (8) 427.
for Na_2O-SiO_2-TiO_2 system (10) 527.
relations, in Hf-HfO_2 system (11) 606.
in PLZT (7) 385.
subsolidus, in BaO-CeO_2-TiO_2 system (1) 5.
separation, in NiO-CoO solid solution single crystals (7) 398.
systems, BaO.Fe_2O_3-BaO.$6Fe_2O_3$ (9) 489.
CaF_2-SrF_2, interdiffusion in (4) 204.
CaO-MgO-Fe oxide, effects of Ti oxide (1) 33.
CaO-ZrO_2, fracture toughness of ZrO_2 in (12) 619.
Cr-N, thermodynamic properties (3) 126.
FeO-Na_2O-SiO_2, interfacial reactions and wetting behavior (2) 51.
$MgTa_2O_6$-$AlTaO_4$, rutile-type crystalline solutions in (8) 441.
(Pb,La)(Hf,Ti)O_3, material and electrooptic properties (4) 225.
PbO-B_2O_3, miscibility gap in (5) 284.
Si_3N_4-SiC composite, strength, effect of microstructure (9) 445.
Ti-Zr-O pseudobinary Ti-ZrO_2 in (11) 584.
Y_2O_3-HfO_2, thermal expansion in (4) 224.
transformations, of ZrO_2 single crystals (9) 493.
transitions, ferroelectric-paraelectric, in Pb titanates (8) 430.
Phases, micro-, glassy, correlation with glass strength (2) 102.
separation, in alkali silicate glasses, effect of Pt (1) 49.
effect on He migration in Na silicate glasses (5) 263.
Platinum, effect, on phase separation in alkali silicate glasses (1) 49.
Plutonium, nitride, and (U,Pu)N, carbothermic synthesis, kinetics (11) 553.
Polycrystalline materials, ceramics, strength-grain size-porosity functions for (10) 547.
Polymerization, de-, of GeO_2 and B_2O_3 network glasses by Sb_2O_3 (6) 303.
network, in mixed-cation germanate glasses (1) 25.
Polymethyl methacrylate, subcritical cracking (1) 30.
Polymorphism, effect, on alite strength (4) 222.
of K_2CO_3 (4) 218.
Porcelain, crack propagation in, acoustic emission detection (11) 575.
Pores, distribution, in plasma-sprayed zircon on reheating (6) 347.
in PLZT, light scattering by (7) 394.

Pores size, interrelation to grain size during grain growth of oxides (5) 289.
Porosity, effect, on Al_2O_3 fracture (7) 392.
on ceramic strength, correction (7) 388.
on properties of PLZT ceramics (2) 82.
on properties of PLZT ceramics, discussion (7) 404.
on tensile strength of brittle ceramics, correction (9) 491.
strength-grain size-, functions for ceramics (10) 547.
-strength relation, in cement pastes (10) 549.
Porous materials, brittle, stress concentrations in (2) 105.
Potassium, carbonate, polymorphism (4) 218.
chloride, and bromide, strengthening with divalent-ion additions (7) 369.
high-strength, hot-pressing (5) 287.
self-diffusion coeff., measurement (5) 245.
Pressing, effects, on transformation of maghemite to hematite (9) 492.
hot-, Al_2O_3-WC composite formed by (8) 420.
of Be_4B (11) 609.
eutectics of oxides and metal fibers (8) 442.
MgO, effect of anions (4) 200.
to prepare high-strength KCl (5) 287.
Si_3N_4 (12) 662.

Quartz, fused, effective thermal conductivity for heat transfer through (10) 541.
Quenching, Al_2O_3, to strengthen (1) 17.

Reactors, high-temp. gas-cooled, SiC coatings of fuel particles for (1) 36.
Reflection, superlattice, from high-quartz solid solutions (1) 42.
Refractive index, of B_2O_3 glass, relaxation (6) 320.
Refractories, magnesite, equilibrium partial pressures of Mg, SiO, and CO in (11) 611.
oxides, impure, sintering and creep, high activation energies in (2) 109.
Relaxation, electrical, and mechanical, in mixed-alkali silicate glass (6) 334.
of vol, and index of refraction in B_2O_3 glass (6) 320.
Retardants, hydroxycarboxylic-acid, interaction with cement minerals (6) 323.
Rutile, abrasion, material removal during, mechanism (1) 46.
compressive creep, in vacuum (1) 48.
in vacuum, correction (3) 172.
single crystals, recovery of creep-resistant substructure (11) 604.

Sapphire, rods, flexural creep (1) 50.
strengthening by BaO (11) 602.
yield point (3) 136.
Scattering, light, by pores in PLZT (7) 394.
Rayleigh and Brillouin, in K_2O-SiO_2 glasses (10) 510.
Shock, thermal, damage in SiC (4) 214.
Shock resistance, thermal, reduction, at high heating rates, comment and reply (4) 223.
Silicon, carbide, coatings, of fuel particles, strength for reactors (1) 36.
thermal-shock damage in (4) 214.
high-purity, nitridation, effect of O impurities (3) 171.
nitride, acoustic fatigue in (5) 283.
alpha, O content (7) 395.
hot-pressed (12) 662.
hot-pressed, cyclic fatigue (10) 531.
preparation by vapor-phase reaction (6) 346.
strength, fracture energy, and microstructure (10) 518.
synthesis, characterization, and consolidation (12) 628.
thermal decomposition, kinetics (7) 365.
oxide, equilibrium partial pressure in magnesite refractories (11) 611.
powder compacts, nitridation, kinetics (9) 480.
Silicon dioxide, reduction, by molten Al (4) 184.
surfaces, reaction with cyanogen (5) 241.
thin-film reaction, with Al (4) 177.
vitreous, O diffusion coeff. in (6) 341.
Silver, aluminogermanate, synthesis (6) 344.
Sintering, activated, of ThO_2 and ThO_2-Y_2O_3 with NiO, comment (7) 393.
Al_2O_3, effect of additives (12) 654.
atmospheric, PLZT electrooptic ceramics by (2) 91.
of PLZT transparent ceramics (9) 479.
behavior, of Ba and Sr ferrites (4) 207.
initial, of $BaTiO_3$, effect of Ba/Ti ratio, kinetics (11) 605.
of MgO and LiF-doped MgO (7) 401.
initial-stage, effects of particle-size distribution (9) 461.
kinetics, of Al_2O_3, effect of Fe oxide (11) 588.
pressure, of CoO, final-stage densification during (11) 570.
refractory oxides, high activation energies in (2) 109.
ZrO_2-Y_2O_3 solid solutions, effect of precipitating atm (12) 648.
Slags, coal, electrical conductivity (8) 418.
Sodalites, bromate, and hydroxide, thermal decomposition (10) 523.
Sodium, chloride, and bromide, strengthening with divalent-ion additions (7) 369.
-H ion exchange, effect on crack propagation in glass (2) 108.
-K exchange, by electrolysis in silicate glasses (10) 514.
Solidification, eutectic, of MgO-$MgAl_2O_4$ (11) 566.
unidirectional, of stabilized HfO_2-W (4) 234.
Solids, polycrystalline ionic, diffusional creep, mass transport in (3) 146.
self-diffusion in, measurement by neutron activation (5) 245.
semitransparent, effective thermal conductivity for heat transfer through (10) 541.
Solid state, reaction, of particulate ensembles with size distributions, kinetics (2) 79.
Solid state devices, thin samples, thermal conductivity measurement (7) 391.
Solubility, gas, relation to glass and liquid structures (1) 12.
Solutions, solid, CeO_2-Y_2O_3 (5) 285.
CoO-NiO, interdiffusion in (3) 119.
high-quartz, ordering in, superlattice reflections (1) 42.
MgO.TiO_2, softening of Al_2O_3 by (11) 608.
NiO-CoO, defect structure (4) 211.
single crystals, phase separation in (7) 398.
NiO-MgO, single-crystal, ^{63}Ni diffusion in (11) 562.
(U,Pu)O_2, oxidation properties (3) 129.
zirconate, for microwave applications (7) 352.
ZrO_2-Y_2O_3, sintering, effect of precipitating atm (12) 648.
Spectra, fluorescence, and absorption in ThO_2 (3) 134.
ir, of cyanogen reaction with SiO_2 surfaces (5) 241.
optical, of Cu^{2+} and Ni^{2+} in aluminate spinels (10) 525.
Spectrophotometry, of OH, in B_2O_3 glass (10) 548.
Spectroscopy, Moessbauer, of Na-Fe-SiO_2 glasses wetting on steel (9) 459.
Spinels, $NiAl_2O_4$, and $CuAl_2O_4$, optical spectra of Cu^{2+} and Ni^{2+} in (10) 525.
$CuAl_2O_4$, and $ZnAl_2O_4$, equilibrium cation distribution in (2) 106.
Spectra, Raman, of $PbZrO_3$ (8) 436.
Steels, Na-Fe-SiO_2 glasses on, Moessbauer spectroscopy (9) 459.
wetting and adherence (9) 455.
Strength, of alite, effect of polymorphism and stabilizing ions (4) 222.
of cement pastes, relation to porosity (10) 549.
degradation, by projectile impacts (8) 405.
of glass, correlation with glassy microphases (2) 102.
soda-lime-silica, abrasion effect (6) 337.
-grain size-porosity functions, for ceramics (10) 547.
of MgO, effect of machining (10) 536.
of SiC coatings, of fuel particles, for reactors (1) 36.
of Si_3N_4, relation to fracture energy and microstructure (10) 518.
of Si_3N_4-SiC composite system, microstructure effect (9) 445.
tensile, of brittle ceramics, correction (9) 491.
uniaxial, of ceramics, correction (7) 388.
Strengthening, alkali halides, with divalent-ion additions (7) 369.
Al_2O_3, by quenching (1) 17.
sapphire rods, by BaO (11) 602.
Stresses, compressive surface, effect on surface damage of Al_2O_3 ceramics (1) 21.
concentrations, on porous brittle materials (2) 105.
corrosion susceptibility, of soda-lime glass (7) 402.
-optical coeff., relation to glass composition (11) 596.
relaxation modulus, of commercial glass (10) 501.
residual, in MgO crystals, machined (12) 634.
thermal, resistance, of Al_2O_3 and BeO (9) 490.
resistance of soda-lime-silica glass (6) 337.
third power, dependence in creep of polycrystalline nonmetals (3) 157.
Strontium, ferrites, characterization and sintering behavior (4) 207.
Structure, of glass, in systems M_2O-In_2O_3-GeO_2 (M = Li,Na,K) (7) 349.
micro-, of Al_2O_3, sintered (12) 654.
of Al_2O_3, sintered, changes during heat treatment (6) 309.
effect on measurements of Al_2O_3 fracture energy (1) 7.
effect on strength of Si_3N_4-SiC composite system (9) 445.
of Si_3N_4, hot-pressed (12) 662.
of Si_3N_4, relation to strength and fracture energy (10) 518.
-precursor relations in MgO (9) 495.
undulating, in complex silicate glasses (6) 300.
Surface, damage, effect on Al_2O_3 ceramics with compressive surface stresses (1) 21.
Synthesis, of $Ba_4In_6O_{13}$ (7) 399.
carbothermic, of UN, PuN, and (U,Pu)N (11) 553.
of Si_3N_4 (12) 628.
of Ti and Ag aluminogermanates (6) 344.

Temperature, effect, on growth of CH crystals during C_3S hydration (2) 73.
Temperature measurement instruments, thermocouple, and optical, errors in hot glass (5) 250.
Testing, proof-, prevention of failure in glass by (4) 227.
Tests, notched-beam, for fracture-energy measurement (10) 550.
Thallium, aluminogermanate, synthesis (6) 344.
Thermal analysis, differential, of activation energy of glassy $CdGeAs_2$ crystallization (8) 440.
Thermodynamics, analysis, of chemical vapor deposition of YIG films (12) 623.
properties, of Cr-N system (3) 126.
of spinodal decomposition (7) 355.
Thorium, dioxide, optical absorbance and fluorescence in (3) 134.
and ThO_2-Y_2O_3 with NiO, sintering, comment (7) 393.
Titanium, diboride, acoustic fatigue in (5) 283.
thermal expansion (1) 45.
oxide, effect on refractory systems, CaO-MgO-Fe oxide (1) 33.
-ZrO_2, pseudobinary, in Ti-Zr-O system (11) 584.
Topology, properties, of sintered materials, microscopy (8) 416.
Toughness, fracture, of ZrO_2, in CaO-ZrO_2 system (12) 619.
Transformation, of maghemite, to hematite, effects of pressing (9) 492.
Transitions, glass-, extended range (2) 103.
Transport, mass, in diffusional creep of ionic solids (3) 147.

Ultrasonics, velocity measurements, on K_2O-SiO_2 glasses (10) 506.
Uranium, dioxide, crack healing in (6) 297.
crack healing in, comments (12) 660.
creep, radiation-induced (3) 164.
hyperstoichiometric, deformation, model for (3) 161.
interrelation of pore size and grain size in grain growth (5) 289.
nitride, and (U,Pu)N, carbothermic synthesis, kinetics (11) 553.
-Pu carbides, compressive creep and hot hardness (4) 173.
-Pu oxides, equilibrium O potential-composition relations in (3) 116.
(U,Pu)O_2 solid solutions, oxidation properties (3) 129.
(U,Pu)O_{2-x} fuel pellets, creep (6) 330.

Vaporization, heat, of EuN (11) 582.
Vapor phase, reaction, Si_3N_4 preparation by (6) 346.
Volume, of B_2O_3 glass, relaxation (6) 320.

Water, interaction, with hardened cement paste (8) 409.
retention, dependence on amber glass composition, comments and reply (4) 232.
-solid ratio, effect on growth of CH crystals during C_3S hydration (2) 73.
vapor, surface free energy of wetting E-glass by (2) 87.
Waves, micro-, materials, zirconate solid-solution composition for (7) 352.
Wetting, behavior, of glass-Fe systems (2) 51.
of Na-Fe-SiO_2 glasses on steel (9) 455.
Wustite, phase, O activities in (3) 111.

X rays, diffraction, of $Ce_2Zr_3O_{10}$ (11) 600.
powder diffraction, data for beta Al_2TiO_5 (4) 220.

Yield point, of sapphire (3) 136.

Zinc, oxide, Bi_2O_3 ceramics, electrical properties (7) 360.
grain growth, interrelation of pore size and grain size (5) 289.
$ZnAl_2O_4$ spinel, equilibrium cation distribution in (2) 106.
Zircon, plasma-sprayed, pore changes on reheating (6) 347.
Zirconium, dioxide, fracture toughness in CaO-ZrO_2 system (12) 619.
single crystals, phase transformation (9) 493.